

2008

Assisted Reproductive Technology Success Rates

National Summary and Fertility Clinic Reports

National Center for Chronic Disease Prevention and Health Promotion
Division of Reproductive Health



Updates to this report will be posted on the CDC Web site at the following address:

<http://www.cdc.gov/ART/ART2008>

For additional information, send an e-mail to cdcinfo@cdc.gov (Subject: ART)

Or write to CDC, ATTN: ARTE Unit; 4770 Buford Highway, N.E.;

Mail Stop K-34; Atlanta, GA 30341-3717.



Assisted

Reproductive

Technology

Success Rates

National Summary and Fertility Clinic Reports

Centers for Disease Control and Prevention
National Center for Chronic Disease Prevention and Health Promotion
Division of Reproductive Health
Atlanta, Georgia

American Society for Reproductive Medicine
Society for Assisted Reproductive Technology
Birmingham, Alabama

December 2010

**U.S. Department of Health and Human Services
Centers for Disease Control and Prevention**

This publication was developed and produced by the National Center for Chronic Disease Prevention and Health Promotion of the Centers for Disease Control and Prevention in consultation with the American Society for Reproductive Medicine and the Society for Assisted Reproductive Technology.

Centers for Disease Control and Prevention

National Center for Chronic Disease
Prevention and Health Promotion

Ursula E. Bauer, PhD, MPH, Director

Division of Reproductive Health

CAPT Wanda D. Barfield, MD, MPH, Director
Kelly Brumbaugh, MPH, CHES

Women's Health and Fertility Branch

Maurizio Macaluso, MD, DrPH, Chief
Jeani Chang, MPH
Tonji Durant, PhD
Lisa M. Flowers, MA
Brenda D. Hayes, DSW, MPH
Aniket D. Kulkarni, MBBS, MPH
Glenda Sentelle, MA, MSHS
Mithi Sunderam, MA, PhD

American Society for Reproductive Medicine

William E. Gibbons, MD, Executive Director

Society for Assisted Reproductive Technology

James M. Goldfarb, MD, MBA, President
Kelley Jefferson

The data included in this report and publication support were provided by Westat under Contract No. 200-2004-06702 for the National Center for Chronic Disease Prevention and Health Promotion, Centers for Disease Control and Prevention, U.S. Department of Health and Human Services.

Suggested Citation: Centers for Disease Control and Prevention, American Society for Reproductive Medicine, Society for Assisted Reproductive Technology. *2008 Assisted Reproductive Technology Success Rates: National Summary and Fertility Clinic Reports*. Atlanta: U.S. Department of Health and Human Services; 2010.

Acknowledgments

The Centers for Disease Control and Prevention (CDC), the Society for Assisted Reproductive Technology, and the American Society for Reproductive Medicine thank RESOLVE: The National Infertility Association and The American Fertility Association for their commitment to assisted reproductive technology (ART) surveillance. Their assistance in making this report informative and helpful to people considering an ART procedure is greatly appreciated. Appendix D has current contact information for these national consumer organizations.

Table of Contents

Preface	1
Commonly Asked Questions About the U.S. ART Clinic Reporting System	3
2008 National Report	11
Introduction to the 2008 National Report	13
Section 1: Overview	15
Section 2: ART Cycles Using Fresh Nondonor Eggs or Embryos	20
Section 3: ART Cycles Using Frozen Nondonor Embryos	57
Section 4: ART Cycles Using Donor Eggs	60
Section 5: ART Trends, 1999–2008	65
2008 Fertility Clinic Tables	79
Introduction to Fertility Clinic Tables	81
Important Factors to Consider When Using These Tables to Assess a Clinic	81
How to Read a Fertility Clinic Table	85
2008 National Summary	91
Alabama	93
Alaska	99
Arizona	100
Arkansas	110
California	111
Colorado	170
Connecticut	177
Delaware	184
District of Columbia	186
Florida	190
Georgia	219
Hawaii	228
Idaho	233
Illinois	234
Indiana	261
Iowa	270
Kansas	272
Kentucky	277
Louisiana	280
Maryland	285
Massachusetts	291

Michigan	299
Minnesota	313
Mississippi	318
Missouri	320
Nebraska	328
Nevada	330
New Hampshire	334
New Jersey	335
New Mexico	356
New York	357
North Carolina	392
North Dakota	402
Ohio	403
Oklahoma	415
Oregon	418
Pennsylvania	422
Puerto Rico	441
Rhode Island	443
South Carolina	444
South Dakota	448
Tennessee	449
Texas	456
Utah	491
Vermont	493
Virginia	494
Washington	507
West Virginia	517
Wisconsin	520
Appendix A: Technical Notes	529
How to Interpret a Confidence Interval	531
Findings from Validation Visits for 2008 ART Data	533
Appendix B: Glossary of Terms	535
Appendix C: ART Clinics	541
Reporting ART Clinics for 2008, by State	543
Nonreporting ART Clinics for 2008, by State	580
Appendix D: National Consumer Organizations	583

Preface

For many people who want to start a family, the dream of having a child is not easily realized; about 12% of women of childbearing age in the United States have used an infertility service. Assisted reproductive technology (ART) has been used in the United States since 1981 to help women become pregnant, most commonly through the transfer of fertilized human eggs into a woman's uterus. However, for many people, deciding whether to undergo this expensive and time-consuming treatment can be difficult.

The goal of this report is to help potential ART users make informed decisions about ART by providing some of the information needed to answer the following questions:

- What are my chances of having a child by using ART?
- Where can I go to get this treatment?

The Society for Assisted Reproductive Technology (SART), an organization of ART providers affiliated with the American Society for Reproductive Medicine (ASRM), has been collecting data and publishing annual reports of pregnancy success rates for fertility clinics in the United States and Canada since 1989. In 1992, the U.S. Congress passed the Fertility Clinic Success Rate and Certification Act. This law requires the Centers for Disease Control and Prevention (CDC) to publish pregnancy success rates for ART in fertility clinics in the United States. Since 1995, CDC has worked in consultation with SART and ASRM to report ART success rates.

The 2008 report of pregnancy success rates is the fourteenth to be issued under the law. This report is based on the latest available data on the type, number, and outcome of ART cycles performed in U.S. clinics.

The 2008 ART report has four major sections:

- **Commonly asked questions about the U.S. ART clinic reporting system.** This section provides background information on infertility and ART and an explanation of the data collection, analysis, and publication processes.
- **A national report.** The national report section presents overall success rates and shows how they are affected by certain patient and treatment characteristics. Because the national report summarizes findings from all 436 fertility clinics that reported data, it can give people considering ART a good idea of the average chance of having a child by using ART.
- **Fertility clinic tables.** Success also is related to the expertise of a particular clinic's staff, the quality of its laboratory, and the characteristics of the patient population. The fertility clinic table section displays ART results and success rates for individual U.S. fertility clinics in 2008.
- **Appendixes:**

Appendix A contains technical notes on the interpretation of 95% confidence intervals and findings from the data validation visits to selected fertility clinics.

Appendix B (Glossary) provides definitions for technical and medical terms used throughout the report.

Appendix C includes the current names and addresses of all reporting clinics along with a list of clinics known to be in operation in 2008 that did not report their success rates data to CDC as required by law.

Appendix D includes the names and addresses of national consumer organizations that offer support to people experiencing infertility.

Success rates can be reported in a variety of ways, and the statistical aspects of these rates can be difficult to interpret. As a result, presenting information about ART success rates is a complex task. This report is intended for the general public, and the emphasis is on presenting the information in an easily understandable form. CDC hopes that this report is informative and helpful to people considering an ART procedure. We welcome any suggestions for improving the report and making it easier to use. (See contact information, inside front cover.)

Commonly Asked Questions About the U.S. ART Clinic Reporting System

Background Information, Data Collection Methods, Content and Design of the Report, and Additional Information About ART in the United States

1. How many people in the United States have infertility problems?

The latest data on infertility available to the Centers for Disease Control and Prevention (CDC) are from the 2002 National Survey of Family Growth.

- Of the approximately 62 million women of reproductive age in 2002, about 1.2 million, or 2%, had had an infertility-related medical appointment within the previous year and an additional 10% had received infertility services at some time in their lives. (Infertility services include medical tests to diagnose infertility, medical advice and treatments to help a woman become pregnant, and services other than routine prenatal care to prevent miscarriage.)
- Additionally, 7% of married couples in which the woman was of reproductive age (2.1 million couples) reported that they had not used contraception for 12 months and the woman had not become pregnant.

2. What is assisted reproductive technology (ART)?

Although various definitions have been used for ART, the definition used in this report is based on the 1992 law that requires CDC to publish this report. According to this definition, ART includes all fertility treatments in which both eggs and sperm are handled. In general, ART procedures involve surgically removing eggs from a woman's ovaries, combining them with sperm in the laboratory, and returning them to the woman's body or donating them to another woman. They do NOT include treatments in which only sperm are handled (i.e., intrauterine—or artificial—insemination) or procedures in which a woman takes drugs only to stimulate egg production without the intention of having eggs retrieved.

The types of ART include the following:

- **IVF (*in vitro fertilization*)**. Involves extracting a woman's eggs, fertilizing the eggs in the laboratory, and then transferring the resulting embryos into the woman's uterus through the cervix. For some IVF procedures, fertilization involves a specialized technique known as intracytoplasmic sperm injection (ICSI). In ICSI, a single sperm is injected directly into the woman's egg.
- **GIFT (*gamete intrafallopian transfer*)**. Involves using a fiber-optic instrument called a laparoscope to guide the transfer of unfertilized eggs and sperm (gametes) into the woman's fallopian tubes through small incisions in her abdomen.
- **ZIFT (*zygote intrafallopian transfer*)**. Involves fertilizing a woman's eggs in the laboratory and then using a laparoscope to guide the transfer of the fertilized eggs (zygotes) into her fallopian tubes.

In addition, ART often is categorized according to whether the procedure used a woman's own eggs (nondonor) or eggs from another woman (donor) and according to whether the embryos used were newly fertilized (fresh) or previously fertilized, frozen, and then thawed (frozen). Because an ART procedure includes several steps, it is typically referred to as a cycle of treatment. (See **What is an ART cycle?** below.)

3. What is an ART cycle?

Because ART consists of several steps over an interval of approximately 2 weeks, an ART procedure is more appropriately considered a **cycle** of treatment rather than a procedure at a single point in time. The start of an ART cycle is considered to be when a woman begins taking drugs to stimulate egg production or starts ovarian monitoring with the intent of having embryos transferred. (See Figure 6, page 20, for a full description of the steps in an ART cycle.) For the purposes of this report, data on **all cycles that were started**, even those that were discontinued before all steps were undertaken, are submitted to CDC through a Web-based data collection system called the National ART Surveillance System (NASS) and are counted in the clinic's success rates.

4. How do U.S. ART clinics report data to CDC about their success rates?

CDC contracts with a statistical survey research organization, Westat, to obtain the data published in the ART success rates report. Westat maintains a list of all ART clinics known to be in operation and tracks clinic reorganizations and closings. This list includes clinics and individual providers that are members of the Society for Assisted Reproductive Technology (SART) as well as clinics and providers that are not SART members. Westat actively follows up reports of ART physicians or clinics not on its list to update the list as needed. Westat maintains NASS, the Web-based data collection system that all ART clinics use. Clinics either electronically enter or import data into NASS for each ART procedure they start in a given reporting year. The data collected include information on the client's medical history (such as infertility diagnoses), clinical information pertaining to the ART procedure, and information on resulting pregnancies and births.

See below (**Why is the report of 2008 success rates being published in 2010?**) for a complete description of the reporting process.

5. Why is the report of 2008 success rates being published in 2010?

Before success rates based on live births can be calculated, every ART pregnancy must be followed up to determine whether a birth occurred. Therefore, the earliest that clinics can report complete annual data is late in the year after ART treatment was initiated (about 9 months past year-end, when all the births have occurred). Accordingly, the results of all the cycles initiated in 2008 were not known until October 2009. After ART outcomes are known, the following occurs before the report is published:

- Clinics enter their data into NASS and verify the data's accuracy before sending the data to Westat.
- Westat compiles a national data set from the data submitted by individual clinics.
- CDC data analysts conduct comprehensive checks of the numbers reported for every clinic.
- Clinic tables, national figures, and accompanying text for both the printed and Internet versions of the report are compiled and laid out.

- CDC and Westat review the report.
- Necessary changes are incorporated and proofread.
- The report is submitted to the Government Printing Office to begin the printing and production process.

These steps are time-consuming but essential for ensuring that the report provides the public with correct information particularly regarding each clinic's success rates.

6. Which clinics are represented in this report?

The data in both the national report and the individual fertility clinic tables come from 436 fertility clinics that provided and verified information about the outcomes of the ART cycles started in their clinics in 2008.

Although we believe that almost all clinics that provided ART services in the United States throughout 2008 are represented in this report, data for a few clinics or practitioners are not included because they either were not in operation throughout 2008 or did not report as required. Clinics and practitioners known to have been in operation throughout 2008 that did not report and verify their data are listed in this report as nonreporters, as required by law (see Appendix C, Nonreporting ART Clinics for 2008, by State, on pages 580–582). We will continue to make every effort to include in future reports all clinics and practitioners providing ART services.

7. Why doesn't CDC rank the clinics?

Because the decision to undergo ART treatment is a very personal decision, this report may not contain all of the information that a woman or a couple needs to decide which ART clinic or procedure is best for their treatment. Many factors contribute to the success rate of an ART procedure in particular patients, and a difference in success rates between two ART programs may reflect differences in the groups of patients treated, the types of procedures used, or other factors. More explanations on how to use the success rates and other statistics published in this report are in the Introduction to Fertility Clinic Tables (pages 81–90). The report should be used to help people considering an ART procedure find clinics where they can meet personally with ART providers to discuss their specific medical situation and their likelihood of success using ART. Contacting a clinic also may provide additional information that could be helpful in deciding whether or not to use ART. Because ART offers several treatment options for infertility, there are many other factors that may affect the decision. Going through repeated ART cycles requires substantial commitments of time, effort, money, and emotional energy. Therefore, this report may be a helpful starting point for consumers to obtain information and consider their options.

8. Does this report include all ART cycles performed by the reporting clinics?

This report includes data for the 148,055 cycles performed in 2008 by the 436 clinics that reported their data as required. A small number of ART cycles are not included in either the national data or the individual fertility clinic tables. These were cycles in which a new treatment procedure was being evaluated. Only 2 ART cycles fell into this category in 2008.

9. How are the success rates determined?

This report presents several measures of success for ART (see Figure 8, page 22), including the percentage of ART cycles that result in a pregnancy. The pregnancies reported here were diagnosed using an ultrasound procedure. All live-birth deliveries were reported to the ART physician by either the patient or her obstetric provider. Because this report is geared toward patients, the focus is on the percentage of cycles resulting in live births. Singleton live births are presented as a separate measure of success because they have a much lower risk than multiple-infant births for adverse infant health outcomes, including prematurity, low birth weight, disability, and death. As noted throughout the report, success rates were additionally calculated at various steps of the ART cycle to provide a complete picture of the chances for success as the cycle progresses.

10. What are my chances of getting pregnant using ART?

Many women ask this question because they assume that the pregnancy will lead to a live birth. Unfortunately, not all ART procedures that result in a pregnancy lead to the delivery of a live infant. For example, in 2008, 104,673 fresh nondonor ART cycles were started. Of those, 38,631 (37%) led to a pregnancy, but only 31,365 (30%) resulted in a live birth. In other words, 19% of ART pregnancies did not result in a live birth. The percentage of cycles resulting in live births will give a more accurate answer to the question, “If I have an ART procedure, what is my chance that I will have a baby?”

It is important to note that multiple-fetus pregnancies and multiple-infant births are common with ART (see Figure 11, page 25). Multiple-infant births are associated with greater risk for adverse health outcomes for both the mother and the infants (see Figures 12 and 13 on preterm deliveries and low birth weight, pages 26 and 27). This report also includes singleton live births as a measure of success because they have a lower risk of adverse health outcomes.

11. If a woman has had more than one ART treatment cycle, how is the success rate calculated? Alternatively, how many cycles does a woman usually go through before getting pregnant?

As required by law, this report presents ART success rates in terms of how many cycles were started each year, rather than in terms of how many women were treated. (A cycle starts when a woman begins taking fertility drugs or having her ovaries monitored for follicle production.) Clinics do not report to CDC the number of women treated at each facility. Because clinics report information only on outcomes for each cycle started, it is not possible to compute the success rates on a “per woman” basis, or the number of cycles that an average woman may undergo before achieving success.

12. What factors that influence success rates are presented in this report?

The national report presents a more in-depth picture of ART than can be shown for each individual clinic. Success rates are presented in the context of various patient and treatment characteristics that may influence success. These characteristics include age, infertility diagnosis, history of previous births, previous miscarriages, previous ART cycles, number of embryos transferred, type of ART procedure, use of techniques such as ICSI, and clinic size.

13. What quality control steps are used to ensure data accuracy?

To have their success rates published in this annual report, clinics have to submit their data in time for analysis and the clinics' medical directors have to verify by signature that the tabulated success rates are accurate. Then, Westat conducts an in-house review and contacts the clinics if corrections are necessary. After the data have been verified, a quality control process called validation begins. This year, 35 of 436 reporting clinics were randomly selected for site visits. Members of the Westat Validation Team visited these clinics and reviewed medical record data for a sample of the clinic's ART cycles. For each cycle, the validation team abstracted information from the patient's medical record. The abstracted information was then reviewed on-site and compared with the data submitted for the report. CDC staff members participated as observers in some of the visits. For each clinic, the sample of cycles validated included all cycles that were reported to have multiple-fetus pregnancies and a random sample of up to 50 additional cycles. In almost all cases, data available in the medical records on pregnancies and births were consistent with reported data. Validation primarily helps ensure that clinics are being careful to submit accurate data. It also serves to identify any systematic problems that could cause data collection to be inconsistent or incomplete.

The data validation process does not include any assessment of clinical practice or overall record keeping. See Appendix A, Technical Notes (pages 531–534), for a more detailed presentation of findings from the validation visits.

14. How does CDC use the variables/data collected but not reported in the annual Assisted Reproductive Technology Success Rates National Summary and Fertility Clinic Reports?

CDC uses the data collected and not reported in the annual assisted reproductive technology (ART) report to evaluate emerging ART research questions and to monitor safety and efficacy issues related to ART treatment for improving maternal and child outcomes. Other data may not be released in order to protect the ART patient's confidentiality. A list of publications is available at <http://www.cdc.gov/ART/pubs.htm>.

15. How does CDC ensure the confidentiality of the assisted reproductive technology data it collects?

CDC has an Assurance of Confidentiality for the Assisted Reproductive Technology (ART) database. An Assurance of Confidentiality is a formal confidentiality protection authorized under Section 308(d) of the Public Health Service Act (42 U.S.C. 242[m]). An assurance is used for projects conducted by CDC staff or contractors involving the collection or maintenance of sensitive identifiable or potentially identifiable information. The assurance allows CDC programs to assure individuals and institutions involved in research or non-research projects that those conducting the project will protect the confidentiality of the data collected. Under PHSA Section 308(d), no identifiable information may be used for any purpose other than the purpose for which it was supplied unless such institution or individual has consented to that disclosure. CDC's current assurance of confidentiality for this project is ongoing.

16. Why doesn't the report contain specific medical information about ART?

This report describes a woman's average chances of success using ART. Although the report provides some information about factors such as age and infertility diagnosis, individual couples face many unique medical situations. This population-based registry of ART procedures cannot capture detailed information about specific medical conditions associated with infertility. A physician in clinical practice should be consulted for the individual evaluation that will help a woman or couple understand their specific medical situation and their chances of success using ART.

17. Why are summary statistics in the Fertility Clinic Tables published by CDC different from summary statistics reported in the SART National Summary?

From 1996–2008, the percentage of ART clinics reporting data to CDC with a SART membership ranged from approximately 86% to 95%. Annual summary statistics of ART treatments performed in each of these clinics are available online at www.sart.org. Although the same table items are used in both the CDC's Fertility Clinic Tables and SART National Summary, discrepancies in tabulated statistics between the SART and CDC tables may be due to (1) the inclusion, in the CDC tables, of ART treatments performed at non-SART member clinics; (2) differences in the data submission deadlines between SART and CDC. Differences in submission dates may result in ART clinics being excluded from the CDC annual report but not from the SART National Summary report; and (3) differences in data processing procedures and statistical methods used to generate statistics.

18. Does CDC have any information on the women who donate eggs?

CDC collects only information on the age of egg donors, but does not present it in the individual clinic tables for this report. In 2008, the average age of egg donors was approximately 28 years old. Success rates for cycles using donor eggs or using embryos derived from donor eggs are presented separately based on the ART patient's age.

19. Are there any medical guidelines for ART performed in the United States?

The American Society for Reproductive Medicine (ASRM) and SART issue guidelines dealing with specific ART practice issues, such as the number of embryos to be transferred in an ART procedure. Further information can be obtained from ASRM or SART (both at telephone 205-978-5000 or Web sites www.asrm.org and www.sart.org).

20. Where can I get additional information on U.S. fertility clinics?

For further information on specific clinics, contact the clinic directly (see Appendix C for current contact information). In addition, SART can provide general information on its member clinics (telephone 205-978-5000, extension 109).

21. What's new in the 2008 report?

Overall, the content and format of this report are similar to those used in previous years. New information includes the following:

National Report

- Percentages of ART Cycles That Resulted in Live Births, by Type of ART and Clinic Size (Section 1: Overview—Figure 5, page 19).
- Percentages of Embryos Transferred That Resulted in Implantation Among Women Using Fresh Nondonor Eggs or Embryos, by Age Group (Section 2: Fresh Nondonor Cycles—Figure 34, page 48).
- Percentages of Embryos Transferred That Resulted in Implantation Among Women Using Frozen Nondonor Embryos, by Age Group (Section 3: Frozen Nondonor Cycles—Figure 43, page 57).
- Numbers of ICSI Procedures Performed, by Type of ART Cycle (Section 5: ART Trends—Figure 52, page 66).
- Percentages of Transfers That Resulted in Live Births, by Type of ART Cycle and ICSI (Section 5: ART Trends—Figure 53, page 67).
- Percentages of Transfers That Resulted in Singleton Live Births, by Type of ART Cycle and ICSI (Section 5: ART Trends—Figure 54, page 68).

National Summary and Individual Fertility Clinic Tables

- The ART Cycle Profile section now includes summary statistics for cycles with eSET (elective single-embryo transfer).
- The Pregnancy Success Rates section now includes the percentage of embryos transferred that resulted in implantation among women using fresh embryos from nondonor eggs. This information is broken down by age group.

Note: The purpose of adding the new measures is to provide a more comprehensive report to help potential ART users make informed decisions.

Glossary of Terms

- New definitions for Implantation Rate and eSET (elective single-embryo transfer).
- Updated definitions for Miscarriage and Stillbirth.

2008

National Report



INTRODUCTION TO THE 2008 NATIONAL REPORT

Data provided by U.S. clinics that use assisted reproductive technology (ART) to treat infertility are a rich source of information about the factors that contribute to a successful ART treatment—the delivery of a live-born infant. Pooling the data from all reporting clinics provides an overall national picture that could not be obtained by examining data from an individual clinic.

A woman's chances of having a pregnancy and a live birth by using ART are influenced by many factors, some of which are patient-related and outside a clinic's control (e.g., the woman's age, the cause of infertility). Because the national data set includes information on many of these factors, it can give potential ART users an idea of their average chances of success. Average chances, however, do not necessarily apply to a particular individual or couple. People considering ART should consult their physician to discuss all the factors that apply in their particular case.

The data for this national report come from the 436 fertility clinics in operation in 2008 that provided and verified data on the outcomes of all ART cycles started in their clinics. The 148,055 ART cycles performed at these reporting clinics in 2008 resulted in 46,326 live births (deliveries of one or more living infants) and 61,426 infants.

The national report consists of graphs and charts that use 2008 data to answer specific questions related to ART success rates. These figures are organized according to the type of ART procedure used. Some ART procedures use a woman's own eggs, and others use donated eggs or embryos. (Although sperm used to create an embryo also may be either from a woman's partner or from a sperm donor, information in this report is presented according to the source of the egg.) In some procedures, the embryos that develop are transferred back to the woman (fresh embryo transfer); in others, the embryos are frozen (cryopreserved) for transfer at a later date. This report includes data on frozen embryos that were thawed and transferred in 2008.

The national report has five sections:

- Section 1 (Figures 1 through 5) presents information from all ART procedures reported.
- Section 2 (Figures 6 through 42) presents information on the ART cycles that used only fresh embryos from nondonor eggs or, in a few cases, a mixture of fresh and frozen embryos from nondonor eggs (104,673 cycles resulting in 85,533 transfers).
- Section 3 (Figures 43 through 45) presents information on the ART cycles that used only frozen embryos from nondonor eggs (25,261 cycles resulting in 23,301 transfers).
- Section 4 (Figures 46 through 50) presents information on the ART cycles that used only donated eggs or embryos (18,121 cycles resulting in 16,579 transfers).
- Section 5 (Figures 51 through 63) presents trends in the number of ART procedures and success rates over the past 10 years, from 1999 through 2008.


The 2008 national summary table, which is based on data from all clinics included in this report, is on page 91, immediately preceding the individual clinic tables. An explanation of how to read these tables is on pages 85–90.

SECTION I: OVERVIEW

Where are United States ART clinics located, how many ART cycles did they perform in 2008, and how many infants were born from these ART cycles?

Although ART clinics are located throughout the United States, generally in or near major cities, the greatest number of clinics is in the eastern United States. Figure 1 shows the locations of the 436 reporting clinics. The fertility clinic section of this report, arranged in alphabetical order by state, city, and clinic name, provides specific information on each of these clinics. The number of clinics, cycles performed, live-birth deliveries, and infants born as a result of ART all have increased steadily since CDC began collecting this information in 1995 (see Section 5, pages 65–77). Because in some cases more than one infant is born during a live-birth delivery (e.g., twins), the total number of infants born is greater than the number of live-birth deliveries. CDC estimates that ART accounts for slightly more than 1% of total U.S. births.

Figure 1
Locations of ART Clinics in the United States and Puerto Rico, 2008




Number of ART clinics in the United States in 2008	475
Number of ART clinics that submitted data in 2008.....	436
Number of ART cycles reported in 2008	148,055*
Number of live-birth deliveries resulting from ART cycles started in 2008	46,326
Number of infants born as a result of ART cycles performed in 2008	61,426

* Note: This number does not include 2 cycles in which a new treatment procedure was being evaluated (see Figure 2, page 16).

What types of ART cycles were performed in the United States in 2008?

Figure 2 shows the types of ART cycles performed in the United States in 2008. For approximately 71% of ART cycles performed in 2008, fresh nondonor eggs or embryos were used. ART cycles that used frozen nondonor embryos were the next most common type, accounting for approximately 17% of the total. In about 12% of cycles, eggs or embryos were donated by another woman. A very small number of cycles (less than 0.1%) involved the evaluation of a new treatment procedure. Cycles in which a new treatment procedure was being evaluated are not included in the total number of cycles reported in the national report or in the individual fertility clinic tables. Thus, data presented in subsequent figures in this report and in the individual fertility clinic tables are based on 148,055 ART cycles.

Figure 2
Types of ART Cycles—United States,* 2008




*Total does not equal 100% due to rounding.

How old were women who used ART in the United States in 2008?

Figure 3 presents ART cycles performed in the United States in 2008 according to the age of the woman who had the procedure. The average age of women using ART services in 2008 was 36. The largest group of women using ART services were women younger than 35, representing approximately 39% of all ART cycles performed in 2008. Approximately 21% of ART cycles were performed among women aged 35–37, 20% among women aged 38–40, 10% among women aged 41–42, 6% among women aged 43–44, and 5% among women older than 44.

Figure 3
ART Use by Age Group—United States,* 2008




*Total does not equal 100% due to rounding.

How did the types of ART cycles performed in the United States in 2008 differ among women of different ages?

Figure 4 shows that, in 2008, the type of ART cycles varied by the woman’s age. The vast majority (96%) of women younger than 35 used their own eggs, whereas about 3% used donor eggs. In contrast, 38% of women aged 43–44 and 71% of women older than 44 used donor eggs. Across all age groups, more ART cycles using fresh eggs or embryos were performed than cycles using frozen embryos.

Figure 4
Types of ART Cycles by Age Group—United States, 2008




*Totals do not equal 100% due to rounding.

How is clinic size related to percentages of ART cycles performed in the United States in 2008 that resulted in live births?

The number of ART procedures performed every year varies among fertility clinics in the United States. For Figure 5, clinics were divided equally into four groups (called quartiles) based on the size of the clinic as determined by the number of ART cycles it performed in 2008. The percentage for each quartile by type of ART represents the average percentage of ART cycles that resulted in live births for clinics in that quartile.

In 2008, percentages of ART cycles that resulted in live births using fresh nondonor eggs or embryos were similar for all 436 clinics regardless of the number of cycles performed. However, for frozen nondonor and fresh donor cycles, the percentage of cycles that resulted in live births increased as the clinic size increased. Among frozen donor cycles, the percentage of cycles that resulted in live births varied by clinic size.

Figure 5
Percentages of ART Cycles That Resulted in Live Births, by Type of ART and Clinic Size—United States, 2008



SECTION 2: ART CYCLES USING FRESH NONDONOR EGGS OR EMBRYOS

What are the steps for an ART cycle using fresh nondonor eggs or embryos?

Figure 6 presents the steps for an ART cycle using fresh nondonor eggs or embryos and shows how ART users in 2008 progressed through these stages toward pregnancy and live birth.

An ART **cycle is started** when a woman begins taking medication to stimulate the ovaries to develop eggs or, if no drugs are given, when the woman begins having her ovaries monitored (using ultrasound or blood tests) for natural egg production.

If eggs are produced, the cycle then progresses to **egg retrieval**, a surgical procedure in which eggs are collected from a woman's ovaries.

Once retrieved, eggs are combined with sperm in the laboratory. If fertilization is successful, one or more of the resulting embryos are selected for **transfer**, most often into a woman's uterus through the cervix (IVF), but sometimes into the fallopian tubes (e.g., GIFT, ZIFT; see pages 538 and 539 for definitions).


If one or more of the transferred embryos implant within the woman's uterus, the cycle then may progress to clinical **pregnancy**.

Finally, the pregnancy may progress to a **live birth**, the delivery of one or more live-born infants. (The birth of twins, triplets, or more is counted as one live birth.)

A cycle may be discontinued at any step for specific medical reasons (e.g., no eggs are produced, the embryo transfer was not successful) or by patient choice.

Figure 6


Outcomes of ART Cycles Using Fresh Nondonor Eggs or Embryos, by Stage, 2008



Why are some ART cycles discontinued?

In 2008, 11,830 ART cycles (about 11% out of all fresh-nondonor cycles started, 104,673) were discontinued before the egg retrieval step (see Figure 6, page 20). Figure 7 shows reasons that the cycles were discontinued. For approximately 80% of these cycles, there was no or inadequate egg production. Other reasons included too high a response to ovarian stimulation medications (i.e., potential for ovarian hyperstimulation syndrome), concurrent medical illness, or a patient's personal reasons.

Figure 7
Reasons ART Cycles Using Fresh Nondonor Eggs or Embryos
Were Discontinued,* 2008




*Based on 11,830 ART cycles.

How are success rates of ART measured?

Figure 8 shows ART success rates using six different measures, each providing slightly different information about this complex process. The vast majority of success rates have increased slightly each year since CDC began monitoring them in 1995 (see Section 5, pages 65–77).

- **Percentage of ART cycles started that produced a pregnancy:** This is higher than the percentage of cycles that resulted in a live birth because some pregnancies end in miscarriage, induced abortion, or stillbirth (see Figure 10, page 24).
- **Percentage of ART cycles started that resulted in a live birth (a delivery of one or more live-born infants):** This is the one many people are most interested in because it represents the average chance of having one or more live-born infants by using ART. *This is referred to as the basic live birth rate in the Fertility Clinic Success Rate and Certification Act of 1992.*
- **Percentage of ART cycles in which eggs were retrieved that resulted in a live birth:** This is generally higher than the percentage of cycles that resulted in a live birth because it excludes cycles that were canceled before eggs were retrieved. In 2008, about 11% of all cycles using fresh nondonor eggs or embryos were canceled for a variety of reasons (see Figure 7, page 21). *This is referred to as the live birth rate per successful oocyte (egg) retrieval in the Fertility Clinic Success Rate and Certification Act of 1992.*
- **Percentage of ART cycles in which an embryo or egg and sperm transfer occurred that resulted in a live birth:** This is the highest of these six measures of ART success.
- **Percentage of ART cycles started that resulted in a singleton live birth:** Overall, singleton live births have a much lower risk than multiple-infant births for adverse infant health outcomes, including prematurity, low birth weight, disability, and death.
- **Percentage of ART cycles in which an embryo or egg and sperm transfer occurred that resulted in a singleton live birth:** This is higher than the percentage of ART cycles started that resulted in a singleton live birth because not all ART cycles proceed to embryo transfer.

Figure 8
Measures of Success for ART Cycles Using
Fresh Nondonor Eggs or Embryos, 2008




What percentage of ART cycles result in a pregnancy?

Figure 9 shows the results of ART cycles in 2008 that used fresh nondonor eggs or embryos. Most of these cycles (62%) did not produce a pregnancy; a very small proportion (less than 1%) resulted in an ectopic pregnancy (the embryo implanted outside the uterus), and about 37% resulted in clinical pregnancy. Clinical pregnancies, accounting for more than one-third of cycles, can be further subdivided as follows:

- Approximately 22% resulted in a single-fetus pregnancy.
- 12% resulted in a multiple-fetus pregnancy.
- Approximately 3% of pregnancies ended before the number of fetuses could be accurately determined.

Figure 9
Results of ART Cycles Using Fresh Nondonor Eggs or Embryos, 2008




Using ART, what percentage of pregnancies result in a live birth?

Figure 10 shows the outcomes of pregnancies resulting from ART cycles using fresh nondonor eggs or embryos in 2008. Approximately 81% of the pregnancies resulted in a live birth (about 56% in a singleton birth and 26% in a multiple-infant birth). About 18% of pregnancies resulted in miscarriage, stillbirth, induced abortion, or maternal death prior to birth. For less than 1% of pregnancies, the outcome was unknown.

Although the birth of more than one infant is counted as one live birth, multiple-infant births are presented here as a separate category because they often are associated with problems for both mothers and infants. Infant deaths and birth defects are not included as adverse outcomes because the available information for these outcomes is incomplete.

Figure 10

Outcomes of Pregnancies Resulting from ART Cycles Using Fresh Nondonor Eggs or Embryos,^{*†} 2008



*Maternal deaths prior to birth are not displayed due to small number (n = 1).

†Total does not equal 100% due to rounding.

Using ART, what is the risk of having a multiple-fetus pregnancy or multiple-infant live birth?

Multiple-infant births are associated with greater problems for both mothers and infants, including higher rates of caesarean section, prematurity, low birth weight, and infant disability or death.


Part A of Figure 11 shows that among the 38,631 pregnancies that resulted from ART cycles using fresh nondonor eggs or embryos, approximately 61% were singleton pregnancies, 29% were twins, and about 4% were triplets or more. Approximately 7% of pregnancies ended before the number of fetuses could be accurately determined. Therefore, the percentage of pregnancies with more than one fetus might have been higher than what was reported (about 33%).

In 2008, 7,047 pregnancies resulting from ART cycles ended in either miscarriage, stillbirth, induced abortion, or maternal death, and 219 pregnancy outcomes were not reported. The remaining 31,365 pregnancies resulted in live births. Part B of Figure 11 shows that approximately 32% of these live births produced more than one infant (30% twins and approximately 2% triplets or more). This compares with a multiple-infant birth rate of slightly more than 3% in the general U.S. population.

Although the total rates for multiples were similar between pregnancies and live births, there were more triplet-or-more pregnancies than births. Triplet-or-more pregnancies may be reduced to twins or singletons by the time of birth. This can happen naturally (e.g., fetal death), or a woman and her doctor may decide to reduce the number of fetuses using a procedure called multifetal pregnancy reduction. CDC does not collect information on multifetal pregnancy reductions.

Figure 11

Risks of Having Multiple-Fetus Pregnancies and Multiple-Infant Live Births from ART Cycles Using Fresh Nondonor Eggs or Embryos, 2008



Using ART, what is the risk for preterm birth?

Preterm birth occurs when a woman gives birth before 37 full weeks of pregnancy. Infants born preterm are at greater risk for death in the first few days of life, as well as other adverse health outcomes including visual and hearing impairments, intellectual and learning disabilities, and behavioral and emotional problems throughout life. Preterm births also cause substantial emotional and economic burdens for families.

Figure 12 shows percentages of preterm births resulting from ART cycles that used fresh nondonor eggs or embryos, by the number of infants born. For singletons, it shows separately the preterm percentage for pregnancies that started with one fetus (single-fetus pregnancies) or more than one (multiple-fetus pregnancies).


Among singletons, the percentage of preterm births was higher for those from multiple-fetus pregnancies (19%) than those from single-fetus pregnancies (12%). In the general U.S. population, where singletons are almost always the result of a single-fetus pregnancy, 11% were born preterm in 2006 (most recent available data).

Among ART births, 61% of twins and 96% of triplets or more were born preterm. A comparison of preterm births between ART's multiple-fetus pregnancies and that of the general population is not meaningful because a substantial proportion of twin births or triplet and higher order births are due to infertility treatments (ART and non-ART). From 1997 to 2000, the estimated proportion of twins due to infertility treatments (ART and non-ART) ranged from 27% to 33% and the estimated proportion of triplet and higher order births remained stable at 82%.

These data indicate that the risk for preterm birth is higher among infants conceived through ART than for infants in the general population. This increase in risk is, in large part, due to the higher percentage of multiple-fetus pregnancies resulting from ART cycles.

Figure 12

Percentages of Preterm Births from ART Cycles Using Fresh Nondonor Eggs or Embryos, by Number of Infants Born, 2008



Using ART, what is the risk of having low-birth-weight infants?

Low-birth-weight infants (less than 2,500 grams, or 5 pounds, 9 ounces) are at increased risk for death and short- and long-term disabilities such as cerebral palsy, intellectual disabilities, and limitations in motor and cognitive skills.

Figure 13 presents percentages of low-birth-weight infants resulting from ART cycles that used fresh nondonor eggs or embryos, by number of infants born. For singletons, it shows separately the percentage of low birth weight among infants born from pregnancies that started with one fetus (single-fetus pregnancies) and with more than one fetus (multiple-fetus pregnancies).


Among singletons born through ART, the percentage of low-birth-weight infants was higher for those from multiple-fetus pregnancies (about 15%) than those from single-fetus pregnancies (9%). In the general U.S. population, where singletons are almost always the result of a single-fetus pregnancy, 6% of infants born in 2007 (most recent available data) had low birth weights.

Approximately 56% of twins and 92% of triplets or more had low birth weights. Comparing percentages of low birth weights between ART twins and triplets or more and the general population is not meaningful because the vast majority of multiple births in the United States are due to infertility treatments (both ART and non-ART).

These data indicate that the risk for low birth weight is higher for infants conceived through ART than for infants in the general population. The increase in risk is due, in large part, to the higher percentage of multiple-fetus pregnancies resulting from ART cycles.

Figure 13


Percentages of Low-Birth-Weight Infants from ART Cycles Using Fresh Nondonor Eggs or Embryos, by Number of Infants Born, 2008



What are the ages of women who use ART?

Figure 14 presents ART cycles using fresh nondonor eggs or embryos according to the age of the woman who had the procedure. About 12% of these cycles were among women younger than age 30, about 66% were among women aged 30–39, and approximately 22% were among women aged 40 or older.


Figure 14
Age Distribution of Women Who Had ART Cycles Using Fresh Nondonor Eggs or Embryos, 2008



Do percentages of ART cycles that result in pregnancies, live births, and singleton live births differ among women of different ages?

A woman's age is the most important factor affecting the chances of a live birth when her own eggs are used. Figure 15 shows percentages of pregnancies, live births, and singleton live births for women of different ages who had ART procedures using fresh nondonor eggs or embryos in 2008. Percentages of ART cycles resulting in live births and singleton live births are different because of the high percentage of multiple-infant deliveries counted among the total live births. The percentage of multiple-infant births is particularly high among women younger than 35 (see Figure 36, page 50). Among women in their 20s, percentages of ART cycles resulting in pregnancies, live births, and singleton live births were relatively stable; however, percentages declined steadily from the mid-30s onward. For additional detail on percentages of ART cycles that resulted in pregnancies, live births, and singleton live births among women aged 40 or older, see Figure 16 on page 30.

Figure 15
 Percentages of ART Cycles Using Fresh Nondonor Eggs or Embryos That Resulted in Pregnancies, Live Births, and Singleton Live Births, by Age of Woman,* 2008




*For consistency, all percentages are based on cycles started.

How do percentages of ART cycles that result in pregnancies, live births, and singleton live births differ for women who are 40 or older?

Percentages of ART cycles that result in pregnancies, live births, and singleton live births decline with each year of age and are particularly low for women aged 40 or older. Figure 16 shows percentages of pregnancies, live births, and singleton live births in 2008 for women aged 40 or older who used fresh nondonor eggs or embryos. The average chance for pregnancy was about 27% for women age 40; the percentage of ART cycles resulting in live births for this age was about 18%, and the percentage of ART cycles resulting in singleton live births was 14%. All percentages dropped steadily with each 1-year increase in age. For women older than 44, the percentage of live births and singleton live births were both close to 1%. Women aged 40 or older generally have much higher percentages of live births using donor eggs (see Figure 47, page 61).

Figure 16

Percentages of ART Cycles Using Fresh Nondonor Eggs or Embryos That Resulted in Pregnancies, Live Births, and Singleton Live Births Among Women Aged 40 or Older,* 2008



*For consistency, all percentages are based on cycles started.


How does the risk for miscarriage differ among women of different ages?

A woman's age not only affects the chance for pregnancy when her own eggs are used, but also affects her risk for miscarriage. Figure 17 shows percentages of ART cycles started in 2008 that resulted in miscarriage for women of different ages. Percentages of ART cycles that resulted in miscarriage were below 14% among women younger than 35. The percentage of ART cycles that resulted in miscarriages began to increase among women in their mid- to late 30s and continued to increase with age, reaching 30% at age 40 and almost 58% among women older than 44.

The risk for miscarriage observed among women undergoing ART procedures using fresh nondonor eggs or embryos appears to be similar to those reported in various studies of other pregnant women in the United States.

Figure 17


Percentages of ART Cycles Using Fresh Nondonor Eggs or Embryos That Resulted in Miscarriage, by Age of Woman, 2008



How does the risk for pregnancy loss through week 24 vary among women of different ages?

The risk for pregnancy loss (loss of an entire pregnancy or all fetuses in a multiple-fetus pregnancy, including stillbirths and miscarriages) is affected by the duration of a woman’s pregnancy and her age. Figure 18 shows that 12% to 57% of clinical pregnancies (see Pregnancy [clinical] in Glossary of Terms, page 539) were lost through 24 weeks gestation, depending on the woman’s age. Among women younger than 35, 12% of pregnancies were lost and 87% continued through week 24. In contrast, among women older than 44, 57% of pregnancies were lost and only 41% continued through week 24. In all age groups, most pregnancy losses occurred before week 14 (i.e., during the first trimester). The risk for pregnancy loss after 24 weeks was less than 1% for all age groups because most pregnancies that progress beyond week 24 lead to live births. Note that percentages of pregnancy loss and percentages of pregnancy continuation for each age group may not add up to 100% because some pregnancies resulted in outcomes other than pregnancy loss before week 24 (e.g., live births before 24 weeks gestation, induced abortions, or maternal death).

Figure 18
 Percentages of Pregnancies That Were Lost Through Week 24 Among ART Cycles Using Fresh Nondonor Eggs or Embryos, by Age of Woman, 2008



How does a woman’s age affect her chances of progressing through the various stages of ART?

In 2008, a total of 104,673 cycles using fresh nondonor eggs or embryos were started:

- 43,296 among women younger than age 35
- 23,326 among women aged 35–37 years
- 21,793 among women aged 38–40 years
- 9,783 among women aged 41–42 years
- 4,907 among women aged 43–44 years
- 1,568 among women older than age 44


Figure 19 shows that a woman’s chance of progressing from the beginning of ART to pregnancy and live birth (using her own eggs) decreases at every stage of ART as her age increases.

- As women get older, the likelihood of a successful response to ovarian stimulation and progression to **egg retrieval** decreases.
- As women get older, cycles that have progressed to egg retrieval are slightly less likely to reach **transfer**.
- The percentage of cycles that progress from transfer to **pregnancy** also decreases as women get older.
- As women get older, cycles that have progressed to pregnancy are less likely to result in a **live birth** because the risk for miscarriage is greater (see Figure 17, page 31).

Overall, 41% of cycles started in 2008 among women younger than 35 resulted in live births. This percentage decreased to 31% among women aged 35–37 years, 22% among women 38–40, 12% among women 41–42, 5% among women 43–44, and 1% among women older than 44.

Figure 19

Outcomes of ART Cycles Using Fresh Nondonor Eggs or Embryos, by Stage and Age Group, 2008




What are the causes of infertility among couples who use ART?

Figure 20 shows the infertility diagnoses reported among couples who had an ART procedure using fresh nondonor eggs or embryos in 2008. Diagnoses range from one infertility factor in one partner to multiple factors in either one or both partners. However, diagnostic procedures may vary from one clinic to another, so the categorization also may vary.

- **Tubal factor** means that the woman's fallopian tubes are blocked or damaged, making it difficult for the egg to be fertilized or for an embryo to travel to the uterus.
- **Ovulatory dysfunction** means that the ovaries are not producing eggs normally. Such dysfunctions include polycystic ovary syndrome and multiple ovarian cysts.
- **Diminished ovarian reserve** means that the ability of the ovary to produce eggs is reduced. Reasons include congenital, medical, or surgical causes or advanced age.
- **Endometriosis** involves the presence of tissue similar to the uterine lining in abnormal locations. This condition can affect both fertilization of the egg and embryo implantation.
- **Uterine factor** means a structural or functional disorder of the uterus that results in reduced fertility.
- **Male factor** refers to a low sperm count or problems with sperm function that make it difficult for a sperm to fertilize an egg under normal conditions.
- **Other causes** of infertility include immunological problems, chromosomal abnormalities, cancer chemotherapy, and serious illnesses.
- **Unexplained cause** means that no cause of infertility was found in either the woman or the man.
- **Multiple factors, female only**, means that more than one female cause was diagnosed.
- **Multiple factors, female and male**, means that one or more female causes and male factor infertility were diagnosed.

Figure 20

Diagnoses Among Couples Who Had ART Cycles Using Fresh Nondonor Eggs or Embryos, 2008




Does the cause of infertility affect the percentage of ART cycles that result in live births?

Figure 21 shows the percentage of ART cycles that resulted in live births according to the causes of infertility. (See Figure 20, page 34, or the Glossary of Terms in Appendix B for an explanation of the diagnoses.) Although the national average was about 30% (see Figure 8, page 22), the percentage of ART cycles that resulted in live births varied somewhat depending on the couple's diagnosis. In 2008, the percentage of ART cycles resulting in live births was higher than the national average for couples diagnosed with tubal factor, ovulatory dysfunction, endometriosis, male factor, or unexplained infertility; it was lower for couples diagnosed with diminished ovarian reserve, uterine factor, "other" causes, or multiple infertility factors. Please note, however, the definitions of infertility diagnoses may vary from clinic to clinic and that a review of select clinical records revealed that reporting of infertility causes may be incomplete. (See Findings from Validation Visits for 2008 ART Data in Appendix A for additional information.) Therefore, differences in success rates by causes of infertility should be interpreted with caution.

Figure 21

Percentages of ART Cycles Using Fresh Nondonor Eggs or Embryos That Resulted in Live Births, by Diagnosis, 2008




How many women who use ART have previously given birth?

Figure 22 shows the number of previous births among women who had ART procedures using fresh nondonor eggs or embryos in 2008. Most of these women (71%) had no previous births, although they may have had a pregnancy that resulted in a miscarriage or an induced abortion. About 21% of women using ART in 2008 reported one previous birth, and about 8% reported two or more previous births. However, we do not have information about how many of these were ART births and how many were not. These data nonetheless point out that women who have previously had children can still face infertility problems.

Figure 22

Numbers of Previous Births Among Women Who Had ART Cycles Using Fresh Nondonor Eggs or Embryos, 2008




Do women who have previously given birth have higher percentages of ART cycles that result in live births?

Figure 23 shows the relationship between the success of an ART cycle and the woman's history of previous births. Previous live-born infants were conceived naturally in some cases and through ART in others. In all age groups, women who had a previous live birth were more likely to have a successful ART procedure.

Figure 23

Percentages of ART Cycles Using Fresh Nondonor Eggs or Embryos That Resulted in Live Births, by Age of Woman and Number of Previous Live Births, 2008




Is there a difference in percentages of ART cycles that result in live births between women with previous miscarriages and women who have never been pregnant?

In 2008, 74,512 ART cycles were performed among women who had not previously given birth. However, about 28% of those cycles were reported by women with one or more previous pregnancies that had ended in miscarriage—we do not have information on whether these pregnancies ending in miscarriage were the result of ART or were conceived naturally. Figure 24 shows the relationship between the success of an ART cycle and the history of previous miscarriage. In all age groups, women who had a previous miscarriage were about as likely to have a live birth as women who had never been pregnant. Thus, a history of unsuccessful pregnancy does not appear to be associated with lower chances for success during ART.

Figure 24

Percentages of ART Cycles Using Fresh Nondonor Eggs or Embryos That Resulted in Live Births, by Age of Woman and History of Miscarriage, Among Women with No Previous Births,* 2008




*Women reporting only previous ectopic pregnancies or pregnancies that ended in induced abortion were not included in the above statistics.

How many current ART users have undergone previous ART cycles?

Figure 25 presents ART cycles that used fresh nondonor eggs or embryos in 2008 according to whether previous ART cycles had been performed. For about 42%, one or more previous cycles were reported. (This percentage includes previous cycles using either fresh or frozen embryos.) This finding illustrates that it is not uncommon for women to undergo multiple ART cycles. We do not have information on when previous cycles were performed, nor do we have information on the outcomes of those previous cycles.

Figure 25
Numbers of Previous ART Cycles Among Women Undergoing ART with Fresh Nondonor Eggs or Embryos,* 2008




*Total does not equal 100% due to rounding.

Are percentages of ART cycles that result in live births different for women using ART for the first time and women who previously used ART but did not give birth?

Figure 26 shows the relationship between the success of ART cycles performed in 2008 using fresh nondonor eggs or embryos and a history of previous ART cycles among women with no previous births. In most age groups, percentages of ART cycles that resulted in live births were lower for women who had previously undergone an unsuccessful ART cycle.

Figure 26

Percentages of ART Cycles Using Fresh Nondonor Eggs or Embryos That Resulted in Live Births, by Age of Woman and History of Previous ART Cycles, Among Women with No Previous Births, 2008




What is the percentage of ART cycles that result in live births for women who have had both previous ART and previous births?

Figure 27 shows the relationship between the success of ART cycles performed in 2008 using fresh nondonor eggs or embryos and a history of both previous ART cycles and previous births. We do not have information on whether the previous births were the result of ART or were conceived naturally. However, among women with previous births, percentages of ART cycles that resulted in live births among women who did not undergo a previous ART procedure were comparable to percentages among women who had undergone previous ART cycles.

Although Figure 26 (see page 40) shows that having undergone previous ART cycles may be related to the success of the current ART cycle, it is also important to consider the outcomes of previous cycles and whether the woman has given birth in the past, as demonstrated in this figure.

Figure 27

Percentages of ART Cycles Using Fresh Nondonor Eggs or Embryos That Resulted in Live Births, by Age of Woman and History of Previous ART Cycles, Among Women with One or More Previous Births, 2008



What were the specific types of ART performed among women who used fresh nondonor eggs or embryos in 2008?


Figure 28 presents the types of ART procedures performed in 2008 among women using fresh nondonor eggs or embryos. For about 36% of ART procedures that used fresh nondonor eggs or embryos in 2008, standard IVF (in vitro fertilization) techniques were used: eggs and sperm were combined in the laboratory, the resulting embryos were cultured for 2 or more days, and one or more embryos were then transferred into the woman's uterus through the cervix.

For most of the remaining ART procedures (about 64%), fertilization was accomplished using intracytoplasmic sperm injection (ICSI). This technique involves injecting a single sperm directly into an egg; the embryos are then cultured and transferred as in standard IVF.

For a small proportion of ART procedures, unfertilized eggs and sperm (gametes) or early embryos (zygotes) were transferred into the woman's fallopian tubes. These procedures are known as gamete and zygote intrafallopian transfer (GIFT and ZIFT). Some women with tubal infertility are not suitable candidates for GIFT and ZIFT. GIFT and ZIFT are more invasive procedures than IVF because they involve inserting a laparoscope into a woman's abdomen to transfer the embryos or gametes into the fallopian tubes. In contrast, IVF involves transferring embryos or gametes into a woman's uterus through the cervix without surgery.

Figure 28

Types of ART Procedures Using Fresh Nondonor Eggs or Embryos,*† 2008



* Cycles that were canceled before egg retrieval were classified as IVF, GIFT, or ZIFT based on the intended ART method.

† Total does not equal 100% due to rounding.


‡ Combination of IVF with or without ICSI and either GIFT or ZIFT.

What is the percentage of egg retrievals that result in live births for different types of ART procedures?

Figure 29 shows the percentage of egg retrievals that resulted in live births for each type of ART procedure started in 2008. ART procedures that used a combination of IVF had the highest percentage (40%) of egg retrievals that resulted in live births and the percentage for the two predominant types of ART, IVF without ICSI and IVF with ICSI, was similar (34% and 33% respectively). See Figures 30–32 (pages 44–46) and Figures 52–54 (pages 66–68) for further details on IVF procedures that used ICSI.

Figure 29

Percentages of Egg Retrievals That Resulted in Live Births, by Type of ART Procedure, 2008




* Combination of IVF with or without ICSI and either GIFT or ZIFT.

Is ICSI used only for couples diagnosed with male factor infertility?

ICSI was developed to overcome problems with fertilization that sometimes occur in couples diagnosed with male factor infertility. Figure 30 shows the percentage of fresh nondonor cycles using ICSI in 2008 among couples with and without diagnoses of male factor infertility. In 2008, 67,258 ICSI cycles were performed. Slightly less than half of the ICSI cycles were performed for couples with a diagnosis of male factor infertility. However, diagnostic procedures may vary from one clinic to another, so the categorization of causes of infertility may also vary.

Figure 30

Use of ICSI* in Fresh Nondonor Cycles Among Couples With and Without Diagnoses of Male Factor Infertility,[†] 2008



* Intracytoplasmic sperm injection.

[†] Based on 67,258 cycles that used IVF with ICSI.


What is the percentage of retrievals that result in live births for couples with male factor infertility when ICSI is used?

ICSI was developed to overcome problems with fertilization that sometimes occur among couples diagnosed with male factor infertility. In 2008, 83% of couples diagnosed with male factor infertility used IVF with ICSI. Because ICSI can only be performed when at least one egg has been retrieved, Figure 31 presents percentages of retrievals that resulted in live births for these ICSI procedures among couples diagnosed with male factor infertility. For comparison, these percentages are presented alongside percentages for ART cycles that used standard IVF without ICSI among couples with all diagnoses except male factor infertility.

For every age group, when ICSI was used for couples diagnosed with male factor infertility, percentages of retrievals that resulted in live births were similar to those achieved by couples who used standard IVF without ICSI and were not diagnosed with male factor infertility. Please note, however, the definitions of infertility diagnoses may vary from clinic to clinic and that a review of select clinical records revealed that reporting of infertility causes may be incomplete. (See Findings from Validation Visits for 2008 ART Data in Appendix A for additional information.) Therefore, differences in success rates by causes of infertility should be interpreted with caution.

Figure 31

Percentages of Retrievals That Resulted in Live Births Among Couples Diagnosed with Male Factor Infertility Who Used IVF with ICSI,* Compared with Couples Not Diagnosed with Male Factor Infertility Who Used IVF Without ICSI, by Age of Woman,† 2008



* Intracytoplasmic sperm injection.


† Cycles using donor sperm and cycles using GIFT or ZIFT are excluded.

What is the percentage of retrievals that result in live births for couples without a diagnosis of male factor infertility when ICSI is used?

As shown in Figure 30 (page 44), a large number of ICSI procedures are now performed even when couples are not diagnosed with male factor infertility. Figure 32 presents percentages of egg retrievals that resulted in live births for those cycles compared with ART cycles among couples who used IVF without ICSI. For every age group, the ICSI procedures were less successful. Please note, however, the definitions of infertility diagnoses may vary from clinic to clinic and that a review of select clinical records revealed that reporting of infertility causes may be incomplete. (See Findings from Validation Visits for 2008 ART Data in Appendix A for additional information.) Additionally, information was not available to determine whether this finding was a direct effect of the ICSI procedure or whether the patients who used ICSI were somehow different from those who use IVF alone. Therefore, differences in success rates by causes of infertility should be interpreted with caution.

Figure 32

Percentages of Retrievals That Resulted in Live Births Among Couples Not Diagnosed with Male Factor Infertility, by Use of ICSI* and Age of Woman,† 2008




* Intracytoplasmic sperm injection.

† Cycles using donor sperm and cycles using GIFT or ZIFT are excluded.

How many embryos are transferred in an ART procedure?

Figure 33 shows that approximately 38% of ART cycles that used fresh nondonor eggs or embryos and progressed to the embryo transfer stage in 2008 involved the transfer of three or more embryos, about 13% of cycles involved the transfer of four or more, and approximately 4% of cycles involved the transfer of five or more embryos.

Figure 33
Numbers of Embryos Transferred During ART Cycles
Using Fresh Nondonor Eggs or Embryos,* 2008




* Total does not equal 100% due to rounding.

How does the implantation percentage for fresh nondonor embryos differ among women of different ages?

Figure 34 presents the relationship between the implantation percentage (see Implantation rate in Glossary of Terms, page 538) for fresh nondonor embryos transferred and a woman's age. The percentage of embryos transferred that resulted in implantation was highest (34%) among women younger than 35. However, the implantation percentage decreased steadily as the age of the woman increased. Specifically, the implantation percentage was lowest (2%) among women older than 44 compared with the implantation percentage among women in each of the other age groups.

Figure 34

Percentages of Embryos Transferred That Resulted in Implantation Among Women Using Fresh Nondonor Eggs or Embryos, by Age Group, 2008




In general, is an ART cycle more likely to be successful if more embryos are transferred?

Figure 35 shows the relationship between the number of embryos transferred during an ART procedure in 2008 and the number of live births as a result of that procedure. The percentage of transfers that resulted in live births increased when two or more embryos were transferred; however, transferring multiple embryos also poses a risk of having a multiple-infant birth. Multiple-infant births cause concern because of the additional health risks they create for both mothers and infants. Also, pregnancies with multiple fetuses are potentially subject to multifetal reduction. This can happen naturally (e.g., fetal death), or a woman and her doctor may decide to reduce the number of fetuses using a procedure called multifetal pregnancy reduction. CDC does not collect information on multifetal pregnancy reductions.

The relationships between number of embryos transferred, percentages of transfers resulting in live births, and multiple-infant births are complicated by several factors, such as the woman's age and embryo quality. See Figure 36 (page 50) for more details on women most at risk for multiple births.

Figure 35
Percentages of Transfers That Resulted in Live Births and Percentages of Multiple-Infant Live Births for ART Cycles Using Fresh Nondonor Eggs or Embryos, by Number of Embryos Transferred, 2008



* Percentages of live births that were singletons, twins, and triplets or more are in parentheses.

Note: In rare cases a single embryo may divide and thus produce twins. For this reason, a small percentage of twins resulted from a single embryo transfer, and a small percentage of triplets resulted when two embryos were transferred.

† Totals do not equal 100% due to rounding.

Are percentages of transfers that result in live births affected by the number of embryos transferred for women who have more embryos available than they choose to transfer?


Although, in general, transferring more than one embryo tends to improve the chance for a successful ART procedure (see Figure 35, page 49), other factors are also important. Previous research suggests that the number of embryos fertilized and thus available for ART is just as, if not more, important in predicting success as the number of embryos transferred. Additionally, younger women tend to have both higher percentages of live births and higher likelihood of multiple-infant births. Figure 36 shows the relationship between the number of embryos transferred, percentages of transfers resulting in live births, and multiple-infant births for a subset of ART procedures in which the woman was younger than 35 and the couple chose to set aside some embryos for future cycles rather than transfer all available embryos at one time.

For this group, the chance for a live birth using ART was about 49% when only one embryo was transferred. If one measures success as the percentage of transfers resulting in singleton live births, the highest likelihood of live birth was observed with only one embryo transferred.

The proportion of live births that were multiple-infant births was about 42% with two embryos and 48% with five or more embryos transferred. In summary, as the number of embryos transferred increased, the proportion of live births that were multiple-infant births also increased.

Figure 36

Percentages of Transfers That Resulted in Live Births and Percentages of Multiple-Infant Live Births for ART Cycles Among Women Who Were Younger Than 35, Used Fresh Nondonor Eggs or Embryos, and Set Aside Extra Embryos for Future Use, by Number of Embryos Transferred, 2008



* Percentages of live births that were singletons, twins, and triplets or more are in parentheses.

Note: In rare cases a single embryo may divide and thus produce twins. For this reason, a small percentage of twins resulted from a single embryo transfer, and a small percentage of triplets resulted when two embryos were transferred.


† Total does not equal 100% due to rounding.

How long after egg retrieval does embryo transfer occur?

Once an ART cycle has progressed from egg retrieval to fertilization, the embryo(s) can be transferred into the woman's uterus in the subsequent 1 to 6 days. Figure 37 shows that in 2008 approximately 56% of embryo transfers occurred on day 3. Day 5 embryo transfers were the next most common, accounting for about 35% of ART procedures that progressed to the embryo transfer stage.

Figure 37

Day of Embryo Transfer* Among ART Cycles Using Fresh Nondonor Eggs or Embryos,[†] 2008



* Number of days following egg retrieval.

[†] Cycles using GIFT or ZIFT are excluded. Missing or implausible values for day of embryo transfer (i.e., 0 or >6) are not included.


[‡] Total does not equal 100% due to rounding.

In general, is an ART cycle more likely to be successful if embryos are transferred on day 5?

As shown in Figure 37 (page 51), in the vast majority of ART procedures, embryos were transferred on day 3 (56%) or day 5 (35%). Figure 38 compares percentages of day 3 embryo transfers that resulted in live births with those for day 5 embryo transfers. In all age groups, percentages were higher for day 5 embryo transfers than for day 3 transfers. However, some cycles do not progress to the embryo transfer stage because of embryo arrest (interruption in embryo development) between day 3 and day 5. These cycles are not accounted for in percentages of day 5 transfers that resulted in live births. Therefore, differences in percentages of day 3 and day 5 transfers that result in live births should be interpreted with caution.

Figure 38

Percentages of Day 3 and Day 5 Embryo Transfers Using Fresh Nondonor Eggs or Embryos That Resulted in Live Births, by Age of Woman,* 2008




* Cycles using GIFT or ZIFT are excluded. This comparison is limited to transfers on day 3 and day 5. Embryo transfers performed on days 1, 2, 4, and 6 are not included because each of these accounted for a small proportion of procedures.

Does the number of embryos transferred differ for day 3 and day 5 embryo transfers?

Figure 39 shows the number of embryos transferred on day 3 and day 5. Overall, fewer embryos were transferred on day 5 than on day 3. Approximately 50% of day 3 embryo transfers and 20% of day 5 embryo transfers involved the transfer of three or more embryos. The decrease in the number of embryos transferred on day 5; however, did not translate into a lower risk for multiple-infant births. See Figure 40 (page 54) for more details on the relationship between multiple-infant birth risk and day of embryo transfer.

Figure 39
 Numbers of Embryos Transferred During ART Cycles Using Fresh Nondonor Eggs or Embryos for Day 3 and Day 5 Embryo Transfers,* 2008



* Cycles using GIFT or ZIFT are excluded. This comparison is limited to transfers on day 3 and day 5. Embryo transfers performed on days 1, 2, 4, and 6 are not included because each of these accounted for a small proportion of procedures.

† Total does not equal 100% due to rounding.

In general, how does the multiple-infant birth risk vary by the day of embryo transfer?

Multiple-infant births are associated with greater problems for both mothers and infants, including higher rates of caesarean section, prematurity, low birth weight, and infant disability or death.


Part A of Figure 40 shows that among the 15,124 live births that occurred following day 3 embryo transfer, about 72% were singletons, 26% were twins, and 2% were triplets or more. Thus, approximately 28% of these live births produced more than one infant.

In 2008, 13,892 live births occurred following day 5 embryo transfer. Part B of Figure 40 shows that approximately 36% of these live births produced more than one infant (34% twins and 2% triplets or more).

As shown in Figure 39 (page 53), fewer embryos were transferred on day 5 than on day 3. However, the proportion of live births resulting in twins is higher among transfer procedures performed on day 5 than on day 3. Thus, the risk of having a multiple-infant birth was higher for day 5 embryo transfers. The likelihood of multiple-infant births for both day 3 and day 5 embryo transfers is much higher overall than for multiple-infant births in the general U.S. population (about 3%).

Figure 40

Risks of Having Multiple-Infant Live Births for ART Cycles Using Fresh Nondonor Eggs or Embryos for Day 3 and Day 5 Embryo Transfers,* 2008



* Cycles using GIFT or ZIFT are excluded. This comparison is limited to transfers on day 3 and day 5. Embryo transfers performed on days 1, 2, 4, and 6 are not included because each of these accounted for a small proportion of procedures.

† Total does not equal 100% due to rounding.

For day 5 embryo transfers, are percentages of transfers that result in live births affected by the number of embryos transferred for women who have more embryos available than they choose to transfer?


As shown in Figures 39 and 40 (pages 53–54), embryos transferred on day 5 result in more multiple-infant births compared with embryos transferred on day 3, despite the smaller number of embryos transferred on day 5. Figure 41 shows the relationship between the number of embryos transferred, the percentage of transfers resulting in live births, and the percentage of multiple-infant births for day 5 embryo transfer procedures in which the woman was younger than 35 and the couple decided to set aside some embryos for future cycles rather than transfer all available embryos at one time.

The percentage of transfers resulting in live births was the highest (about 60%) when two embryos were transferred; however, the proportion of live births that were multiples (twins or more)—which present a higher risk for poor health outcomes—was 46%. The percentage of live births that were higher-order multiples (triplets or more) was much higher when three or more embryos were transferred on day 5 (approximately 9%) than for those involving the transfer of just two embryos on day 5 (approximately 1%).

If one measures success as the percentage of transfers resulting in singleton live births, the highest percentage (53%) was observed with the transfer of a single embryo on day 5.

Figure 41

Percentages of Transfers That Resulted in Live Births and Percentages of Multiple-Infant Live Births for Day 5 Embryo Transfers Among Women Who Were Younger Than 35, Used Fresh Nondonor Eggs or Embryos, and Set Aside Extra Embryos for Future Use, by Number of Embryos Transferred, 2008



*Percentages of live births that were singletons, twins, and triplets or more are in parentheses.


Note: In rare cases a single embryo may divide and thus produce twins. For this reason, a small percentage of twins resulted from a single embryo transfer, and a small percentage of triplets resulted when two embryos were transferred.

How do percentages of transfers that result in live births for women who use gestational carriers compare with women who do not use gestational carriers?

In some cases a woman has trouble carrying a pregnancy. In such cases the couple may use ART with a gestational carrier, sometimes called a surrogate. A gestational carrier is a woman who agrees to carry the developing embryo for a couple with infertility problems. Gestational carriers were used in about 1% of ART cycles using fresh nondonor embryos in 2008 (915 cycles). Figure 42 compares percentages of transfers that resulted in live births for ART cycles that used a gestational carrier in 2008 with cycles that did not. In all age groups, percentages of transfers that resulted in live births for ART cycles that used gestational carriers were higher than for those cycles that did not.

Figure 42

Comparison of Percentages of Transfers Using Fresh Nondonor Eggs or Embryos That Resulted in Live Births Between ART Cycles That Used Gestational Carriers and Those That Did Not, by Age of ART Patient,* 2008



* Age categories reflect the age of the ART patient, not the age of the gestational carrier.

SECTION 3: ART CYCLES USING FROZEN NONDONOR EMBRYOS

How does the implantation percentage for frozen nondonor embryos differ among women of different ages?


Among women using fresh nondonor eggs or embryos, the percentage of embryos transferred that resulted in implantation decreased as the age of the woman increased (Figure 34, page 48). Figure 43 shows the same relationship between implantation percentage and the age of the woman when frozen nondonor embryos were transferred; the percentage of frozen nondonor embryos transferred that resulted in implantation decreased as the age of the woman increased (from about 24% among women younger than 35 to 10% among women older than 44).

The percentage of embryos transferred that resulted in implantation among women using frozen nondonor embryos was higher in age groups for women 41 years or older compared with the implantation percentage for women using fresh nondonor embryos (Figure 34, page 48) in the same age groups as follows:

- 13% (frozen) vs. 9% (fresh) among women aged 41–42 years
- 10% vs. 5% among women aged 43–44 years
- 10% vs. 2% among women older than age 44 years

Figure 43

Percentages of Embryos Transferred That Resulted in Implantation Among Women Using Frozen Nondonor Embryos, by Age Group, 2008




What is the percentage of transfers that result in live births and singleton live births for ART cycles using frozen nondonor embryos?

Frozen nondonor embryos were used in approximately 17% of all ART cycles performed in 2008 (25,261 cycles). Figure 44 compares percentages of transfers that resulted in live births and singleton live births for frozen nondonor embryos with those for fresh nondonor embryos among women using their own eggs. Because some embryos do not survive the thawing process, the percentage of thawed embryos that result in live births is usually lower than the percentage of transfers that result in live births. In 2008, percentages for frozen nondonor embryos were lower than for fresh nondonor embryos, and the average number of embryos transferred was similar for cycles using frozen nondonor embryos, or lower than for those using fresh nondonor embryos depending on the woman's age. (See the national summary table on page 91 for information on the average number of embryos transferred for these cycles.) It is important to note that cycles using frozen nondonor embryos are both less expensive and less invasive than those using fresh nondonor embryos because the woman does not have to go through the fertility drug stimulation and egg retrieval steps again.

Figure 44

Percentages of Transfers That Resulted in Live Births and Singleton Live Births for ART Cycles Using Frozen Nondonor Embryos and ART Cycles Using Fresh Nondonor Embryos, 2008



What is the risk of having a multiple-fetus pregnancy or multiple-infant live birth from an ART cycle using frozen nondonor embryos?

Multiple-infant births are associated with greater problems for both mothers and infants, including higher rates of caesarean section, prematurity, low birth weight, and infant disability or death.


Part A of Figure 45 shows that among the 9,164 pregnancies that resulted from ART cycles using frozen nondonor embryos, approximately 67% were singleton pregnancies, 21% were twins, and 3% were triplets or more. Almost 10% of pregnancies ended before the number of fetuses could be accurately determined. Therefore, the percentage of pregnancies with more than one fetus might have been higher than what was reported (approximately 24%).

In 2008, 7,123 pregnancies from ART cycles that used frozen nondonor embryos resulted in live births. Part B of Figure 45 shows that approximately 23% of these live births produced more than one infant. This compares with a multiple-infant birth rate of slightly more than 3% in the general U.S. population.

Although the total rates for multiples were similar for pregnancies and live births, there were more triplet-or-more pregnancies than births. Triplet-or-more pregnancies may be reduced to twins or singletons by the time of birth. This can happen naturally (e.g., fetal death), or a woman and her doctor may decide to reduce the number of fetuses using a procedure called multifetal pregnancy reduction. CDC does not collect information on multifetal pregnancy reductions.

Figure 45

Risks of Having Multiple-Fetus Pregnancies and Multiple-Infant Live Births from ART Cycles Using Frozen Nondonor Embryos, 2008



* Total does not equal 100% due to rounding.


SECTION 4: ART CYCLES USING DONOR EGGS

Are older women undergoing ART more likely to use donor eggs or embryos?

As shown in Figures 15–17 (pages 29–31), eggs produced by women in older age groups form embryos that are less likely to implant and more likely to result in miscarriage if they do implant. As a result, ART using donor eggs is much more common among older women than among younger women. Donor eggs or embryos were used in approximately 12% of all ART cycles performed in 2008 (18,121 cycles). Figure 46 shows the percentage of ART cycles using donor eggs in 2008 according to the woman's age. Few women younger than age 40 used donor eggs; however, the percentage of cycles performed with donor eggs increased sharply starting at age 40. Among women older than age 48, for example, 90% of all ART cycles used donor eggs.

Figure 46


Percentages of ART Cycles Using Donor Eggs, by Age of Woman, 2008



Do percentages of transfers that result in live births differ by age for women who used ART with donor eggs compared with women who used ART with their own eggs?

Figure 47 compares percentages of transfers that resulted in live births for ART cycles using fresh embryos from donor eggs with those for ART cycles using a woman’s own eggs, among women of different ages. The likelihood of a fertilized egg implanting is related to the age of the woman who produced the egg. Thus, the percentage of transfers resulting in live births for cycles using embryos from women’s own eggs declines as women get older. In contrast, since egg donors are typically in their 20s or early 30s, the percentage of transfers that resulted in live births for cycles using embryos from donor eggs remained consistently high at above 50% for most patients aged 24 or older.

Figure 47
Percentages of Transfers That Resulted in Live Births for ART Cycles Using Fresh Embryos from Own Eggs and ART Cycles Using Donor Eggs, by Age of Woman, 2008




How successful is ART when donor eggs are used?

Figure 48 shows percentages of transfers that resulted in live births and singleton live births for ART cycles using fresh embryos from donor eggs among women of different ages. For all ages, the percentage of transfers that resulted in singleton live births (average 33%) was lower than the percentage of transfers that resulted in live births (average 55%). Singleton live births are an important measure of success because they have a much lower risk than multiple-infant births for adverse infant health outcomes, including prematurity, low birth weight, disability, and death.

Figure 48

Percentages of Transfers That Resulted in Live Births and Singleton Live Births for ART Cycles Using Fresh Embryos from Donor Eggs, by Age of Woman, 2008



What is the risk of having a multiple-fetus pregnancy or multiple-infant live birth from an ART cycle using fresh donor eggs?

Multiple-infant births are associated with greater problems for both mothers and infants, including higher rates of caesarean section, prematurity, low birth weight, and infant disability or death.


Part A of Figure 49 shows that among the 6,843 pregnancies that resulted from ART cycles using fresh embryos from donor eggs, approximately 52% were singleton pregnancies, 39% were twins, and more than 3% were triplets or more. About 5% of pregnancies ended before the number of fetuses could be accurately determined. Therefore, the percentage of pregnancies with more than one fetus might have been higher than what was reported (approximately 42%).

In 2008, 5,894 pregnancies from ART cycles that used fresh embryos from donor eggs resulted in live births. Part B of Figure 49 shows that almost 40% of these live births produced more than one infant. This compares with a multiple-infant birth rate of slightly more than 3% in the general U.S. population.

Although total percentages for multiples were similar for pregnancies and live births, there were more triplet-or-more pregnancies than births. Triplet-or-more pregnancies may be reduced to twins or singletons by the time of birth. This can happen naturally (e.g., fetal death), or a woman and her doctor may decide to reduce the number of fetuses using a procedure called multifetal pregnancy reduction. CDC does not collect information on multifetal pregnancy reductions.

Figure 49

Risks of Having Multiple-Fetus Pregnancies and Multiple-Infant Live Births from ART Cycles Using Fresh Embryos from Donor Eggs, 2008




How do percentages of transfers that result in live births differ for ART cycles between women who use frozen donor embryos and those who use fresh donor embryos?

Figure 50 shows that percentages of transfers that resulted in live births and singleton live births for ART cycles using frozen donor embryos were substantially lower than for ART cycles using fresh donor embryos. The average number of embryos transferred was similar for cycles using frozen donor embryos and those using fresh donor embryos. (See the national summary table on page 91 for information on the average number of embryos transferred for these cycles.)

Figure 50

Percentages of Transfers That Resulted in Live Births and Singleton Live Births for ART Cycles Using Frozen Donor Embryos and ART Cycles Using Fresh Donor Embryos, 2008



SECTION 5: ART TRENDS, 1999–2008


This report marks the fourteenth consecutive year that CDC has published an annual report detailing the success rates for ART clinics in the United States. Having several years of data provides us with the opportunity to examine trends in ART use and success rates over time. This report features an examination of trends for the most recent 10 years, 1999–2008. Statistics for earlier years are available in previous annual publications of the Assisted Reproductive Technology Success Rates: National Summary and Fertility Clinic Reports.

Is the use of ART increasing?

Figure 51 shows the number of ART cycles performed, live-birth deliveries, and infants born using ART from 1999 through 2008. The number of ART cycles performed in the United States has nearly doubled, from 87,636 cycles in 1999 to 148,055 in 2008. The number of live-birth deliveries in 2008 (46,326) was more than two times higher than in 1999 (21,746). The number of infants born who were conceived using ART also increased steadily between 1999 and 2008. In 2008, 61,426 infants were born, which was more than two times higher than the 30,629 born in 1999. Because in some cases more than one infant is born during a live-birth delivery (e.g., twins), the total number of infants born is greater than the number of live-birth deliveries.

Figure 51

Numbers of ART Cycles Performed, Live-Birth Deliveries, and Infants Born Using ART, 1999–2008



Is the use of ICSI increasing?

Intracytoplasmic sperm injection (ICSI) was originally developed to use in ART cycles to improve fertilization rates when severe male factor infertility was the indication for using ART. Today, this procedure is widely used even among couples without a diagnosis of male factor infertility.


Figure 52 shows the number of ART cycles performed using ICSI from 1999 through 2008. Overall, the number of ART cycles with ICSI procedures continued to increase for all fresh cycles. During the past 10 years, the number of fresh nondonor cycles performed with ICSI more than doubled, from 28,090 in 1999 to 67,328 in 2008. The number of fresh donor cycles with ICSI more than tripled, from 2,623 to 8,088 over the same period.

The number of frozen cycles (with or without ICSI) also more than doubled, from 12,178 in 1999 to 25,261 in 2008 for frozen nondonor cycles and from 2,605 to 6,344 for frozen donor cycles over the same period.

Note that the information on use of ICSI is not consistently collected across clinics for ART cycles using frozen embryos; therefore, these cycles are presented together as one group.

Figure 52

Numbers of ICSI* Procedures Performed, by Type of ART Cycle, 1999–2008



* Intracytoplasmic sperm injection.

Has the percentage of transfers that resulted in live births for ART cycles with or without ICSI changed?

Figure 53 presents percentages of transfers that resulted in live births for ART cycles with or without ICSI. Percentages of transfers that resulted in live births are presented rather than percentages of cycles that resulted in live births because this is the only way to directly compare cycles using fresh embryos with those using frozen embryos.


In general, with or without ICSI, fresh donor cycles had the highest success rates when compared with fresh nondonor cycles or frozen cycles. However, when comparing success rates within each type of ART cycle, the percentage of transfers that resulted in live births among cycles without ICSI remained slightly higher than cycles with ICSI from 1999–2008.

The percentage of transfers that resulted in live births for cycles using fresh donor embryos without ICSI increased from 43% in 1999 to 58% in 2008, while cycles using fresh donor embryos with ICSI increased from 40% to 54% over the same period. Similar to trends with cycles using fresh nondonor embryos, the percentage of transfers that resulted in live births for fresh nondonor cycles with ICSI increased from 30% in 1999 to 36% in 2008, but was generally lower than the cycles without ICSI (32% in 1999 to 38% in 2008).

Note that the information on use of ICSI is not consistently collected across clinics for ART cycles using frozen embryos; therefore, these cycles are presented together as one group.

Figure 53

Percentages of Transfers That Resulted in Live Births, by Type of ART Cycle and ICSI,* 1999–2008



* Intracytoplasmic sperm injection.

Has the percentage of transfers that resulted in singleton live births for ART cycles with or without ICSI changed?

Singleton live births are an important measure of success because they entail a much lower risk than multiple-infant births for adverse infant health outcomes, including prematurity, low birth weight, disability, and death. Figure 54 shows that the percentage of transfers that resulted in singleton live births increased over time for all ART cycles with or without ICSI.


Although the total number of nondonor cycles using ICSI increased over the past 10 years (see Figure 52, page 66), percentages of transfers that resulted in singleton live births from these cycles were not any higher than those without ICSI.

Overall, percentages of transfers that resulted in singleton live births were consistently higher for fresh donor cycles than for fresh nondonor cycles and frozen cycles. Fresh donor cycles without ICSI increased from 25% in 1999 to 34% in 2008; a similar increase was observed for fresh donor cycles with ICSI. Over the same period, the percentage of transfers that resulted in singleton live births increased from 20% to 26% for fresh nondonor cycles without ICSI and from 19% to 25% with ICSI. Note that the information on use of ICSI is not consistently collected across clinics for ART cycles using frozen embryos; therefore, these cycles are presented together as one group.

Note that the information on use of ICSI is not consistently collected across clinics for ART cycles using frozen embryos; therefore, these cycles are presented together as one group.

Figure 54

Percentages of Transfers That Resulted in Singleton Live Births, by Type of ART Cycle and ICSI,* 1999–2008



* Intracytoplasmic sperm injection.


Has the percentage of transfers that resulted in live births for all ART patients changed or only for those in particular age groups?

Figure 55 presents percentages of transfers that resulted in live births, by the age of the woman, for ART cycles using fresh nondonor eggs or embryos.

From 1999 through 2008, the percentage of transfers that resulted in live births for women younger than age 35 increased 25%, from 38% in 1999 to 47% in 2008. Over the same period, the percentage of transfers that resulted in live births increased 15% (from 32% to 37%) for women aged 35–37 years, 16% (from 24% to 28%) for women 38–40, and 21% (from 14% to 16%) for women 41–42. Please note the percentage of transfers that resulted in live births were rounded to the nearest whole number while the percent changes were calculated using raw data.

Figure 55

Percentages of Transfers That Resulted in Live Births for ART Cycles Using Fresh Nondonor Eggs or Embryos, by Age of Woman, 1999–2008



*2006 was the last year in which data were reported together for women older than 42.

†2007 was the first year in which data for women older than 42 were subdivided into ages 43–44 and >44.


Have there been changes in percentages of transfers that resulted in singleton live births for all ART patients or only for those in particular age groups?

Singleton live births are an important measure of success because they have a much lower risk than multiple-infant births for adverse infant health outcomes, including prematurity, low birth weight, disability, and death. Figure 56 presents percentages of transfers that resulted in singleton live births, by the age of the woman, for ART cycles using fresh nondonor eggs or embryos.

From 1999 through 2008, the percentage of transfers that resulted in singleton live births for women younger than 35 increased 36%, from 22% in 1999 to 30% in 2008. Over the same period, the percentage of transfers that resulted in singleton live births increased 26% (from 21% to 26%) for women 35–37, 22% (from 17% to 21%) for women 38–40, and 19% (from 12% to 14%) for women 41–42. Please note the percentage of transfers that resulted in singleton live births were rounded to the nearest whole number while the percent changes were calculated using raw data.

Figure 56

Percentages of Transfers That Resulted in Singleton Live Births for ART Cycles Using Fresh Nondonor Eggs or Embryos, by Age of Woman, 1999–2008



*2006 was the last year in which data were reported together for women older than 42.

†2007 was the first year in which data for women older than 42 were subdivided into ages 43–44 and >44.

Has the number of embryos transferred changed in fresh nondonor cycles?

Figure 57 presents the trends for the number of embryos transferred in fresh nondonor cycles that progressed to the embryo transfer stage. From 1999 through 2008, cycles that involved the transfer of one embryo doubled, from 6% to 12%; cycles that involved the transfer of two embryos more than doubled, from 23% in 1999 to 50% in 2008. Cycles that involved the transfer of three embryos decreased from 34% in 1999 to 25% in 2008, and cycles that involved the transfer of four or more embryos decreased dramatically from 36% in 1999 to 14% in 2008.

Figure 57

Percentages of Fresh Nondonor Cycles That Involved the Transfer of One, Two, Three, or Four or More Embryos, 1999–2008



*Totals do not equal 100% due to rounding.


Has the number of embryos transferred changed in fresh nondonor cycles for women younger than 35 who have more embryos available than they choose to transfer?

As shown in Figure 57 (page 71), the number of embryos transferred in fresh nondonor cycles has decreased during the past 10 years. Figure 58 shows the change over time in the number of embryos transferred for ART procedures in which the woman was younger than 35 and the couple chose to set aside some embryos for future cycles rather than transfer all available embryos at one time. Previous research suggests that the number of embryos available for an ART cycle is important in predicting success. Younger women also tend to have higher percentages of ART cycles that result in pregnancies and live births (see Figure 15, page 29).

Overall, the number of embryos transferred decreased among couples who chose to transfer fewer embryos than were available. In 1999, approximately 19% of ART cycles involved the transfer of four or more embryos; 45%, three embryos; 35%, two embryos; and 1%, one embryo. By 2008, four or more embryos were transferred in less than 2% of cycles, three in 11% of cycles, two in 77% of cycles, and one in more than 10% of cycles.

Figure 58

Percentages of Fresh Nondonor Cycles That Involved the Transfer of One, Two, Three, or Four or More Embryos Among Women Who Were Younger Than 35 and Set Aside Extra Embryos for Future Use, 1999–2008



*Cycles involving the transfer of one embryo were not included because of the small number of cycles where one embryo was transferred and extra embryos were set aside for future use.

†Totals do not equal 100% due to rounding.


Have there been changes in percentages of transfers that resulted in live births, by number of embryos transferred?

Figure 59 presents percentages of transfers that resulted in live births, by the number of embryos transferred for ART cycles using fresh nondonor eggs or embryos from 1999 through 2008. The percentage of transfers that resulted in live births increased the most for ART cycles that involved the transfer of one or two embryos (12% to 22% and 31% to 44%, respectively). However, over the same period, there were no increases for ART cycles that involved the transfer of three embryos (remained about 35%) or four or more embryos (31% to 27%).

The relationship between the number of embryos transferred and success rates is complicated by several factors, such as the woman's age and embryo quality. Trends over time may reflect changes in these factors.

Figure 59

Percentages of Transfers That Resulted in Live Births Using Fresh Nondonor Eggs or Embryos, by Number of Embryos Transferred, 1999–2008



Have there been changes in percentages of transfers that resulted in live births for women younger than 35 who have more embryos available than they choose to transfer?


Figure 60 shows changes over time in the number of embryos transferred and the percentage of transfers that resulted in live births for ART cycles in which the woman was younger than 35 and chose to set aside some embryos for future cycles rather than transfer all available embryos at one time. Previous research suggests that the number of embryos available for an ART cycle is an important predictor of success. Younger women also tend to have higher percentages of ART cycles that result in pregnancies and live births (see Figure 15, page 29).

For this group of women, the percentage of transfers that resulted in live births generally increased over time, regardless of the number of embryos transferred. The biggest increase was for cycles in which two embryos were transferred, from 47% in 1999 to 57% in 2008.

Percentages of transfers that resulted in live births for cycles involving the transfer of one embryo were comparable to those that involved two or three embryos. Elective single-embryo transfer minimizes the risk for multiple-fetus pregnancy and related adverse outcomes. In 2009, the Society for Assisted Reproductive Technology (SART) revised its embryo transfer guidelines to encourage single-embryo transfer among patients with good prognoses. (For more information, contact SART by telephone at 205-978-5000 or online at www.sart.org.)

Figure 60

Percentages of Transfers That Resulted in Live Births Among Women Who Were Younger Than 35 and Set Aside Extra Embryos for Future Use, by Number of Embryos Transferred, 1999–2008



*Cycles involving the transfer of one embryo were not included because of the small number of cycles where one embryo was transferred and extra embryos were set aside for future use.

Have percentages of multiple-infant live births changed?


Multiple-infant births are associated with greater problems for both mothers and infants, including higher rates of caesarean section, prematurity, low birth weight, and infant disability or death.

Figure 61 shows percentages of multiple-infant live births for the four primary types of ART procedures.

For fresh nondonor cycles, the percentage of multiple-infant live births decreased 14% since 1999, from 37% of all live births in 1999 to 32% in 2008. Over the same period, the percentage of multiple-infant live births decreased 15% for frozen nondonor cycles, 17% for frozen donor cycles, and 4% for fresh donor cycles.

Figure 61

Percentages of ART Cycles That Resulted in Multiple-Infant Live Births, by Type of ART Cycle, 1999–2008




Have percentages of multiple-infant live births for ART cycles using fresh nondonor eggs or embryos changed in particular age groups?

Figure 62 shows that percentages of multiple-infant live births decreased between 1999 and 2006 and increased slightly after 2006 for women in age groups younger than 35 through women 38–40. In 1999, 41% of live-birth deliveries to women younger than 35 were multiple-infant births, compared with 35% in 2008. Among women aged 41–42 years, the percentage of multiple-infant live births increased from 15% in 1999 to 19% in 2002 and decreased to 16% in 2008.

Figure 62

Percentages of Multiple-Infant Live Births for ART Cycles Using Fresh Nondonor Eggs or Embryos, by Age of Woman, 1999–2008



*2006 was the last year in which data were reported together for women older than 42.

†2007 was the first year in which data for women older than 42 were subdivided into ages 43–44 and >44.


Have percentages of singletons, twins, and triplets or more changed for ART cycles using fresh nondonor eggs or embryos?

Figure 63 presents the trends in percentages of transfers that resulted in live births and percentages of multiple-infant live births for ART cycles using fresh nondonor eggs or embryos. Overall, the percentage of transfers that resulted in live births increased from 31% in 1999 to approximately 37% in 2008. From 1999 through 2008, the percentage of singleton live births increased from 63% to 68%; the percentage of twin births remained stable, ranging from 30% to 32%; and the percentage of triplet-or-more births decreased considerably from 5% in 1999 to 2% in 2008.

It is important to note that twins, albeit to a lesser extent than triplets or more, are still at substantially greater risk for illness and death than singletons. These risks include low birth weight, preterm birth, and neurological impairments such as cerebral palsy. Both percentages of twin and triplet-or-more births remain significantly higher for ART births than for births resulting from natural conception.

Figure 63

Percentages of Transfers That Resulted in Live Births and Percentages of Multiple-Infant Live Births for ART Cycles Using Fresh Nondonor Eggs or Embryos, 1999–2008



*Percentages of live births that were singletons, twins, and triplets or more are in parentheses.

†Total does not equal 100% due to rounding.

2008

Fertility Clinic Tables



INTRODUCTION TO FERTILITY CLINIC TABLES

The first table in this section is the national summary of combined data from all clinics. Individual clinic tables follow, with each clinic's data presented in a one-page table that includes the types of ART used, patient diagnoses, success rates that each clinic reported and verified for 2008, and individual program characteristics. Clinics are listed in alphabetical order by state, city, and clinic name.

Many people considering ART will want to use this report to find the “best” clinic. However, comparisons between clinics must be made with caution. Many factors contribute to the success of an ART procedure. Some factors are related to the training and experience of the ART clinic and laboratory professionals and the quality of services they provide. Other factors are related to the patients themselves, such as their age and the cause of their infertility. Some clinics may be more willing than others to accept patients with low chances of success or may specialize in various ART treatments that attract particular types of patients. These and other factors to consider when interpreting clinic data are discussed below.

Important Factors to Consider When Using These Tables to Assess a Clinic

- ***These statistics are for 2008.*** Data for cycles started in 2008 could not be published until 2010 because the final outcomes of pregnancies conceived in December 2008 were not known until October 2009. Additional time was then required to collect and analyze the data and prepare the report. Many factors that contribute to a clinic's success rate may have changed in the 2 years since these procedures were performed. Personnel may be different. Equipment and training may or may not have been updated. As a result, success rates for 2008 may differ from current rates.
- ***No reported success rate is absolute.*** A clinic's success rates vary from year to year even if all determining factors remain the same. The more cycles that a clinic carries out, the less the rate is likely to vary. Conversely, clinics that perform fewer cycles are likely to have more variability in success rates from year to year. As an extreme example, if a clinic reports only one ART cycle in a given category, as is sometimes the case in the data presented here, the clinic's success rate in that category would be either 0% or 100%. For further detail, see the explanation of confidence intervals on pages 531–532.
- ***Some clinics see more than the average number of patients with difficult infertility problems.*** Some clinics are willing to offer ART to most potential users, even those who have a low probability of success. Others discourage such patients or encourage them to use donor eggs, practices that result in higher success rates among older women. Clinics that accept a higher percentage of women who previously have had multiple unsuccessful ART cycles will generally have lower success rates. In contrast, clinics that offer ART procedures to patients who might have become pregnant with less technologically advanced treatment will have higher success rates.

A related issue is that success rates shown in this report are presented in terms of cycles, as required by law, rather than in terms of women. As a result, women who had more than one ART cycle in 2008 are represented in multiple cycles that cannot be linked. If a woman who underwent several ART cycles at a given clinic either never had a successful cycle or had a successful cycle only after numerous attempts, the clinic's success rates would be lowered.

- ***Cancellation percentages affect a clinic's success rate.*** Percentages of cancelled cycles using fresh nondonor eggs or embryos vary among clinics from less than 1% to, in a few cases, more than 30%. A high percentage of cancellations tends to lower the percentage of cycles resulting in live births but may increase the percentage of retrievals resulting in live births and the percentage of transfers resulting in live births.
- ***Percentages of unstimulated (or "natural") cycles are included with those for stimulated cycles.*** In an unstimulated cycle, the woman ovulates naturally rather than through the daily injections used in stimulated cycles. Unstimulated cycles are less expensive because they require no daily injections and fewer ultrasounds and blood tests. However, women who use natural or mild stimulation produce only one or two follicles, thus reducing the potential number of embryos for transfer. As a result, unstimulated cycles are less successful, and clinics that perform a relatively high percentage of unstimulated cycles will have lower success rates. Nationally, fewer than 1% of ART cycles using fresh nondonor eggs or embryos in 2008 were unstimulated. In a very few clinics, more than 2% of cycles were unstimulated.
- ***Success rates are calculated per cycle rather than per patient.*** Therefore, for patients who undergo both fresh and frozen cycles, success rates are calculated separately for each cycle. Clinics that have a very high percentage of cycles resulting in live births with frozen embryos would have higher ART success rates if these births were included as successes from the original stimulated cycle. Consumers should look at both rates (for cycles using fresh embryos and for those using frozen embryos) when assessing a clinic's success rates.
- ***The number of embryos transferred varies from clinic to clinic.*** In 2008, the average number of embryos that a clinic transferred to women younger than age 35 ranged from one to five for fresh nondonor cycles. The American Society for Reproductive Medicine and the Society for Assisted Reproductive Technology discourage the transfer of a large number of embryos because it increases the likelihood of multiple-fetus pregnancies. Multiple-fetus pregnancies, in turn, increase both the probability of premature birth and its related problems and the need for multifetal pregnancy reductions.

In addition, success rates can be affected by many other factors, including

- Quality of eggs.
- Quality of sperm (including motility and ability to penetrate the egg).
- Skill and competence of the treatment team.
- General health of the woman.
- Genetic factors.

We encourage consumers considering ART to contact clinics to discuss their specific medical situations and their potential for success using ART. Because clinics did not have the opportunity to provide narratives to explain their data, such conversations could provide additional information to help people decide whether to use ART.

Although ART offers important options for the treatment of infertility, the decision to use ART involves many factors in addition to success rates. Undergoing repeated ART cycles requires substantial commitments of time, effort, money, and emotional energy. Therefore, consumers should carefully examine all related financial, psychological, and medical issues before beginning treatment. They also will want to consider the location of the clinic, the counseling and support services available, and the rapport that staff members have with their patients.

An explanation of how to read a fertility clinic table begins on page 85.

SAMPLE CLINIC TABLE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

1 Type of ART ^a			2 Patient Diagnosis				
IVF	>99%	Procedural Factors:	Tubal factor	13%	Other factor	7%	
GIFT	<1%	With ICSI	53%	Ovulatory dysfunction	6%	Unknown factor	10%
ZIFT	<1%	Unstimulated	<1%	Diminished ovarian reserve	9%	Multiple Factors:	
Combination	<1%	Used gestational carrier	<1%	Endometriosis	6%	Female factors only	13%
		Used PGD	5%	Uterine factor	1%	Female & male factors	18%
		With eSET	3%	Male factor	17%		

4 2008 PREGNANCY SUCCESS RATES

3 Data verified by X. Y. Zee, MD

Type of Cycle	5 Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
4A Fresh Embryos from Nondonor Eggs					
Number of cycles	115	106	68	19	12
Percentage of embryos transferred resulting in implantation ^b	32.5	24.5	16.6	9.3	3 / 18
Percentage of cycles resulting in pregnancies ^b	45.2	37.7	23.5	5 / 19	3 / 12
Percentage of cycles resulting in live births ^{b,c}	37.4	31.1	20.6	2 / 19	1 / 12
6 (Confidence Interval)	(28.5–46.2)	(22.3–39.9)	(11.0–30.2)		
Percentage of retrievals resulting in live births ^{b,c}	42.6	33.3	23.7	2 / 17	1 / 10
Percentage of transfers resulting in live births ^{b,c}	52.4	34.7	24.1	2 / 15	1 / 7
Percentage of transfers resulting in singleton live births ^b	29.3	29.5	19.0	2 / 15	0 / 7
Percentage of cancellations ^b	12.2	6.6	13.2	2 / 19	2 / 12
Average number of embryos transferred	2.0	2.5	3.8	2.9	2.7
Percentage of pregnancies with twins ^b	38.5	12.5	4 / 16	1 / 5	1 / 3
Percentage of pregnancies with triplets or more ^b	3.8	2.5	1 / 16	0 / 5	0 / 3
Percentage of live births having multiple infants ^{b,c}	44.2	15.2	3 / 14	0 / 2	1 / 1
4B Frozen Embryos from Nondonor Eggs					
Number of transfers	62	25	20	14	8
Percentage of transfers resulting in live births ^{b,c}	27.4	24.0	20.0	2 / 14	1 / 8
Average number of embryos transferred	2.1	2.0	2.7	3.1	2.9
	All Ages Combined^e				
4C Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	49		14		
Percentage of transfers resulting in live births ^{b,c}	51.0		4 / 14		
Average number of embryos transferred	2.1		3.4		

7 CURRENT CLINIC SERVICES AND PROFILE

Current Name: California Fertility Partners

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

How to Read a Fertility Clinic Table

This section is provided to help consumers understand the information presented in the fertility clinic tables. The number before each heading refers to the number of the corresponding section in the sample clinic table on the opposite page. Technical terms are defined in the Glossary of Terms (Appendix B).

1. Type of ART performed

This section gives the breakdown of ART cycle types that each clinic performed using fresh nondonor eggs or embryos (IVF, GIFT, ZIFT, or combinations thereof). It also lists the percentage of procedures that involved intracytoplasmic sperm injection (ICSI); the percentage of cycles that were unstimulated; the percentage of cycles that used a gestational carrier; the percentage of cycles that used preimplantation genetic diagnosis (PGD); and the percentage of cycles with elective single-embryo transfer (eSET). (See Glossary of Terms in Appendix B for definitions of IVF, GIFT, ZIFT, ICSI, unstimulated cycle, gestational carrier, PGD, and eSET.)

2. ART patient diagnosis

Consumers may want to know what percentage of a particular clinic's patients have the same diagnosis as they do. (See Glossary of Terms in Appendix B for definitions of diagnoses.) In addition, patients' diagnoses may affect a clinic's success rates. However, the use of these diagnostic categories may vary somewhat from clinic to clinic.

3. Verification

To have success rates published in the annual report, a clinic's medical director must verify the accuracy of the tabulated success rates. The name of the individual who verified the clinic's data is shown.

4. Success rates by type of cycle

Success rates are given for the three categories of cycles described in 4A–C below: cycles using fresh embryos from nondonor eggs, cycles using frozen embryos from nondonor eggs, and cycles using donor eggs. The ART success rates shown were calculated based on data from all ART cycle types (IVF, both with and without ICSI; GIFT; and ZIFT). Data from these procedures were combined because there was little difference in success rates when we examined each type of ART procedure separately.

The success rates indicate the average chance of success for the given procedure at the clinic in 2008 for each of five age groups. Success rates are calculated as the percentage of cycles started, egg retrievals, or embryo transfers that resulted in either pregnancies or live births at the ART clinic in 2008. For example, if a clinic started a total of 50 cycles in 2008 and these resulted in 15 live births, the average success rate for cycles started at that clinic would be

$$15 \text{ (births)} \div 50 \text{ (cycles)} = 0.3 \text{ or } 30\%.$$

Thus, the success rate at that clinic in 2008 was 30%, meaning that 30% of cycles started that year resulted in a live birth.

Success rate calculations are very unstable if they are based on a small number of cycles. Therefore, when fewer than 20 cycles are reported in a given category, the rates are shown as fractions rather than percentages. For example, the sample clinic performed only 19 fresh embryo cycles using

nondonor eggs among women aged 41–42 years. Of these 19 cycles, 2—or 10%—were successful. However, because of the small number of cycles, 10% is not a statistically reliable success rate, so the success rate is presented as 2 / 19, meaning 2 out of 19.

4A. Cycles using fresh embryos from nondonor eggs

This section includes IVF, ICSI, GIFT, and ZIFT cycles that used a woman’s own eggs. Cycles that used frozen embryos or donor eggs or embryos are not included here.

- **Percentage of embryos transferred resulting in implantation**

(The larger of either the number of maximum fetal hearts or maximum infants born [live births + stillbirths] divided by the number of embryos transferred, expressed as a percentage of embryo transfers)

This number represents the cycles that resulted in an intrauterine clinical pregnancy (numerator) out of the total number of embryos transferred (denominator) in which one or more embryos were transferred (denominator) into the woman’s uterus or fallopian tube in the case of GIFT and ZIFT cycles. Not all fetal hearts can be detected by ultrasound, for this reason, a positive intrauterine clinical pregnancy is defined as the larger of either the number of maximum fetal hearts by ultrasound or maximum infants born, including live births and stillbirths.

- **Percentage of cycles resulting in pregnancies**

(Number of pregnancies divided by number of cycles started, expressed as a percentage of cycles)

A stimulated cycle is started when a woman begins taking fertility drugs; an unstimulated cycle is started when egg production begins being monitored. The number of cycles that a clinic starts is not the same as the number of patients that it treats because some women start more than one cycle in a year. Because some pregnancies end in a miscarriage, induced abortion, or stillbirth, the percentage of cycles resulting in pregnancies is usually higher than the percentage of cycles resulting in live births.

- **Percentage of cycles resulting in live births**

(Number of live births divided by number of cycles started, expressed as a percentage of cycles)

This number represents the cycles that resulted in a live birth out of all ART cycles started. One live birth may include one or more children born alive; that is, a multiple-infant birth (e.g., twins, triplets) is counted as one live birth.

- **Percentage of retrievals resulting in live births**

(Number of live births divided by number of egg retrieval procedures, expressed as a percentage of retrievals)

This number represents the cycles that resulted in a live birth out of all cycles in which an egg retrieval was performed. The number of egg retrievals a clinic performs often is smaller than the number of cycles started because some cycles are canceled before the woman has an egg retrieved. As a result, the percentage of retrievals resulting in live births is usually higher than the percentage of cycles resulting in live births. Cycles are canceled for many reasons: eggs may not develop, the patient may become ill, or the patient may choose to stop treatment (see Figure 7, page 21).

- **Percentage of transfers resulting in live births**

(Number of live births divided by number of embryo transfer procedures, expressed as a percentage of transfers)

This number represents the cycles that resulted in a live birth out of all cycles in which one or more embryos were transferred into the woman's uterus or, in the case of GIFT and ZIFT, egg and sperm or embryos were transferred into the woman's fallopian tubes. A clinic may perform more egg retrievals than embryo transfers because not every retrieval results in egg fertilization and embryo transfer. For this reason, the percentage of transfers resulting in live births generally will be higher than those reported for egg retrievals and for cycles started.

- **Percentage of transfers resulting in singleton live births**

(Number of singleton live births divided by number of embryo transfer procedures, expressed as a percentage of transfers)

This number represents the cycles that resulted in the birth of a single infant out of all cycles in which one or more embryos were transferred into the woman's uterus or, in the case of GIFT and ZIFT, egg and sperm or embryos were transferred into the woman's fallopian tubes. Singleton births have a much lower risk than multiple-infant births for adverse infant health outcomes, including prematurity, low birth weight, disability, and death.

- **Percentage of cancellations**

(Number of cycles canceled divided by the total number of cycles, expressed as a percentage of cycles)

This number refers to the cycles that were stopped before an egg was retrieved. A cycle may be canceled if a woman's ovaries do not respond to fertility medications and thus do not produce a sufficient number of follicles. Cycles also may be canceled because of illness or other medical or personal reasons (see Figure 7, page 21).

- **Average number of embryos transferred**

(Average number of embryos per embryo transfer procedure)

The average number of embryos transferred varies from clinic to clinic. The American Society for Reproductive Medicine (ASRM) and the Society for Assisted Reproductive Technology (SART) have practice guidelines that address this issue.

- **Percentage of pregnancies with twins**

(Number of pregnancies with two fetuses divided by the total number of pregnancies, expressed as a percentage of pregnancies)

A pregnancy with two fetuses is counted as one pregnancy.

- **Percentage of pregnancies with triplets or more**

(Number of pregnancies with three or more fetuses divided by the total number of pregnancies, expressed as a percentage of pregnancies)

Pregnancies with multiple fetuses can be associated with increased risk for mothers and infants (e.g., higher rates of caesarean section, prematurity, low birth weight, infant death) and the possibility of multifetal pregnancy reduction.

A pregnancy with three or more fetuses is counted as one pregnancy.

- **Percentage of live births having multiple infants**

(Number of deliveries resulting in a birth of more than one infant divided by the number of live births, expressed as a percentage of live births)

A delivery of one or more live-born infants is counted as one live birth.

4B. Cycles using frozen embryos from nondonor eggs

Frozen (cryopreserved) embryo cycles are those in which previously frozen embryos are thawed and then transferred. Because frozen embryo cycles use embryos formed from a previous stimulated cycle, no stimulation or retrieval is involved. As a result, these cycles usually are less expensive and less invasive than cycles using fresh embryos. In addition, freezing some of the embryos from a retrieval procedure may increase a woman's overall chances of having a child from a single retrieval.

4C. Cycles using donor eggs

Success rates are presented separately for cycles using fresh donor eggs or embryos and those using frozen donor embryos. Older women, women with premature ovarian failure (early menopause), women whose ovaries have been removed, and women with a genetic concern about using their own eggs may consider using eggs that are donated by a young, healthy woman. Embryos donated by couples who previously had ART also may be available. Many clinics provide services for donor egg and embryo cycles. For these cycle types, results from women in all age groups (including older than 44) are reported together because previous data show that patient age does not affect success rates with donor eggs (see Figures 47 and 48 on pages 61 and 62).

5. Age of woman

Because a woman's fertility declines with age, clinics report lower success rates for older women attempting to become pregnant with their own eggs. For this reason, rates for women using nondonor eggs or embryos are reported separately for women younger than age 35, for women 35–37, for women 38–40, for women 41–42, and for women 43–44. Clinic-specific outcome rates are not shown for women older than 44 who undergo ART using their own eggs because the number of women in this age group at each clinic is small; therefore, a calculation of the percentage of cycles resulting in live births in older age groups may not be meaningful. Readers are encouraged to review national outcomes for these age groups shown in Figure 16 on page 30. The sample clinic table illustrates the decline in ART success rates among older women. For example, for cycles that used fresh embryos from nondonor eggs, the percentage of cycles resulting in live births among women younger than 35 was 37.4%, whereas the percentage of cycles resulting in live births among women 38–40 was 20.6%.

6. Confidence interval

The tables show a range, called the **95% confidence interval**, that conveys the reliability of a clinic's demonstrated success rate. This range is calculated only if 20 or more cycles are reported in an age category. (When fewer than 20 cycles are reported in a given category, success rates are shown as fractions rather than percentages; see paragraph 4, Success rates by type of cycle, page 85.) In general, the more cycles that a clinic performs, the narrower the range. A narrow range means we are more confident that a clinic would have a similar success rate if it treated other similar groups of patients under similar clinical conditions. On the other hand, a wide range tells us that a clinic's success rate is more likely to vary under similar circumstances because we had less information (fewer cycles) on which to base our estimates. Even though one clinic's success rate may appear higher than another's based on the confidence intervals, **these confidence intervals are only one indication that the success rate may be better. Other factors also must be considered** when comparing rates from two clinics. For example, some clinics see more than the average number of patients with difficult infertility problems, whereas others discourage patients with a low probability of success. For further information on important factors to consider when using the tables to assess a clinic, refer to pages 81–83.

For a more detailed explanation and examples of confidence intervals, see pages 531–532 in Appendix A.

7. Clinic services and profile

- **Current name.** This name reflects name changes that may have occurred since 2008, whereas the clinic name at the top of the table was the name of the ART clinic as it existed in 2008. Some clinics not only have changed their names but have reorganized as well. Reorganization is defined as a change in ownership or affiliation or a change in at least two of the three key staff positions (practice director, medical director, or laboratory director). In such cases, no current name will be listed, but a statement will be included that the clinic has undergone reorganization since 2008. Also, in such cases, no current clinic services or profile will be listed.
- **Donor egg program.** Some clinics have programs for ART using donor eggs. Donor eggs are eggs that have been retrieved from one woman (the donor) and then transferred to another woman who is unable to conceive with her own eggs (the recipient). Policies regarding sharing of donor eggs vary from clinic to clinic.
- **Donor embryo.** These are embryos that were donated by another couple who previously underwent ART treatment and had extra embryos available.
- **Single women.** Clinics have varying policies regarding ART services for single (unmarried) women.
- **Gestational carriers.** A gestational carrier is a woman who carries a child for another woman; sometimes such women are referred to as gestational surrogates. Policies regarding ART services using gestational carriers vary from clinic to clinic. Some states do not permit clinics to offer this service.
- **Cryopreservation.** This item refers to whether the clinic has a program for freezing extra embryos that may be available from a couple's ART cycle.

- **SART member.** In 2008, 375 of the 436 reporting clinics were Society for Assisted Reproductive Technology (SART) members.
- **Verified lab accreditation.** If “yes” appears next to this item, the ART clinic uses an embryo laboratory accredited by one of the following organizations:
 - College of American Pathologists (CAP)/American Society for Reproductive Medicine (ASRM), Reproductive Laboratory Accreditation Program.
 - The Joint Commission (formerly the Joint Commission on Accreditation of Healthcare Organizations).
 - New York State Tissue Bank Program (NYSTB).

If “pending” appears here, it means that the clinic has submitted an application for accreditation to one of the above organizations and has provided proof of such application to Westat. “No” indicates that the embryo laboratory has not been accredited by any of these three organizations.

CDC provides this information as a public service. ***Please note that CDC does not oversee any of these accreditation programs.*** They are all nonfederal programs. To become certified, laboratories must have in place systems and processes that comply with the accrediting organization’s standards. Depending on the organization, standards may include those for personnel, quality control and quality assurance, specimen tracking, results reporting, and the performance of technical procedures. Compliance with these standards is confirmed by documentation provided by the laboratory and by on-site inspections. For further information, consumers may contact the following accrediting organizations directly:

- CAP/ASRM, Reproductive Laboratory Accreditation Program: For a list of accredited laboratories, call 800-323-4040 and ask for Laboratory Accreditation.
- The Joint Commission: Call 630-792-5800 to inquire about the status of individual laboratories.
- New York State: Call 518-485-5341 to find out which laboratories are certified under the tissue bank regulations.

Further information on laboratory accreditation is provided in Appendix C.

2008 NATIONAL SUMMARY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	>99%	Procedural Factors:	Tubal factor	8%	Other factor	8%	
GIFT	<1%	With ICSI	64%	Ovulatory dysfunction	7%	Unknown factor	11%
ZIFT	<1%	Unstimulated	<1%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	<1%	Used gestational carrier	<1%	Endometriosis	4%	Female factors only	12%
		Used PGD	4%	Uterine factor	1%	Female & male factors	18%
		With eSET	3%	Male factor	17%		

2008 PREGNANCY SUCCESS RATES

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^c
Fresh Embryos from Nondonor Eggs					
Number of cycles	43,296	23,326	21,793	9,783	4,907
Percentage of embryos transferred resulting in implantation	34.0	24.8	16.8	9.3	4.5
Percentage of cycles resulting in pregnancies	47.6	38.1	30.3	20.3	10.5
Percentage of cycles resulting in live births ^b	41.1	31.1	22.2	12.1	5.1
Percentage of retrievals resulting in live births ^b	44.3	34.9	25.9	14.7	6.3
Percentage of transfers resulting in live births ^b	47.1	37.4	28.2	16.5	7.8
Percentage of transfers resulting in singleton live births	30.4	26.2	21.1	13.9	6.9
Percentage of cancellations	7.1	10.8	14.5	17.6	19.6
Average number of embryos transferred	2.2	2.4	2.7	3.1	3.3
Percentage of pregnancies with twins	33.8	27.6	21.7	14.8	9.1
Percentage of pregnancies with triplets or more	3.2	4.1	4.0	2.7	2.3
Percentage of live births having multiple infants ^b	35.4	30.0	25.2	15.9	11.3
Frozen Embryos from Nondonor Eggs					
Number of transfers	11,343	5,815	3,899	1,269	590
Percentage of transfers resulting in live births ^b	35.5	29.3	26.1	19.5	14.6
Average number of embryos transferred	2.2	2.2	2.3	2.3	2.4
All Ages Combined^d					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	10,718		5,861		
Percentage of transfers resulting in live births ^b	55.0		33.2		
Average number of embryos transferred	2.1		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Total number of reporting clinics: 436

Percentage of clinics that offer the following services:

Donor egg	92	Gestational carriers	83
Donor embryo	67	Cryopreservation	100
Single women	93		

Clinic profile:

SART member	86
Verified lab accreditation	
Yes	92
No	3
Pending	5

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b A multiple-infant birth is counted as one live birth.

^c See page 30 for national summary statistics for women older than 44.

^d All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALABAMA FERTILITY SPECIALISTS BIRMINGHAM, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	2%	
GIFT	0%	With ICSI	54%	Ovulatory dysfunction	14%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	20%
		Used PGD	0%	Uterine factor	1%	Female & male factors	28%
		With eSET	2%	Male factor	8%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael P. Steinkampf, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	46	7	5	3	0
Percentage of embryos transferred resulting in implantation ^b	20.2	4 / 14	2 / 6	1 / 7	
Percentage of cycles resulting in pregnancies ^b	39.1	2 / 7	1 / 5	1 / 3	
Percentage of cycles resulting in live births ^{b,c}	28.3	2 / 7	1 / 5	0 / 3	
(Confidence Interval)	(16.0–43.5)				
Percentage of retrievals resulting in live births ^{b,c}	30.2	2 / 6	1 / 3	0 / 2	
Percentage of transfers resulting in live births ^{b,c}	31.7	2 / 5	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births ^b	24.4	0 / 5	0 / 3	0 / 2	
Percentage of cancellations ^b	6.5	1 / 7	2 / 5	1 / 3	
Average number of embryos transferred	2.3	2.8	2.0	3.5	
Percentage of pregnancies with twins ^b	3 / 18	2 / 2	1 / 1	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 18	0 / 2	0 / 1	0 / 1	
Percentage of live births having multiple infants ^{b,c}	3 / 13	2 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	8	0	2	0	0
Percentage of transfers resulting in live births ^{b,c}	2 / 8		0 / 2		
Average number of embryos transferred	2.5		3.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
	Number of transfers	11	3		
	Percentage of transfers resulting in live births ^{b,c}	2 / 11	0 / 3		
Average number of embryos transferred	2.2	2.0			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Alabama Fertility Specialists

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ART FERTILITY PROGRAM OF ALABAMA BIRMINGHAM, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	2%	Other factor	<1%	
GIFT	0%	With ICSI	87%	Ovulatory dysfunction	<1%	Unknown factor	<1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	<1%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	<1%	Female factors only	16%
		Used PGD	<1%	Uterine factor	<1%	Female & male factors	69%
		With eSET	4%	Male factor	9%		

2008 PREGNANCY SUCCESS RATES

Data verified by Kathryn L. Honea, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	166	61	38	11	1
Percentage of embryos transferred resulting in implantation ^b	34.2	20.4	16.5	0.0	1 / 1
Percentage of cycles resulting in pregnancies ^b	45.2	26.2	36.8	1 / 11	1 / 1
Percentage of cycles resulting in live births ^{b,c}	42.8	16.4	21.1	0 / 11	1 / 1
(Confidence Interval)	(35.1–50.7)	(8.2–28.1)	(9.6–37.3)		
Percentage of retrievals resulting in live births ^{b,c}	48.0	18.2	22.2	0 / 8	1 / 1
Percentage of transfers resulting in live births ^{b,c}	51.4	19.6	25.0	0 / 7	1 / 1
Percentage of transfers resulting in singleton live births ^b	39.1	11.8	18.8	0 / 7	1 / 1
Percentage of cancellations ^b	10.8	9.8	5.3	3 / 11	0 / 1
Average number of embryos transferred	1.9	2.0	2.8	2.9	1.0
Percentage of pregnancies with twins ^b	25.3	6 / 16	3 / 14	0 / 1	0 / 1
Percentage of pregnancies with triplets or more ^b	0.0	1 / 16	0 / 14	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	23.9	4 / 10	2 / 8		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	30	8	4	1	0
Percentage of transfers resulting in live births ^{b,c}	26.7	2 / 8	1 / 4	0 / 1	
Average number of embryos transferred	1.7	1.8	2.0	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	31		20		
Percentage of transfers resulting in live births ^{b,c}	38.7		50.0		
Average number of embryos transferred	1.9		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: ART Fertility Program of Alabama

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF ALABAMA AT BIRMINGHAM
BIRMINGHAM, ALABAMA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	18%	Other factor	5%	
GIFT	0%	With ICSI	42%	Ovulatory dysfunction	0%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	18%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	8%
		Used PGD	1%	Uterine factor	1%	Female & male factors	9%
		With eSET	0%	Male factor	28%		

2008 PREGNANCY SUCCESS RATES

Data verified by Gordon W. Bates, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	40	15	10	4	0
Percentage of embryos transferred resulting in implantation ^b	27.1	11.1	14.3	0 / 10	
Percentage of cycles resulting in pregnancies ^b	50.0	2 / 15	2 / 10	0 / 4	
Percentage of cycles resulting in live births ^{b,c}	45.0	2 / 15	2 / 10	0 / 4	
(Confidence Interval)	(29.3–61.5)				
Percentage of retrievals resulting in live births ^{b,c}	47.4	2 / 10	2 / 8	0 / 4	
Percentage of transfers resulting in live births ^{b,c}	48.6	2 / 10	2 / 7	0 / 4	
Percentage of transfers resulting in singleton live births ^b	40.5	2 / 10	1 / 7	0 / 4	
Percentage of cancellations ^b	5.0	5 / 15	2 / 10	0 / 4	
Average number of embryos transferred	2.3	2.7	3.0	2.5	
Percentage of pregnancies with twins ^b	10.0	1 / 2	1 / 2		
Percentage of pregnancies with triplets or more ^b	5.0	0 / 2	0 / 2		
Percentage of live births having multiple infants ^{b,c}	3 / 18	0 / 2	1 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	3	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 2	0 / 3			
Average number of embryos transferred	2.0	1.3			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	6		0		
Percentage of transfers resulting in live births ^{b,c}	4 / 6				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Alabama at Birmingham

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUNTSVILLE REPRODUCTIVE MEDICINE, PC HUNTSVILLE, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	16%	Other factor	<1%	
GIFT	0%	With ICSI	72%	Ovulatory dysfunction	3%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	4%	Female factors only	25%
		Used PGD	3%	Uterine factor	0%	Female & male factors	25%
		With eSET	2%	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Andrew J. Harper, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	48	15	10	1	1
Percentage of embryos transferred resulting in implantation ^b	41.9	26.5	28.6	0 / 4	0 / 5
Percentage of cycles resulting in pregnancies ^b	56.3	8 / 15	5 / 10	0 / 1	0 / 1
Percentage of cycles resulting in live births ^{b,c}	52.1	6 / 15	4 / 10	0 / 1	0 / 1
(Confidence Interval)	(37.2–66.7)				
Percentage of retrievals resulting in live births ^{b,c}	55.6	6 / 14	4 / 8	0 / 1	0 / 1
Percentage of transfers resulting in live births ^{b,c}	59.5	6 / 14	4 / 8	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births ^b	35.7	5 / 14	3 / 8	0 / 1	0 / 1
Percentage of cancellations ^b	6.3	1 / 15	2 / 10	0 / 1	0 / 1
Average number of embryos transferred	2.0	2.4	2.6	4.0	5.0
Percentage of pregnancies with twins ^b	37.0	2 / 8	1 / 5		
Percentage of pregnancies with triplets or more ^b	0.0	0 / 8	0 / 5		
Percentage of live births having multiple infants ^{b,c}	40.0	1 / 6	1 / 4		
Frozen Embryos from Nondonor Eggs					
Number of transfers	25	5	2	0	1
Percentage of transfers resulting in live births ^{b,c}	32.0	1 / 5	0 / 2		0 / 1
Average number of embryos transferred	1.9	2.2	2.5		2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	19		8		
Percentage of transfers resulting in live births ^{b,c}	10 / 19		3 / 8		
Average number of embryos transferred	1.9		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Huntsville Reproductive Medicine, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE MOBILE, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	19%	Other factor	10%	
GIFT	0%	With ICSI	78%	Ovulatory dysfunction	4%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	13%	Female factors only	12%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	17%
		With eSET	<1%	Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by George T. Koulianos, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	125	45	29	2	4
Percentage of embryos transferred resulting in implantation ^b	37.9	21.7	13.5	1 / 5	
Percentage of cycles resulting in pregnancies ^b	50.4	31.1	27.6	1 / 2	0 / 4
Percentage of cycles resulting in live births ^{b,c}	44.0	28.9	20.7	1 / 2	0 / 4
(Confidence Interval)	(35.1–53.2)	(16.4–44.3)	(8.0–39.7)		
Percentage of retrievals resulting in live births ^{b,c}	51.9	37.1	26.1	1 / 2	0 / 1
Percentage of transfers resulting in live births ^{b,c}	54.5	37.1	27.3	1 / 2	
Percentage of transfers resulting in singleton live births ^b	41.6	31.4	22.7	1 / 2	
Percentage of cancellations ^b	15.2	22.2	20.7	0 / 2	3 / 4
Average number of embryos transferred	2.1	2.4	3.4	2.5	
Percentage of pregnancies with twins ^b	30.2	4 / 14	2 / 8	0 / 1	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 14	0 / 8	0 / 1	
Percentage of live births having multiple infants ^{b,c}	23.6	2 / 13	1 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	9	3	3	1
Percentage of transfers resulting in live births ^{b,c}	2 / 6	1 / 9	0 / 3	0 / 3	0 / 1
Average number of embryos transferred	2.5	2.4	2.0	2.0	1.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	31		1		
Percentage of transfers resulting in live births ^{b,c}	51.6		0 / 1		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH ALABAMA IVF AND ART PROGRAM MOBILE, ALABAMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	2%	Other factor	0%	
GIFT	0%	With ICSI	82%	Ovulatory dysfunction	27%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	32%
		Used PGD	0%	Uterine factor	0%	Female & male factors	19%
		With eSET	0%	Male factor	5%		

2008 PREGNANCY SUCCESS RATES

Data verified by Botros M. Rizk, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	22	17	11	3	2
Percentage of embryos transferred resulting in implantation ^b	31.8	14.3	3 / 18	0 / 5	0 / 4
Percentage of cycles resulting in pregnancies ^b	40.9	3 / 17	4 / 11	0 / 3	0 / 2
Percentage of cycles resulting in live births ^{b,c}	27.3	2 / 17	2 / 11	0 / 3	0 / 2
(Confidence Interval)	(10.7–50.2)				
Percentage of retrievals resulting in live births ^{b,c}	6 / 19	2 / 15	2 / 10	0 / 3	0 / 2
Percentage of transfers resulting in live births ^{b,c}	6 / 17	2 / 14	2 / 8	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births ^b	4 / 17	1 / 14	2 / 8	0 / 2	0 / 2
Percentage of cancellations ^b	13.6	2 / 17	1 / 11	0 / 3	0 / 2
Average number of embryos transferred	2.6	2.5	2.3	2.5	2.0
Percentage of pregnancies with twins ^b	3 / 9	2 / 3	0 / 4		
Percentage of pregnancies with triplets or more ^b	1 / 9	0 / 3	0 / 4		
Percentage of live births having multiple infants ^{b,c}	2 / 6	1 / 2	0 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	2	0	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 2	0 / 2			
Average number of embryos transferred	3.0	2.5			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		0		
Percentage of transfers resulting in live births ^{b,c}	1 / 1				
Average number of embryos transferred	4.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of South Alabama IVF and ART Program

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PENINSULA MEDICAL CENTER
JOHN NELS ANDERSON, MD
SOLDOTNA, ALASKA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	13%	Other factor	14%	
GIFT	0%	With ICSI	38%	Ovulatory dysfunction	14%	Unknown factor	9%
ZIFT	0%	Unstimulated	1%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	11%
		Used PGD	0%	Uterine factor	0%	Female & male factors	13%
		With eSET	0%	Male factor	22%		

2008 PREGNANCY SUCCESS RATES

Data verified by John N. Anderson, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	44	29	12	7	5
Percentage of embryos transferred resulting in implantation ^b	15.8	5.3	3.7	0 / 13	0 / 11
Percentage of cycles resulting in pregnancies ^b	27.3	13.8	2 / 12	0 / 7	0 / 5
Percentage of cycles resulting in live births ^{b,c}	11.4	6.9	0 / 12	0 / 7	0 / 5
(Confidence Interval)	(3.8–24.6)	(0.8–22.8)			
Percentage of retrievals resulting in live births ^{b,c}	13.5	8.0	0 / 12	0 / 5	0 / 3
Percentage of transfers resulting in live births ^{b,c}	16.1	8.7	0 / 10	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births ^b	9.7	8.7	0 / 10	0 / 5	0 / 3
Percentage of cancellations ^b	15.9	13.8	0 / 12	2 / 7	2 / 5
Average number of embryos transferred	3.1	3.3	2.7	2.6	3.7
Percentage of pregnancies with twins ^b	4 / 12	0 / 4	0 / 2		
Percentage of pregnancies with triplets or more ^b	0 / 12	0 / 4	0 / 2		
Percentage of live births having multiple infants ^{b,c}	2 / 5	0 / 2			
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	3	1	1	0
Percentage of transfers resulting in live births ^{b,c}	1 / 4	1 / 3	0 / 1	0 / 1	
Average number of embryos transferred	2.8	2.7	2.0	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		2		
Percentage of transfers resulting in live births ^{b,c}	0 / 1		0 / 2		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Peninsula Medical Center, John Nels Anderson, MD

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VALLEY FERTILITY CENTER GLENDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	3%	Other factor	5%	
GIFT	0%	With ICSI	91%	Ovulatory dysfunction	1%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	5%
		Used PGD	2%	Uterine factor	0%	Female & male factors	36%
		With eSET	<1%	Male factor	34%		

2008 PREGNANCY SUCCESS RATES

Data verified by Vladimir Troche, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	62	26	25	11	1
Percentage of embryos transferred resulting in implantation ^b	37.3	17.3	16.0	15.8	0 / 5
Percentage of cycles resulting in pregnancies ^b	59.7	46.2	44.0	5 / 11	0 / 1
Percentage of cycles resulting in live births ^{b,c}	53.2	30.8	32.0	3 / 11	0 / 1
(Confidence Interval)	(40.1–66.0)	(14.3–51.8)	(14.9–53.5)		
Percentage of retrievals resulting in live births ^{b,c}	54.1	32.0	34.8	3 / 11	0 / 1
Percentage of transfers resulting in live births ^{b,c}	56.9	33.3	36.4	3 / 10	0 / 1
Percentage of transfers resulting in singleton live births ^b	31.0	25.0	27.3	1 / 10	0 / 1
Percentage of cancellations ^b	1.6	3.8	8.0	0 / 11	0 / 1
Average number of embryos transferred	2.6	3.4	3.4	3.8	5.0
Percentage of pregnancies with twins ^b	51.4	3 / 12	2 / 11	2 / 5	
Percentage of pregnancies with triplets or more ^b	2.7	0 / 12	0 / 11	0 / 5	
Percentage of live births having multiple infants ^{b,c}	45.5	2 / 8	2 / 8	2 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	20	5	3	2	0
Percentage of transfers resulting in live births ^{b,c}	30.0	1 / 5	0 / 3	1 / 2	
Average number of embryos transferred	2.7	2.2	2.7	3.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	14		10		
Percentage of transfers resulting in live births ^{b,c}	9 / 14		4 / 10		
Average number of embryos transferred	2.1		2.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: West Valley Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA REPRODUCTIVE MEDICINE SPECIALISTS PHOENIX, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	2%	
GIFT	0%	With ICSI	60%	Ovulatory dysfunction	1%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	16%
		Used PGD	3%	Uterine factor	0%	Female & male factors	46%
		With eSET	4%	Male factor	13%		

2008 PREGNANCY SUCCESS RATES

Data verified by Drew V. Moffitt, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	93	60	58	10	10
Percentage of embryos transferred resulting in implantation ^b	25.8	20.0	23.9	0.0	0.0
Percentage of cycles resulting in pregnancies ^b	38.7	30.0	25.9	0 / 10	1 / 10
Percentage of cycles resulting in live births ^{b,c}	36.6	23.3	17.2	0 / 10	0 / 10
(Confidence Interval)	(26.8–47.2)	(13.4–36.0)	(8.6–29.4)		
Percentage of retrievals resulting in live births ^{b,c}	38.6	28.6	25.6	0 / 7	0 / 8
Percentage of transfers resulting in live births ^{b,c}	39.5	29.8	27.0	0 / 7	0 / 7
Percentage of transfers resulting in singleton live births ^b	25.6	21.3	16.2	0 / 7	0 / 7
Percentage of cancellations ^b	5.4	18.3	32.8	3 / 10	2 / 10
Average number of embryos transferred	2.2	2.3	2.4	3.3	3.3
Percentage of pregnancies with twins ^b	33.3	6 / 18	5 / 15		0 / 1
Percentage of pregnancies with triplets or more ^b	2.8	0 / 18	1 / 15		0 / 1
Percentage of live births having multiple infants ^{b,c}	35.3	4 / 14	4 / 10		
Frozen Embryos from Nondonor Eggs					
Number of transfers	62	27	22	4	0
Percentage of transfers resulting in live births ^{b,c}	41.9	29.6	18.2	2 / 4	
Average number of embryos transferred	1.8	1.7	2.0	2.0	
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		19		13	
Percentage of transfers resulting in live births ^{b,c}		13 / 19		6 / 13	
Average number of embryos transferred		2.0		2.1	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Reproductive Medicine Specialists

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FERTILITY CENTER PHOENIX, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	0%	Other factor	4%	
GIFT	0%	With ICSI	74%	Ovulatory dysfunction	<1%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	36%
		Used PGD	2%	Uterine factor	2%	Female & male factors	39%
		With eSET	4%	Male factor	3%		

2008 PREGNANCY SUCCESS RATES

Data verified by Sujatha Gunnala, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	56	18	7	7	0
Percentage of embryos transferred resulting in implantation ^b	9.3	18.6	2 / 12	1 / 17	
Percentage of cycles resulting in pregnancies ^b	19.6	7 / 18	1 / 7	1 / 7	
Percentage of cycles resulting in live births ^{b,c}	17.9	6 / 18	1 / 7	1 / 7	
(Confidence Interval)	(8.9–30.4)				
Percentage of retrievals resulting in live births ^{b,c}	18.2	6 / 17	1 / 6	1 / 7	
Percentage of transfers resulting in live births ^{b,c}	18.9	6 / 17	1 / 5	1 / 6	
Percentage of transfers resulting in singleton live births ^b	15.1	4 / 17	0 / 5	1 / 6	
Percentage of cancellations ^b	1.8	1 / 18	1 / 7	0 / 7	
Average number of embryos transferred	2.4	2.5	2.4	2.8	
Percentage of pregnancies with twins ^b	2 / 11	2 / 7	1 / 1	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 11	0 / 7	0 / 1	0 / 1	
Percentage of live births having multiple infants ^{b,c}	2 / 10	2 / 6	1 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	16	2	7	1	3
Percentage of transfers resulting in live births ^{b,c}	8 / 16	0 / 2	0 / 7	0 / 1	0 / 3
Average number of embryos transferred	2.3	2.5	2.1	1.0	1.7
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	8		8		
Percentage of transfers resulting in live births ^{b,c}	5 / 8		3 / 8		
Average number of embryos transferred	1.9		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southwest Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CARE SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	3%	Other factor	2%	
GIFT	0%	With ICSI	48%	Ovulatory dysfunction	6%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	20%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	12%
		Used PGD	2%	Uterine factor	0%	Female & male factors	33%
		With eSET	5%	Male factor	14%		

2008 PREGNANCY SUCCESS RATES

Data verified by Nathaniel Zoneraich, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	53	20	12	2	1
Percentage of embryos transferred resulting in implantation ^b	50.5	34.3	44.4	2 / 5	
Percentage of cycles resulting in pregnancies ^b	64.2	45.0	7 / 12	2 / 2	0 / 1
Percentage of cycles resulting in live births ^{b,c}	60.4	40.0	6 / 12	1 / 2	0 / 1
(Confidence Interval)	(46.0–73.5)	(19.1–63.9)			
Percentage of retrievals resulting in live births ^{b,c}	64.0	8 / 17	6 / 12	1 / 2	
Percentage of transfers resulting in live births ^{b,c}	65.3	8 / 16	6 / 12	1 / 2	
Percentage of transfers resulting in singleton live births ^b	32.7	6 / 16	1 / 12	1 / 2	
Percentage of cancellations ^b	5.7	15.0	0 / 12	0 / 2	1 / 1
Average number of embryos transferred	2.1	2.2	2.3	2.5	
Percentage of pregnancies with twins ^b	47.1	3 / 9	5 / 7	0 / 2	
Percentage of pregnancies with triplets or more ^b	2.9	0 / 9	0 / 7	0 / 2	
Percentage of live births having multiple infants ^{b,c}	50.0	2 / 8	5 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	3	0	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 7	0 / 3			
Average number of embryos transferred	1.7	1.7			
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	15		1		
Percentage of transfers resulting in live births ^{b,c}	11 / 15		0 / 1		
Average number of embryos transferred	1.7		1.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA ASSOCIATES FOR REPRODUCTIVE HEALTH SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	3%	
GIFT	0%	With ICSI	73%	Ovulatory dysfunction	6%	Unknown factor	15%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	9%
		Used PGD	1%	Uterine factor	0%	Female & male factors	25%
		With eSET	2%	Male factor	26%		

2008 PREGNANCY SUCCESS RATES

Data verified by Ketan S. Patel, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	37	18	26	6	5
Percentage of embryos transferred resulting in implantation ^b	44.1	18.2	18.2	0 / 17	3 / 14
Percentage of cycles resulting in pregnancies ^b	56.8	6 / 18	26.9	0 / 6	3 / 5
Percentage of cycles resulting in live births ^{b,c}	45.9	5 / 18	23.1	0 / 6	1 / 5
(Confidence Interval)	(29.5–63.1)		(9.0–43.6)		
Percentage of retrievals resulting in live births ^{b,c}	48.6	5 / 16	6 / 19	0 / 6	1 / 4
Percentage of transfers resulting in live births ^{b,c}	53.1	5 / 15	6 / 17	0 / 6	1 / 4
Percentage of transfers resulting in singleton live births ^b	34.4	4 / 15	4 / 17	0 / 6	1 / 4
Percentage of cancellations ^b	5.4	2 / 18	26.9	0 / 6	1 / 5
Average number of embryos transferred	2.1	2.2	2.6	2.8	3.5
Percentage of pregnancies with twins ^b	33.3	1 / 6	2 / 7		1 / 3
Percentage of pregnancies with triplets or more ^b	9.5	0 / 6	0 / 7		0 / 3
Percentage of live births having multiple infants ^{b,c}	6 / 17	1 / 5	2 / 6		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	19	5	3	2	1
Percentage of transfers resulting in live births ^{b,c}	10 / 19	2 / 5	0 / 3	0 / 2	0 / 1
Average number of embryos transferred	2.2	2.0	2.0	2.0	3.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	14		8		
Percentage of transfers resulting in live births ^{b,c}	6 / 14		2 / 8		
Average number of embryos transferred	2.1		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Associates for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA CENTER FOR FERTILITY STUDIES SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	26%	
GIFT	0%	With ICSI	87%	Ovulatory dysfunction	1%	Unknown factor	14%
ZIFT	0%	Unstimulated	1%	Diminished ovarian reserve	23%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	8%
		Used PGD	7%	Uterine factor	0%	Female & male factors	6%
		With eSET	0%	Male factor	13%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jay S. Nemiro, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	30	20	17	8	3
Percentage of embryos transferred resulting in implantation ^b	44.8	25.9	9.4	1 / 7	0 / 6
Percentage of cycles resulting in pregnancies ^b	60.0	60.0	3 / 17	1 / 8	0 / 3
Percentage of cycles resulting in live births ^{b,c}	56.7	40.0	1 / 17	1 / 8	0 / 3
(Confidence Interval)	(37.4–74.5)	(19.1–63.9)			
Percentage of retrievals resulting in live births ^{b,c}	56.7	8 / 19	1 / 14	1 / 6	0 / 3
Percentage of transfers resulting in live births ^{b,c}	68.0	8 / 18	1 / 8	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births ^b	52.0	6 / 18	1 / 8	1 / 4	0 / 2
Percentage of cancellations ^b	0.0	5.0	3 / 17	2 / 8	0 / 3
Average number of embryos transferred	2.3	3.2	4.0	1.8	3.0
Percentage of pregnancies with twins ^b	4 / 18	1 / 12	1 / 3	0 / 1	
Percentage of pregnancies with triplets or more ^b	2 / 18	1 / 12	0 / 3	0 / 1	
Percentage of live births having multiple infants ^{b,c}	4 / 17	2 / 8	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	3	8	0	0
Percentage of transfers resulting in live births ^{b,c}	5 / 10	0 / 3	2 / 8		
Average number of embryos transferred	3.0	3.0	3.6		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	15		22		
Percentage of transfers resulting in live births ^{b,c}	5 / 15		27.3		
Average number of embryos transferred	2.6		2.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Center for Fertility Studies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF PHOENIX SCOTTSDALE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	97%	Procedural Factors:	Tubal factor	12%	Other factor	7%
GIFT	0%	With ICSI	Ovulatory dysfunction	5%	Unknown factor	28%
ZIFT	3%	Unstimulated	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	5%	Female factors only	16%
		Used PGD	Uterine factor	0%	Female & male factors	10%
		With eSET	Male factor	14%		

2008 PREGNANCY SUCCESS RATES

Data verified by John L. Couvaras, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	15	7	11	0	1
Percentage of embryos transferred resulting in implantation ^b	8.3	30.0	8.0		1 / 4
Percentage of cycles resulting in pregnancies ^b	2 / 15	4 / 7	1 / 11		1 / 1
Percentage of cycles resulting in live births ^{b,c}	2 / 15	3 / 7	1 / 11		0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	2 / 15	3 / 7	1 / 11		0 / 1
Percentage of transfers resulting in live births ^{b,c}	2 / 14	3 / 6	1 / 9		0 / 1
Percentage of transfers resulting in singleton live births ^b	1 / 14	2 / 6	0 / 9		0 / 1
Percentage of cancellations ^b	0 / 15	0 / 7	0 / 11		0 / 1
Average number of embryos transferred	2.6	3.3	2.8		4.0
Percentage of pregnancies with twins ^b	1 / 2	2 / 4	1 / 1		0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 2	0 / 4	0 / 1		0 / 1
Percentage of live births having multiple infants ^{b,c}	1 / 2	1 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	1	2	2	0
Percentage of transfers resulting in live births ^{b,c}	1 / 10	0 / 1	0 / 2	0 / 2	
Average number of embryos transferred	3.4	4.0	3.5	3.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	3		4		
Percentage of transfers resulting in live births ^{b,c}	1 / 3		0 / 4		
Average number of embryos transferred	2.3		2.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Phoenix

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY TREATMENT CENTER TEMPE, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	3%	
GIFT	0%	With ICSI	99%	Ovulatory dysfunction	62%	Unknown factor	1%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	4%
		Used PGD	7%	Uterine factor	1%	Female & male factors	5%
		With eSET	1%	Male factor	7%		

2008 PREGNANCY SUCCESS RATES

Data verified by Randall Craig, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	83	48	40	15	8
Percentage of embryos transferred resulting in implantation ^b	24.1	18.8	14.1	7.9	0 / 16
Percentage of cycles resulting in pregnancies ^b	44.6	33.3	25.0	4 / 15	0 / 8
Percentage of cycles resulting in live births ^{b,c}	39.8	29.2	20.0	1 / 15	0 / 8
(Confidence Interval)	(29.2–51.1)	(17.0–44.1)	(9.1–35.6)		
Percentage of retrievals resulting in live births ^{b,c}	39.8	29.2	20.5	1 / 15	0 / 8
Percentage of transfers resulting in live births ^{b,c}	42.3	32.6	25.8	1 / 13	0 / 7
Percentage of transfers resulting in singleton live births ^b	29.5	25.6	22.6	1 / 13	0 / 7
Percentage of cancellations ^b	0.0	0.0	2.5	0 / 15	0 / 8
Average number of embryos transferred	2.5	2.3	2.5	2.9	2.3
Percentage of pregnancies with twins ^b	24.3	2 / 16	2 / 10	0 / 4	
Percentage of pregnancies with triplets or more ^b	2.7	1 / 16	0 / 10	0 / 4	
Percentage of live births having multiple infants ^{b,c}	30.3	3 / 14	1 / 8	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	81	37	26	6	1
Percentage of transfers resulting in live births ^{b,c}	45.7	32.4	42.3	1 / 6	1 / 1
Average number of embryos transferred	2.4	2.4	2.5	2.5	3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	36		31		
Percentage of transfers resulting in live births ^{b,c}	69.4		48.4		
Average number of embryos transferred	2.1		2.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Treatment Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY TUCSON, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	17%	Other factor	8%
GIFT	0%	With ICSI	Ovulatory dysfunction	5%	Unknown factor	<1%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	16%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	25%	Female factors only	7%
		Used PGD	Uterine factor	<1%	Female & male factors	8%
		With eSET	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Timothy J. Gelety, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	120	70	34	14	7
Percentage of embryos transferred resulting in implantation ^b	30.1	28.7	10.8	3.6	1 / 14
Percentage of cycles resulting in pregnancies ^b	53.3	48.6	29.4	1 / 14	1 / 7
Percentage of cycles resulting in live births ^{b,c}	44.2	35.7	20.6	1 / 14	0 / 7
(Confidence Interval)	(35.1–53.5)	(24.6–48.1)	(8.7–37.9)		
Percentage of retrievals resulting in live births ^{b,c}	45.7	36.2	21.9	1 / 14	0 / 7
Percentage of transfers resulting in live births ^{b,c}	53.0	43.9	23.3	1 / 9	0 / 4
Percentage of transfers resulting in singleton live births ^b	36.0	21.1	20.0	1 / 9	0 / 4
Percentage of cancellations ^b	3.3	1.4	5.9	0 / 14	0 / 7
Average number of embryos transferred	2.9	3.1	3.4	3.1	3.5
Percentage of pregnancies with twins ^b	17.2	32.4	1 / 10	0 / 1	0 / 1
Percentage of pregnancies with triplets or more ^b	9.4	8.8	0 / 10	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	32.1	52.0	1 / 7	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	57	21	15	5	2
Percentage of transfers resulting in live births ^{b,c}	38.6	28.6	2 / 15	2 / 5	0 / 2
Average number of embryos transferred	3.6	4.0	3.5	4.8	4.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	11		18		
Percentage of transfers resulting in live births ^{b,c}	4 / 11		8 / 18		
Average number of embryos transferred	2.5		3.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arizona Center for Reproductive Endocrinology and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH CENTER TUCSON, ARIZONA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	16%	Other factor	5%	
GIFT	0%	With ICSI	89%	Ovulatory dysfunction	8%	Unknown factor	10%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	3%	Female factors only	11%
		Used PGD	3%	Uterine factor	5%	Female & male factors	12%
		With eSET	14%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by Scot M. Hutchison, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	51	20	30	15	2
Percentage of embryos transferred resulting in implantation ^b	50.0	22.9	16.7	2 / 17	0 / 1
Percentage of cycles resulting in pregnancies ^b	51.0	30.0	30.0	3 / 15	0 / 2
Percentage of cycles resulting in live births ^{b,c}	45.1	25.0	10.0	1 / 15	0 / 2
(Confidence Interval)	(31.1–59.7)	(8.7–49.1)	(2.1–26.5)		
Percentage of retrievals resulting in live births ^{b,c}	47.9	25.0	12.0	1 / 12	0 / 2
Percentage of transfers resulting in live births ^{b,c}	54.8	5 / 18	15.0	1 / 9	0 / 1
Percentage of transfers resulting in singleton live births ^b	31.0	4 / 18	15.0	1 / 9	0 / 1
Percentage of cancellations ^b	5.9	0.0	16.7	3 / 15	0 / 2
Average number of embryos transferred	1.7	1.9	1.8	1.9	1.0
Percentage of pregnancies with twins ^b	42.3	2 / 6	0 / 9	0 / 3	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 6	0 / 9	0 / 3	
Percentage of live births having multiple infants ^{b,c}	43.5	1 / 5	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	11	11	6	5	0
Percentage of transfers resulting in live births ^{b,c}	3 / 11	3 / 11	1 / 6	0 / 5	
Average number of embryos transferred	1.7	1.8	1.2	1.8	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	12		10		
Percentage of transfers resulting in live births ^{b,c}	4 / 12		5 / 10		
Average number of embryos transferred	1.8		1.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARKANSAS FERTILITY CENTER LITTLE ROCK, ARKANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	12%	Other factor	2%	
GIFT	0%	With ICSI	42%	Ovulatory dysfunction	10%	Unknown factor	27%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	6%	Female factors only	3%
		Used PGD	<1%	Uterine factor	2%	Female & male factors	9%
		With eSET	5%	Male factor	22%		

2008 PREGNANCY SUCCESS RATES

Data verified by Dean Moutos, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	143	51	32	9	1
Percentage of embryos transferred resulting in implantation ^b	30.3	24.7	25.0	2 / 12	0 / 3
Percentage of cycles resulting in pregnancies ^b	44.1	37.3	37.5	2 / 9	0 / 1
Percentage of cycles resulting in live births ^{b,c}	41.3	33.3	18.8	1 / 9	0 / 1
(Confidence Interval)	(33.1–49.8)	(20.8–47.9)	(7.2–36.4)		
Percentage of retrievals resulting in live births ^{b,c}	43.7	44.7	24.0	1 / 6	0 / 1
Percentage of transfers resulting in live births ^{b,c}	45.7	45.9	25.0	1 / 5	0 / 1
Percentage of transfers resulting in singleton live births ^b	34.1	45.9	16.7	1 / 5	0 / 1
Percentage of cancellations ^b	5.6	25.5	21.9	3 / 9	0 / 1
Average number of embryos transferred	2.1	2.3	2.5	2.4	3.0
Percentage of pregnancies with twins ^b	30.2	2 / 19	1 / 12	0 / 2	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 19	1 / 12	0 / 2	
Percentage of live births having multiple infants ^{b,c}	25.4	0 / 17	2 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	44	24	14	4	2
Percentage of transfers resulting in live births ^{b,c}	22.7	37.5	2 / 14	1 / 4	0 / 2
Average number of embryos transferred	1.9	2.1	1.9	1.5	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	22		11		
Percentage of transfers resulting in live births ^{b,c}	59.1		0 / 11		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Arkansas Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIFESTART FERTILITY CENTER AGOURA HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	0%	
GIFT	0%	With ICSI	20%	Ovulatory dysfunction	4%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	35%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	8%
		Used PGD	0%	Uterine factor	4%	Female & male factors	39%
		With eSET	0%	Male factor	0%		

2008 PREGNANCY SUCCESS RATES

Data verified by Anita P. Singh, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	7	6	5	1	1
Percentage of embryos transferred resulting in implantation ^b	4 / 18	4 / 11	3 / 8	0 / 1	1 / 5
Percentage of cycles resulting in pregnancies ^b	4 / 7	3 / 6	2 / 5	0 / 1	1 / 1
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	3 / 7	1 / 6	2 / 5	0 / 1	0 / 1
Percentage of retrievals resulting in live births ^{b,c}	3 / 7	1 / 6	2 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births ^{b,c}	3 / 7	1 / 4	2 / 3	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births ^b	2 / 7	0 / 4	1 / 3	0 / 1	0 / 1
Percentage of cancellations ^b	0 / 7	0 / 6	1 / 5	0 / 1	0 / 1
Average number of embryos transferred	2.6	2.8	2.7	1.0	5.0
Percentage of pregnancies with twins ^b	1 / 4	1 / 3	1 / 2		0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 4	0 / 3	0 / 2		0 / 1
Percentage of live births having multiple infants ^{b,c}	1 / 3	1 / 1	1 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 2				
Average number of embryos transferred	2.5				
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		1		
Percentage of transfers resulting in live births ^{b,c}	3 / 3		0 / 1		
Average number of embryos transferred	2.7		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: LifeStart Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

GARFIELD FERTILITY CENTER ALHAMBRA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	3%	
GIFT	0%	With ICSI	71%	Ovulatory dysfunction	3%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	3%	Female factors only	23%
		Used PGD	0%	Uterine factor	0%	Female & male factors	35%
		With eSET	0%	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by Brian C. Su, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	5	12	11	1	2
Percentage of embryos transferred resulting in implantation ^b	7 / 13	3.3	8.6	0 / 6	0 / 4
Percentage of cycles resulting in pregnancies ^b	4 / 5	1 / 12	1 / 11	0 / 1	0 / 2
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	3 / 5	1 / 12	1 / 11	0 / 1	0 / 2
Percentage of retrievals resulting in live births ^{b,c}	3 / 5	1 / 11	1 / 10	0 / 1	0 / 2
Percentage of transfers resulting in live births ^{b,c}	3 / 5	1 / 9	1 / 10	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births ^b	3 / 5	1 / 9	0 / 10	0 / 1	0 / 2
Percentage of cancellations ^b	0 / 5	1 / 12	1 / 11	0 / 1	0 / 2
Average number of embryos transferred	2.6	3.3	3.5	6.0	2.0
Percentage of pregnancies with twins ^b	2 / 4	0 / 1	0 / 1		
Percentage of pregnancies with triplets or more ^b	1 / 4	0 / 1	1 / 1		
Percentage of live births having multiple infants ^{b,c}	0 / 3	0 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	3	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 1	2 / 3	0 / 1		
Average number of embryos transferred	2.0	2.7	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		0		
Percentage of transfers resulting in live births ^{b,c}	0 / 3				
Average number of embryos transferred	3.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Garfield Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALTA BATES IN VITRO FERTILIZATION PROGRAM BERKELEY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	0%	Other factor	11%	
GIFT	0%	With ICSI	76%	Ovulatory dysfunction	8%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	22%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	<1%	Female factors only	26%
		Used PGD	0%	Uterine factor	6%	Female & male factors	14%
		With eSET	0%	Male factor	10%		

2008 PREGNANCY SUCCESS RATES

Data verified by Ryszard J. Chetkowski, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	12	8	10	15	4
Percentage of embryos transferred resulting in implantation ^b	19.0	7 / 16	3 / 8	0.0	1 / 13
Percentage of cycles resulting in pregnancies ^b	3 / 12	4 / 8	1 / 10	0 / 15	1 / 4
Percentage of cycles resulting in live births ^{b,c}	3 / 12	4 / 8	1 / 10	0 / 15	1 / 4
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	3 / 11	4 / 7	1 / 5	0 / 14	1 / 4
Percentage of transfers resulting in live births ^{b,c}	3 / 10	4 / 7	1 / 4	0 / 11	1 / 4
Percentage of transfers resulting in singleton live births ^b	2 / 10	3 / 7	0 / 4	0 / 11	1 / 4
Percentage of cancellations ^b	1 / 12	1 / 8	5 / 10	1 / 15	0 / 4
Average number of embryos transferred	2.1	2.3	2.0	3.0	3.3
Percentage of pregnancies with twins ^b	1 / 3	1 / 4	0 / 1		0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 3	1 / 4	1 / 1		0 / 1
Percentage of live births having multiple infants ^{b,c}	1 / 3	1 / 4	1 / 1		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	8	3	2	0
Percentage of transfers resulting in live births ^{b,c}	0 / 2	3 / 8	1 / 3	1 / 2	
Average number of embryos transferred	1.0	2.5	1.7	5.5	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	12		27		
Percentage of transfers resulting in live births ^{b,c}	8 / 12		29.6		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Alta Bates In Vitro Fertilization Program

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE HEALTH & GYNECOLOGY
(CRH&G)
BEVERLY HILLS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	7%	
GIFT	0%	With ICSI	56%	Ovulatory dysfunction	2%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	9%	Female factors only	17%
		Used PGD	33%	Uterine factor	<1%	Female & male factors	33%
		With eSET	6%	Male factor	10%		

2008 PREGNANCY SUCCESS RATES

Data verified by Sam Najmabadi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	31	24	32	15	12
Percentage of embryos transferred resulting in implantation ^b	51.9	35.7	35.8	18.2	0 / 8
Percentage of cycles resulting in pregnancies ^b	58.1	58.3	56.3	5 / 15	0 / 12
Percentage of cycles resulting in live births ^{b,c}	54.8	50.0	46.9	2 / 15	0 / 12
(Confidence Interval)	(36.0–72.7)	(29.1–70.9)	(29.1–65.3)		
Percentage of retrievals resulting in live births ^{b,c}	56.7	52.2	50.0	2 / 14	0 / 11
Percentage of transfers resulting in live births ^{b,c}	58.6	52.2	50.0	2 / 13	0 / 6
Percentage of transfers resulting in singleton live births ^b	31.0	47.8	43.3	2 / 13	0 / 6
Percentage of cancellations ^b	3.2	4.2	6.3	1 / 15	1 / 12
Average number of embryos transferred	1.9	1.8	1.8	1.7	1.3
Percentage of pregnancies with twins ^b	8 / 18	2 / 14	3 / 18	0 / 5	
Percentage of pregnancies with triplets or more ^b	1 / 18	0 / 14	0 / 18	0 / 5	
Percentage of live births having multiple infants ^{b,c}	8 / 17	1 / 12	2 / 15	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	8	2	5	3	3
Percentage of transfers resulting in live births ^{b,c}	6 / 8	1 / 2	1 / 5	2 / 3	0 / 3
Average number of embryos transferred	2.0	2.0	2.2	1.7	2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	9		6		
Percentage of transfers resulting in live births ^{b,c}	7 / 9		5 / 6		
Average number of embryos transferred	1.7		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Health & Gynecology (CRH&G)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN CALIFORNIA REPRODUCTIVE CENTER BEVERLY HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	5%	
GIFT	0%	With ICSI	56%	Ovulatory dysfunction	4%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	18%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	1%	Female factors only	20%
		Used PGD	33%	Uterine factor	3%	Female & male factors	19%
		With eSET	7%	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by Mark W. Surrey, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	117	90	125	36	12
Percentage of embryos transferred resulting in implantation ^b	42.4	33.3	26.0	27.4	22.2
Percentage of cycles resulting in pregnancies ^b	59.0	51.1	41.6	47.2	4 / 12
Percentage of cycles resulting in live births ^{b,c}	53.0	46.7	37.6	33.3	4 / 12
(Confidence Interval)	(43.5–62.3)	(36.1–57.5)	(29.1–46.7)	(18.6–51.0)	
Percentage of retrievals resulting in live births ^{b,c}	53.9	48.8	38.8	34.3	4 / 11
Percentage of transfers resulting in live births ^{b,c}	57.9	53.2	43.1	37.5	4 / 10
Percentage of transfers resulting in singleton live births ^b	41.1	48.1	30.3	28.1	4 / 10
Percentage of cancellations ^b	1.7	4.4	3.2	2.8	1 / 12
Average number of embryos transferred	2.1	2.4	2.7	3.0	2.7
Percentage of pregnancies with twins ^b	39.1	15.2	21.2	7 / 17	0 / 4
Percentage of pregnancies with triplets or more ^b	0.0	10.9	13.5	1 / 17	1 / 4
Percentage of live births having multiple infants ^{b,c}	29.0	9.5	29.8	3 / 12	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of transfers	33	6	15	8	0
Percentage of transfers resulting in live births ^{b,c}	48.5	3 / 6	6 / 15	2 / 8	
Average number of embryos transferred	2.0	2.3	2.2	2.3	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	40		16		
Percentage of transfers resulting in live births ^{b,c}	72.5		9 / 16		
Average number of embryos transferred	2.1		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southern California Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST COAST IVF CLINIC, INC. BEVERLY HILLS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	12%	
GIFT	0%	With ICSI	45%	Ovulatory dysfunction	2%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	8%
		Used PGD	5%	Uterine factor	0%	Female & male factors	23%
		With eSET	0%	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael M. Kamrava, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	17	8	6	5	3
Percentage of embryos transferred resulting in implantation ^b	20.0	10.0	0.0	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies ^b	5 / 17	4 / 8	1 / 6	0 / 5	0 / 3
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	5 / 17	2 / 8	0 / 6	0 / 5	0 / 3
Percentage of retrievals resulting in live births ^{b,c}	5 / 13	2 / 7	0 / 6	0 / 3	0 / 1
Percentage of transfers resulting in live births ^{b,c}	5 / 13	2 / 7	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births ^b	3 / 13	2 / 7	0 / 6	0 / 2	0 / 1
Percentage of cancellations ^b	4 / 17	1 / 8	0 / 6	2 / 5	2 / 3
Average number of embryos transferred	5.4	4.3	4.3	1.5	1.0
Percentage of pregnancies with twins ^b	2 / 5	1 / 4	0 / 1		
Percentage of pregnancies with triplets or more ^b	1 / 5	0 / 4	0 / 1		
Percentage of live births having multiple infants ^{b,c}	2 / 5	0 / 2			
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 2				
Average number of embryos transferred	4.0				
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	9		2		
Percentage of transfers resulting in live births ^{b,c}	3 / 9		0 / 2		
Average number of embryos transferred	4.1		3.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: West Coast IVF Clinic, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CARE OF ORANGE COUNTY BREA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	2%	
GIFT	0%	With ICSI	74%	Ovulatory dysfunction	7%	Unknown factor	22%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	37%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	2%	Female factors only	2%
		Used PGD	1%	Uterine factor	2%	Female & male factors	7%
		With eSET	0%	Male factor	12%		

2008 PREGNANCY SUCCESS RATES

Data verified by Terence Lee, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	27	26	21	5	6
Percentage of embryos transferred resulting in implantation ^b	32.8	31.7	4.0	0 / 10	5.0
Percentage of cycles resulting in pregnancies ^b	51.9	42.3	19.0	0 / 5	1 / 6
Percentage of cycles resulting in live births ^{b,c}	40.7	34.6	9.5	0 / 5	0 / 6
(Confidence Interval)	(22.4–61.2)	(17.2–55.7)	(1.2–30.4)		
Percentage of retrievals resulting in live births ^{b,c}	44.0	45.0	2 / 14	0 / 3	0 / 5
Percentage of transfers resulting in live births ^{b,c}	47.8	45.0	2 / 13	0 / 3	0 / 5
Percentage of transfers resulting in singleton live births ^b	21.7	25.0	2 / 13	0 / 3	0 / 5
Percentage of cancellations ^b	7.4	23.1	33.3	2 / 5	1 / 6
Average number of embryos transferred	2.7	3.0	3.8	3.3	4.0
Percentage of pregnancies with twins ^b	4 / 14	6 / 11	0 / 4		0 / 1
Percentage of pregnancies with triplets or more ^b	2 / 14	1 / 11	0 / 4		0 / 1
Percentage of live births having multiple infants ^{b,c}	6 / 11	4 / 9	0 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	7	4	0	0
Percentage of transfers resulting in live births ^{b,c}	3 / 10	2 / 7	1 / 4		
Average number of embryos transferred	2.4	2.6	3.8		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		7		
Percentage of transfers resulting in live births ^{b,c}	2 / 4		1 / 7		
Average number of embryos transferred	2.5		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Care of Orange County

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTRAL CALIFORNIA IVF PROGRAM
WOMEN'S SPECIALTY AND FERTILITY CENTER
CLOVIS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	3%	
GIFT	0%	With ICSI	50%	Ovulatory dysfunction	4%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	25%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	9%
		Used PGD	0%	Uterine factor	0%	Female & male factors	23%
		With eSET	0%	Male factor	17%		

2008 PREGNANCY SUCCESS RATES

Data verified by H. Michael Synn, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	71	37	32	14	14
Percentage of embryos transferred resulting in implantation ^b	26.8	13.1	12.6	11.5	0 / 13
Percentage of cycles resulting in pregnancies ^b	38.0	16.2	21.9	2 / 14	0 / 14
Percentage of cycles resulting in live births ^{b,c}	36.6	13.5	12.5	1 / 14	0 / 14
(Confidence Interval)	(25.5–48.9)	(4.5–28.8)	(3.5–29.0)		
Percentage of retrievals resulting in live births ^{b,c}	40.6	15.6	13.8	1 / 11	0 / 8
Percentage of transfers resulting in live births ^{b,c}	41.9	17.2	14.3	1 / 10	0 / 7
Percentage of transfers resulting in singleton live births ^b	24.2	6.9	7.1	1 / 10	0 / 7
Percentage of cancellations ^b	9.9	13.5	9.4	3 / 14	6 / 14
Average number of embryos transferred	2.5	2.9	3.1	2.6	1.9
Percentage of pregnancies with twins ^b	44.4	3 / 6	1 / 7	1 / 2	
Percentage of pregnancies with triplets or more ^b	3.7	1 / 6	2 / 7	0 / 2	
Percentage of live births having multiple infants ^{b,c}	42.3	3 / 5	2 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	21	6	4	4	0
Percentage of transfers resulting in live births ^{b,c}	23.8	1 / 6	1 / 4	0 / 4	
Average number of embryos transferred	2.6	2.3	1.8	2.5	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	10		6		
Percentage of transfers resulting in live births ^{b,c}	2 / 10		1 / 6		
Average number of embryos transferred	2.6		3.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Central California IVF Program, Women's Specialty and Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ZOUVES FERTILITY CENTER DALY CITY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	9%	
GIFT	0%	With ICSI	94%	Ovulatory dysfunction	6%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	26%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	4%	Endometriosis	9%	Female factors only	11%
		Used PGD	46%	Uterine factor	2%	Female & male factors	16%
		With eSET	0%	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Christo Zouves, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	77	84	112	55	40
Percentage of embryos transferred resulting in implantation ^b	26.1	19.9	17.6	13.6	5.1
Percentage of cycles resulting in pregnancies ^b	45.5	39.3	34.8	23.6	7.5
Percentage of cycles resulting in live births ^{b,c}	41.6	36.9	29.5	18.2	0.0
(Confidence Interval)	(30.4–53.4)	(26.6–48.1)	(21.2–38.8)	(9.1–30.9)	(0.0–8.8)
Percentage of retrievals resulting in live births ^{b,c}	42.1	37.3	30.3	18.9	0.0
Percentage of transfers resulting in live births ^{b,c}	44.4	38.3	31.4	20.4	0.0
Percentage of transfers resulting in singleton live births ^b	26.4	28.4	24.8	14.3	0.0
Percentage of cancellations ^b	1.3	1.2	2.7	3.6	2.5
Average number of embryos transferred	2.5	2.7	2.9	2.4	2.1
Percentage of pregnancies with twins ^b	34.3	21.2	20.5	3 / 13	0 / 3
Percentage of pregnancies with triplets or more ^b	2.9	6.1	7.7	0 / 13	0 / 3
Percentage of live births having multiple infants ^{b,c}	40.6	25.8	21.2	3 / 10	
Frozen Embryos from Nondonor Eggs					
Number of transfers	15	17	9	3	2
Percentage of transfers resulting in live births ^{b,c}	2 / 15	5 / 17	1 / 9	0 / 3	0 / 2
Average number of embryos transferred	2.9	2.5	3.1	2.7	4.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	83		54		
Percentage of transfers resulting in live births ^{b,c}	41.0		24.1		
Average number of embryos transferred	2.3		2.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Zouves Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA IVF: DAVIS FERTILITY CENTER, INC. DAVIS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	8%	
GIFT	0%	With ICSI	50%	Ovulatory dysfunction	2%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	4%	Female factors only	12%
		Used PGD	15%	Uterine factor	<1%	Female & male factors	26%
		With eSET	2%	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by Ernest J. Zeringue, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	75	32	25	10	3
Percentage of embryos transferred resulting in implantation ^b	32.4	16.9	18.8	10.7	0 / 3
Percentage of cycles resulting in pregnancies ^b	45.3	25.0	36.0	2 / 10	1 / 3
Percentage of cycles resulting in live births ^{b,c}	30.7	18.8	28.0	1 / 10	0 / 3
(Confidence Interval)	(20.5–42.4)	(7.2–36.4)	(12.1–49.4)		
Percentage of retrievals resulting in live births ^{b,c}	32.4	20.0	30.4	1 / 9	0 / 2
Percentage of transfers resulting in live births ^{b,c}	37.1	23.1	7 / 18	1 / 6	0 / 2
Percentage of transfers resulting in singleton live births ^b	19.4	11.5	6 / 18	1 / 6	0 / 2
Percentage of cancellations ^b	5.3	6.3	8.0	1 / 10	1 / 3
Average number of embryos transferred	2.2	2.3	2.7	4.7	1.5
Percentage of pregnancies with twins ^b	32.4	3 / 8	0 / 9	1 / 2	0 / 1
Percentage of pregnancies with triplets or more ^b	5.9	0 / 8	1 / 9	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	47.8	3 / 6	1 / 7	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	38	13	4	3	0
Percentage of transfers resulting in live births ^{b,c}	31.6	4 / 13	1 / 4	0 / 3	
Average number of embryos transferred	2.2	2.1	1.5	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	22		13		
Percentage of transfers resulting in live births ^{b,c}	59.1		5 / 13		
Average number of embryos transferred	1.9		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: California IVF: Davis Fertility Center, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTES ENCINO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	48%	
GIFT	0%	With ICSI	90%	Ovulatory dysfunction	2%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	2%	Female factors only	20%
		Used PGD	56%	Uterine factor	<1%	Female & male factors	6%
		With eSET	7%	Male factor	7%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jeffrey Steinberg, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	84	45	37	12	1
Percentage of embryos transferred resulting in implantation ^b	42.7	28.9	26.2	3 / 14	0 / 2
Percentage of cycles resulting in pregnancies ^b	52.4	44.4	35.1	3 / 12	0 / 1
Percentage of cycles resulting in live births ^{b,c}	51.2	42.2	29.7	3 / 12	0 / 1
(Confidence Interval)	(40.0–62.3)	(27.7–57.8)	(15.9–47.0)		
Percentage of retrievals resulting in live births ^{b,c}	53.8	42.2	31.4	3 / 12	0 / 1
Percentage of transfers resulting in live births ^{b,c}	56.6	47.5	40.7	3 / 7	0 / 1
Percentage of transfers resulting in singleton live births ^b	39.5	37.5	33.3	3 / 7	0 / 1
Percentage of cancellations ^b	4.8	0.0	5.4	0 / 12	0 / 1
Average number of embryos transferred	1.9	2.1	2.4	2.0	2.0
Percentage of pregnancies with twins ^b	29.5	20.0	2 / 13	0 / 3	
Percentage of pregnancies with triplets or more ^b	4.5	0.0	1 / 13	0 / 3	
Percentage of live births having multiple infants ^{b,c}	30.2	4 / 19	2 / 11	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	8	3	1	2	1
Percentage of transfers resulting in live births ^{b,c}	2 / 8	0 / 3	1 / 1	0 / 2	0 / 1
Average number of embryos transferred	2.4	2.3	3.0	4.0	2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	42		6		
Percentage of transfers resulting in live births ^{b,c}	66.7		3 / 6		
Average number of embryos transferred	2.5		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Institutes–California, New York

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST COAST FERTILITY CENTERS FOUNTAIN VALLEY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	16%	Other factor	2%	
GIFT	0%	With ICSI	80%	Ovulatory dysfunction	8%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	22%
		Used PGD	19%	Uterine factor	1%	Female & male factors	21%
		With eSET	<1%	Male factor	13%		

2008 PREGNANCY SUCCESS RATES

Data verified by David G. Diaz, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	82	42	50	8	4
Percentage of embryos transferred resulting in implantation ^b	37.7	31.0	17.9	0 / 10	
Percentage of cycles resulting in pregnancies ^b	48.8	52.4	28.0	0 / 8	0 / 4
Percentage of cycles resulting in live births ^{b,c}	40.2	47.6	26.0	0 / 8	0 / 4
(Confidence Interval)	(29.6–51.7)	(32.0–63.6)	(14.6–40.3)		
Percentage of retrievals resulting in live births ^{b,c}	41.8	48.8	27.1	0 / 6	0 / 3
Percentage of transfers resulting in live births ^{b,c}	49.3	55.6	33.3	0 / 2	
Percentage of transfers resulting in singleton live births ^b	23.9	38.9	25.6	0 / 2	
Percentage of cancellations ^b	3.7	2.4	4.0	2 / 8	1 / 4
Average number of embryos transferred	2.3	2.4	2.7	5.0	
Percentage of pregnancies with twins ^b	47.5	27.3	3 / 14		
Percentage of pregnancies with triplets or more ^b	2.5	0.0	1 / 14		
Percentage of live births having multiple infants ^{b,c}	51.5	30.0	3 / 13		
Frozen Embryos from Nondonor Eggs					
Number of transfers	47	21	10	2	0
Percentage of transfers resulting in live births ^{b,c}	48.9	42.9	1 / 10	0 / 2	
Average number of embryos transferred	3.1	2.8	3.4	1.5	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	11		7		
Percentage of transfers resulting in live births ^{b,c}	7 / 11		1 / 7		
Average number of embryos transferred	2.5		2.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: West Coast Fertility Centers

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

XPRT FERTILITY CARE OF CALIFORNIA
MINH N. HO, MD, FACOG
FOUNTAIN VALLEY, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	0%	
GIFT	0%	With ICSI	52%	Ovulatory dysfunction	10%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	18%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	31%
		Used PGD	3%	Uterine factor	0%	Female & male factors	28%
		With eSET	0%	Male factor	3%		

2008 PREGNANCY SUCCESS RATES

Data verified by Minh N. Ho, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	14	4	11	3	1
Percentage of embryos transferred resulting in implantation ^b	22.2	2 / 9	25.7	1 / 10	0 / 3
Percentage of cycles resulting in pregnancies ^b	8 / 14	1 / 4	7 / 11	1 / 3	0 / 1
Percentage of cycles resulting in live births ^{b,c}	8 / 14	1 / 4	7 / 11	1 / 3	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	8 / 14	1 / 4	7 / 11	1 / 3	0 / 1
Percentage of transfers resulting in live births ^{b,c}	8 / 14	1 / 4	7 / 11	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births ^b	7 / 14	1 / 4	5 / 11	1 / 3	0 / 1
Percentage of cancellations ^b	0 / 14	0 / 4	0 / 11	0 / 3	0 / 1
Average number of embryos transferred	3.2	2.3	3.2	3.3	3.0
Percentage of pregnancies with twins ^b	2 / 8	1 / 1	2 / 7	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 8	0 / 1	0 / 7	0 / 1	
Percentage of live births having multiple infants ^{b,c}	1 / 8	0 / 1	2 / 7	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 1				
Average number of embryos transferred	3.0				
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		1		
Percentage of transfers resulting in live births ^{b,c}	4 / 4		1 / 1		
Average number of embryos transferred	3.0		4.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Xpert Fertility Care of California, Minh N. Ho, MD, FACOG

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH FREMONT, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	4%	
GIFT	0%	With ICSI	78%	Ovulatory dysfunction	6%	Unknown factor	10%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	29%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	6%
		Used PGD	1%	Uterine factor	<1%	Female & male factors	22%
		With eSET	1%	Male factor	14%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jon A. Proctor, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	124	94	90	44	26
Percentage of embryos transferred resulting in implantation ^b	34.2	39.3	22.8	9.3	1.9
Percentage of cycles resulting in pregnancies ^b	47.6	57.4	41.1	22.7	3.8
Percentage of cycles resulting in live births ^{b,c}	41.1	50.0	32.2	11.4	3.8
(Confidence Interval)	(32.4–50.3)	(39.5–60.5)	(22.8–42.9)	(3.8–24.6)	(0.1–19.6)
Percentage of retrievals resulting in live births ^{b,c}	44.0	53.4	39.2	12.8	5.0
Percentage of transfers resulting in live births ^{b,c}	51.0	58.0	41.4	14.7	1 / 17
Percentage of transfers resulting in singleton live births ^b	34.0	39.5	27.1	14.7	1 / 17
Percentage of cancellations ^b	6.5	6.4	17.8	11.4	23.1
Average number of embryos transferred	2.2	2.4	2.9	3.5	3.1
Percentage of pregnancies with twins ^b	23.7	37.0	29.7	2 / 10	0 / 1
Percentage of pregnancies with triplets or more ^b	5.1	1.9	2.7	0 / 10	0 / 1
Percentage of live births having multiple infants ^{b,c}	33.3	31.9	34.5	0 / 5	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	57	47	34	15	2
Percentage of transfers resulting in live births ^{b,c}	42.1	46.8	29.4	4 / 15	1 / 2
Average number of embryos transferred	2.0	2.0	2.0	2.5	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	34		10		
Percentage of transfers resulting in live births ^{b,c}	67.6		3 / 10		
Average number of embryos transferred	2.0		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2008. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**KATHLEEN L. KORNAFEL, MD, PhD
GLENDALE, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	11%	
GIFT	0%	With ICSI	54%	Ovulatory dysfunction	11%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	0%
		Used PGD	29%	Uterine factor	0%	Female & male factors	22%
		With eSET	0%	Male factor	33%		

2008 PREGNANCY SUCCESS RATES

Data verified by Kathleen L. Kornafel, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	6	4	16	6	3
Percentage of embryos transferred resulting in implantation ^b	4 / 17	4 / 8	18.4	2 / 8	0 / 6
Percentage of cycles resulting in pregnancies ^b	3 / 6	3 / 4	5 / 16	2 / 6	0 / 3
Percentage of cycles resulting in live births ^{b,c}	2 / 6	3 / 4	5 / 16	1 / 6	0 / 3
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	2 / 6	3 / 4	5 / 16	1 / 5	0 / 3
Percentage of transfers resulting in live births ^{b,c}	2 / 6	3 / 4	5 / 13	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births ^b	1 / 6	2 / 4	3 / 13	1 / 4	0 / 2
Percentage of cancellations ^b	0 / 6	0 / 4	0 / 16	1 / 6	0 / 3
Average number of embryos transferred	2.8	2.0	2.9	2.0	3.0
Percentage of pregnancies with twins ^b	1 / 3	1 / 3	2 / 5	0 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 3	0 / 3	0 / 5	0 / 2	
Percentage of live births having multiple infants ^{b,c}	1 / 2	1 / 3	2 / 5	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	2	3	0	0
Percentage of transfers resulting in live births ^{b,c}	4 / 7	0 / 2	3 / 3		
Average number of embryos transferred	3.1	2.5	1.7		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		3		
Percentage of transfers resulting in live births ^{b,c}	1 / 4		2 / 3		
Average number of embryos transferred	2.5		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Kathleen L. Kornafel, MD, PhD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-LOS ANGELES GLENDALE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	45%	
GIFT	0%	With ICSI	90%	Ovulatory dysfunction	3%	Unknown factor	11%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	<1%	Female factors only	14%
		Used PGD	8%	Uterine factor	2%	Female & male factors	9%
		With eSET	3%	Male factor	5%		

2008 PREGNANCY SUCCESS RATES

Data verified by Aykut Bayrak, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	33	23	17	11	6
Percentage of embryos transferred resulting in implantation ^b	26.3	23.3	14.0	2.9	0 / 18
Percentage of cycles resulting in pregnancies ^b	45.5	30.4	8 / 17	2 / 11	0 / 6
Percentage of cycles resulting in live births ^{b,c}	39.4	26.1	4 / 17	0 / 11	0 / 6
(Confidence Interval)	(22.9–57.9)	(10.2–48.4)			
Percentage of retrievals resulting in live births ^{b,c}	43.3	26.1	4 / 17	0 / 11	0 / 6
Percentage of transfers resulting in live births ^{b,c}	48.1	28.6	4 / 16	0 / 10	0 / 4
Percentage of transfers resulting in singleton live births ^b	40.7	23.8	4 / 16	0 / 10	0 / 4
Percentage of cancellations ^b	9.1	0.0	0 / 17	0 / 11	0 / 6
Average number of embryos transferred	2.1	2.0	3.6	3.4	4.5
Percentage of pregnancies with twins ^b	2 / 15	1 / 7	0 / 8	0 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 15	1 / 7	0 / 8	0 / 2	
Percentage of live births having multiple infants ^{b,c}	2 / 13	1 / 6	0 / 4		
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	7	5	2	0
Percentage of transfers resulting in live births ^{b,c}	3 / 6	3 / 7	0 / 5	1 / 2	
Average number of embryos transferred	2.3	2.7	2.2	2.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	5		2		
Percentage of transfers resulting in live births ^{b,c}	3 / 5		1 / 2		
Average number of embryos transferred	2.6		3.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sher Institute for Reproductive Medicine-Los Angeles

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

COASTAL FERTILITY MEDICAL CENTER, INC. IRVINE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	2%	Other factor	6%
GIFT	0% With ICSI	91% Ovulatory dysfunction	2%	Unknown factor	21%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	20%	Multiple Factors:	
Combination	0% Used gestational carrier	<1% Endometriosis	5%	Female factors only	7%
	Used PGD	17% Uterine factor	2%	Female & male factors	15%
	With eSET	0% Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Lawrence B. Werlin, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	89	46	71	16	6
Percentage of embryos transferred resulting in implantation ^b	20.5	14.2	11.0	0.0	0 / 10
Percentage of cycles resulting in pregnancies ^b	38.2	30.4	23.9	1 / 16	0 / 6
Percentage of cycles resulting in live births ^{b,c}	33.7	19.6	15.5	0 / 16	0 / 6
(Confidence Interval)	(24.0–44.5)	(9.4–33.9)	(8.0–26.0)		
Percentage of retrievals resulting in live births ^{b,c}	35.3	20.5	17.5	0 / 14	0 / 6
Percentage of transfers resulting in live births ^{b,c}	37.5	20.9	20.0	0 / 9	0 / 5
Percentage of transfers resulting in singleton live births ^b	25.0	14.0	20.0	0 / 9	0 / 5
Percentage of cancellations ^b	4.5	4.3	11.3	2 / 16	0 / 6
Average number of embryos transferred	3.0	3.1	3.1	2.9	2.0
Percentage of pregnancies with twins ^b	23.5	3 / 14	2 / 17	0 / 1	
Percentage of pregnancies with triplets or more ^b	11.8	1 / 14	0 / 17	0 / 1	
Percentage of live births having multiple infants ^{b,c}	33.3	3 / 9	0 / 11		
Frozen Embryos from Nondonor Eggs					
Number of transfers	31	19	7	1	2
Percentage of transfers resulting in live births ^{b,c}	35.5	6 / 19	1 / 7	0 / 1	0 / 2
Average number of embryos transferred	3.4	2.7	3.0	2.0	3.0
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		31		24	
Percentage of transfers resulting in live births ^{b,c}		32.3		20.8	
Average number of embryos transferred		3.0		2.9	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Coastal Fertility Medical Center, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY CENTER OF SOUTHERN CALIFORNIA
IRVINE, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	24%	
GIFT	0%	With ICSI	89%	Ovulatory dysfunction	4%	Unknown factor	22%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	6%	Female factors only	8%
		Used PGD	<1%	Uterine factor	1%	Female & male factors	5%
		With eSET	0%	Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Ilene E. Hatch, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	41	30	30	19	9
Percentage of embryos transferred resulting in implantation ^b	25.0	23.6	18.2	12.1	6.8
Percentage of cycles resulting in pregnancies ^b	56.1	43.3	33.3	5 / 19	4 / 9
Percentage of cycles resulting in live births ^{b,c}	41.5	36.7	23.3	2 / 19	2 / 9
(Confidence Interval)	(26.3–57.9)	(19.9–56.1)	(9.9–42.3)		
Percentage of retrievals resulting in live births ^{b,c}	44.7	39.3	26.9	2 / 16	2 / 9
Percentage of transfers resulting in live births ^{b,c}	44.7	40.7	30.4	2 / 15	2 / 9
Percentage of transfers resulting in singleton live births ^b	31.6	18.5	21.7	1 / 15	2 / 9
Percentage of cancellations ^b	7.3	6.7	13.3	3 / 19	0 / 9
Average number of embryos transferred	2.7	3.3	3.3	3.9	4.9
Percentage of pregnancies with twins ^b	13.0	5 / 13	3 / 10	2 / 5	0 / 4
Percentage of pregnancies with triplets or more ^b	8.7	1 / 13	1 / 10	0 / 5	0 / 4
Percentage of live births having multiple infants ^{b,c}	5 / 17	6 / 11	2 / 7	1 / 2	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	20	6	5	2	0
Percentage of transfers resulting in live births ^{b,c}	30.0	1 / 6	1 / 5	0 / 2	
Average number of embryos transferred	3.3	2.8	3.4	4.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	15		11		
Percentage of transfers resulting in live births ^{b,c}	9 / 15		0 / 11		
Average number of embryos transferred	2.8		4.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Southern California

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE FERTILITY CENTER IRVINE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	6%	Other factor	42%
GIFT	0% With ICSI	96% Ovulatory dysfunction	5%	Unknown factor	9%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	2%	Female factors only	14%
	Used PGD	18% Uterine factor	<1%	Female & male factors	11%
	With eSET	<1% Male factor	9%		

2008 PREGNANCY SUCCESS RATES

Data verified by James P. Lin, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	63	27	36	15	1
Percentage of embryos transferred resulting in implantation ^b	45.9	38.5	14.3	19.4	1 / 2
Percentage of cycles resulting in pregnancies ^b	65.1	59.3	36.1	6 / 15	1 / 1
Percentage of cycles resulting in live births ^{b,c}	57.1	59.3	27.8	4 / 15	0 / 1
(Confidence Interval)	(44.0–69.5)	(38.8–77.6)	(14.2–45.2)		
Percentage of retrievals resulting in live births ^{b,c}	58.1	59.3	28.6	4 / 15	0 / 1
Percentage of transfers resulting in live births ^{b,c}	60.0	61.5	30.3	4 / 12	0 / 1
Percentage of transfers resulting in singleton live births ^b	38.3	30.8	24.2	3 / 12	0 / 1
Percentage of cancellations ^b	1.6	0.0	2.8	0 / 15	0 / 1
Average number of embryos transferred	2.3	2.5	3.0	3.0	2.0
Percentage of pregnancies with twins ^b	48.8	9 / 16	1 / 13	2 / 6	0 / 1
Percentage of pregnancies with triplets or more ^b	2.4	0 / 16	1 / 13	0 / 6	0 / 1
Percentage of live births having multiple infants ^{b,c}	36.1	8 / 16	2 / 10	1 / 4	
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	2	7	1	0
Percentage of transfers resulting in live births ^{b,c}	5 / 9	1 / 2	0 / 7	0 / 1	
Average number of embryos transferred	2.4	2.5	2.7	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
	Number of transfers		31		6
	Percentage of transfers resulting in live births ^{b,c}		74.2		3 / 6
Average number of embryos transferred		2.1		2.2	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Fertility Center-OC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE PARTNERS-UCSD REGIONAL FERTILITY CENTER LA JOLLA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	14%	
GIFT	0%	With ICSI	85%	Ovulatory dysfunction	6%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	23%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	6%	Endometriosis	5%	Female factors only	6%
		Used PGD	6%	Uterine factor	5%	Female & male factors	8%
		With eSET	9%	Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by V. Gabriel Garzo, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	78	69	61	29	13
Percentage of embryos transferred resulting in implantation ^b	55.0	41.1	26.8	11.9	2 / 18
Percentage of cycles resulting in pregnancies ^b	66.7	58.0	44.3	27.6	2 / 13
Percentage of cycles resulting in live births ^{b,c}	56.4	46.4	34.4	13.8	1 / 13
(Confidence Interval)	(44.7–67.6)	(34.3–58.8)	(22.7–47.7)	(3.9–31.7)	
Percentage of retrievals resulting in live births ^{b,c}	61.1	50.8	38.9	16.7	1 / 9
Percentage of transfers resulting in live births ^{b,c}	64.7	54.2	42.9	4 / 19	1 / 7
Percentage of transfers resulting in singleton live births ^b	36.8	35.6	34.7	4 / 19	1 / 7
Percentage of cancellations ^b	7.7	8.7	11.5	17.2	4 / 13
Average number of embryos transferred	1.8	2.1	2.3	3.1	2.6
Percentage of pregnancies with twins ^b	34.6	32.5	22.2	0 / 8	0 / 2
Percentage of pregnancies with triplets or more ^b	1.9	5.0	0.0	0 / 8	0 / 2
Percentage of live births having multiple infants ^{b,c}	43.2	34.4	19.0	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	12	19	9	4	2
Percentage of transfers resulting in live births ^{b,c}	5 / 12	8 / 19	3 / 9	0 / 4	0 / 2
Average number of embryos transferred	1.9	2.0	2.4	1.8	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	37		27		
Percentage of transfers resulting in live births ^{b,c}	70.3		14.8		
Average number of embryos transferred	1.7		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Partners-UCSD Regional Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCES CENTER LA JOLLA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	13%	
GIFT	0%	With ICSI	86%	Ovulatory dysfunction	2%	Unknown factor	11%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	10%	Endometriosis	4%	Female factors only	17%
		Used PGD	41%	Uterine factor	6%	Female & male factors	19%
		With eSET	0%	Male factor	10%		

2008 PREGNANCY SUCCESS RATES

Data verified by Samuel H. Wood, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	16	17	10	3	2
Percentage of embryos transferred resulting in implantation ^b	32.4	18.8	2 / 12		0 / 1
Percentage of cycles resulting in pregnancies ^b	8 / 16	5 / 17	2 / 10	0 / 3	0 / 2
Percentage of cycles resulting in live births ^{b,c}	8 / 16	3 / 17	1 / 10	0 / 3	0 / 2
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	8 / 16	3 / 16	1 / 10		0 / 1
Percentage of transfers resulting in live births ^{b,c}	8 / 14	3 / 14	1 / 7		0 / 1
Percentage of transfers resulting in singleton live births ^b	6 / 14	2 / 14	1 / 7		0 / 1
Percentage of cancellations ^b	0 / 16	1 / 17	0 / 10	3 / 3	1 / 2
Average number of embryos transferred	2.4	2.3	1.7		1.0
Percentage of pregnancies with twins ^b	3 / 8	1 / 5	0 / 2		
Percentage of pregnancies with triplets or more ^b	0 / 8	0 / 5	0 / 2		
Percentage of live births having multiple infants ^{b,c}	2 / 8	1 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	6	4	0	1
Percentage of transfers resulting in live births ^{b,c}	2 / 10	3 / 6	2 / 4		0 / 1
Average number of embryos transferred	2.8	2.2	3.0		3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	28		25		
Percentage of transfers resulting in live births ^{b,c}	71.4		52.0		
Average number of embryos transferred	2.1		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Sciences Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SCRIPPS CLINIC FERTILITY CENTER LA JOLLA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	2%
GIFT	0%	With ICSI	Ovulatory dysfunction	<1%	Unknown factor	<1%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	10%	Multiple Factors:	
Combination	0%	Used gestational carrier	Endometriosis	0%	Female factors only	37%
		Used PGD	Uterine factor	3%	Female & male factors	38%
		With eSET	Male factor	6%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jeffrey S. Rakoff, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	28	16	26	9	2
Percentage of embryos transferred resulting in implantation ^b	22.6	11.4	3.8	0.0	0 / 7
Percentage of cycles resulting in pregnancies ^b	32.1	3 / 16	7.7	0 / 9	0 / 2
Percentage of cycles resulting in live births ^{b,c}	25.0	2 / 16	7.7	0 / 9	0 / 2
(Confidence Interval)	(10.7–44.9)		(0.9–25.1)		
Percentage of retrievals resulting in live births ^{b,c}	25.0	2 / 16	8.0	0 / 8	0 / 1
Percentage of transfers resulting in live births ^{b,c}	25.0	2 / 16	8.7	0 / 7	0 / 1
Percentage of transfers resulting in singleton live births ^b	10.7	1 / 16	8.7	0 / 7	0 / 1
Percentage of cancellations ^b	0.0	0 / 16	3.8	1 / 9	1 / 2
Average number of embryos transferred	2.2	2.2	2.3	3.0	7.0
Percentage of pregnancies with twins ^b	3 / 9	1 / 3	0 / 2		
Percentage of pregnancies with triplets or more ^b	1 / 9	0 / 3	0 / 2		
Percentage of live births having multiple infants ^{b,c}	4 / 7	1 / 2	0 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	0	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 4		0 / 1		
Average number of embryos transferred	2.0		2.0		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	11		2		
Percentage of transfers resulting in live births ^{b,c}	4 / 11		0 / 2		
Average number of embryos transferred	1.8		1.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Scripps Clinic Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

LOMA LINDA UNIVERSITY CENTER FOR FERTILITY AND IVF LOMA LINDA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	2%	
GIFT	0%	With ICSI	83%	Ovulatory dysfunction	4%	Unknown factor	16%
ZIFT	0%	Unstimulated	1%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	15%
		Used PGD	3%	Uterine factor	2%	Female & male factors	26%
		With eSET	0%	Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by John D. Jacobson, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	64	38	27	6	4
Percentage of embryos transferred resulting in implantation ^b	44.8	20.7	13.3	2 / 10	0 / 3
Percentage of cycles resulting in pregnancies ^b	54.7	36.8	22.2	2 / 6	0 / 4
Percentage of cycles resulting in live births ^{b,c}	48.4	34.2	14.8	1 / 6	0 / 4
(Confidence Interval)	(35.8–61.3)	(19.6–51.4)	(4.2–33.7)		
Percentage of retrievals resulting in live births ^{b,c}	51.7	39.4	4 / 19	1 / 4	0 / 4
Percentage of transfers resulting in live births ^{b,c}	54.4	41.9	4 / 16	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births ^b	21.1	29.0	2 / 16	0 / 3	0 / 2
Percentage of cancellations ^b	6.3	13.2	29.6	2 / 6	0 / 4
Average number of embryos transferred	2.2	2.8	2.8	3.3	1.5
Percentage of pregnancies with twins ^b	51.4	4 / 14	2 / 6	1 / 2	
Percentage of pregnancies with triplets or more ^b	5.7	0 / 14	0 / 6	0 / 2	
Percentage of live births having multiple infants ^{b,c}	61.3	4 / 13	2 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	8	3	2	2
Percentage of transfers resulting in live births ^{b,c}	0 / 6	1 / 8	1 / 3	0 / 2	0 / 2
Average number of embryos transferred	2.5	2.9	2.3	4.0	5.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	10		13		
Percentage of transfers resulting in live births ^{b,c}	7 / 10		2 / 13		
Average number of embryos transferred	2.0		2.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Loma Linda University Center for Fertility and IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA FERTILITY PARTNERS LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	>99%	Procedural Factors:	Tubal factor	5%	Other factor	14%	
GIFT	<1%	With ICSI	65%	Ovulatory dysfunction	3%	Unknown factor	21%
ZIFT	<1%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	7%	Endometriosis	3%	Female factors only	11%
		Used PGD	4%	Uterine factor	6%	Female & male factors	9%
		With eSET	2%	Male factor	17%		

2008 PREGNANCY SUCCESS RATES

Data verified by Richard P. Marrs, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	50	73	129	88	55
Percentage of embryos transferred resulting in implantation ^b	25.0	15.4	10.0	7.7	2.1
Percentage of cycles resulting in pregnancies ^b	40.0	28.8	20.2	21.6	7.3
Percentage of cycles resulting in live births ^{b,c}	34.0	23.3	13.2	12.5	5.5
(Confidence Interval)	(21.2–48.8)	(14.2–34.6)	(7.9–20.3)	(6.4–21.3)	(1.1–15.1)
Percentage of retrievals resulting in live births ^{b,c}	39.5	27.9	19.5	17.7	9.4
Percentage of transfers resulting in live births ^{b,c}	41.5	28.8	21.0	19.6	10.0
Percentage of transfers resulting in singleton live births ^b	17.1	16.9	14.8	17.9	10.0
Percentage of cancellations ^b	14.0	16.4	32.6	29.5	41.8
Average number of embryos transferred	3.2	3.2	3.7	4.0	4.7
Percentage of pregnancies with twins ^b	45.0	38.1	26.9	1 / 19	0 / 4
Percentage of pregnancies with triplets or more ^b	15.0	4.8	0.0	0 / 19	0 / 4
Percentage of live births having multiple infants ^{b,c}	10 / 17	7 / 17	5 / 17	1 / 11	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of transfers	25	18	14	11	8
Percentage of transfers resulting in live births ^{b,c}	8.0	1 / 18	3 / 14	3 / 11	1 / 8
Average number of embryos transferred	3.2	2.8	2.9	3.0	3.5
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Donor Eggs					
Number of transfers	94		75		
Percentage of transfers resulting in live births ^{b,c}	50.0		44.0		
Average number of embryos transferred	2.5		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: California Fertility Partners

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CEDARS SINAI MEDICAL CENTER
CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE
LOS ANGELES, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	3%	Other factor	7%
GIFT	0% With ICSI	51% Ovulatory dysfunction	1%	Unknown factor	16%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	15%	Multiple Factors:	
Combination	0% Used gestational carrier	1% Endometriosis	7%	Female factors only	16%
	Used PGD	8% Uterine factor	7%	Female & male factors	17%
	With eSET	2% Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Margareta D. Pisarska, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	21	19	22	11	6
Percentage of embryos transferred resulting in implantation ^b	31.3	32.7	15.9	0.0	0 / 9
Percentage of cycles resulting in pregnancies ^b	61.9	8 / 19	31.8	0 / 11	0 / 6
Percentage of cycles resulting in live births ^{b,c}	57.1	6 / 19	18.2	0 / 11	0 / 6
(Confidence Interval)	(34.0–78.2)		(5.2–40.3)		
Percentage of retrievals resulting in live births ^{b,c}	60.0	6 / 17	4 / 17	0 / 8	0 / 3
Percentage of transfers resulting in live births ^{b,c}	60.0	6 / 17	4 / 16	0 / 8	0 / 3
Percentage of transfers resulting in singleton live births ^b	55.0	4 / 17	3 / 16	0 / 8	0 / 3
Percentage of cancellations ^b	4.8	2 / 19	22.7	3 / 11	3 / 6
Average number of embryos transferred	2.4	2.9	2.8	3.0	3.0
Percentage of pregnancies with twins ^b	2 / 13	1 / 8	1 / 7		
Percentage of pregnancies with triplets or more ^b	0 / 13	3 / 8	0 / 7		
Percentage of live births having multiple infants ^{b,c}	1 / 12	2 / 6	1 / 4		
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	2	4	1	0
Percentage of transfers resulting in live births ^{b,c}	0 / 1	0 / 2	1 / 4	0 / 1	
Average number of embryos transferred	2.0	2.5	2.3	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		0		
Percentage of transfers resulting in live births ^{b,c}	2 / 3				
Average number of embryos transferred	2.3				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cedars Sinai Medical Center, Center for Fertility and Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHA FERTILITY CENTER LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	2%	Other factor	25%	
GIFT	0%	With ICSI	96%	Ovulatory dysfunction	5%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	45%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	<1%	Female factors only	9%
		Used PGD	4%	Uterine factor	3%	Female & male factors	4%
		With eSET	2%	Male factor	3%		

2008 PREGNANCY SUCCESS RATES

Data verified by Vicken P. Sepilian, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	27	8	9	5	2
Percentage of embryos transferred resulting in implantation ^b	30.6	9.1	7.7	2 / 17	0 / 10
Percentage of cycles resulting in pregnancies ^b	51.9	2 / 8	2 / 9	2 / 5	0 / 2
Percentage of cycles resulting in live births ^{b,c}	48.1	2 / 8	2 / 9	1 / 5	0 / 2
(Confidence Interval)	(28.7–68.1)				
Percentage of retrievals resulting in live births ^{b,c}	48.1	2 / 7	2 / 9	1 / 5	0 / 2
Percentage of transfers resulting in live births ^{b,c}	48.1	2 / 7	2 / 9	1 / 5	0 / 2
Percentage of transfers resulting in singleton live births ^b	37.0	2 / 7	2 / 9	1 / 5	0 / 2
Percentage of cancellations ^b	0.0	1 / 8	0 / 9	0 / 5	0 / 2
Average number of embryos transferred	2.3	3.1	2.9	3.4	5.0
Percentage of pregnancies with twins ^b	3 / 14	0 / 2	0 / 2	0 / 2	
Percentage of pregnancies with triplets or more ^b	1 / 14	0 / 2	0 / 2	0 / 2	
Percentage of live births having multiple infants ^{b,c}	3 / 13	0 / 2	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	14	3	3	2	0
Percentage of transfers resulting in live births ^{b,c}	11 / 14	1 / 3	1 / 3	2 / 2	
Average number of embryos transferred	2.5	2.3	3.3	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	78		42		
Percentage of transfers resulting in live births ^{b,c}	65.4		69.0		
Average number of embryos transferred	2.1		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: CHA Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC FERTILITY CENTER-LOS ANGELES LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	58%	
GIFT	0%	With ICSI	84%	Ovulatory dysfunction	3%	Unknown factor	12%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	<1%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	5%	Endometriosis	3%	Female factors only	3%
		Used PGD	8%	Uterine factor	0%	Female & male factors	4%
		With eSET	2%	Male factor	12%		

2008 PREGNANCY SUCCESS RATES

Data verified by Vicken Sahakian, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	57	35	34	16	1
Percentage of embryos transferred resulting in implantation ^b	34.3	21.1	21.8	10.2	0 / 3
Percentage of cycles resulting in pregnancies ^b	61.4	40.0	44.1	5 / 16	0 / 1
Percentage of cycles resulting in live births ^{b,c}	40.4	40.0	32.4	3 / 16	0 / 1
(Confidence Interval)	(27.6–54.2)	(23.9–57.9)	(17.4–50.5)		
Percentage of retrievals resulting in live births ^{b,c}	40.4	40.0	32.4	3 / 16	0 / 1
Percentage of transfers resulting in live births ^{b,c}	41.8	41.2	35.5	3 / 14	0 / 1
Percentage of transfers resulting in singleton live births ^b	27.3	32.4	25.8	1 / 14	0 / 1
Percentage of cancellations ^b	0.0	0.0	0.0	0 / 16	0 / 1
Average number of embryos transferred	2.5	2.6	2.8	3.5	3.0
Percentage of pregnancies with twins ^b	34.3	3 / 14	4 / 15	2 / 5	
Percentage of pregnancies with triplets or more ^b	2.9	1 / 14	1 / 15	0 / 5	
Percentage of live births having multiple infants ^{b,c}	34.8	3 / 14	3 / 11	2 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	3	2	0	0
Percentage of transfers resulting in live births ^{b,c}	3 / 10	1 / 3	1 / 2		
Average number of embryos transferred	3.0	3.0	2.0		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	133		56		
Percentage of transfers resulting in live births ^{b,c}	57.1		42.9		
Average number of embryos transferred	2.2		2.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific Fertility Center-Los Angeles

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCLA FERTILITY CENTER LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	19%
GIFT	0%	With ICSI	Ovulatory dysfunction	6%	Unknown factor	14%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	3%	Female factors only	9%
		Used PGD	Uterine factor	0%	Female & male factors	12%
		With eSET	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by T.C. Jackson Wu, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	27	13	23	15	5
Percentage of embryos transferred resulting in implantation ^b	27.6	36.0	8.9	11.3	0 / 12
Percentage of cycles resulting in pregnancies ^b	44.4	7 / 13	26.1	5 / 15	0 / 5
Percentage of cycles resulting in live births ^{b,c}	44.4	5 / 13	17.4	2 / 15	0 / 5
(Confidence Interval)	(25.5–64.7)		(5.0–38.8)		
Percentage of retrievals resulting in live births ^{b,c}	46.2	5 / 13	4 / 16	2 / 15	0 / 3
Percentage of transfers resulting in live births ^{b,c}	50.0	5 / 12	4 / 16	2 / 15	0 / 3
Percentage of transfers resulting in singleton live births ^b	37.5	5 / 12	4 / 16	2 / 15	0 / 3
Percentage of cancellations ^b	3.7	0 / 13	30.4	0 / 15	2 / 5
Average number of embryos transferred	2.4	2.1	2.8	3.5	4.0
Percentage of pregnancies with twins ^b	4 / 12	2 / 7	0 / 6	1 / 5	
Percentage of pregnancies with triplets or more ^b	0 / 12	0 / 7	0 / 6	0 / 5	
Percentage of live births having multiple infants ^{b,c}	3 / 12	0 / 5	0 / 4	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	2	2	2	0
Percentage of transfers resulting in live births ^{b,c}	6 / 9	0 / 2	1 / 2	1 / 2	
Average number of embryos transferred	2.2	2.5	3.5	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	7		0		
Percentage of transfers resulting in live births ^{b,c}	6 / 7				
Average number of embryos transferred	2.9				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: UCLA Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

USC REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY LOS ANGELES, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	96%	Procedural Factors:	Tubal factor	3%	Other factor	4%	
GIFT	<1%	With ICSI	73%	Ovulatory dysfunction	3%	Unknown factor	4%
ZIFT	4%	Unstimulated	<1%	Diminished ovarian reserve	25%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	2%	Female factors only	19%
		Used PGD	4%	Uterine factor	2%	Female & male factors	22%
		With eSET	1%	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by Richard J. Paulson, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	46	37	41	47	20
Percentage of embryos transferred resulting in implantation ^b	14.5	20.2	14.2	1.6	3.6
Percentage of cycles resulting in pregnancies ^b	30.4	43.2	36.6	8.5	15.0
Percentage of cycles resulting in live births ^{b,c}	23.9	32.4	31.7	4.3	10.0
(Confidence Interval)	(12.6–38.8)	(18.0–49.8)	(18.1–48.1)	(0.5–14.5)	(1.2–31.7)
Percentage of retrievals resulting in live births ^{b,c}	26.2	35.3	38.2	4.5	2 / 19
Percentage of transfers resulting in live births ^{b,c}	26.2	35.3	40.6	4.8	2 / 19
Percentage of transfers resulting in singleton live births ^b	16.7	23.5	31.3	4.8	2 / 19
Percentage of cancellations ^b	8.7	8.1	17.1	6.4	5.0
Average number of embryos transferred	3.0	3.5	4.0	4.5	4.4
Percentage of pregnancies with twins ^b	4 / 14	5 / 16	3 / 15	0 / 4	0 / 3
Percentage of pregnancies with triplets or more ^b	0 / 14	1 / 16	0 / 15	0 / 4	0 / 3
Percentage of live births having multiple infants ^{b,c}	4 / 11	4 / 12	3 / 13	0 / 2	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	28	19	7	16	0
Percentage of transfers resulting in live births ^{b,c}	25.0	5 / 19	2 / 7	3 / 16	
Average number of embryos transferred	3.2	3.1	3.6	4.4	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	45		47		
Percentage of transfers resulting in live births ^{b,c}	44.4		25.5		
Average number of embryos transferred	2.5		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: USC Reproductive Endocrinology and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEWPORT FERTILITY CENTER NEWPORT BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	5%	Other factor	9%
GIFT	0% With ICSI	80% Ovulatory dysfunction	0%	Unknown factor	2%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	56%	Multiple Factors:	
Combination	0% Used gestational carrier	2% Endometriosis	2%	Female factors only	9%
	Used PGD	5% Uterine factor	2%	Female & male factors	8%
	With eSET	0% Male factor	9%		

2008 PREGNANCY SUCCESS RATES

Data verified by Mark T. Kan, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	12	18	36	11	10
Percentage of embryos transferred resulting in implantation ^b	45.5	31.3	17.9	3.8	3.3
Percentage of cycles resulting in pregnancies ^b	7 / 12	8 / 18	27.8	1 / 11	1 / 10
Percentage of cycles resulting in live births ^{b,c}	7 / 12	8 / 18	22.2	1 / 11	0 / 10
(Confidence Interval)			(10.1–39.2)		
Percentage of retrievals resulting in live births ^{b,c}	7 / 9	8 / 18	28.6	1 / 7	0 / 8
Percentage of transfers resulting in live births ^{b,c}	7 / 9	8 / 17	32.0	1 / 6	0 / 8
Percentage of transfers resulting in singleton live births ^b	5 / 9	5 / 17	24.0	1 / 6	0 / 8
Percentage of cancellations ^b	3 / 12	0 / 18	22.2	4 / 11	2 / 10
Average number of embryos transferred	2.4	2.8	3.1	4.3	3.8
Percentage of pregnancies with twins ^b	3 / 7	2 / 8	2 / 10	0 / 1	0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 7	2 / 8	1 / 10	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	2 / 7	3 / 8	2 / 8	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	4	8	0	2
Percentage of transfers resulting in live births ^{b,c}	2 / 6	0 / 4	3 / 8		0 / 2
Average number of embryos transferred	2.0	1.8	2.4		3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	12		9		
Percentage of transfers resulting in live births ^{b,c}	8 / 12		4 / 9		
Average number of embryos transferred	2.2		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Newport Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALTY MEDICAL CENTER NEWPORT BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	1%	Other factor	8%	
GIFT	0%	With ICSI	75%	Ovulatory dysfunction	5%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	28%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	2%
		Used PGD	47%	Uterine factor	0%	Female & male factors	38%
		With eSET	12%	Male factor	13%		

2008 PREGNANCY SUCCESS RATES

Data verified by Beth A. Ary, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	14	7	12	2	1
Percentage of embryos transferred resulting in implantation ^b	25.0	1 / 10	6.9	0 / 3	0 / 3
Percentage of cycles resulting in pregnancies ^b	6 / 14	1 / 7	2 / 12	0 / 2	0 / 1
Percentage of cycles resulting in live births ^{b,c}	5 / 14	1 / 7	2 / 12	0 / 2	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	5 / 13	1 / 6	2 / 11	0 / 2	0 / 1
Percentage of transfers resulting in live births ^{b,c}	5 / 11	1 / 5	2 / 8	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births ^b	3 / 11	1 / 5	2 / 8	0 / 1	0 / 1
Percentage of cancellations ^b	1 / 14	1 / 7	1 / 12	0 / 2	0 / 1
Average number of embryos transferred	2.9	2.0	3.6	3.0	3.0
Percentage of pregnancies with twins ^b	2 / 6	0 / 1	0 / 2		
Percentage of pregnancies with triplets or more ^b	0 / 6	0 / 1	0 / 2		
Percentage of live births having multiple infants ^{b,c}	2 / 5	0 / 1	0 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	3	3	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 7	0 / 3	0 / 3		
Average number of embryos transferred	2.6	1.7	3.3		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	29		5		
Percentage of transfers resulting in live births ^{b,c}	51.7		2 / 5		
Average number of embryos transferred	2.9		2.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Specialty Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE NEWPORT BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	8%	
GIFT	0%	With ICSI	91%	Ovulatory dysfunction	2%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	15%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	7%	Female factors only	23%
		Used PGD	2%	Uterine factor	1%	Female & male factors	15%
		With eSET	2%	Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by Robert E. Anderson, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	98	56	67	45	27
Percentage of embryos transferred resulting in implantation ^b	28.9	24.2	13.3	9.6	2.6
Percentage of cycles resulting in pregnancies ^b	52.0	48.2	34.3	17.8	11.1
Percentage of cycles resulting in live births ^{b,c}	44.9	44.6	23.9	11.1	3.7
(Confidence Interval)	(34.8–55.3)	(31.3–58.5)	(14.3–35.9)	(3.7–24.1)	(0.1–19.0)
Percentage of retrievals resulting in live births ^{b,c}	45.8	46.3	25.8	13.9	4.3
Percentage of transfers resulting in live births ^{b,c}	48.9	48.1	27.6	16.1	4.8
Percentage of transfers resulting in singleton live births ^b	35.6	28.8	19.0	12.9	4.8
Percentage of cancellations ^b	2.0	3.6	7.5	20.0	14.8
Average number of embryos transferred	2.4	3.0	3.4	3.0	3.7
Percentage of pregnancies with twins ^b	23.5	37.0	17.4	2 / 8	0 / 3
Percentage of pregnancies with triplets or more ^b	5.9	3.7	4.3	0 / 8	0 / 3
Percentage of live births having multiple infants ^{b,c}	27.3	40.0	5 / 16	1 / 5	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	49	19	12	2	1
Percentage of transfers resulting in live births ^{b,c}	26.5	5 / 19	1 / 12	0 / 2	1 / 1
Average number of embryos transferred	2.5	2.5	2.8	2.5	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	36		45		
Percentage of transfers resulting in live births ^{b,c}	69.4		33.3		
Average number of embryos transferred	2.1		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southern California Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF-ORANGE SURGERY CENTER ORANGE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	7%	Other factor	7%
GIFT	0% With ICSI	88% Ovulatory dysfunction	0%	Unknown factor	43%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	0%	Female factors only	7%
	Used PGD	0% Uterine factor	0%	Female & male factors	0%
	With eSET	0% Male factor	36%		

2008 PREGNANCY SUCCESS RATES

Data verified by Darush L. Mohyi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	3	2	3	0	0
Percentage of embryos transferred resulting in implantation ^b	1 / 11	0 / 6	0 / 14		
Percentage of cycles resulting in pregnancies ^b	1 / 3	0 / 2	0 / 3		
Percentage of cycles resulting in live births ^{b,c}	1 / 3	0 / 2	0 / 3		
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	1 / 3	0 / 2	0 / 3		
Percentage of transfers resulting in live births ^{b,c}	1 / 3	0 / 2	0 / 3		
Percentage of transfers resulting in singleton live births ^b	1 / 3	0 / 2	0 / 3		
Percentage of cancellations ^b	0 / 3	0 / 2	0 / 3		
Average number of embryos transferred	3.7	3.0	4.7		
Percentage of pregnancies with twins ^b	0 / 1				
Percentage of pregnancies with triplets or more ^b	0 / 1				
Percentage of live births having multiple infants ^{b,c}	0 / 1				
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 1				
Average number of embryos transferred	4.0				
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		2		
Percentage of transfers resulting in live births ^{b,c}	2 / 3		0 / 2		
Average number of embryos transferred	3.7		5.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF-Orange Surgery Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NOVA IN VITRO FERTILIZATION PALO ALTO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	11%	
GIFT	0%	With ICSI	48%	Ovulatory dysfunction	4%	Unknown factor	15%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	14%
		Used PGD	9%	Uterine factor	<1%	Female & male factors	14%
		With eSET	3%	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Richard J. Schmidt, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	42	58	44	8	8
Percentage of embryos transferred resulting in implantation ^b	25.5	26.1	16.6	2.7	8.3
Percentage of cycles resulting in pregnancies ^b	42.9	51.7	36.4	1 / 8	3 / 8
Percentage of cycles resulting in live births ^{b,c}	40.5	44.8	29.5	1 / 8	1 / 8
(Confidence Interval)	(25.6–56.7)	(31.7–58.5)	(16.8–45.2)		
Percentage of retrievals resulting in live births ^{b,c}	40.5	47.3	29.5	1 / 8	1 / 8
Percentage of transfers resulting in live births ^{b,c}	42.5	50.0	30.2	1 / 8	1 / 7
Percentage of transfers resulting in singleton live births ^b	17.5	38.5	18.6	1 / 8	1 / 7
Percentage of cancellations ^b	0.0	5.2	0.0	0 / 8	0 / 8
Average number of embryos transferred	2.8	2.9	3.5	4.6	3.4
Percentage of pregnancies with twins ^b	10 / 18	23.3	3 / 16	0 / 1	0 / 3
Percentage of pregnancies with triplets or more ^b	0 / 18	6.7	3 / 16	0 / 1	0 / 3
Percentage of live births having multiple infants ^{b,c}	10 / 17	23.1	5 / 13	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	17	22	13	3	2
Percentage of transfers resulting in live births ^{b,c}	2 / 17	13.6	1 / 13	1 / 3	2 / 2
Average number of embryos transferred	3.3	2.5	3.2	4.3	3.5
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	18		13		
Percentage of transfers resulting in live births ^{b,c}	10 / 18		3 / 13		
Average number of embryos transferred	2.4		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Nova In Vitro Fertilization

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

STANFORD UNIVERSITY IVF/ART PROGRAM
DEPARTMENT OF GYNECOLOGY AND OBSTETRICS
PALO ALTO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	3%	Other factor	9%	
GIFT	0%	With ICSI	52%	Ovulatory dysfunction	4%	Unknown factor	6%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	16%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	4%	Female factors only	0%
		Used PGD	6%	Uterine factor	<1%	Female & male factors	50%
		With eSET	7%	Male factor	8%		

2008 PREGNANCY SUCCESS RATES

Data verified by Valerie Baker, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	228	173	181	109	55
Percentage of embryos transferred resulting in implantation ^b	23.2	19.3	8.3	4.5	3.1
Percentage of cycles resulting in pregnancies ^b	38.2	31.2	19.9	11.9	10.9
Percentage of cycles resulting in live births ^{b,c}	31.1	26.6	15.5	10.1	7.3
(Confidence Interval)	(25.2–37.6)	(20.2–33.8)	(10.5–21.6)	(5.1–17.3)	(2.0–17.6)
Percentage of retrievals resulting in live births ^{b,c}	32.4	29.3	16.7	11.6	8.7
Percentage of transfers resulting in live births ^{b,c}	34.0	31.1	17.3	12.0	10.5
Percentage of transfers resulting in singleton live births ^b	23.4	21.6	15.4	10.9	10.5
Percentage of cancellations ^b	3.9	9.2	7.2	12.8	16.4
Average number of embryos transferred	2.2	2.3	2.8	3.1	3.4
Percentage of pregnancies with twins ^b	29.9	22.2	8.3	2 / 13	0 / 6
Percentage of pregnancies with triplets or more ^b	1.1	3.7	2.8	0 / 13	0 / 6
Percentage of live births having multiple infants ^{b,c}	31.0	30.4	10.7	1 / 11	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of transfers	78	48	51	8	8
Percentage of transfers resulting in live births ^{b,c}	30.8	29.2	21.6	2 / 8	0 / 8
Average number of embryos transferred	1.9	1.7	2.1	1.8	3.4
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	47		35		
Percentage of transfers resulting in live births ^{b,c}	51.1		20.0		
Average number of embryos transferred	2.2		1.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Stanford Fertility and Reproductive Medicine Center, Stanford University Department of Gynecology and Obstetrics

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUNTINGTON REPRODUCTIVE CENTER PASADENA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	>99%	Procedural Factors:	Tubal factor	3%	Other factor	37%	
GIFT	0%	With ICSI	71%	Ovulatory dysfunction	3%	Unknown factor	8%
ZIFT	<1%	Unstimulated	1%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	<1%	Used gestational carrier	2%	Endometriosis	3%	Female factors only	<1%
		Used PGD	13%	Uterine factor	<1%	Female & male factors	8%
		With eSET	2%	Male factor	33%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael A. Feinman, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	636	434	455	190	95
Percentage of embryos transferred resulting in implantation ^b	23.2	16.7	10.7	4.6	3.4
Percentage of cycles resulting in pregnancies ^b	41.0	31.6	27.3	13.7	6.3
Percentage of cycles resulting in live births ^{b,c}	33.6	26.5	18.5	10.5	4.2
(Confidence Interval)	(30.0–37.5)	(22.4–30.9)	(15.0–22.3)	(6.5–15.8)	(1.2–10.4)
Percentage of retrievals resulting in live births ^{b,c}	38.9	31.7	23.1	13.3	6.7
Percentage of transfers resulting in live births ^{b,c}	38.9	31.7	23.1	13.3	6.7
Percentage of transfers resulting in singleton live births ^b	25.1	22.6	19.0	12.0	6.7
Percentage of cancellations ^b	13.5	16.4	20.0	21.1	36.8
Average number of embryos transferred	2.6	2.9	3.4	3.6	3.4
Percentage of pregnancies with twins ^b	30.7	25.5	12.1	7.7	1 / 6
Percentage of pregnancies with triplets or more ^b	2.3	5.1	3.2	0.0	0 / 6
Percentage of live births having multiple infants ^{b,c}	35.5	28.7	17.9	10.0	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of transfers	143	69	49	32	27
Percentage of transfers resulting in live births ^{b,c}	36.4	30.4	28.6	31.3	7.4
Average number of embryos transferred	2.7	2.6	3.4	2.9	2.7
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	262		26		
Percentage of transfers resulting in live births ^{b,c}	40.5		30.8		
Average number of embryos transferred	2.5		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Huntington Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PALO ALTO MEDICAL FOUNDATION
REPRODUCTIVE ENDOCRINOLOGY & FERTILITY
PORTOLA VALLEY, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	3%	Other factor	1%	
GIFT	0%	With ICSI	45%	Ovulatory dysfunction	9%	Unknown factor	27%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	10%
		Used PGD	<1%	Uterine factor	5%	Female & male factors	16%
		With eSET	0%	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by Lillian M. Swiersz, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	29	29	28	22	10
Percentage of embryos transferred resulting in implantation ^b	10.0	6.9	3.9	7.1	0 / 16
Percentage of cycles resulting in pregnancies ^b	20.7	13.8	10.7	13.6	0 / 10
Percentage of cycles resulting in live births ^{b,c}	17.2	13.8	0.0	4.5	0 / 10
(Confidence Interval)	(5.8–35.8)	(3.9–31.7)	(0.0–12.3)	(0.1–22.8)	
Percentage of retrievals resulting in live births ^{b,c}	21.7	18.2	0 / 17	1 / 16	0 / 6
Percentage of transfers resulting in live births ^{b,c}	21.7	18.2	0 / 17	1 / 15	0 / 5
Percentage of transfers resulting in singleton live births ^b	21.7	18.2	0 / 17	1 / 15	0 / 5
Percentage of cancellations ^b	20.7	24.1	39.3	27.3	4 / 10
Average number of embryos transferred	2.2	2.6	3.0	2.8	3.2
Percentage of pregnancies with twins ^b	0 / 6	0 / 4	0 / 3	0 / 3	
Percentage of pregnancies with triplets or more ^b	0 / 6	0 / 4	0 / 3	0 / 3	
Percentage of live births having multiple infants ^{b,c}	0 / 5	0 / 4		0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	10	4	4	0
Percentage of transfers resulting in live births ^{b,c}	2 / 10	0 / 10	1 / 4	0 / 4	
Average number of embryos transferred	1.9	2.3	4.0	2.5	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Palo Alto Medical Foundation, Reproductive Endocrinology & Fertility

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE PARTNERS-REDONDO BEACH REDONDO BEACH, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	29%	
GIFT	0%	With ICSI	60%	Ovulatory dysfunction	3%	Unknown factor	22%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	3%	Female factors only	5%
		Used PGD	3%	Uterine factor	3%	Female & male factors	4%
		With eSET	6%	Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Bill Yee, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	81	79	100	52	16
Percentage of embryos transferred resulting in implantation ^b	45.0	32.5	22.8	14.8	12.5
Percentage of cycles resulting in pregnancies ^b	66.7	49.4	36.0	26.9	3 / 16
Percentage of cycles resulting in live births ^{b,c}	58.0	43.0	25.0	13.5	3 / 16
(Confidence Interval)	(46.5–68.9)	(31.9–54.7)	(16.9–34.7)	(5.6–25.8)	
Percentage of retrievals resulting in live births ^{b,c}	62.7	49.3	30.9	17.1	3 / 13
Percentage of transfers resulting in live births ^{b,c}	64.4	50.7	33.8	20.0	3 / 10
Percentage of transfers resulting in singleton live births ^b	46.6	35.8	23.0	14.3	3 / 10
Percentage of cancellations ^b	7.4	12.7	19.0	21.2	3 / 16
Average number of embryos transferred	2.1	2.3	2.6	3.1	3.2
Percentage of pregnancies with twins ^b	31.5	28.2	19.4	3 / 14	1 / 3
Percentage of pregnancies with triplets or more ^b	0.0	0.0	8.3	0 / 14	0 / 3
Percentage of live births having multiple infants ^{b,c}	27.7	29.4	32.0	2 / 7	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of transfers	25	33	13	12	10
Percentage of transfers resulting in live births ^{b,c}	24.0	21.2	4 / 13	3 / 12	2 / 10
Average number of embryos transferred	1.9	2.2	1.9	2.2	1.9
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	38		16		
Percentage of transfers resulting in live births ^{b,c}	63.2		2 / 16		
Average number of embryos transferred	1.9		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Partners-Redondo Beach

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHERN CALIFORNIA FERTILITY MEDICAL CENTER ROSEVILLE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	7%	
GIFT	0%	With ICSI	50%	Ovulatory dysfunction	2%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	2%	Female factors only	30%
		Used PGD	<1%	Uterine factor	<1%	Female & male factors	39%
		With eSET	3%	Male factor	8%		

2008 PREGNANCY SUCCESS RATES

Data verified by John L. Gililand, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	159	71	97	58	11
Percentage of embryos transferred resulting in implantation ^b	39.0	27.1	20.7	10.6	0.0
Percentage of cycles resulting in pregnancies ^b	51.6	42.3	40.2	25.9	1 / 11
Percentage of cycles resulting in live births ^{b,c}	45.9	32.4	29.9	20.7	0 / 11
(Confidence Interval)	(38.0–54.0)	(21.8–44.5)	(21.0–40.0)	(11.2–33.4)	
Percentage of retrievals resulting in live births ^{b,c}	50.0	37.1	31.5	24.0	0 / 10
Percentage of transfers resulting in live births ^{b,c}	52.5	38.3	33.7	24.5	0 / 9
Percentage of transfers resulting in singleton live births ^b	33.8	26.7	23.3	22.4	0 / 9
Percentage of cancellations ^b	8.2	12.7	5.2	13.8	1 / 11
Average number of embryos transferred	2.2	2.6	2.6	2.9	2.9
Percentage of pregnancies with twins ^b	34.1	20.0	25.6	2 / 15	0 / 1
Percentage of pregnancies with triplets or more ^b	4.9	10.0	5.1	0 / 15	0 / 1
Percentage of live births having multiple infants ^{b,c}	35.6	30.4	31.0	1 / 12	
Frozen Embryos from Nondonor Eggs					
Number of transfers	53	30	35	11	5
Percentage of transfers resulting in live births ^{b,c}	35.8	33.3	20.0	2 / 11	0 / 5
Average number of embryos transferred	2.3	2.2	2.2	2.4	2.2
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	49		31		
Percentage of transfers resulting in live births ^{b,c}	55.1		48.4		
Average number of embryos transferred	2.1		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Northern California Fertility Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH-SACRAMENTO SACRAMENTO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	2%
GIFT	0%	With ICSI	Ovulatory dysfunction	8%	Unknown factor	7%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	4%	Female factors only	9%
		Used PGD	Uterine factor	<1%	Female & male factors	22%
		With eSET	Male factor	24%		

2008 PREGNANCY SUCCESS RATES

Data verified by Kenneth Vu, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	70	37	18	7	2
Percentage of embryos transferred resulting in implantation ^b	37.5	23.2	7.4	13.0	0 / 3
Percentage of cycles resulting in pregnancies ^b	52.9	43.2	4 / 18	1 / 7	0 / 2
Percentage of cycles resulting in live births ^{b,c}	50.0	29.7	4 / 18	1 / 7	0 / 2
(Confidence Interval)	(37.8–62.2)	(15.9–47.0)			
Percentage of retrievals resulting in live births ^{b,c}	54.7	31.4	4 / 17	1 / 7	0 / 2
Percentage of transfers resulting in live births ^{b,c}	56.5	32.4	4 / 17	1 / 7	0 / 2
Percentage of transfers resulting in singleton live births ^b	33.9	14.7	4 / 17	0 / 7	0 / 2
Percentage of cancellations ^b	8.6	5.4	1 / 18	0 / 7	0 / 2
Average number of embryos transferred	2.3	2.8	3.2	3.3	1.5
Percentage of pregnancies with twins ^b	32.4	8 / 16	0 / 4	0 / 1	
Percentage of pregnancies with triplets or more ^b	8.1	0 / 16	0 / 4	1 / 1	
Percentage of live births having multiple infants ^{b,c}	40.0	6 / 11	0 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	15	6	6	0	0
Percentage of transfers resulting in live births ^{b,c}	7 / 15	1 / 6	3 / 6		
Average number of embryos transferred	2.7	2.3	2.5		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	12		13		
Percentage of transfers resulting in live births ^{b,c}	5 / 12		3 / 13		
Average number of embryos transferred	2.2		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Kaiser Permanente Center for Reproductive Health-Sacramento

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE UNIVERSITY OF CALIFORNIA-DAVIS
ASSISTED REPRODUCTIVE TECHNOLOGY PROGRAM
SACRAMENTO, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	17%	Other factor	0%
GIFT	0% With ICSI	62% Ovulatory dysfunction	5%	Unknown factor	20%
ZIFT	0% Unstimulated	3% Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	3%	Female factors only	8%
	Used PGD	0% Uterine factor	0%	Female & male factors	13%
	With eSET	0% Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by Albert K. Wei, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	17	7	2	2	1
Percentage of embryos transferred resulting in implantation ^b	17.4	1 / 16	1 / 3	0 / 4	
Percentage of cycles resulting in pregnancies ^b	8 / 17	1 / 7	1 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births ^{b,c}	7 / 17	0 / 7	1 / 2	0 / 2	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	7 / 17	0 / 6	1 / 1	0 / 2	
Percentage of transfers resulting in live births ^{b,c}	7 / 16	0 / 6	1 / 1	0 / 2	
Percentage of transfers resulting in singleton live births ^b	6 / 16	0 / 6	1 / 1	0 / 2	
Percentage of cancellations ^b	0 / 17	1 / 7	1 / 2	0 / 2	1 / 1
Average number of embryos transferred	2.9	2.7	3.0	2.0	
Percentage of pregnancies with twins ^b	1 / 8	0 / 1	0 / 1		
Percentage of pregnancies with triplets or more ^b	0 / 8	0 / 1	0 / 1		
Percentage of live births having multiple infants ^{b,c}	1 / 7		0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	15	1	2	0	1
Percentage of transfers resulting in live births ^{b,c}	0 / 15	1 / 1	0 / 2		0 / 1
Average number of embryos transferred	3.1	2.0	2.5		4.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
	Number of transfers	7	4		
	Percentage of transfers resulting in live births ^{b,c}	5 / 7	0 / 4		
Average number of embryos transferred	2.7	4.3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The University of California–Davis, Assisted Reproductive Technology Program

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE FERTILITY AND GYNECOLOGY CENTER
MONTEREY BAY IVF PROGRAM
SALINAS, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	3%	Other factor	8%
GIFT	0%	With ICSI	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	0%	Female factors only	17%
		Used PGD	Uterine factor	0%	Female & male factors	55%
		With eSET	Male factor	13%		

2008 PREGNANCY SUCCESS RATES

Data verified by Edward J. Ramirez, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	18	10	16	4	8
Percentage of embryos transferred resulting in implantation ^b	32.5	30.8	7.7	1 / 9	0 / 11
Percentage of cycles resulting in pregnancies ^b	9 / 18	6 / 10	7 / 16	1 / 4	0 / 8
Percentage of cycles resulting in live births ^{b,c}	7 / 18	5 / 10	3 / 16	1 / 4	0 / 8
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	7 / 18	5 / 10	3 / 16	1 / 4	0 / 8
Percentage of transfers resulting in live births ^{b,c}	7 / 17	5 / 9	3 / 15	1 / 3	0 / 7
Percentage of transfers resulting in singleton live births ^b	5 / 17	3 / 9	3 / 15	1 / 3	0 / 7
Percentage of cancellations ^b	0 / 18	0 / 10	0 / 16	0 / 4	0 / 8
Average number of embryos transferred	2.4	2.9	4.3	3.0	1.6
Percentage of pregnancies with twins ^b	1 / 9	1 / 6	0 / 7	0 / 1	
Percentage of pregnancies with triplets or more ^b	2 / 9	1 / 6	0 / 7	0 / 1	
Percentage of live births having multiple infants ^{b,c}	2 / 7	2 / 5	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 2	0 / 1			
Average number of embryos transferred	2.5	1.0			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		0		
Percentage of transfers resulting in live births ^{b,c}	1 / 1				
Average number of embryos transferred	3.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility and Gynecology Center, Monterey Bay IVF Program

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS MEDICAL GROUP SAN DIEGO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	4%	Other factor	7%
GIFT	0% With ICSI	89% Ovulatory dysfunction	2%	Unknown factor	<1%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	25%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	2% Endometriosis	<1%	Female factors only	7%
	Used PGD	5% Uterine factor	2%	Female & male factors	31%
	With eSET	6% Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by Arlene J. Morales, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	53	27	34	10	7
Percentage of embryos transferred resulting in implantation ^b	27.5	21.3	20.3	7.4	4.0
Percentage of cycles resulting in pregnancies ^b	41.5	25.9	35.3	2 / 10	1 / 7
Percentage of cycles resulting in live births ^{b,c}	35.8	22.2	17.6	2 / 10	0 / 7
(Confidence Interval)	(23.1–50.2)	(8.6–42.3)	(6.8–34.5)		
Percentage of retrievals resulting in live births ^{b,c}	40.4	24.0	19.4	2 / 9	0 / 7
Percentage of transfers resulting in live births ^{b,c}	43.2	30.0	22.2	2 / 8	0 / 6
Percentage of transfers resulting in singleton live births ^b	29.5	20.0	14.8	2 / 8	0 / 6
Percentage of cancellations ^b	11.3	7.4	8.8	1 / 10	0 / 7
Average number of embryos transferred	2.3	2.4	2.6	3.4	4.2
Percentage of pregnancies with twins ^b	36.4	3 / 7	2 / 12	0 / 2	0 / 1
Percentage of pregnancies with triplets or more ^b	0.0	0 / 7	0 / 12	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	6 / 19	2 / 6	2 / 6	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	7	3	0	0
Percentage of transfers resulting in live births ^{b,c}	4 / 9	2 / 7	0 / 3		
Average number of embryos transferred	2.1	2.4	1.0		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	28		15		
Percentage of transfers resulting in live births ^{b,c}	46.4		4 / 15		
Average number of embryos transferred	2.3		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Specialists Medical Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NTC INFERTILITY CLINIC SAN DIEGO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	0%	
GIFT	0%	With ICSI	100%	Ovulatory dysfunction	20%	Unknown factor	20%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	0%
		Used PGD	0%	Uterine factor	0%	Female & male factors	0%
		With eSET	0%	Male factor	50%		

2008 PREGNANCY SUCCESS RATES

Data verified by Larry R. Laufer, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	1	0	0	0	0
Percentage of embryos transferred resulting in implantation ^b	2 / 2				
Percentage of cycles resulting in pregnancies ^b	1 / 1				
Percentage of cycles resulting in live births ^{b,c}	1 / 1				
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	1 / 1				
Percentage of transfers resulting in live births ^{b,c}	1 / 1				
Percentage of transfers resulting in singleton live births ^b	0 / 1				
Percentage of cancellations ^b	0 / 1				
Average number of embryos transferred	2.0				
Percentage of pregnancies with twins ^b	1 / 1				
Percentage of pregnancies with triplets or more ^b	0 / 1				
Percentage of live births having multiple infants ^{b,c}	1 / 1				
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	1	2	1	0
Percentage of transfers resulting in live births ^{b,c}	1 / 5	0 / 1	1 / 2	0 / 1	
Average number of embryos transferred	1.6	2.0	1.5	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: NTC Infertility Clinic

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SAN DIEGO FERTILITY CENTER
(SDFC)
SAN DIEGO, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	<1%	
GIFT	0%	With ICSI	91%	Ovulatory dysfunction	3%	Unknown factor	6%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	<1%	Female factors only	6%
		Used PGD	2%	Uterine factor	2%	Female & male factors	36%
		With eSET	1%	Male factor	26%		

2008 PREGNANCY SUCCESS RATES

Data verified by William P. Hummel, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	87	58	65	30	17
Percentage of embryos transferred resulting in implantation ^b	35.6	26.8	18.4	12.3	9.1
Percentage of cycles resulting in pregnancies ^b	56.3	37.9	33.8	30.0	4 / 17
Percentage of cycles resulting in live births ^{b,c}	52.9	34.5	24.6	13.3	3 / 17
(Confidence Interval)	(41.9–63.7)	(22.5–48.1)	(14.8–36.9)	(3.8–30.7)	
Percentage of retrievals resulting in live births ^{b,c}	54.8	37.7	28.1	14.3	3 / 15
Percentage of transfers resulting in live births ^{b,c}	56.1	40.0	30.8	15.4	3 / 12
Percentage of transfers resulting in singleton live births ^b	39.0	26.0	21.2	15.4	3 / 12
Percentage of cancellations ^b	3.4	8.6	12.3	6.7	2 / 17
Average number of embryos transferred	2.3	2.5	3.1	2.8	2.8
Percentage of pregnancies with twins ^b	34.7	36.4	22.7	0 / 9	0 / 4
Percentage of pregnancies with triplets or more ^b	2.0	9.1	9.1	0 / 9	0 / 4
Percentage of live births having multiple infants ^{b,c}	30.4	35.0	5 / 16	0 / 4	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of transfers	32	21	17	3	2
Percentage of transfers resulting in live births ^{b,c}	53.1	61.9	11 / 17	1 / 3	0 / 2
Average number of embryos transferred	2.6	2.4	2.6	2.3	3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	89		31		
Percentage of transfers resulting in live births ^{b,c}	80.9		58.1		
Average number of embryos transferred	2.1		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: San Diego Fertility Center (SDFC)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

LAUREL FERTILITY CARE SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	11%
GIFT	0%	With ICSI	Ovulatory dysfunction	9%	Unknown factor	13%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	27%	Multiple Factors:	
Combination	0%	Used gestational carrier	Endometriosis	<1%	Female factors only	14%
		Used PGD	Uterine factor	5%	Female & male factors	11%
		With eSET	Male factor	5%		

2008 PREGNANCY SUCCESS RATES

Data verified by Collin B. Smikle, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	20	26	27	18	8
Percentage of embryos transferred resulting in implantation ^b	39.5	11.6	13.2	3.5	4.8
Percentage of cycles resulting in pregnancies ^b	45.0	23.1	22.2	2 / 18	2 / 8
Percentage of cycles resulting in live births ^{b,c}	40.0	23.1	22.2	1 / 18	0 / 8
(Confidence Interval)	(19.1–63.9)	(9.0–43.6)	(8.6–42.3)		
Percentage of retrievals resulting in live births ^{b,c}	8 / 19	24.0	25.0	1 / 16	0 / 6
Percentage of transfers resulting in live births ^{b,c}	8 / 17	27.3	28.6	1 / 16	0 / 6
Percentage of transfers resulting in singleton live births ^b	4 / 17	18.2	23.8	1 / 16	0 / 6
Percentage of cancellations ^b	5.0	3.8	11.1	2 / 18	2 / 8
Average number of embryos transferred	2.2	3.1	3.2	3.6	3.5
Percentage of pregnancies with twins ^b	6 / 9	2 / 6	0 / 6	1 / 2	0 / 2
Percentage of pregnancies with triplets or more ^b	0 / 9	0 / 6	1 / 6	0 / 2	0 / 2
Percentage of live births having multiple infants ^{b,c}	4 / 8	2 / 6	1 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	14	5	6	4	4
Percentage of transfers resulting in live births ^{b,c}	5 / 14	2 / 5	1 / 6	1 / 4	0 / 4
Average number of embryos transferred	2.8	3.2	3.0	4.0	3.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	25		17		
Percentage of transfers resulting in live births ^{b,c}	32.0		3 / 17		
Average number of embryos transferred	2.4		3.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Laurel Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC FERTILITY CENTER SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	18%	
GIFT	0%	With ICSI	40%	Ovulatory dysfunction	5%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	24%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	3%	Female factors only	9%
		Used PGD	7%	Uterine factor	1%	Female & male factors	11%
		With eSET	6%	Male factor	14%		

2008 PREGNANCY SUCCESS RATES

Data verified by Philip E. Chenette, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	214	177	208	150	64
Percentage of embryos transferred resulting in implantation ^b	31.8	25.9	17.5	8.4	6.3
Percentage of cycles resulting in pregnancies ^b	43.0	38.4	32.2	21.3	17.2
Percentage of cycles resulting in live births ^{b,c}	36.4	31.1	24.0	12.7	14.1
(Confidence Interval)	(30.0–43.3)	(24.3–38.5)	(18.4–30.4)	(7.8–19.1)	(6.6–25.0)
Percentage of retrievals resulting in live births ^{b,c}	39.8	34.2	28.2	15.6	17.6
Percentage of transfers resulting in live births ^{b,c}	42.9	37.4	30.7	17.9	19.6
Percentage of transfers resulting in singleton live births ^b	26.4	21.8	23.3	13.2	15.2
Percentage of cancellations ^b	8.4	9.0	14.9	18.7	20.3
Average number of embryos transferred	2.1	2.5	3.1	3.8	4.1
Percentage of pregnancies with twins ^b	30.4	39.7	26.9	12.5	2 / 11
Percentage of pregnancies with triplets or more ^b	5.4	1.5	4.5	9.4	0 / 11
Percentage of live births having multiple infants ^{b,c}	38.5	41.8	24.0	5 / 19	2 / 9
Frozen Embryos from Nondonor Eggs					
Number of transfers	68	48	41	22	5
Percentage of transfers resulting in live births ^{b,c}	38.2	31.3	29.3	13.6	2 / 5
Average number of embryos transferred	1.9	1.9	2.3	2.7	3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	182		160		
Percentage of transfers resulting in live births ^{b,c}	51.6		26.3		
Average number of embryos transferred	1.7		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCSF CENTER FOR REPRODUCTIVE HEALTH SAN FRANCISCO, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	9%	
GIFT	0%	With ICSI	66%	Ovulatory dysfunction	4%	Unknown factor	20%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	19%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	7%
		Used PGD	3%	Uterine factor	2%	Female & male factors	13%
		With eSET	6%	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by Marcelle I. Cedars, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	156	204	226	108	63
Percentage of embryos transferred resulting in implantation ^b	29.7	24.1	16.5	7.7	2.5
Percentage of cycles resulting in pregnancies ^b	43.6	38.2	33.6	22.2	9.5
Percentage of cycles resulting in live births ^{b,c}	35.9	29.4	23.9	17.6	6.3
(Confidence Interval)	(28.4–44.0)	(23.3–36.2)	(18.5–30.0)	(10.9–26.1)	(1.8–15.5)
Percentage of retrievals resulting in live births ^{b,c}	39.4	33.7	28.7	23.5	8.0
Percentage of transfers resulting in live births ^{b,c}	41.5	35.7	30.9	26.8	8.3
Percentage of transfers resulting in singleton live births ^b	30.4	26.2	26.3	25.4	4.2
Percentage of cancellations ^b	9.0	12.7	16.8	25.0	20.6
Average number of embryos transferred	1.9	2.3	2.9	4.0	5.1
Percentage of pregnancies with twins ^b	25.0	23.1	11.8	0.0	2 / 6
Percentage of pregnancies with triplets or more ^b	0.0	1.3	6.6	4.2	0 / 6
Percentage of live births having multiple infants ^{b,c}	26.8	26.7	14.8	1 / 19	2 / 4
Frozen Embryos from Nondonor Eggs					
Number of transfers	49	61	52	31	12
Percentage of transfers resulting in live births ^{b,c}	30.6	31.1	25.0	19.4	1 / 12
Average number of embryos transferred	2.1	2.4	2.7	3.3	3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	76		51		
Percentage of transfers resulting in live births ^{b,c}	53.9		35.3		
Average number of embryos transferred	1.8		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2008. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY PHYSICIANS OF NORTHERN CALIFORNIA SAN JOSE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	3%	
GIFT	0%	With ICSI	76%	Ovulatory dysfunction	4%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	21%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	1%	Female factors only	9%
		Used PGD	1%	Uterine factor	<1%	Female & male factors	31%
		With eSET	3%	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by Karen Purcell, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	130	92	80	41	20
Percentage of embryos transferred resulting in implantation ^b	28.7	13.8	10.7	8.7	4.3
Percentage of cycles resulting in pregnancies ^b	45.4	28.3	30.0	29.3	20.0
Percentage of cycles resulting in live births ^{b,c}	42.3	21.7	18.8	17.1	5.0
(Confidence Interval)	(33.7–51.3)	(13.8–31.6)	(10.9–29.0)	(7.2–32.1)	(0.1–24.9)
Percentage of retrievals resulting in live births ^{b,c}	42.6	23.0	19.5	17.9	1 / 19
Percentage of transfers resulting in live births ^{b,c}	44.4	23.8	20.3	20.6	1 / 18
Percentage of transfers resulting in singleton live births ^b	35.5	17.9	17.6	20.6	1 / 18
Percentage of cancellations ^b	0.8	5.4	3.8	4.9	5.0
Average number of embryos transferred	2.0	2.3	2.9	3.1	3.8
Percentage of pregnancies with twins ^b	16.9	19.2	12.5	0 / 12	0 / 4
Percentage of pregnancies with triplets or more ^b	3.4	3.8	0.0	0 / 12	0 / 4
Percentage of live births having multiple infants ^{b,c}	20.0	25.0	2 / 15	0 / 7	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	48	30	26	6	10
Percentage of transfers resulting in live births ^{b,c}	27.1	40.0	23.1	2 / 6	2 / 10
Average number of embryos transferred	2.1	2.1	2.3	1.7	2.6
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	52		20		
Percentage of transfers resulting in live births ^{b,c}	48.1		25.0		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Physicians of Northern California

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE CENTER OF THE SAN FRANCISCO BAY AREA SAN RAMON, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	4%	
GIFT	0%	With ICSI	43%	Ovulatory dysfunction	7%	Unknown factor	19%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	Multiple Factors:	
Combination	0%	Used gestational carrier	<1%	Endometriosis	6%	Female factors only	12%
		Used PGD	2%	Uterine factor	1%	Female & male factors	16%
		With eSET	4%	Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by Louis N. Weckstein, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	218	155	151	58	22
Percentage of embryos transferred resulting in implantation ^b	36.3	26.0	21.6	9.0	8.2
Percentage of cycles resulting in pregnancies ^b	44.5	44.5	35.8	17.2	18.2
Percentage of cycles resulting in live births ^{b,c}	39.9	34.8	26.5	13.8	13.6
(Confidence Interval)	(33.4–46.7)	(27.4–42.9)	(19.6–34.3)	(6.1–25.4)	(2.9–34.9)
Percentage of retrievals resulting in live births ^{b,c}	42.6	37.5	30.8	18.2	3 / 18
Percentage of transfers resulting in live births ^{b,c}	46.0	38.8	32.5	18.6	3 / 15
Percentage of transfers resulting in singleton live births ^b	25.4	28.1	23.6	11.6	2 / 15
Percentage of cancellations ^b	6.4	7.1	13.9	24.1	18.2
Average number of embryos transferred	2.0	2.3	2.5	3.1	3.3
Percentage of pregnancies with twins ^b	43.3	23.2	27.8	4 / 10	1 / 4
Percentage of pregnancies with triplets or more ^b	2.1	2.9	3.7	0 / 10	0 / 4
Percentage of live births having multiple infants ^{b,c}	44.8	27.8	27.5	3 / 8	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of transfers	108	63	44	13	2
Percentage of transfers resulting in live births ^{b,c}	38.9	34.9	29.5	2 / 13	0 / 2
Average number of embryos transferred	2.0	1.8	2.1	1.8	2.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	87		75		
Percentage of transfers resulting in live births ^{b,c}	69.0		44.0		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Science Center of the San Francisco Bay Area

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PARKER-ROSENMAN-RODI GYNECOLOGY AND INFERTILITY MEDICAL GROUP SANTA MONICA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	4%	
GIFT	0%	With ICSI	52%	Ovulatory dysfunction	2%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	27%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	19%
		Used PGD	5%	Uterine factor	0%	Female & male factors	33%
		With eSET	0%	Male factor	6%		

2008 PREGNANCY SUCCESS RATES

Data verified by Ingrid A. Rodi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	8	22	9	13	4
Percentage of embryos transferred resulting in implantation ^b	4 / 13	23.5	25.0	8.6	0.0
Percentage of cycles resulting in pregnancies ^b	2 / 8	40.9	5 / 9	3 / 13	0 / 4
Percentage of cycles resulting in live births ^{b,c}	2 / 8	40.9	4 / 9	2 / 13	0 / 4
(Confidence Interval)		(20.7–63.6)			
Percentage of retrievals resulting in live births ^{b,c}	2 / 5	9 / 17	4 / 8	2 / 8	0 / 4
Percentage of transfers resulting in live births ^{b,c}	2 / 4	9 / 17	4 / 8	2 / 8	0 / 4
Percentage of transfers resulting in singleton live births ^b	2 / 4	7 / 17	2 / 8	1 / 8	0 / 4
Percentage of cancellations ^b	3 / 8	22.7	1 / 9	5 / 13	0 / 4
Average number of embryos transferred	3.3	3.0	4.0	4.4	5.8
Percentage of pregnancies with twins ^b	0 / 2	3 / 9	1 / 5	1 / 3	
Percentage of pregnancies with triplets or more ^b	1 / 2	0 / 9	1 / 5	0 / 3	
Percentage of live births having multiple infants ^{b,c}	0 / 2	2 / 9	2 / 4	1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	0	6	4	0
Percentage of transfers resulting in live births ^{b,c}	0 / 2		3 / 6	1 / 4	
Average number of embryos transferred	1.5		2.0	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
	Number of transfers		7		6
	Percentage of transfers resulting in live births ^{b,c}		3 / 7		2 / 6
Average number of embryos transferred		2.0		2.0	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Parker-Rosenman-Rodi Gynecology and Infertility Medical Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY ASSOCIATES MEDICAL GROUP, INC. SANTA ROSA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	6%	
GIFT	0%	With ICSI	79%	Ovulatory dysfunction	3%	Unknown factor	20%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	4%	Female factors only	9%
		Used PGD	0%	Uterine factor	2%	Female & male factors	12%
		With eSET	2%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jennifer V. Ratcliffe, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	42	34	41	19	2
Percentage of embryos transferred resulting in implantation ^b	39.0	28.9	14.0	6.8	0 / 8
Percentage of cycles resulting in pregnancies ^b	57.1	55.9	36.6	5 / 19	0 / 2
Percentage of cycles resulting in live births ^{b,c}	50.0	44.1	26.8	3 / 19	0 / 2
(Confidence Interval)	(34.2–65.8)	(27.2–62.1)	(14.2–42.9)		
Percentage of retrievals resulting in live births ^{b,c}	51.2	46.9	27.5	3 / 16	0 / 2
Percentage of transfers resulting in live births ^{b,c}	55.3	46.9	29.7	3 / 16	0 / 2
Percentage of transfers resulting in singleton live births ^b	36.8	18.8	27.0	2 / 16	0 / 2
Percentage of cancellations ^b	2.4	5.9	2.4	3 / 19	0 / 2
Average number of embryos transferred	2.2	3.0	3.5	3.7	4.0
Percentage of pregnancies with twins ^b	29.2	10 / 19	4 / 15	1 / 5	
Percentage of pregnancies with triplets or more ^b	4.2	1 / 19	0 / 15	0 / 5	
Percentage of live births having multiple infants ^{b,c}	33.3	9 / 15	1 / 11	1 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	23	15	10	3	2
Percentage of transfers resulting in live births ^{b,c}	39.1	5 / 15	5 / 10	0 / 3	1 / 2
Average number of embryos transferred	2.7	3.5	4.1	4.0	3.5
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	21		13		
Percentage of transfers resulting in live births ^{b,c}	42.9		5 / 13		
Average number of embryos transferred	2.2		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Associates Medical Group, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY CENTER FOR REPRODUCTIVE HEALTH
TINA KOOPERSMITH, MD
SHERMAN OAKS, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	14%	Other factor	2%
GIFT	0% With ICSI	38% Ovulatory dysfunction	7%	Unknown factor	7%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	5%	Female factors only	27%
	Used PGD	6% Uterine factor	0%	Female & male factors	25%
	With eSET	5% Male factor	9%		

2008 PREGNANCY SUCCESS RATES

Data verified by Tina B. Koopersmith, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	19	7	15	6	8
Percentage of embryos transferred resulting in implantation ^b	29.3	3 / 17	11.4	3 / 15	0 / 6
Percentage of cycles resulting in pregnancies ^b	9 / 19	2 / 7	4 / 15	2 / 6	0 / 8
Percentage of cycles resulting in live births ^{b,c}	8 / 19	2 / 7	1 / 15	1 / 6	0 / 8
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	8 / 18	2 / 5	1 / 13	1 / 4	0 / 3
Percentage of transfers resulting in live births ^{b,c}	8 / 17	2 / 5	1 / 13	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births ^b	4 / 17	2 / 5	1 / 13	1 / 4	0 / 2
Percentage of cancellations ^b	1 / 19	2 / 7	2 / 15	2 / 6	5 / 8
Average number of embryos transferred	2.4	3.4	2.7	3.8	3.0
Percentage of pregnancies with twins ^b	4 / 9	1 / 2	0 / 4	1 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 9	0 / 2	0 / 4	0 / 2	
Percentage of live births having multiple infants ^{b,c}	4 / 8	0 / 2	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	5	5	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 6	1 / 5	1 / 5		
Average number of embryos transferred	2.2	2.6	2.2		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	8		7		
Percentage of transfers resulting in live births ^{b,c}	4 / 8		1 / 7		
Average number of embryos transferred	1.8		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Valley Center for Reproductive Health, Tina Koopersmith, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR FERTILITY AND GYNECOLOGY
VERMESH CENTER FOR FERTILITY
TARZANA, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	89%	Procedural Factors:	Tubal factor	10%	Other factor	16%	
GIFT	<1%	With ICSI	83%	Ovulatory dysfunction	2%	Unknown factor	13%
ZIFT	0%	Unstimulated	3%	Diminished ovarian reserve	24%	<i>Multiple Factors:</i>	
Combination	10%	Used gestational carrier	3%	Endometriosis	1%	Female factors only	6%
		Used PGD	5%	Uterine factor	2%	Female & male factors	15%
		With eSET	<1%	Male factor	14%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael Vermesh, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	52	58	74	42	23
Percentage of embryos transferred resulting in implantation ^b	25.5	15.2	12.6	9.7	3.2
Percentage of cycles resulting in pregnancies ^b	51.9	46.6	40.5	40.5	13.0
Percentage of cycles resulting in live births ^{b,c}	42.3	37.9	31.1	26.2	13.0
(Confidence Interval)	(28.7–56.8)	(25.5–51.6)	(20.8–42.9)	(13.9–42.0)	(2.8–33.6)
Percentage of retrievals resulting in live births ^{b,c}	44.0	38.6	31.5	26.8	13.6
Percentage of transfers resulting in live births ^{b,c}	44.0	38.6	31.5	26.8	13.6
Percentage of transfers resulting in singleton live births ^b	26.0	29.8	26.0	24.4	13.6
Percentage of cancellations ^b	3.8	1.7	1.4	2.4	4.3
Average number of embryos transferred	2.8	3.5	3.7	4.3	4.2
Percentage of pregnancies with twins ^b	40.7	14.8	6.7	1 / 17	0 / 3
Percentage of pregnancies with triplets or more ^b	0.0	3.7	6.7	0 / 17	0 / 3
Percentage of live births having multiple infants ^{b,c}	40.9	22.7	17.4	1 / 11	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of transfers	12	15	13	5	4
Percentage of transfers resulting in live births ^{b,c}	7 / 12	5 / 15	6 / 13	1 / 5	0 / 4
Average number of embryos transferred	2.8	3.9	3.9	3.0	5.8
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	34		19		
Percentage of transfers resulting in live births ^{b,c}	58.8		10 / 19		
Average number of embryos transferred	2.9		3.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Fertility and Gynecology, Vermesh Center for Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TREE OF LIFE CENTER
SNUNIT BEN-OZER, MD
TARZANA, CALIFORNIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	0%	Other factor	4%	
GIFT	0%	With ICSI	72%	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	31%
		Used PGD	6%	Uterine factor	4%	Female & male factors	38%
		With eSET	0%	Male factor	9%		

2008 PREGNANCY SUCCESS RATES

Data verified by Snunit Ben-Ozer, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	6	5	12	5	3
Percentage of embryos transferred resulting in implantation ^b	6 / 12	4 / 14	25.0	3 / 16	0 / 8
Percentage of cycles resulting in pregnancies ^b	4 / 6	3 / 5	6 / 12	2 / 5	0 / 3
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	4 / 6	2 / 5	5 / 12	2 / 5	0 / 3
Percentage of retrievals resulting in live births ^{b,c}	4 / 6	2 / 5	5 / 12	2 / 5	0 / 3
Percentage of transfers resulting in live births ^{b,c}	4 / 5	2 / 5	5 / 12	2 / 5	0 / 2
Percentage of transfers resulting in singleton live births ^b	3 / 5	1 / 5	2 / 12	2 / 5	0 / 2
Percentage of cancellations ^b	0 / 6	0 / 5	0 / 12	0 / 5	0 / 3
Average number of embryos transferred	2.4	2.8	3.0	3.2	4.0
Percentage of pregnancies with twins ^b	2 / 4	1 / 3	4 / 6	1 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 4	0 / 3	0 / 6	0 / 2	
Percentage of live births having multiple infants ^{b,c}	1 / 4	1 / 2	3 / 5	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	1	0	0	3
Percentage of transfers resulting in live births ^{b,c}	0 / 1	0 / 1			0 / 3
Average number of embryos transferred	3.0	1.0			4.7
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	2		6		
Percentage of transfers resulting in live births ^{b,c}	2 / 2		0 / 6		
Average number of embryos transferred	2.0		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Tree of Life Center, Snunit Ben-Ozer, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC REPRODUCTIVE CENTER TORRANCE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	21%	
GIFT	0%	With ICSI	97%	Ovulatory dysfunction	8%	Unknown factor	1%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	5%	Female factors only	6%
		Used PGD	3%	Uterine factor	2%	Female & male factors	11%
		With eSET	<1%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by Rifaat Salem, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	189	107	108	44	20
Percentage of embryos transferred resulting in implantation ^b	28.1	16.3	14.4	7.3	4.3
Percentage of cycles resulting in pregnancies ^b	56.1	40.2	35.2	13.6	5.0
Percentage of cycles resulting in live births ^{b,c}	51.3	31.8	24.1	9.1	5.0
(Confidence Interval)	(44.0–58.6)	(23.1–41.5)	(16.4–33.3)	(2.5–21.7)	(0.1–24.9)
Percentage of retrievals resulting in live births ^{b,c}	51.6	32.1	24.5	9.3	1 / 19
Percentage of transfers resulting in live births ^{b,c}	51.6	32.1	25.5	10.5	1 / 17
Percentage of transfers resulting in singleton live births ^b	30.9	18.9	15.7	5.3	0 / 17
Percentage of cancellations ^b	0.5	0.9	1.9	2.3	5.0
Average number of embryos transferred	3.1	3.6	3.9	3.3	2.7
Percentage of pregnancies with twins ^b	43.4	27.9	34.2	1 / 6	1 / 1
Percentage of pregnancies with triplets or more ^b	5.7	7.0	7.9	1 / 6	0 / 1
Percentage of live births having multiple infants ^{b,c}	40.2	41.2	38.5	2 / 4	1 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	3	1	1	0
Percentage of transfers resulting in live births ^{b,c}	4 / 10	1 / 3	0 / 1	0 / 1	
Average number of embryos transferred	3.2	2.0	4.0	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	35		2		
Percentage of transfers resulting in live births ^{b,c}	45.7		2 / 2		
Average number of embryos transferred	3.5		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CENTER TORRANCE, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	33%	Other factor	10%
GIFT	0% With ICSI	37% Ovulatory dysfunction	5%	Unknown factor	22%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	2% Endometriosis	1%	Female factors only	3%
	Used PGD	3% Uterine factor	<1%	Female & male factors	6%
	With eSET	0% Male factor	17%		

2008 PREGNANCY SUCCESS RATES

Data verified by Omid A. Khorram, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	47	21	32	14	4
Percentage of embryos transferred resulting in implantation ^b	25.6	22.6	13.1	7.9	0.0
Percentage of cycles resulting in pregnancies ^b	51.1	47.6	25.0	2 / 14	0 / 4
Percentage of cycles resulting in live births ^{b,c}	29.8	28.6	12.5	1 / 14	0 / 4
(Confidence Interval)	(17.3–44.9)	(11.3–52.2)	(3.5–29.0)		
Percentage of retrievals resulting in live births ^{b,c}	29.8	28.6	13.3	1 / 14	0 / 4
Percentage of transfers resulting in live births ^{b,c}	31.8	30.0	13.8	1 / 12	0 / 4
Percentage of transfers resulting in singleton live births ^b	20.5	15.0	3.4	1 / 12	0 / 4
Percentage of cancellations ^b	0.0	0.0	6.3	0 / 14	0 / 4
Average number of embryos transferred	2.9	3.1	2.9	3.2	5.0
Percentage of pregnancies with twins ^b	29.2	2 / 10	4 / 8	1 / 2	
Percentage of pregnancies with triplets or more ^b	8.3	1 / 10	0 / 8	0 / 2	
Percentage of live births having multiple infants ^{b,c}	5 / 14	3 / 6	3 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	11	2	2	1	0
Percentage of transfers resulting in live births ^{b,c}	3 / 11	2 / 2	0 / 2	0 / 1	
Average number of embryos transferred	2.2	3.0	2.5	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	14		5		
Percentage of transfers resulting in live births ^{b,c}	5 / 14		1 / 5		
Average number of embryos transferred	2.5		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONTRA COSTA OB/GYN & INFERTILITY WALNUT CREEK, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	29%	Other factor	0%
GIFT	0%	With ICSI	Ovulatory dysfunction	14%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	0%	Female factors only	14%
		Used PGD	Uterine factor	0%	Female & male factors	0%
		With eSET	Male factor	43%		

2008 PREGNANCY SUCCESS RATES

Data verified by Stephen G. Weinstein, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	4	2	1	0	0
Percentage of embryos transferred resulting in implantation ^b	2 / 17	0 / 12	0 / 3		
Percentage of cycles resulting in pregnancies ^b	1 / 4	0 / 2	0 / 1		
Percentage of cycles resulting in live births ^{b,c}	1 / 4	0 / 2	0 / 1		
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	1 / 4	0 / 2	0 / 1		
Percentage of transfers resulting in live births ^{b,c}	1 / 4	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births ^b	0 / 4	0 / 2	0 / 1		
Percentage of cancellations ^b	0 / 4	0 / 2	0 / 1		
Average number of embryos transferred	4.3	6.0	3.0		
Percentage of pregnancies with twins ^b	1 / 1				
Percentage of pregnancies with triplets or more ^b	0 / 1				
Percentage of live births having multiple infants ^{b,c}	1 / 1				
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2008. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE PARTNERS-WESTMINSTER WESTMINSTER, CALIFORNIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	29%	
GIFT	0%	With ICSI	56%	Ovulatory dysfunction	7%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	4%	Female factors only	5%
		Used PGD	2%	Uterine factor	4%	Female & male factors	4%
		With eSET	<1%	Male factor	17%		

2008 PREGNANCY SUCCESS RATES

Data verified by Bill Yee, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	55	51	38	33	12
Percentage of embryos transferred resulting in implantation ^b	37.4	31.6	18.2	9.2	0.0
Percentage of cycles resulting in pregnancies ^b	47.3	39.2	28.9	15.2	0 / 12
Percentage of cycles resulting in live births ^{b,c}	38.2	33.3	21.1	9.1	0 / 12
(Confidence Interval)	(25.4–52.3)	(20.8–47.9)	(9.6–37.3)	(1.9–24.3)	
Percentage of retrievals resulting in live births ^{b,c}	42.9	37.0	25.0	12.5	0 / 10
Percentage of transfers resulting in live births ^{b,c}	43.8	40.5	25.8	12.5	0 / 10
Percentage of transfers resulting in singleton live births ^b	20.8	19.0	19.4	4.2	0 / 10
Percentage of cancellations ^b	10.9	9.8	15.8	27.3	2 / 12
Average number of embryos transferred	2.1	2.3	2.5	3.2	2.6
Percentage of pregnancies with twins ^b	50.0	45.0	3 / 11	2 / 5	
Percentage of pregnancies with triplets or more ^b	0.0	5.0	0 / 11	0 / 5	
Percentage of live births having multiple infants ^{b,c}	52.4	9 / 17	2 / 8	2 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	20	14	8	3	1
Percentage of transfers resulting in live births ^{b,c}	30.0	3 / 14	1 / 8	0 / 3	0 / 1
Average number of embryos transferred	2.6	2.3	2.3	1.3	3.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	18		8		
Percentage of transfers resulting in live births ^{b,c}	11 / 18		4 / 8		
Average number of embryos transferred	2.1		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Partners-Westminster

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ADVANCED REPRODUCTIVE MEDICINE
UNIVERSITY OF COLORADO HEALTH SCIENCES CENTER
AURORA, COLORADO**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	7%	Other factor	4%
GIFT	0% With ICSI	47% Ovulatory dysfunction	3%	Unknown factor	12%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	23%	Multiple Factors:	
Combination	0% Used gestational carrier	0% Endometriosis	<1%	Female factors only	17%
	Used PGD	0% Uterine factor	<1%	Female & male factors	20%
	With eSET	0% Male factor	13%		

2008 PREGNANCY SUCCESS RATES

Data verified by Ruben J. Alvero, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	33	29	7	2	2
Percentage of embryos transferred resulting in implantation ^b	29.0	23.9	5 / 14	0 / 7	0 / 9
Percentage of cycles resulting in pregnancies ^b	39.4	37.9	2 / 7	0 / 2	0 / 2
Percentage of cycles resulting in live births ^{b,c}	39.4	37.9	2 / 7	0 / 2	0 / 2
(Confidence Interval)	(22.9–57.9)	(20.7–57.7)			
Percentage of retrievals resulting in live births ^{b,c}	44.8	47.8	2 / 6	0 / 2	0 / 2
Percentage of transfers resulting in live births ^{b,c}	48.1	50.0	2 / 5	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births ^b	33.3	31.8	0 / 5	0 / 2	0 / 2
Percentage of cancellations ^b	12.1	20.7	1 / 7	0 / 2	0 / 2
Average number of embryos transferred	2.3	3.2	2.8	3.5	4.5
Percentage of pregnancies with twins ^b	3 / 13	4 / 11	1 / 2		
Percentage of pregnancies with triplets or more ^b	1 / 13	1 / 11	1 / 2		
Percentage of live births having multiple infants ^{b,c}	4 / 13	4 / 11	2 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	19	9	2	0	0
Percentage of transfers resulting in live births ^{b,c}	4 / 19	5 / 9	1 / 2		
Average number of embryos transferred	2.0	2.0	1.5		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	13		12		
Percentage of transfers resulting in live births ^{b,c}	10 / 13		2 / 12		
Average number of embryos transferred	2.1		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Medicine, University of Colorado Health Sciences Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND FERTILITY CENTER COLORADO SPRINGS, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	1%	Other factor	7%	
GIFT	0%	With ICSI	91%	Ovulatory dysfunction	<1%	Unknown factor	<1%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	<1%	Female factors only	8%
		Used PGD	3%	Uterine factor	0%	Female & male factors	55%
		With eSET	0%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by Paul C. Magarelli, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	93	28	19	8	1
Percentage of embryos transferred resulting in implantation ^b	17.3	5.9	11.1	0 / 6	0 / 1
Percentage of cycles resulting in pregnancies ^b	28.0	10.7	4 / 19	1 / 8	0 / 1
Percentage of cycles resulting in live births ^{b,c}	21.5	3.6	2 / 19	0 / 8	0 / 1
(Confidence Interval)	(13.7–31.2)	(0.1–18.3)			
Percentage of retrievals resulting in live births ^{b,c}	22.5	4.2	2 / 17	0 / 6	0 / 1
Percentage of transfers resulting in live births ^{b,c}	37.7	1 / 16	2 / 12	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births ^b	30.2	0 / 16	2 / 12	0 / 3	0 / 1
Percentage of cancellations ^b	4.3	14.3	2 / 19	2 / 8	0 / 1
Average number of embryos transferred	2.8	3.2	3.8	2.0	1.0
Percentage of pregnancies with twins ^b	19.2	1 / 3	1 / 4	0 / 1	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 3	0 / 4	0 / 1	
Percentage of live births having multiple infants ^{b,c}	20.0	1 / 1	0 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	21	7	6	0	0
Percentage of transfers resulting in live births ^{b,c}	42.9	1 / 7	0 / 6		
Average number of embryos transferred	2.9	3.6	3.3		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	16		4		
Percentage of transfers resulting in live births ^{b,c}	8 / 16		2 / 4		
Average number of embryos transferred	2.9		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine and Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ERIC H. SILVERSTEIN, MD, PROFESSIONAL LLC DBA
THE FERTILITY CENTER OF COLORADO
COLORADO SPRINGS, COLORADO**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	98% Procedural Factors:	Tubal factor	3%	Other factor	0%
GIFT	0% With ICSI	84% Ovulatory dysfunction	12%	Unknown factor	5%
ZIFT	2% Unstimulated	0% Diminished ovarian reserve	24%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	10%	Female factors only	15%
	Used PGD	0% Uterine factor	0%	Female & male factors	21%
	With eSET	3% Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Eric H. Silverstein, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	24	8	8	3	2
Percentage of embryos transferred resulting in implantation ^b	37.2	3 / 17	6 / 18	2 / 9	0 / 2
Percentage of cycles resulting in pregnancies ^b	50.0	3 / 8	3 / 8	1 / 3	0 / 2
Percentage of cycles resulting in live births ^{b,c}	41.7	3 / 8	3 / 8	1 / 3	0 / 2
(Confidence Interval)	(22.1–63.4)				
Percentage of retrievals resulting in live births ^{b,c}	43.5	3 / 8	3 / 7	1 / 3	0 / 1
Percentage of transfers resulting in live births ^{b,c}	50.0	3 / 8	3 / 7	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births ^b	35.0	3 / 8	1 / 7	1 / 3	0 / 1
Percentage of cancellations ^b	4.2	0 / 8	1 / 8	0 / 3	1 / 2
Average number of embryos transferred	2.2	2.1	2.6	3.0	2.0
Percentage of pregnancies with twins ^b	4 / 12	0 / 3	3 / 3	1 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 12	0 / 3	0 / 3	0 / 1	
Percentage of live births having multiple infants ^{b,c}	3 / 10	0 / 3	2 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	5	3	1	0
Percentage of transfers resulting in live births ^{b,c}	3 / 9	2 / 5	0 / 3	0 / 1	
Average number of embryos transferred	2.2	2.2	2.7	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	13		4		
Percentage of transfers resulting in live births ^{b,c}	6 / 13		1 / 4		
Average number of embryos transferred	1.9		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Eric H. Silverstein, MD, Professional LLC dba, The Fertility Center of Colorado

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO REPRODUCTIVE ENDOCRINOLOGY DENVER, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	12%	Other factor	4%	
GIFT	0%	With ICSI	35%	Ovulatory dysfunction	17%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	32%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	5%	Female factors only	4%
		Used PGD	<1%	Uterine factor	2%	Female & male factors	4%
		With eSET	0%	Male factor	10%		

2008 PREGNANCY SUCCESS RATES

Data verified by Susan W. Trout, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	61	29	28	14	1
Percentage of embryos transferred resulting in implantation ^b	29.2	3.7	5.6	1 / 12	0 / 1
Percentage of cycles resulting in pregnancies ^b	41.0	6.9	3.6	1 / 14	0 / 1
Percentage of cycles resulting in live births ^{b,c}	34.4	3.4	3.6	0 / 14	0 / 1
(Confidence Interval)	(22.7–47.7)	(0.1–17.8)	(0.1–18.3)		
Percentage of retrievals resulting in live births ^{b,c}	40.4	3.8	1 / 18	0 / 6	0 / 1
Percentage of transfers resulting in live births ^{b,c}	44.7	4.3	1 / 13	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births ^b	36.2	0.0	1 / 13	0 / 6	0 / 1
Percentage of cancellations ^b	14.8	10.3	35.7	8 / 14	0 / 1
Average number of embryos transferred	2.0	2.3	2.8	2.0	1.0
Percentage of pregnancies with twins ^b	20.0	1 / 2	1 / 1	0 / 1	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 2	0 / 1	0 / 1	
Percentage of live births having multiple infants ^{b,c}	19.0	1 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	19	6	1	2
Percentage of transfers resulting in live births ^{b,c}	1 / 10	5 / 19	0 / 6	0 / 1	1 / 2
Average number of embryos transferred	1.5	1.9	2.0	2.0	2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	11		15		
Percentage of transfers resulting in live births ^{b,c}	5 / 11		1 / 15		
Average number of embryos transferred	2.1		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Colorado Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO CENTER FOR REPRODUCTIVE MEDICINE ENGLEWOOD, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	>99%	Procedural Factors:	Tubal factor	5%	Other factor	7%	
GIFT	0%	With ICSI	81%	Ovulatory dysfunction	5%	Unknown factor	15%
ZIFT	<1%	Unstimulated	0%	Diminished ovarian reserve	36%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	4%	Female factors only	5%
		Used PGD	7%	Uterine factor	2%	Female & male factors	10%
		With eSET	2%	Male factor	12%		

2008 PREGNANCY SUCCESS RATES

Data verified by William B. Schoolcraft, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	260	182	185	76	73
Percentage of embryos transferred resulting in implantation ^b	50.3	36.7	31.0	11.8	3.6
Percentage of cycles resulting in pregnancies ^b	72.3	61.0	58.9	38.2	19.2
Percentage of cycles resulting in live births ^{b,c}	66.5	52.2	45.9	27.6	5.5
(Confidence Interval)	(60.4–72.2)	(44.7–59.6)	(38.6–53.4)	(18.0–39.1)	(1.5–13.4)
Percentage of retrievals resulting in live births ^{b,c}	67.6	55.2	50.3	30.4	6.3
Percentage of transfers resulting in live births ^{b,c}	69.8	56.9	51.2	30.9	6.7
Percentage of transfers resulting in singleton live births ^b	41.5	38.3	34.3	25.0	6.7
Percentage of cancellations ^b	1.5	5.5	8.6	9.2	12.3
Average number of embryos transferred	2.3	2.6	3.0	3.9	4.1
Percentage of pregnancies with twins ^b	43.6	32.4	31.2	10.3	0 / 14
Percentage of pregnancies with triplets or more ^b	4.8	4.5	8.3	6.9	0 / 14
Percentage of live births having multiple infants ^{b,c}	40.5	32.6	32.9	19.0	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of transfers	115	96	89	38	23
Percentage of transfers resulting in live births ^{b,c}	55.7	52.1	41.6	34.2	8.7
Average number of embryos transferred	2.4	2.5	2.2	2.4	2.4
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	146		53		
Percentage of transfers resulting in live births ^{b,c}	78.8		60.4		
Average number of embryos transferred	2.0		2.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Colorado Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN CENTER FOR REPRODUCTIVE MEDICINE FORT COLLINS, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	0%	
GIFT	0%	With ICSI	89%	Ovulatory dysfunction	2%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	9%	Female factors only	9%
		Used PGD	0%	Uterine factor	0%	Female & male factors	12%
		With eSET	0%	Male factor	36%		

2008 PREGNANCY SUCCESS RATES

Data verified by Kevin E. Bachus, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	25	5	5	0	0
Percentage of embryos transferred resulting in implantation ^b	35.3	5 / 14	2 / 9		
Percentage of cycles resulting in pregnancies ^b	56.0	3 / 5	1 / 5		
Percentage of cycles resulting in live births ^{b,c}	40.0	3 / 5	1 / 5		
(Confidence Interval)	(21.1–61.3)				
Percentage of retrievals resulting in live births ^{b,c}	41.7	3 / 5	1 / 3		
Percentage of transfers resulting in live births ^{b,c}	41.7	3 / 5	1 / 3		
Percentage of transfers resulting in singleton live births ^b	20.8	1 / 5	0 / 3		
Percentage of cancellations ^b	4.0	0 / 5	2 / 5		
Average number of embryos transferred	2.1	2.8	3.0		
Percentage of pregnancies with twins ^b	5 / 14	2 / 3	1 / 1		
Percentage of pregnancies with triplets or more ^b	0 / 14	0 / 3	0 / 1		
Percentage of live births having multiple infants ^{b,c}	5 / 10	2 / 3	1 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	13	1	5	0	0
Percentage of transfers resulting in live births ^{b,c}	7 / 13	1 / 1	1 / 5		
Average number of embryos transferred	2.2	2.0	1.8		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		0		
Percentage of transfers resulting in live births ^{b,c}	3 / 4				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Rocky Mountain Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONCEPTIONS REPRODUCTIVE ASSOCIATES OF COLORADO LITTLETON, COLORADO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	1%	
GIFT	0%	With ICSI	59%	Ovulatory dysfunction	7%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	21%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	1%	Female factors only	13%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	29%
		With eSET	5%	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by Bruce H. Albrecht, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	111	57	63	20	6
Percentage of embryos transferred resulting in implantation ^b	54.0	33.3	25.4	20.0	1 / 12
Percentage of cycles resulting in pregnancies ^b	68.5	47.4	39.7	45.0	1 / 6
Percentage of cycles resulting in live births ^{b,c}	63.1	38.6	30.2	15.0	1 / 6
(Confidence Interval)	(53.4–72.0)	(26.0–52.4)	(19.2–43.0)	(3.2–37.9)	
Percentage of retrievals resulting in live births ^{b,c}	68.6	42.3	34.5	3 / 18	1 / 5
Percentage of transfers resulting in live births ^{b,c}	69.3	44.9	35.8	3 / 17	1 / 5
Percentage of transfers resulting in singleton live births ^b	36.6	34.7	24.5	3 / 17	1 / 5
Percentage of cancellations ^b	8.1	8.8	12.7	10.0	1 / 6
Average number of embryos transferred	2.0	2.0	2.5	2.4	2.4
Percentage of pregnancies with twins ^b	40.8	22.2	40.0	1 / 9	0 / 1
Percentage of pregnancies with triplets or more ^b	2.6	0.0	0.0	0 / 9	0 / 1
Percentage of live births having multiple infants ^{b,c}	47.1	22.7	6 / 19	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	11	10	8	4	2
Percentage of transfers resulting in live births ^{b,c}	2 / 11	3 / 10	0 / 8	0 / 4	0 / 2
Average number of embryos transferred	1.7	1.9	2.0	1.8	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	43		20		
Percentage of transfers resulting in live births ^{b,c}	65.1		35.0		
Average number of embryos transferred	1.8		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2008. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONNECTICUT FERTILITY ASSOCIATES BRIDGEPORT, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	22%	
GIFT	0%	With ICSI	53%	Ovulatory dysfunction	3%	Unknown factor	14%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	22%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	5%	Endometriosis	4%	Female factors only	9%
		Used PGD	9%	Uterine factor	4%	Female & male factors	6%
		With eSET	7%	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael B. Doyle, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	78	49	69	19	10
Percentage of embryos transferred resulting in implantation ^b	31.1	18.6	12.8	12.8	3 / 11
Percentage of cycles resulting in pregnancies ^b	47.4	34.7	18.8	4 / 19	3 / 10
Percentage of cycles resulting in live births ^{b,c}	38.5	28.6	17.4	2 / 19	1 / 10
(Confidence Interval)	(27.7–50.2)	(16.6–43.3)	(9.3–28.4)		
Percentage of retrievals resulting in live births ^{b,c}	40.5	30.4	19.7	2 / 16	1 / 10
Percentage of transfers resulting in live births ^{b,c}	45.5	31.1	21.4	2 / 15	1 / 5
Percentage of transfers resulting in singleton live births ^b	31.8	26.7	14.3	1 / 15	1 / 5
Percentage of cancellations ^b	5.1	6.1	11.6	3 / 19	0 / 10
Average number of embryos transferred	2.3	2.3	2.9	3.1	2.2
Percentage of pregnancies with twins ^b	32.4	2 / 17	6 / 13	2 / 4	0 / 3
Percentage of pregnancies with triplets or more ^b	0.0	0 / 17	1 / 13	0 / 4	0 / 3
Percentage of live births having multiple infants ^{b,c}	30.0	2 / 14	4 / 12	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	17	8	20	3	2
Percentage of transfers resulting in live births ^{b,c}	7 / 17	3 / 8	15.0	1 / 3	1 / 2
Average number of embryos transferred	2.5	1.9	2.8	2.0	4.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	73		40		
Percentage of transfers resulting in live births ^{b,c}	63.0		32.5		
Average number of embryos transferred	2.3		2.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Connecticut Fertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE CENTER FOR ADVANCED REPRODUCTIVE SERVICES
AT THE UNIVERSITY OF CONNECTICUT HEALTH CENTER
FARMINGTON, CONNECTICUT**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	12%	Other factor	15%	
GIFT	0%	With ICSI	70%	Ovulatory dysfunction	9%	Unknown factor	19%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	11%	Female factors only	10%
		Used PGD	2%	Uterine factor	2%	Female & male factors	14%
		With eSET	6%	Male factor	8%		

2008 PREGNANCY SUCCESS RATES

Data verified by John C. Nulsen, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	396	242	259	120	53
Percentage of embryos transferred resulting in implantation ^b	36.6	35.8	21.2	12.9	5.3
Percentage of cycles resulting in pregnancies ^b	49.7	41.3	40.2	26.7	13.2
Percentage of cycles resulting in live births ^{b,c}	42.9	34.3	30.9	14.2	5.7
(Confidence Interval)	(38.0–48.0)	(28.3–40.6)	(25.3–36.9)	(8.5–21.7)	(1.2–15.7)
Percentage of retrievals resulting in live births ^{b,c}	45.9	44.1	38.3	18.9	7.1
Percentage of transfers resulting in live births ^{b,c}	47.4	47.4	40.6	20.5	7.7
Percentage of transfers resulting in singleton live births ^b	35.1	36.6	31.5	12.0	5.1
Percentage of cancellations ^b	6.6	22.3	19.3	25.0	20.8
Average number of embryos transferred	1.8	2.0	2.8	3.5	3.8
Percentage of pregnancies with twins ^b	22.3	24.0	17.3	25.0	2 / 7
Percentage of pregnancies with triplets or more ^b	2.5	2.0	3.8	3.1	0 / 7
Percentage of live births having multiple infants ^{b,c}	25.9	22.9	22.5	7 / 17	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of transfers	101	64	40	6	6
Percentage of transfers resulting in live births ^{b,c}	43.6	25.0	45.0	5 / 6	1 / 6
Average number of embryos transferred	1.8	1.9	2.2	2.3	2.3
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	41		32		
Percentage of transfers resulting in live births ^{b,c}	63.4		59.4		
Average number of embryos transferred	2.0		1.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Advanced Reproductive Services at the University of Connecticut Health Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

YALE FERTILITY CENTER NEW HAVEN, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100% Procedural Factors:	Tubal factor	8%	Other factor	33%	
GIFT	0% With ICSI	44%	Ovulatory dysfunction	2%	Unknown factor	11%
ZIFT	0% Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	2%	Endometriosis	5%	Female factors only	11%
	Used PGD	2%	Uterine factor	2%	Female & male factors	8%
	With eSET	2%	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Pasquale Patrizio, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	129	95	113	40	16
Percentage of embryos transferred resulting in implantation ^b	34.6	21.4	13.6	1.9	4.3
Percentage of cycles resulting in pregnancies ^b	49.6	34.7	24.8	2.5	1 / 16
Percentage of cycles resulting in live births ^{b,c}	43.4	28.4	16.8	0.0	0 / 16
(Confidence Interval)	(34.7–52.4)	(19.6–38.6)	(10.4–25.0)	(0.0–8.8)	
Percentage of retrievals resulting in live births ^{b,c}	48.3	33.8	20.2	0.0	0 / 12
Percentage of transfers resulting in live births ^{b,c}	52.3	38.6	20.9	0 / 18	0 / 9
Percentage of transfers resulting in singleton live births ^b	33.6	27.1	16.5	0 / 18	0 / 9
Percentage of cancellations ^b	10.1	15.8	16.8	37.5	4 / 16
Average number of embryos transferred	2.4	2.5	2.7	3.0	2.6
Percentage of pregnancies with twins ^b	29.7	24.2	28.6	0 / 1	0 / 1
Percentage of pregnancies with triplets or more ^b	7.8	0.0	0.0	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	35.7	29.6	4 / 19		
Frozen Embryos from Nondonor Eggs					
Number of transfers	13	14	9	2	1
Percentage of transfers resulting in live births ^{b,c}	5 / 13	6 / 14	3 / 9	1 / 2	0 / 1
Average number of embryos transferred	2.6	2.4	2.9	3.0	2.0
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		42		16	
Percentage of transfers resulting in live births ^{b,c}		66.7		4 / 16	
Average number of embryos transferred		2.6		2.6	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Yale Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF CONNECTICUT NORWALK, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	6%
GIFT	0%	With ICSI	Ovulatory dysfunction	15%	Unknown factor	22%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	2%	Female factors only	8%
		Used PGD	Uterine factor	2%	Female & male factors	16%
		With eSET	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Mark P. Leondires, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	197	123	145	46	12
Percentage of embryos transferred resulting in implantation ^b	34.1	22.3	17.7	15.7	0.0
Percentage of cycles resulting in pregnancies ^b	46.2	33.3	33.1	30.4	0 / 12
Percentage of cycles resulting in live births ^{b,c}	40.1	28.5	29.0	21.7	0 / 12
(Confidence Interval)	(33.2–47.3)	(20.7–37.3)	(21.7–37.1)	(10.9–36.4)	
Percentage of retrievals resulting in live births ^{b,c}	44.4	34.3	37.8	27.8	0 / 10
Percentage of transfers resulting in live births ^{b,c}	46.2	36.1	38.9	30.3	0 / 9
Percentage of transfers resulting in singleton live births ^b	29.2	24.7	30.6	24.2	0 / 9
Percentage of cancellations ^b	9.6	17.1	23.4	21.7	2 / 12
Average number of embryos transferred	2.1	2.5	3.1	3.8	3.6
Percentage of pregnancies with twins ^b	39.6	29.3	18.8	2 / 14	
Percentage of pregnancies with triplets or more ^b	1.1	4.9	4.2	2 / 14	
Percentage of live births having multiple infants ^{b,c}	36.7	31.4	21.4	2 / 10	
Frozen Embryos from Nondonor Eggs					
Number of transfers	18	13	11	1	2
Percentage of transfers resulting in live births ^{b,c}	7 / 18	3 / 13	1 / 11	0 / 1	0 / 2
Average number of embryos transferred	2.4	2.3	2.3	3.0	1.5
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	37		23		
Percentage of transfers resulting in live births ^{b,c}	43.2		26.1		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Connecticut

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW ENGLAND FERTILITY INSTITUTE STAMFORD, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	17%	
GIFT	0%	With ICSI	67%	Ovulatory dysfunction	4%	Unknown factor	15%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	25%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	5%	Endometriosis	3%	Female factors only	5%
		Used PGD	6%	Uterine factor	0%	Female & male factors	4%
		With eSET	1%	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by Gad Lavy, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	59	61	64	33	30
Percentage of embryos transferred resulting in implantation ^b	29.5	21.9	16.1	10.9	5.9
Percentage of cycles resulting in pregnancies ^b	52.5	41.0	35.9	21.2	10.0
Percentage of cycles resulting in live births ^{b,c}	47.5	29.5	29.7	9.1	3.3
(Confidence Interval)	(34.3–60.9)	(18.5–42.6)	(18.9–42.4)	(1.9–24.3)	(0.1–17.2)
Percentage of retrievals resulting in live births ^{b,c}	48.3	32.7	32.2	11.5	4.2
Percentage of transfers resulting in live births ^{b,c}	50.0	35.3	35.2	13.0	5.0
Percentage of transfers resulting in singleton live births ^b	35.7	25.5	27.8	13.0	5.0
Percentage of cancellations ^b	1.7	9.8	7.8	21.2	20.0
Average number of embryos transferred	2.5	2.7	3.1	2.8	2.6
Percentage of pregnancies with twins ^b	32.3	20.0	13.0	0 / 7	0 / 3
Percentage of pregnancies with triplets or more ^b	0.0	4.0	4.3	0 / 7	0 / 3
Percentage of live births having multiple infants ^{b,c}	28.6	5 / 18	4 / 19	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	35	30	19	9	4
Percentage of transfers resulting in live births ^{b,c}	25.7	23.3	6 / 19	3 / 9	0 / 4
Average number of embryos transferred	2.2	2.5	2.8	2.4	2.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	44		45		
Percentage of transfers resulting in live births ^{b,c}	54.5		20.0		
Average number of embryos transferred	2.5		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New England Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE STAMFORD HOSPITAL STAMFORD, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	0%	
GIFT	0%	With ICSI	22%	Ovulatory dysfunction	11%	Unknown factor	27%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	8%	Female factors only	8%
		Used PGD	0%	Uterine factor	0%	Female & male factors	24%
		With eSET	0%	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Frances W. Ginsburg, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	7	10	8	2	0
Percentage of embryos transferred resulting in implantation ^b	2 / 16	2 / 15	2 / 18	1 / 6	
Percentage of cycles resulting in pregnancies ^b	2 / 7	2 / 10	2 / 8	1 / 2	
Percentage of cycles resulting in live births ^{b,c}	2 / 7	1 / 10	2 / 8	1 / 2	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	2 / 7	1 / 7	2 / 6	1 / 2	
Percentage of transfers resulting in live births ^{b,c}	2 / 7	1 / 6	2 / 6	1 / 2	
Percentage of transfers resulting in singleton live births ^b	2 / 7	1 / 6	2 / 6	1 / 2	
Percentage of cancellations ^b	0 / 7	3 / 10	2 / 8	0 / 2	
Average number of embryos transferred	2.3	2.5	3.0	3.0	
Percentage of pregnancies with twins ^b	0 / 2	0 / 2	0 / 2	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 2	0 / 2	0 / 2	0 / 1	
Percentage of live births having multiple infants ^{b,c}	0 / 2	0 / 1	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	1	6	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 2	1 / 1	0 / 6		
Average number of embryos transferred	2.5	2.0	2.3		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Stamford Hospital

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PARK AVENUE FERTILITY AND REPRODUCTIVE MEDICINE TRUMBULL, CONNECTICUT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	9%	
GIFT	0%	With ICSI	76%	Ovulatory dysfunction	6%	Unknown factor	35%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	16%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	2%
		Used PGD	7%	Uterine factor	1%	Female & male factors	4%
		With eSET	<1%	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by Andrew Levi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	76	45	42	16	10
Percentage of embryos transferred resulting in implantation ^b	32.1	17.9	14.9	8.6	1 / 19
Percentage of cycles resulting in pregnancies ^b	44.7	31.1	23.8	2 / 16	1 / 10
Percentage of cycles resulting in live births ^{b,c}	35.5	26.7	16.7	2 / 16	1 / 10
(Confidence Interval)	(24.9–47.3)	(14.6–41.9)	(7.0–31.4)		
Percentage of retrievals resulting in live births ^{b,c}	35.5	29.3	20.6	2 / 13	1 / 10
Percentage of transfers resulting in live births ^{b,c}	38.0	30.8	26.9	2 / 10	1 / 8
Percentage of transfers resulting in singleton live births ^b	16.9	20.5	23.1	2 / 10	1 / 8
Percentage of cancellations ^b	0.0	8.9	19.0	3 / 16	0 / 10
Average number of embryos transferred	2.2	2.4	2.8	3.5	2.4
Percentage of pregnancies with twins ^b	50.0	4 / 14	2 / 10	1 / 2	0 / 1
Percentage of pregnancies with triplets or more ^b	2.9	0 / 14	0 / 10	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	55.6	4 / 12	1 / 7	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	16	6	4	0	0
Percentage of transfers resulting in live births ^{b,c}	4 / 16	1 / 6	1 / 4		
Average number of embryos transferred	2.3	2.5	2.8		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	9		6		
Percentage of transfers resulting in live births ^{b,c}	5 / 9		3 / 6		
Average number of embryos transferred	2.0		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Park Avenue Fertility and Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE DELAWARE INSTITUTE FOR REPRODUCTIVE MEDICINE NEWARK, DELAWARE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	16%	Other factor	10%	
GIFT	0%	With ICSI	80%	Ovulatory dysfunction	4%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	4%	Endometriosis	16%	Female factors only	22%
		Used PGD	7%	Uterine factor	0%	Female & male factors	7%
		With eSET	0%	Male factor	7%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jeffrey B. Russell, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	74	30	29	23	11
Percentage of embryos transferred resulting in implantation ^b	18.2	20.8	8.0	3.2	0 / 6
Percentage of cycles resulting in pregnancies ^b	24.3	33.3	10.3	13.0	0 / 11
Percentage of cycles resulting in live births ^{b,c}	16.2	20.0	10.3	4.3	0 / 11
(Confidence Interval)	(8.7–26.6)	(7.7–38.6)	(2.2–27.4)	(0.1–21.9)	
Percentage of retrievals resulting in live births ^{b,c}	17.4	22.2	11.5	1 / 15	0 / 7
Percentage of transfers resulting in live births ^{b,c}	20.3	25.0	15.0	1 / 13	0 / 5
Percentage of transfers resulting in singleton live births ^b	10.2	16.7	10.0	1 / 13	0 / 5
Percentage of cancellations ^b	6.8	10.0	10.3	34.8	4 / 11
Average number of embryos transferred	2.6	3.0	2.5	2.4	1.2
Percentage of pregnancies with twins ^b	6 / 18	2 / 10	1 / 3	0 / 3	
Percentage of pregnancies with triplets or more ^b	2 / 18	2 / 10	0 / 3	0 / 3	
Percentage of live births having multiple infants ^{b,c}	6 / 12	2 / 6	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	6	1	0	1
Percentage of transfers resulting in live births ^{b,c}	4 / 10	0 / 6	0 / 1		0 / 1
Average number of embryos transferred	2.9	2.0	1.0		1.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	9		4		
Percentage of transfers resulting in live births ^{b,c}	6 / 9		1 / 4		
Average number of embryos transferred	2.8		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Delaware Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ASSOCIATES OF DELAWARE NEWARK, DELAWARE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	8%	
GIFT	0%	With ICSI	81%	Ovulatory dysfunction	2%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	16%	Female factors only	29%
		Used PGD	3%	Uterine factor	5%	Female & male factors	16%
		With eSET	50%	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Ronald F. Feinberg, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	94	54	49	8	3
Percentage of embryos transferred resulting in implantation ^b	57.4	41.9	34.0	1 / 10	0 / 7
Percentage of cycles resulting in pregnancies ^b	50.0	44.4	28.6	1 / 8	0 / 3
Percentage of cycles resulting in live births ^{b,c}	44.7	25.9	22.4	1 / 8	0 / 3
(Confidence Interval)	(34.4–55.3)	(15.0–39.7)	(11.8–36.6)		
Percentage of retrievals resulting in live births ^{b,c}	50.6	29.2	34.4	1 / 6	0 / 3
Percentage of transfers resulting in live births ^{b,c}	58.3	35.0	37.9	1 / 6	0 / 3
Percentage of transfers resulting in singleton live births ^b	44.4	27.5	31.0	1 / 6	0 / 3
Percentage of cancellations ^b	11.7	11.1	34.7	2 / 8	0 / 3
Average number of embryos transferred	1.3	1.6	1.6	1.7	2.3
Percentage of pregnancies with twins ^b	19.1	16.7	3 / 14	0 / 1	
Percentage of pregnancies with triplets or more ^b	2.1	4.2	0 / 14	0 / 1	
Percentage of live births having multiple infants ^{b,c}	23.8	3 / 14	2 / 11	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	53	26	28	9	0
Percentage of transfers resulting in live births ^{b,c}	49.1	65.4	25.0	1 / 9	
Average number of embryos transferred	1.6	1.5	1.5	1.8	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	6		10		
Percentage of transfers resulting in live births ^{b,c}	6 / 6		5 / 10		
Average number of embryos transferred	1.3		1.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Associates of Delaware

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE A.R.T. INSTITUTE OF WASHINGTON, INC.
WALTER REED ARMY MEDICAL CENTER
WASHINGTON, DISTRICT OF COLUMBIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	20%	Other factor	2%	
GIFT	0%	With ICSI	71%	Ovulatory dysfunction	6%	Unknown factor	11%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	8%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	16%
		With eSET	<1%	Male factor	27%		

2008 PREGNANCY SUCCESS RATES

Data verified by James Segars, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	218	96	87	20	0
Percentage of embryos transferred resulting in implantation ^b	30.3	17.0	14.2	6.0	
Percentage of cycles resulting in pregnancies ^b	50.0	34.4	29.9	15.0	
Percentage of cycles resulting in live births ^{b,c}	40.4	20.8	16.1	15.0	
(Confidence Interval)	(33.8–47.2)	(13.2–30.3)	(9.1–25.5)	(3.2–37.9)	
Percentage of retrievals resulting in live births ^{b,c}	41.7	22.0	16.9	3 / 18	
Percentage of transfers resulting in live births ^{b,c}	42.1	22.2	17.5	3 / 16	
Percentage of transfers resulting in singleton live births ^b	31.1	18.9	13.8	3 / 16	
Percentage of cancellations ^b	3.2	5.2	4.6	10.0	
Average number of embryos transferred	2.0	2.2	2.6	3.1	
Percentage of pregnancies with twins ^b	27.5	21.2	15.4	0 / 3	
Percentage of pregnancies with triplets or more ^b	0.0	0.0	7.7	0 / 3	
Percentage of live births having multiple infants ^{b,c}	26.1	15.0	3 / 14	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	16	6	6	5	0
Percentage of transfers resulting in live births ^{b,c}	5 / 16	2 / 6	2 / 6	0 / 5	
Average number of embryos transferred	1.9	2.0	2.2	1.6	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The A.R.T. Institute of Washington, Inc., Walter Reed Army Medical Center

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA FERTILITY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	6%	
GIFT	0%	With ICSI	57%	Ovulatory dysfunction	4%	Unknown factor	6%
ZIFT	0%	Unstimulated	1%	Diminished ovarian reserve	20%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	1%	Female factors only	20%
		Used PGD	2%	Uterine factor	2%	Female & male factors	25%
		With eSET	3%	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Safa Rifka, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	144	93	127	92	62
Percentage of embryos transferred resulting in implantation ^b	32.7	23.7	9.8	12.9	4.6
Percentage of cycles resulting in pregnancies ^b	41.7	36.6	20.5	22.8	12.9
Percentage of cycles resulting in live births ^{b,c}	35.4	30.1	13.4	15.2	6.5
(Confidence Interval)	(27.6–43.8)	(21.0–40.5)	(8.0–20.6)	(8.6–24.2)	(1.8–15.7)
Percentage of retrievals resulting in live births ^{b,c}	39.8	34.6	15.3	19.7	8.2
Percentage of transfers resulting in live births ^{b,c}	43.2	37.3	16.5	20.9	8.9
Percentage of transfers resulting in singleton live births ^b	29.7	28.0	14.6	17.9	8.9
Percentage of cancellations ^b	11.1	12.9	12.6	22.8	21.0
Average number of embryos transferred	2.3	2.4	2.5	3.0	3.9
Percentage of pregnancies with twins ^b	30.0	20.6	11.5	9.5	0 / 8
Percentage of pregnancies with triplets or more ^b	8.3	5.9	0.0	9.5	0 / 8
Percentage of live births having multiple infants ^{b,c}	31.4	25.0	2 / 17	2 / 14	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of transfers	25	25	13	8	1
Percentage of transfers resulting in live births ^{b,c}	40.0	20.0	4 / 13	1 / 8	0 / 1
Average number of embryos transferred	2.1	1.8	1.9	1.6	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	28		27		
Percentage of transfers resulting in live births ^{b,c}	50.0		25.9		
Average number of embryos transferred	2.1		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Columbia Fertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE GEORGE WASHINGTON UNIVERSITY MEDICAL FACULTY ASSOCIATES WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	2%	Other factor	<1%
GIFT	0%	With ICSI	Ovulatory dysfunction	2%	Unknown factor	83%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	10%	Multiple Factors:	
Combination	0%	Used gestational carrier	Endometriosis	0%	Female factors only	0%
		Used PGD	Uterine factor	<1%	Female & male factors	0%
		With eSET	Male factor	2%		

2008 PREGNANCY SUCCESS RATES

Data verified by Paul Gindoff, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	52	52	82	33	25
Percentage of embryos transferred resulting in implantation ^b	30.6	17.3	14.6	3.9	2.5
Percentage of cycles resulting in pregnancies ^b	42.3	30.8	24.4	9.1	4.0
Percentage of cycles resulting in live births ^{b,c}	36.5	19.2	22.0	3.0	4.0
(Confidence Interval)	(23.6–51.0)	(9.6–32.5)	(13.6–32.5)	(0.1–15.8)	(0.1–20.4)
Percentage of retrievals resulting in live births ^{b,c}	37.3	21.3	24.3	3.2	5.0
Percentage of transfers resulting in live births ^{b,c}	40.4	22.7	27.3	3.6	1 / 14
Percentage of transfers resulting in singleton live births ^b	23.4	18.2	19.7	3.6	1 / 14
Percentage of cancellations ^b	1.9	9.6	9.8	6.1	20.0
Average number of embryos transferred	2.1	2.2	2.8	2.8	2.9
Percentage of pregnancies with twins ^b	36.4	3 / 16	15.0	0 / 3	0 / 1
Percentage of pregnancies with triplets or more ^b	0.0	0 / 16	10.0	0 / 3	0 / 1
Percentage of live births having multiple infants ^{b,c}	8 / 19	2 / 10	5 / 18	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	14	12	13	8	0
Percentage of transfers resulting in live births ^{b,c}	2 / 14	2 / 12	2 / 13	1 / 8	
Average number of embryos transferred	2.6	2.4	2.5	3.1	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Donor Eggs					
Number of transfers	8		15		
Percentage of transfers resulting in live births ^{b,c}	2 / 8		2 / 15		
Average number of embryos transferred	2.0		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The George Washington University Medical Faculty Associates

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

JAMES A. SIMON, MD, PC WASHINGTON, DISTRICT OF COLUMBIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	0%	Other factor	0%	
GIFT	0%	With ICSI	40%	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	17%	Female factors only	33%
		Used PGD	0%	Uterine factor	0%	Female & male factors	50%
		With eSET	0%	Male factor	0%		

2008 PREGNANCY SUCCESS RATES

Data verified by James A. Simon, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	1	3	1	0	0
Percentage of embryos transferred resulting in implantation ^b	1 / 3	1 / 7	0 / 4		
Percentage of cycles resulting in pregnancies ^b	1 / 1	2 / 3	0 / 1		
Percentage of cycles resulting in live births ^{b,c}	1 / 1	1 / 3	0 / 1		
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	1 / 1	1 / 3	0 / 1		
Percentage of transfers resulting in live births ^{b,c}	1 / 1	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births ^b	1 / 1	1 / 3	0 / 1		
Percentage of cancellations ^b	0 / 1	0 / 3	0 / 1		
Average number of embryos transferred	3.0	2.3	4.0		
Percentage of pregnancies with twins ^b	0 / 1	0 / 2			
Percentage of pregnancies with triplets or more ^b	0 / 1	0 / 2			
Percentage of live births having multiple infants ^{b,c}	0 / 1	0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		0		
Percentage of transfers resulting in live births ^{b,c}	0 / 1				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: James A. Simon, MD, PC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOCAFERTILITY BOCA RATON, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	5%
GIFT	0%	With ICSI	Ovulatory dysfunction	3%	Unknown factor	5%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	19%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	1%	Female factors only	28%
		Used PGD	Uterine factor	3%	Female & male factors	16%
		With eSET	Male factor	13%		

2008 PREGNANCY SUCCESS RATES

Data verified by Maurice (Moshe) R. Peress, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	27	8	16	4	4
Percentage of embryos transferred resulting in implantation ^b	25.4	5 / 19	9.8	0 / 11	0 / 13
Percentage of cycles resulting in pregnancies ^b	55.6	5 / 8	4 / 16	0 / 4	0 / 4
Percentage of cycles resulting in live births ^{b,c}	40.7	4 / 8	3 / 16	0 / 4	0 / 4
(Confidence Interval)	(22.4–61.2)				
Percentage of retrievals resulting in live births ^{b,c}	44.0	4 / 7	3 / 14	0 / 4	0 / 4
Percentage of transfers resulting in live births ^{b,c}	44.0	4 / 7	3 / 13	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births ^b	32.0	3 / 7	3 / 13	0 / 4	0 / 3
Percentage of cancellations ^b	7.4	1 / 8	2 / 16	0 / 4	0 / 4
Average number of embryos transferred	2.7	2.7	3.2	2.8	4.3
Percentage of pregnancies with twins ^b	4 / 15	1 / 5	0 / 4		
Percentage of pregnancies with triplets or more ^b	0 / 15	0 / 5	0 / 4		
Percentage of live births having multiple infants ^{b,c}	3 / 11	1 / 4	0 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	1	0	1	0
Percentage of transfers resulting in live births ^{b,c}	0 / 5	0 / 1		0 / 1	
Average number of embryos transferred	1.4	2.0		2.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	8		1		
Percentage of transfers resulting in live births ^{b,c}	3 / 8		0 / 1		
Average number of embryos transferred	2.6		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: BocaFertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PALM BEACH FERTILITY CENTER BOCA RATON, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	0%	Other factor	2%	
GIFT	0%	With ICSI	86%	Ovulatory dysfunction	2%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	19%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	0%	Female factors only	14%
		Used PGD	24%	Uterine factor	0%	Female & male factors	59%
		With eSET	5%	Male factor	4%		

2008 PREGNANCY SUCCESS RATES

Data verified by Mark S. Denker, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	31	19	16	10	0
Percentage of embryos transferred resulting in implantation ^b	35.0	18.2	19.2	0 / 13	
Percentage of cycles resulting in pregnancies ^b	51.6	4 / 19	5 / 16	0 / 10	
Percentage of cycles resulting in live births ^{b,c}	48.4	4 / 19	3 / 16	0 / 10	
(Confidence Interval)	(30.2–66.9)				
Percentage of retrievals resulting in live births ^{b,c}	50.0	4 / 16	3 / 16	0 / 6	
Percentage of transfers resulting in live births ^{b,c}	53.6	4 / 11	3 / 12	0 / 6	
Percentage of transfers resulting in singleton live births ^b	39.3	4 / 11	3 / 12	0 / 6	
Percentage of cancellations ^b	3.2	3 / 19	0 / 16	4 / 10	
Average number of embryos transferred	2.1	2.0	2.2	2.2	
Percentage of pregnancies with twins ^b	5 / 16	0 / 4	0 / 5		
Percentage of pregnancies with triplets or more ^b	0 / 16	0 / 4	0 / 5		
Percentage of live births having multiple infants ^{b,c}	4 / 15	0 / 4	0 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	1	0	2	0
Percentage of transfers resulting in live births ^{b,c}	4 / 7	0 / 1		1 / 2	
Average number of embryos transferred	1.9	2.0		1.5	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	18		11		
Percentage of transfers resulting in live births ^{b,c}	11 / 18		3 / 11		
Average number of embryos transferred	1.9		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Palm Beach Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CARE CENTER, PA BOYNTON BEACH, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	0%
GIFT	0%	With ICSI	Ovulatory dysfunction	19%	Unknown factor	15%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	0%	Female factors only	15%
		Used PGD	Uterine factor	0%	Female & male factors	23%
		With eSET	Male factor	23%		

2008 PREGNANCY SUCCESS RATES

Data verified by Tibor Polcz, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	12	5	2	3	1
Percentage of embryos transferred resulting in implantation ^b	9 / 19	1 / 14	0 / 2		0 / 3
Percentage of cycles resulting in pregnancies ^b	5 / 12	3 / 5	0 / 2	0 / 3	0 / 1
Percentage of cycles resulting in live births ^{b,c}	4 / 12	1 / 5	0 / 2	0 / 3	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	4 / 9	1 / 5	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in live births ^{b,c}	4 / 9	1 / 5	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births ^b	2 / 9	1 / 5	0 / 1		0 / 1
Percentage of cancellations ^b	3 / 12	0 / 5	0 / 2	2 / 3	0 / 1
Average number of embryos transferred	2.1	2.8	2.0		3.0
Percentage of pregnancies with twins ^b	2 / 5	0 / 3			
Percentage of pregnancies with triplets or more ^b	1 / 5	0 / 3			
Percentage of live births having multiple infants ^{b,c}	2 / 4	0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 2	0 / 1			
Average number of embryos transferred	1.5	3.0			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Care Center, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FLORIDA FERTILITY INSTITUTE CLEARWATER, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	16%	Other factor	0%	
GIFT	0%	With ICSI	73%	Ovulatory dysfunction	6%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	7%	Female factors only	6%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	21%
		With eSET	0%	Male factor	26%		

2008 PREGNANCY SUCCESS RATES

Data verified by Mark Sanchez, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	137	34	22	6	3
Percentage of embryos transferred resulting in implantation ^b	15.9	5.6	18.2	1 / 14	0 / 8
Percentage of cycles resulting in pregnancies ^b	31.4	11.8	27.3	1 / 6	0 / 3
Percentage of cycles resulting in live births ^{b,c}	26.3	8.8	18.2	1 / 6	0 / 3
(Confidence Interval)	(19.1–34.5)	(1.9–23.7)	(5.2–40.3)		
Percentage of retrievals resulting in live births ^{b,c}	26.3	10.0	19.0	1 / 6	0 / 3
Percentage of transfers resulting in live births ^{b,c}	28.1	12.0	4 / 15	1 / 5	0 / 2
Percentage of transfers resulting in singleton live births ^b	18.8	12.0	3 / 15	1 / 5	0 / 2
Percentage of cancellations ^b	0.0	11.8	4.5	0 / 6	0 / 3
Average number of embryos transferred	2.7	2.9	2.9	2.8	4.0
Percentage of pregnancies with twins ^b	18.6	0 / 4	2 / 6	0 / 1	
Percentage of pregnancies with triplets or more ^b	9.3	0 / 4	0 / 6	0 / 1	
Percentage of live births having multiple infants ^{b,c}	33.3	0 / 3	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	0	1	0	1
Percentage of transfers resulting in live births ^{b,c}	0 / 4		0 / 1		0 / 1
Average number of embryos transferred	2.8		2.0		3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	22		3		
Percentage of transfers resulting in live births ^{b,c}	31.8		1 / 3		
Average number of embryos transferred	2.7		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Florida Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY AND REPRODUCTIVE MEDICINE OF SOUTH BROWARD

KENNETH M. GELMAN, MD

COOPER CITY, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	0%	
GIFT	0%	With ICSI	90%	Ovulatory dysfunction	42%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	10%
		Used PGD	16%	Uterine factor	0%	Female & male factors	24%
		With eSET	0%	Male factor	13%		

2008 PREGNANCY SUCCESS RATES

Data verified by Kenneth M. Gelman, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	20	14	21	8	2
Percentage of embryos transferred resulting in implantation ^b	22.6	34.4	12.5	0 / 16	0 / 9
Percentage of cycles resulting in pregnancies ^b	45.0	7 / 14	19.0	0 / 8	0 / 2
Percentage of cycles resulting in live births ^{b,c}	25.0	6 / 14	19.0	0 / 8	0 / 2
(Confidence Interval)	(8.7–49.1)		(5.4–41.9)		
Percentage of retrievals resulting in live births ^{b,c}	5 / 18	6 / 12	20.0	0 / 7	0 / 2
Percentage of transfers resulting in live births ^{b,c}	5 / 18	6 / 11	4 / 15	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births ^b	4 / 18	4 / 11	4 / 15	0 / 6	0 / 2
Percentage of cancellations ^b	10.0	2 / 14	4.8	1 / 8	0 / 2
Average number of embryos transferred	2.9	2.9	3.2	2.7	4.5
Percentage of pregnancies with twins ^b	1 / 9	2 / 7	2 / 4		
Percentage of pregnancies with triplets or more ^b	2 / 9	1 / 7	0 / 4		
Percentage of live births having multiple infants ^{b,c}	1 / 5	2 / 6	0 / 4		
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 3	1 / 1			
Average number of embryos transferred	2.7	3.0			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility and Reproductive Medicine of South Broward, Kenneth M. Gelman, MD

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FLORIDA FERTILITY CENTER, PA FORT MYERS, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	16%	Other factor	18%	
GIFT	0%	With ICSI	23%	Ovulatory dysfunction	16%	Unknown factor	11%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	0%	Female factors only	0%
		Used PGD	0%	Uterine factor	2%	Female & male factors	20%
		With eSET	2%	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jacob L. Glock, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	20	13	12	4	2
Percentage of embryos transferred resulting in implantation ^b	17.0	25.0	7.7	1 / 8	0 / 2
Percentage of cycles resulting in pregnancies ^b	30.0	4 / 13	2 / 12	1 / 4	0 / 2
Percentage of cycles resulting in live births ^{b,c}	20.0	3 / 13	2 / 12	1 / 4	0 / 2
(Confidence Interval)	(5.7–43.7)				
Percentage of retrievals resulting in live births ^{b,c}	4 / 19	3 / 11	2 / 12	1 / 4	0 / 2
Percentage of transfers resulting in live births ^{b,c}	4 / 19	3 / 10	2 / 11	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births ^b	3 / 19	3 / 10	2 / 11	1 / 3	0 / 1
Percentage of cancellations ^b	5.0	2 / 13	0 / 12	0 / 4	0 / 2
Average number of embryos transferred	2.5	2.4	2.4	2.7	2.0
Percentage of pregnancies with twins ^b	2 / 6	2 / 4	0 / 2	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 6	0 / 4	0 / 2	0 / 1	
Percentage of live births having multiple infants ^{b,c}	1 / 4	0 / 3	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	0	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 2		0 / 1		
Average number of embryos transferred	2.0		2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		0		
Percentage of transfers resulting in live births ^{b,c}	0 / 1				
Average number of embryos transferred	3.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southwest Florida Fertility Center, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SPECIALISTS IN REPRODUCTIVE MEDICINE & SURGERY, PA
CRAIG R. SWEET, MD
FORT MYERS, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	2%	
GIFT	0%	With ICSI	77%	Ovulatory dysfunction	5%	Unknown factor	<1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	40%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	14%	Female factors only	<1%
		Used PGD	13%	Uterine factor	0%	Female & male factors	5%
		With eSET	2%	Male factor	24%		

2008 PREGNANCY SUCCESS RATES

Data verified by Craig R. Sweet, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	27	25	16	2	0
Percentage of embryos transferred resulting in implantation ^b	31.8	27.0	37.0	0 / 6	
Percentage of cycles resulting in pregnancies ^b	40.7	28.0	7 / 16	0 / 2	
Percentage of cycles resulting in live births ^{b,c}	33.3	24.0	5 / 16	0 / 2	
(Confidence Interval)	(16.5–54.0)	(9.4–45.1)			
Percentage of retrievals resulting in live births ^{b,c}	36.0	6 / 17	5 / 13	0 / 2	
Percentage of transfers resulting in live births ^{b,c}	42.9	6 / 15	5 / 12	0 / 2	
Percentage of transfers resulting in singleton live births ^b	38.1	3 / 15	3 / 12	0 / 2	
Percentage of cancellations ^b	7.4	32.0	3 / 16	0 / 2	
Average number of embryos transferred	2.1	2.5	2.3	3.0	
Percentage of pregnancies with twins ^b	3 / 11	2 / 7	3 / 7		
Percentage of pregnancies with triplets or more ^b	0 / 11	1 / 7	0 / 7		
Percentage of live births having multiple infants ^{b,c}	1 / 9	3 / 6	2 / 5		
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	1	1	0	1
Percentage of transfers resulting in live births ^{b,c}	2 / 3	0 / 1	0 / 1		0 / 1
Average number of embryos transferred	2.7	2.0	2.0		2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	15		10		
Percentage of transfers resulting in live births ^{b,c}	12 / 15		4 / 10		
Average number of embryos transferred	2.0		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Specialists in Reproductive Medicine & Surgery, PA, Craig R. Sweet, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF FLORIDA WOMEN'S HEALTH AT MAGNOLIA PARKE GAINESVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	9%	
GIFT	0%	With ICSI	49%	Ovulatory dysfunction	4%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	10%	Female factors only	27%
		Used PGD	5%	Uterine factor	2%	Female & male factors	21%
		With eSET	0%	Male factor	10%		

2008 PREGNANCY SUCCESS RATES

Data verified by R. Stan Williams, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	40	26	13	2	0
Percentage of embryos transferred resulting in implantation ^b	27.0	24.5	4 / 16	1 / 6	
Percentage of cycles resulting in pregnancies ^b	42.5	38.5	3 / 13	1 / 2	
Percentage of cycles resulting in live births ^{b,c}	40.0	38.5	2 / 13	1 / 2	
(Confidence Interval)	(24.9–56.7)	(20.2–59.4)			
Percentage of retrievals resulting in live births ^{b,c}	43.2	43.5	2 / 11	1 / 2	
Percentage of transfers resulting in live births ^{b,c}	45.7	45.5	2 / 7	1 / 2	
Percentage of transfers resulting in singleton live births ^b	37.1	36.4	1 / 7	1 / 2	
Percentage of cancellations ^b	7.5	11.5	2 / 13	0 / 2	
Average number of embryos transferred	2.1	2.2	2.3	3.0	
Percentage of pregnancies with twins ^b	4 / 17	2 / 10	1 / 3	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 17	0 / 10	0 / 3	0 / 1	
Percentage of live births having multiple infants ^{b,c}	3 / 16	2 / 10	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	0	1	0	1
Percentage of transfers resulting in live births ^{b,c}	2 / 3		0 / 1		0 / 1
Average number of embryos transferred	1.3		1.0		1.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
	Number of transfers		10		1
	Percentage of transfers resulting in live births ^{b,c}		6 / 10		1 / 1
Average number of embryos transferred		2.0		2.0	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Florida Women's Health at Magnolia Parke

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ASSISTED FERTILITY PROGRAM OF NORTH FLORIDA JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	96%	Procedural Factors:	Tubal factor	17%	Other factor	10%	
GIFT	4%	With ICSI	27%	Ovulatory dysfunction	13%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	28%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	0%	Female factors only	1%
		Used PGD	0%	Uterine factor	1%	Female & male factors	7%
		With eSET	0%	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by Marwan M. Shaykh, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	29	11	6	0	2
Percentage of embryos transferred resulting in implantation ^b	1.6	8.1	0 / 13		0 / 5
Percentage of cycles resulting in pregnancies ^b	3.4	2 / 11	0 / 6		0 / 2
Percentage of cycles resulting in live births ^{b,c}	3.4	2 / 11	0 / 6		0 / 2
(Confidence Interval)	(0.1–17.8)				
Percentage of retrievals resulting in live births ^{b,c}	4.3	2 / 11	0 / 6		0 / 2
Percentage of transfers resulting in live births ^{b,c}	4.5	2 / 11	0 / 4		0 / 1
Percentage of transfers resulting in singleton live births ^b	4.5	2 / 11	0 / 4		0 / 1
Percentage of cancellations ^b	20.7	0 / 11	0 / 6		0 / 2
Average number of embryos transferred	2.8	3.4	3.3		5.0
Percentage of pregnancies with twins ^b	0 / 1	1 / 2			
Percentage of pregnancies with triplets or more ^b	0 / 1	0 / 2			
Percentage of live births having multiple infants ^{b,c}	0 / 1	0 / 2			
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	1	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 2	0 / 1	0 / 1		
Average number of embryos transferred	1.5	3.0	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	11		2		
Percentage of transfers resulting in live births ^{b,c}	5 / 11		1 / 2		
Average number of embryos transferred	3.1		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Assisted Fertility Program of North Florida

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	4%	
GIFT	0%	With ICSI	71%	Ovulatory dysfunction	4%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	4%	Female factors only	7%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	38%
		With eSET	<1%	Male factor	29%		

2008 PREGNANCY SUCCESS RATES

Data verified by Kevin L. Winslow, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	293	118	77	24	11
Percentage of embryos transferred resulting in implantation ^b	30.0	21.4	11.6	0.0	0.0
Percentage of cycles resulting in pregnancies ^b	38.6	33.9	22.1	0.0	0 / 11
Percentage of cycles resulting in live births ^{b,c}	36.2	27.1	18.2	0.0	0 / 11
(Confidence Interval)	(30.7–42.0)	(19.3–36.1)	(10.3–28.6)	(0.0–14.2)	
Percentage of retrievals resulting in live births ^{b,c}	41.7	31.1	20.6	0 / 19	0 / 9
Percentage of transfers resulting in live births ^{b,c}	45.5	34.8	22.2	0 / 16	0 / 9
Percentage of transfers resulting in singleton live births ^b	27.5	26.1	22.2	0 / 16	0 / 9
Percentage of cancellations ^b	13.3	12.7	11.7	20.8	2 / 11
Average number of embryos transferred	2.4	2.7	2.7	3.4	3.2
Percentage of pregnancies with twins ^b	32.7	22.5	0 / 17		
Percentage of pregnancies with triplets or more ^b	8.0	5.0	2 / 17		
Percentage of live births having multiple infants ^{b,c}	39.6	25.0	0 / 14		
Frozen Embryos from Nondonor Eggs					
Number of transfers	141	67	40	18	9
Percentage of transfers resulting in live births ^{b,c}	48.9	22.4	32.5	5 / 18	2 / 9
Average number of embryos transferred	2.3	2.2	2.2	2.1	3.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	74		37		
Percentage of transfers resulting in live births ^{b,c}	56.8		29.7		
Average number of embryos transferred	2.3		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Florida Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

JACKSONVILLE CENTER FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	<1%
GIFT	0%	With ICSI	Ovulatory dysfunction	23%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	57%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	2%	Female factors only	2%
		Used PGD	Uterine factor	0%	Female & male factors	0%
		With eSET	Male factor	9%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael D. Fox, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	55	34	36	6	4
Percentage of embryos transferred resulting in implantation ^b	19.7	20.9	12.3	0 / 10	0 / 11
Percentage of cycles resulting in pregnancies ^b	30.9	38.2	19.4	0 / 6	0 / 4
Percentage of cycles resulting in live births ^{b,c}	23.6	20.6	19.4	0 / 6	0 / 4
(Confidence Interval)	(13.2–37.0)	(8.7–37.9)	(8.2–36.0)		
Percentage of retrievals resulting in live births ^{b,c}	24.5	23.3	24.1	0 / 6	0 / 4
Percentage of transfers resulting in live births ^{b,c}	26.0	25.9	26.9	0 / 4	0 / 4
Percentage of transfers resulting in singleton live births ^b	16.0	18.5	26.9	0 / 4	0 / 4
Percentage of cancellations ^b	3.6	11.8	19.4	0 / 6	0 / 4
Average number of embryos transferred	2.3	2.5	2.5	2.5	2.8
Percentage of pregnancies with twins ^b	7 / 17	4 / 13	1 / 7		
Percentage of pregnancies with triplets or more ^b	0 / 17	0 / 13	0 / 7		
Percentage of live births having multiple infants ^{b,c}	5 / 13	2 / 7	0 / 7		
Frozen Embryos from Nondonor Eggs					
Number of transfers	8	9	4	1	0
Percentage of transfers resulting in live births ^{b,c}	1 / 8	1 / 9	0 / 4	1 / 1	
Average number of embryos transferred	1.9	2.1	2.0	3.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	9		7		
Percentage of transfers resulting in live births ^{b,c}	2 / 9		1 / 7		
Average number of embryos transferred	2.0		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jacksonville Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENE F. MANKO, MD, INC.
JUPITER, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	19%	Other factor	5%	
GIFT	0%	With ICSI	72%	Ovulatory dysfunction	5%	Unknown factor	23%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	4%	Female factors only	6%
		Used PGD	0%	Uterine factor	0%	Female & male factors	11%
		With eSET	3%	Male factor	25%		

2008 PREGNANCY SUCCESS RATES

Data verified by Gene F. Manko, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	30	16	16	3	0
Percentage of embryos transferred resulting in implantation ^b	47.5	46.4	33.3	0 / 6	
Percentage of cycles resulting in pregnancies ^b	53.3	11 / 16	6 / 16	0 / 3	
Percentage of cycles resulting in live births ^{b,c}	40.0	6 / 16	3 / 16	0 / 3	
(Confidence Interval)	(22.7–59.4)				
Percentage of retrievals resulting in live births ^{b,c}	42.9	6 / 15	3 / 14	0 / 2	
Percentage of transfers resulting in live births ^{b,c}	50.0	6 / 14	3 / 11	0 / 2	
Percentage of transfers resulting in singleton live births ^b	45.8	2 / 14	3 / 11	0 / 2	
Percentage of cancellations ^b	6.7	1 / 16	2 / 16	1 / 3	
Average number of embryos transferred	1.7	2.0	1.9	3.0	
Percentage of pregnancies with twins ^b	2 / 16	5 / 11	1 / 6		
Percentage of pregnancies with triplets or more ^b	1 / 16	0 / 11	0 / 6		
Percentage of live births having multiple infants ^{b,c}	1 / 12	4 / 6	0 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	5	3	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 6	3 / 5	0 / 3		
Average number of embryos transferred	2.5	2.4	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		0		
Percentage of transfers resulting in live births ^{b,c}	0 / 3				
Average number of embryos transferred	1.7				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2008. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).
^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE
STEPHEN W. WELDEN, MD
LUTZ, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	97%	Procedural Factors:	Tubal factor	0%	Other factor	0%	
GIFT	0%	With ICSI	5%	Ovulatory dysfunction	2%	Unknown factor	55%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	31%	<i>Multiple Factors:</i>	
Combination	3%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	2%
		Used PGD	0%	Uterine factor	0%	Female & male factors	5%
		With eSET	0%	Male factor	5%		

2008 PREGNANCY SUCCESS RATES

Data verified by Stephen W. Welden, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	15	9	9	2	0
Percentage of embryos transferred resulting in implantation ^b	42.1	19.0	19.2	1 / 6	
Percentage of cycles resulting in pregnancies ^b	10 / 15	5 / 9	4 / 9	1 / 2	
Percentage of cycles resulting in live births ^{b,c}	8 / 15	2 / 9	3 / 9	1 / 2	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	8 / 15	2 / 9	3 / 9	1 / 2	
Percentage of transfers resulting in live births ^{b,c}	8 / 15	2 / 9	3 / 9	1 / 2	
Percentage of transfers resulting in singleton live births ^b	5 / 15	1 / 9	2 / 9	1 / 2	
Percentage of cancellations ^b	0 / 15	0 / 9	0 / 9	0 / 2	
Average number of embryos transferred	2.5	2.3	2.9	3.0	
Percentage of pregnancies with twins ^b	2 / 10	0 / 5	1 / 4	0 / 1	
Percentage of pregnancies with triplets or more ^b	2 / 10	1 / 5	0 / 4	0 / 1	
Percentage of live births having multiple infants ^{b,c}	3 / 8	1 / 2	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	0	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 2		0 / 1		
Average number of embryos transferred	2.0		2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	15		3		
Percentage of transfers resulting in live births ^{b,c}	9 / 15		0 / 3		
Average number of embryos transferred	2.2		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine, Stephen W. Welden, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).
^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF FLORIDA MARGATE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	13%	Other factor	4%	
GIFT	0%	With ICSI	59%	Ovulatory dysfunction	4%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	24%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	9%	Female factors only	9%
		Used PGD	<1%	Uterine factor	2%	Female & male factors	11%
		With eSET	1%	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by David I. Hoffman, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	261	178	165	59	28
Percentage of embryos transferred resulting in implantation ^b	33.1	18.3	20.6	6.3	3.4
Percentage of cycles resulting in pregnancies ^b	44.1	25.8	29.7	15.3	10.7
Percentage of cycles resulting in live births ^{b,c}	34.1	19.7	20.6	10.2	7.1
(Confidence Interval)	(28.4–40.2)	(14.1–26.3)	(14.7–27.6)	(3.8–20.8)	(0.9–23.5)
Percentage of retrievals resulting in live births ^{b,c}	38.2	24.1	28.3	13.6	9.5
Percentage of transfers resulting in live births ^{b,c}	40.1	26.5	29.8	14.0	2 / 18
Percentage of transfers resulting in singleton live births ^b	25.7	22.0	21.1	9.3	2 / 18
Percentage of cancellations ^b	10.7	18.5	27.3	25.4	25.0
Average number of embryos transferred	2.1	2.3	2.7	3.3	3.3
Percentage of pregnancies with twins ^b	33.0	21.7	20.4	3 / 9	0 / 3
Percentage of pregnancies with triplets or more ^b	2.6	4.3	10.2	0 / 9	0 / 3
Percentage of live births having multiple infants ^{b,c}	36.0	17.1	29.4	2 / 6	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	42	31	34	7	7
Percentage of transfers resulting in live births ^{b,c}	54.8	35.5	26.5	2 / 7	1 / 7
Average number of embryos transferred	2.1	2.1	2.3	2.1	2.9
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	94		28		
Percentage of transfers resulting in live births ^{b,c}	69.1		42.9		
Average number of embryos transferred	2.0		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Florida

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & REPRODUCTIVE MEDICINE CENTER FOR WOMEN MELBOURNE, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	3%	Other factor	5%
GIFT	0%	With ICSI	Ovulatory dysfunction	1%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	14%	Multiple Factors:	
Combination	0%	Used gestational carrier	Endometriosis	5%	Female factors only	25%
		Used PGD	Uterine factor	1%	Female & male factors	31%
		With eSET	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by Diran Chamoun, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	24	17	15	4	3
Percentage of embryos transferred resulting in implantation ^b	38.8	21.2	5.1	0 / 12	0 / 12
Percentage of cycles resulting in pregnancies ^b	50.0	5 / 17	3 / 15	0 / 4	0 / 3
Percentage of cycles resulting in live births ^{b,c}	50.0	3 / 17	2 / 15	0 / 4	0 / 3
(Confidence Interval)	(29.1–70.9)				
Percentage of retrievals resulting in live births ^{b,c}	54.5	3 / 15	2 / 13	0 / 4	0 / 3
Percentage of transfers resulting in live births ^{b,c}	60.0	3 / 12	2 / 12	0 / 3	0 / 3
Percentage of transfers resulting in singleton live births ^b	30.0	2 / 12	2 / 12	0 / 3	0 / 3
Percentage of cancellations ^b	8.3	2 / 17	2 / 15	0 / 4	0 / 3
Average number of embryos transferred	2.5	2.8	3.3	4.0	4.0
Percentage of pregnancies with twins ^b	5 / 12	0 / 5	0 / 3		
Percentage of pregnancies with triplets or more ^b	1 / 12	1 / 5	0 / 3		
Percentage of live births having multiple infants ^{b,c}	6 / 12	1 / 3	0 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	0	1
Percentage of transfers resulting in live births ^{b,c}					0 / 1
Average number of embryos transferred					3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	12		3		
Percentage of transfers resulting in live births ^{b,c}	4 / 12		1 / 3		
Average number of embryos transferred	3.1		4.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Viera Fertility Center, Fertility & Reproductive Medicine Center for Women

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & IVF CENTER OF MIAMI, INC. MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	6%	
GIFT	0%	With ICSI	88%	Ovulatory dysfunction	3%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	1%	Female factors only	9%
		Used PGD	7%	Uterine factor	<1%	Female & male factors	44%
		With eSET	1%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael H. Jacobs, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	159	122	98	23	14
Percentage of embryos transferred resulting in implantation ^b	38.6	24.4	15.3	6.1	3.6
Percentage of cycles resulting in pregnancies ^b	56.0	35.2	27.6	8.7	2 / 14
Percentage of cycles resulting in live births ^{b,c}	48.4	31.1	25.5	4.3	1 / 14
(Confidence Interval)	(40.4–56.5)	(23.1–40.2)	(17.2–35.3)	(0.1–21.9)	
Percentage of retrievals resulting in live births ^{b,c}	50.3	34.2	28.4	5.0	1 / 13
Percentage of transfers resulting in live births ^{b,c}	52.7	36.5	30.5	1 / 18	1 / 11
Percentage of transfers resulting in singleton live births ^b	31.5	27.9	25.6	0 / 18	1 / 11
Percentage of cancellations ^b	3.8	9.0	10.2	13.0	1 / 14
Average number of embryos transferred	2.2	2.4	2.6	2.7	2.5
Percentage of pregnancies with twins ^b	39.3	39.5	25.9	1 / 2	0 / 2
Percentage of pregnancies with triplets or more ^b	1.1	2.3	0.0	0 / 2	0 / 2
Percentage of live births having multiple infants ^{b,c}	40.3	23.7	16.0	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	37	34	22	10	6
Percentage of transfers resulting in live births ^{b,c}	56.8	32.4	31.8	3 / 10	1 / 6
Average number of embryos transferred	2.2	2.2	2.3	2.3	2.2
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	39		4		
Percentage of transfers resulting in live births ^{b,c}	48.7		2 / 4		
Average number of embryos transferred	2.2		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility & IVF Center of Miami, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PALMETTO FERTILITY CENTER OF SOUTH FLORIDA MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	4%	
GIFT	0%	With ICSI	95%	Ovulatory dysfunction	4%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	19%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	5%
		Used PGD	3%	Uterine factor	0%	Female & male factors	31%
		With eSET	0%	Male factor	26%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael D. Graubert, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	58	32	13	6	4
Percentage of embryos transferred resulting in implantation ^b	38.7	20.0	13.2	1 / 18	0 / 16
Percentage of cycles resulting in pregnancies ^b	62.1	40.6	3 / 13	1 / 6	0 / 4
Percentage of cycles resulting in live births ^{b,c}	55.2	28.1	3 / 13	1 / 6	0 / 4
(Confidence Interval)	(41.5–68.3)	(13.7–46.7)			
Percentage of retrievals resulting in live births ^{b,c}	55.2	28.1	3 / 13	1 / 6	0 / 4
Percentage of transfers resulting in live births ^{b,c}	57.1	30.0	3 / 12	1 / 5	0 / 4
Percentage of transfers resulting in singleton live births ^b	33.9	16.7	2 / 12	1 / 5	0 / 4
Percentage of cancellations ^b	0.0	0.0	0 / 13	0 / 6	0 / 4
Average number of embryos transferred	2.4	2.7	3.2	3.6	4.0
Percentage of pregnancies with twins ^b	33.3	3 / 13	0 / 3	0 / 1	
Percentage of pregnancies with triplets or more ^b	8.3	1 / 13	1 / 3	0 / 1	
Percentage of live births having multiple infants ^{b,c}	40.6	4 / 9	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	2	4	1	0
Percentage of transfers resulting in live births ^{b,c}	3 / 6	1 / 2	1 / 4	1 / 1	
Average number of embryos transferred	2.0	2.0	2.3	3.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	24		6		
Percentage of transfers resulting in live births ^{b,c}	70.8		4 / 6		
Average number of embryos transferred	2.1		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Palmetto Fertility Center of South Florida

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MIAMI INFERTILITY CENTER MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	30%	Other factor	12%	
GIFT	0%	With ICSI	58%	Ovulatory dysfunction	9%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	<1%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	4%
		Used PGD	0%	Uterine factor	0%	Female & male factors	6%
		With eSET	0%	Male factor	24%		

2008 PREGNANCY SUCCESS RATES

Data verified by George R. Attia, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	36	33	14	2	2
Percentage of embryos transferred resulting in implantation ^b	37.3	18.6	13.0	0 / 2	0 / 3
Percentage of cycles resulting in pregnancies ^b	44.4	24.2	3 / 14	0 / 2	0 / 2
Percentage of cycles resulting in live births ^{b,c}	44.4	18.2	1 / 14	0 / 2	0 / 2
(Confidence Interval)	(27.9–61.9)	(7.0–35.5)			
Percentage of retrievals resulting in live births ^{b,c}	44.4	19.4	1 / 13	0 / 1	0 / 1
Percentage of transfers resulting in live births ^{b,c}	51.6	21.4	1 / 12	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births ^b	35.5	14.3	1 / 12	0 / 1	0 / 1
Percentage of cancellations ^b	0.0	6.1	1 / 14	1 / 2	1 / 2
Average number of embryos transferred	1.9	2.1	1.9	2.0	3.0
Percentage of pregnancies with twins ^b	6 / 16	3 / 8	0 / 3		
Percentage of pregnancies with triplets or more ^b	0 / 16	0 / 8	0 / 3		
Percentage of live births having multiple infants ^{b,c}	5 / 16	2 / 6	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	5	3	0	2
Percentage of transfers resulting in live births ^{b,c}	3 / 7	1 / 5	2 / 3		1 / 2
Average number of embryos transferred	2.1	2.4	2.0		2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	4		1		
Percentage of transfers resulting in live births ^{b,c}	1 / 4		1 / 1		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Miami Infertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE, PA ORLANDO, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	6%	
GIFT	0%	With ICSI	49%	Ovulatory dysfunction	15%	Unknown factor	2%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	9%	Female factors only	17%
		Used PGD	2%	Uterine factor	1%	Female & male factors	22%
		With eSET	3%	Male factor	10%		

2008 PREGNANCY SUCCESS RATES

Data verified by Randall A. Loy, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	202	89	75	22	14
Percentage of embryos transferred resulting in implantation ^b	37.5	31.3	15.3	5.6	3.6
Percentage of cycles resulting in pregnancies ^b	39.1	41.6	20.0	9.1	1 / 14
Percentage of cycles resulting in live births ^{b,c}	35.1	31.5	13.3	9.1	1 / 14
(Confidence Interval)	(28.6–42.2)	(22.0–42.2)	(6.6–23.2)	(1.1–29.2)	
Percentage of retrievals resulting in live births ^{b,c}	42.5	37.8	17.5	2 / 17	1 / 10
Percentage of transfers resulting in live births ^{b,c}	46.7	43.1	18.5	2 / 14	1 / 9
Percentage of transfers resulting in singleton live births ^b	28.3	36.9	11.1	2 / 14	1 / 9
Percentage of cancellations ^b	17.3	16.9	24.0	22.7	4 / 14
Average number of embryos transferred	2.0	2.1	2.2	2.6	3.1
Percentage of pregnancies with twins ^b	48.1	18.9	4 / 15	0 / 2	0 / 1
Percentage of pregnancies with triplets or more ^b	0.0	0.0	0 / 15	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	39.4	14.3	4 / 10	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	22	18	8	2	1
Percentage of transfers resulting in live births ^{b,c}	9.1	6 / 18	2 / 8	0 / 2	0 / 1
Average number of embryos transferred	2.0	1.9	2.5	1.0	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	31		11		
Percentage of transfers resulting in live births ^{b,c}	41.9		1 / 11		
Average number of embryos transferred	2.1		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FRANK C. RIGGALL, MD, PA ORLANDO, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	4%	Other factor	20%
GIFT	0% With ICSI	41% Ovulatory dysfunction	0%	Unknown factor	7%
ZIFT	0% Unstimulated	3% Diminished ovarian reserve	17%	Multiple Factors:	
Combination	0% Used gestational carrier	9% Endometriosis	0%	Female factors only	19%
	Used PGD	0% Uterine factor	0%	Female & male factors	20%
	With eSET	0% Male factor	13%		

2008 PREGNANCY SUCCESS RATES

Data verified by Frank C. Riggall, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	6	6	14	1	4
Percentage of embryos transferred resulting in implantation ^b	1 / 3	2 / 13	4.2		0 / 3
Percentage of cycles resulting in pregnancies ^b	1 / 6	1 / 6	1 / 14	0 / 1	0 / 4
Percentage of cycles resulting in live births ^{b,c}	1 / 6	1 / 6	1 / 14	0 / 1	0 / 4
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	1 / 3	1 / 4	1 / 12		0 / 2
Percentage of transfers resulting in live births ^{b,c}	1 / 2	1 / 4	1 / 11		0 / 2
Percentage of transfers resulting in singleton live births ^b	1 / 2	0 / 4	1 / 11		0 / 2
Percentage of cancellations ^b	3 / 6	2 / 6	2 / 14	1 / 1	2 / 4
Average number of embryos transferred	1.5	3.3	2.2		1.5
Percentage of pregnancies with twins ^b	0 / 1	1 / 1	0 / 1		
Percentage of pregnancies with triplets or more ^b	0 / 1	0 / 1	0 / 1		
Percentage of live births having multiple infants ^{b,c}	0 / 1	1 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	1	2	0	1
Percentage of transfers resulting in live births ^{b,c}	0 / 2	0 / 1	0 / 2		0 / 1
Average number of embryos transferred	2.5	2.0	2.5		2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	5		6		
Percentage of transfers resulting in live births ^{b,c}	1 / 5		1 / 6		
Average number of embryos transferred	2.2		2.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Frank C. Riggall, MD, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW LEADERS IN INFERTILITY & ENDOCRINOLOGY, LLC PENSACOLA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	3%	
GIFT	0%	With ICSI	89%	Ovulatory dysfunction	2%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	20%
		Used PGD	6%	Uterine factor	0%	Female & male factors	27%
		With eSET	0%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by Barry A. Ripps, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	36	14	21	10	2
Percentage of embryos transferred resulting in implantation ^b	14.6	17.1	6.0	13.0	0 / 9
Percentage of cycles resulting in pregnancies ^b	36.1	5 / 14	14.3	2 / 10	0 / 2
Percentage of cycles resulting in live births ^{b,c}	27.8	5 / 14	9.5	1 / 10	0 / 2
(Confidence Interval)	(14.2–45.2)		(1.2–30.4)		
Percentage of retrievals resulting in live births ^{b,c}	28.6	5 / 13	2 / 18	1 / 9	0 / 2
Percentage of transfers resulting in live births ^{b,c}	31.3	5 / 12	2 / 15	1 / 8	0 / 2
Percentage of transfers resulting in singleton live births ^b	25.0	3 / 12	2 / 15	1 / 8	0 / 2
Percentage of cancellations ^b	2.8	1 / 14	14.3	1 / 10	0 / 2
Average number of embryos transferred	2.8	3.4	3.3	2.9	4.5
Percentage of pregnancies with twins ^b	2 / 13	2 / 5	0 / 3	1 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 13	0 / 5	0 / 3	0 / 2	
Percentage of live births having multiple infants ^{b,c}	2 / 10	2 / 5	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	3	0	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 5	1 / 3			
Average number of embryos transferred	2.0	2.7			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		1		
Percentage of transfers resulting in live births ^{b,c}			0 / 1		
Average number of embryos transferred			3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New Leaders in Infertility & Endocrinology, LLC

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & GENETICS PLANTATION, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	98%	Procedural Factors:	Tubal factor	0%	Other factor	12%	
GIFT	0%	With ICSI	77%	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	2%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	25%
		Used PGD	10%	Uterine factor	0%	Female & male factors	52%
		With eSET	2%	Male factor	8%		

2008 PREGNANCY SUCCESS RATES

Data verified by Mick Abaé, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	34	11	11	3	2
Percentage of embryos transferred resulting in implantation ^b	40.3	26.1	31.3	3 / 12	1 / 8
Percentage of cycles resulting in pregnancies ^b	52.9	6 / 11	8 / 11	2 / 3	1 / 2
Percentage of cycles resulting in live births ^{b,c}	44.1	4 / 11	6 / 11	1 / 3	1 / 2
(Confidence Interval)	(27.2–62.1)				
Percentage of retrievals resulting in live births ^{b,c}	45.5	4 / 11	6 / 11	1 / 3	1 / 2
Percentage of transfers resulting in live births ^{b,c}	46.9	4 / 10	6 / 10	1 / 3	1 / 2
Percentage of transfers resulting in singleton live births ^b	21.9	3 / 10	4 / 10	0 / 3	1 / 2
Percentage of cancellations ^b	2.9	0 / 11	0 / 11	0 / 3	0 / 2
Average number of embryos transferred	1.9	2.3	3.2	4.0	4.0
Percentage of pregnancies with twins ^b	8 / 18	1 / 6	2 / 8	1 / 2	0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 18	0 / 6	0 / 8	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	8 / 15	1 / 4	2 / 6	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	1	2	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 3	0 / 1	0 / 2		
Average number of embryos transferred	2.0	3.0	1.5		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	15		1		
Percentage of transfers resulting in live births ^{b,c}	9 / 15		1 / 1		
Average number of embryos transferred	2.3		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility & Genetics

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER AND APPLIED GENETICS OF FLORIDA, INC. SARASOTA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	15%	
GIFT	0%	With ICSI	54%	Ovulatory dysfunction	2%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	24%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	8%	Female factors only	10%
		Used PGD	20%	Uterine factor	<1%	Female & male factors	15%
		With eSET	7%	Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by Julio E. Pabon, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	40	26	25	14	2
Percentage of embryos transferred resulting in implantation ^b	38.5	40.0	17.4	10.0	1 / 9
Percentage of cycles resulting in pregnancies ^b	50.0	42.3	44.0	2 / 14	1 / 2
Percentage of cycles resulting in live births ^{b,c}	42.5	42.3	28.0	1 / 14	1 / 2
(Confidence Interval)	(27.0–59.1)	(23.4–63.1)	(12.1–49.4)		
Percentage of retrievals resulting in live births ^{b,c}	53.1	55.0	30.4	1 / 11	1 / 2
Percentage of transfers resulting in live births ^{b,c}	54.8	11 / 18	33.3	1 / 9	1 / 2
Percentage of transfers resulting in singleton live births ^b	38.7	8 / 18	33.3	0 / 9	1 / 2
Percentage of cancellations ^b	20.0	23.1	8.0	3 / 14	0 / 2
Average number of embryos transferred	2.1	2.5	2.2	2.2	4.5
Percentage of pregnancies with twins ^b	30.0	4 / 11	1 / 11	1 / 2	0 / 1
Percentage of pregnancies with triplets or more ^b	0.0	1 / 11	0 / 11	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	5 / 17	3 / 11	0 / 7	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	2	4	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 2	1 / 2	2 / 4		
Average number of embryos transferred	3.5	2.0	3.3		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	15		3		
Percentage of transfers resulting in live births ^{b,c}	6 / 15		1 / 3		
Average number of embryos transferred	2.1		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center and Applied Genetics of Florida, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE SOUTH MIAMI, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	10%	
GIFT	0%	With ICSI	69%	Ovulatory dysfunction	<1%	Unknown factor	<1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	<1%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	13%
		Used PGD	2%	Uterine factor	0%	Female & male factors	44%
		With eSET	1%	Male factor	23%		

2008 PREGNANCY SUCCESS RATES

Data verified by Juergen Eisermann, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	185	118	84	43	6
Percentage of embryos transferred resulting in implantation ^b	43.7	34.3	30.3	14.3	0 / 5
Percentage of cycles resulting in pregnancies ^b	39.5	37.3	28.6	14.0	0 / 6
Percentage of cycles resulting in live births ^{b,c}	35.1	31.4	21.4	11.6	0 / 6
(Confidence Interval)	(28.3–42.5)	(23.1–40.5)	(13.2–31.7)	(3.9–25.1)	
Percentage of retrievals resulting in live births ^{b,c}	42.5	37.8	29.5	15.6	0 / 3
Percentage of transfers resulting in live births ^{b,c}	48.9	42.0	37.5	18.5	0 / 2
Percentage of transfers resulting in singleton live births ^b	28.6	33.0	27.1	14.8	0 / 2
Percentage of cancellations ^b	17.3	16.9	27.4	25.6	3 / 6
Average number of embryos transferred	1.9	1.9	2.1	2.1	2.5
Percentage of pregnancies with twins ^b	43.8	29.5	25.0	2 / 6	
Percentage of pregnancies with triplets or more ^b	4.1	0.0	0.0	0 / 6	
Percentage of live births having multiple infants ^{b,c}	41.5	21.6	5 / 18	1 / 5	
Frozen Embryos from Nondonor Eggs					
Number of transfers	40	24	8	5	1
Percentage of transfers resulting in live births ^{b,c}	40.0	37.5	3 / 8	0 / 5	0 / 1
Average number of embryos transferred	2.0	1.8	2.4	1.8	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	45		31		
Percentage of transfers resulting in live births ^{b,c}	64.4		22.6		
Average number of embryos transferred	2.0		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: South Florida Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH ASSOCIATES, PA TAMPA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	3%	
GIFT	0%	With ICSI	54%	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	7%
		Used PGD	0%	Uterine factor	0%	Female & male factors	38%
		With eSET	0%	Male factor	31%		

2008 PREGNANCY SUCCESS RATES

Data verified by Catherine L. Cowart, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	21	19	7	1	1
Percentage of embryos transferred resulting in implantation ^b	16.1	15.2	0 / 17	0 / 2	0 / 6
Percentage of cycles resulting in pregnancies ^b	23.8	3 / 19	0 / 7	0 / 1	0 / 1
Percentage of cycles resulting in live births ^{b,c}	14.3	3 / 19	0 / 7	0 / 1	0 / 1
(Confidence Interval)	(3.0–36.3)				
Percentage of retrievals resulting in live births ^{b,c}	3 / 15	3 / 16	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births ^{b,c}	3 / 15	3 / 16	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births ^b	1 / 15	1 / 16	0 / 5	0 / 1	0 / 1
Percentage of cancellations ^b	28.6	3 / 19	2 / 7	0 / 1	0 / 1
Average number of embryos transferred	2.1	2.9	3.4	2.0	6.0
Percentage of pregnancies with twins ^b	2 / 5	0 / 3			
Percentage of pregnancies with triplets or more ^b	0 / 5	2 / 3			
Percentage of live births having multiple infants ^{b,c}	2 / 3	2 / 3			
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	8		0		
Percentage of transfers resulting in live births ^{b,c}	4 / 8				
Average number of embryos transferred	2.6				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Associates, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE REPRODUCTIVE MEDICINE GROUP TAMPA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	13%	Other factor	5%	
GIFT	0%	With ICSI	45%	Ovulatory dysfunction	7%	Unknown factor	15%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	8%	Female factors only	7%
		Used PGD	1%	Uterine factor	<1%	Female & male factors	13%
		With eSET	5%	Male factor	24%		

2008 PREGNANCY SUCCESS RATES

Data verified by Marc Bernhisel, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	234	118	109	33	5
Percentage of embryos transferred resulting in implantation ^b	40.0	31.0	18.4	13.3	0 / 10
Percentage of cycles resulting in pregnancies ^b	46.6	45.8	30.3	24.2	0 / 5
Percentage of cycles resulting in live births ^{b,c}	39.7	32.2	22.9	18.2	0 / 5
(Confidence Interval)	(33.4–46.3)	(23.9–41.4)	(15.4–32.0)	(7.0–35.5)	
Percentage of retrievals resulting in live births ^{b,c}	46.7	35.5	27.2	22.2	0 / 5
Percentage of transfers resulting in live births ^{b,c}	48.9	38.4	28.7	23.1	0 / 4
Percentage of transfers resulting in singleton live births ^b	32.6	26.3	18.4	23.1	0 / 4
Percentage of cancellations ^b	15.0	9.3	15.6	18.2	0 / 5
Average number of embryos transferred	1.9	2.1	2.8	2.9	2.5
Percentage of pregnancies with twins ^b	30.3	24.1	39.4	1 / 8	
Percentage of pregnancies with triplets or more ^b	3.7	1.9	3.0	1 / 8	
Percentage of live births having multiple infants ^{b,c}	33.3	31.6	36.0	0 / 6	
Frozen Embryos from Nondonor Eggs					
Number of transfers	22	13	5	2	1
Percentage of transfers resulting in live births ^{b,c}	31.8	2 / 13	1 / 5	1 / 2	0 / 1
Average number of embryos transferred	2.2	1.8	2.4	2.5	1.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	66		13		
Percentage of transfers resulting in live births ^{b,c}	54.5		1 / 13		
Average number of embryos transferred	2.0		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Reproductive Medicine Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH FLORIDA IVF TAMPA, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	15%
GIFT	0%	With ICSI	Ovulatory dysfunction	6%	Unknown factor	11%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	20%	Multiple Factors:	
Combination	0%	Used gestational carrier	Endometriosis	1%	Female factors only	5%
		Used PGD	Uterine factor	<1%	Female & male factors	11%
		With eSET	Male factor	25%		

2008 PREGNANCY SUCCESS RATES

Data verified by Shayne Plosker, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	34	27	20	9	6
Percentage of embryos transferred resulting in implantation ^b	36.5	16.9	11.9	1 / 14	1 / 15
Percentage of cycles resulting in pregnancies ^b	61.8	25.9	35.0	2 / 9	1 / 6
Percentage of cycles resulting in live births ^{b,c}	52.9	25.9	25.0	1 / 9	0 / 6
(Confidence Interval)	(35.1–70.2)	(11.1–46.3)	(8.7–49.1)		
Percentage of retrievals resulting in live births ^{b,c}	58.1	30.4	5 / 18	1 / 7	0 / 6
Percentage of transfers resulting in live births ^{b,c}	60.0	31.8	5 / 18	1 / 5	0 / 6
Percentage of transfers resulting in singleton live births ^b	50.0	18.2	5 / 18	1 / 5	0 / 6
Percentage of cancellations ^b	8.8	14.8	10.0	2 / 9	0 / 6
Average number of embryos transferred	2.1	2.7	3.3	2.8	2.5
Percentage of pregnancies with twins ^b	14.3	3 / 7	0 / 7	0 / 2	0 / 1
Percentage of pregnancies with triplets or more ^b	4.8	0 / 7	0 / 7	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	3 / 18	3 / 7	0 / 5	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	7	1	1	0
Percentage of transfers resulting in live births ^{b,c}	2 / 2	1 / 7	0 / 1	0 / 1	
Average number of embryos transferred	2.5	2.4	2.0	2.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	25		9		
Percentage of transfers resulting in live births ^{b,c}	60.0		3 / 9		
Average number of embryos transferred	2.0		2.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of South Florida IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

F.I.R.S.T.
FLORIDA INSTITUTE FOR REPRODUCTIVE SCIENCES AND TECHNOLOGIES
WESTON, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	90% Procedural Factors:	Tubal factor	3%	Other factor	9%
GIFT	11% With ICSI	67% Ovulatory dysfunction	8%	Unknown factor	0%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	30%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	7% Endometriosis	2%	Female factors only	15%
	Used PGD	0% Uterine factor	0%	Female & male factors	27%
	With eSET	0% Male factor	6%		

2008 PREGNANCY SUCCESS RATES

Data verified by Minna R. Selub, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	17	20	19	1	0
Percentage of embryos transferred resulting in implantation ^b	8.2	7.5	8.5		
Percentage of cycles resulting in pregnancies ^b	3 / 17	15.0	3 / 19	0 / 1	
Percentage of cycles resulting in live births ^{b,c}	2 / 17	10.0	3 / 19	0 / 1	
(Confidence Interval)		(1.2–31.7)			
Percentage of retrievals resulting in live births ^{b,c}	2 / 17	10.0	3 / 19	0 / 1	
Percentage of transfers resulting in live births ^{b,c}	2 / 15	2 / 19	3 / 18		
Percentage of transfers resulting in singleton live births ^b	1 / 15	1 / 19	2 / 18		
Percentage of cancellations ^b	0 / 17	0.0	0 / 19	0 / 1	
Average number of embryos transferred	3.3	2.8	2.6		
Percentage of pregnancies with twins ^b	1 / 3	1 / 3	1 / 3		
Percentage of pregnancies with triplets or more ^b	0 / 3	0 / 3	0 / 3		
Percentage of live births having multiple infants ^{b,c}	1 / 2	1 / 2	1 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 1				
Average number of embryos transferred	2.0				
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	39		1		
Percentage of transfers resulting in live births ^{b,c}	25.6		0 / 1		
Average number of embryos transferred	2.8		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: F.I.R.S.T., Florida Institute for Reproductive Sciences and Technologies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF ASSISTED REPRODUCTION & ENDOCRINOLOGY

WINTER PARK, FLORIDA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	3%	
GIFT	0%	With ICSI	54%	Ovulatory dysfunction	9%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	27%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	16%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	18%
		With eSET	2%	Male factor	12%		

2008 PREGNANCY SUCCESS RATES

Data verified by Mark P. Trolice, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	70	47	29	19	4
Percentage of embryos transferred resulting in implantation ^b	28.6	17.1	4.8	3.1	0 / 1
Percentage of cycles resulting in pregnancies ^b	42.9	29.8	10.3	2 / 19	0 / 4
Percentage of cycles resulting in live births ^{b,c}	34.3	21.3	3.4	1 / 19	0 / 4
(Confidence Interval)	(23.3–46.6)	(10.7–35.7)	(0.1–17.8)		
Percentage of retrievals resulting in live births ^{b,c}	39.3	24.4	1 / 18	1 / 14	0 / 1
Percentage of transfers resulting in live births ^{b,c}	40.7	27.0	1 / 18	1 / 13	0 / 1
Percentage of transfers resulting in singleton live births ^b	30.5	21.6	1 / 18	1 / 13	0 / 1
Percentage of cancellations ^b	12.9	12.8	37.9	5 / 19	3 / 4
Average number of embryos transferred	1.9	2.2	2.3	2.5	1.0
Percentage of pregnancies with twins ^b	20.0	2 / 14	0 / 3	0 / 2	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 14	0 / 3	0 / 2	
Percentage of live births having multiple infants ^{b,c}	25.0	2 / 10	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	6	5	2	0
Percentage of transfers resulting in live births ^{b,c}	0 / 9	1 / 6	1 / 5	0 / 2	
Average number of embryos transferred	1.6	2.0	2.0	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	20		7		
Percentage of transfers resulting in live births ^{b,c}	60.0		4 / 7		
Average number of embryos transferred	1.9		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Assisted Reproduction & Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ATLANTA CENTER FOR REPRODUCTIVE MEDICINE ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	9%	
GIFT	0%	With ICSI	76%	Ovulatory dysfunction	6%	Unknown factor	7%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	30%
		Used PGD	1%	Uterine factor	<1%	Female & male factors	14%
		With eSET	2%	Male factor	9%		

2008 PREGNANCY SUCCESS RATES

Data verified by James P. Toner, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	233	129	92	28	12
Percentage of embryos transferred resulting in implantation ^b	41.9	24.4	17.6	9.9	7.7
Percentage of cycles resulting in pregnancies ^b	54.9	40.3	32.6	32.1	3 / 12
Percentage of cycles resulting in live births ^{b,c}	47.2	33.3	21.7	10.7	1 / 12
(Confidence Interval)	(40.7–53.8)	(25.3–42.2)	(13.8–31.6)	(2.3–28.2)	
Percentage of retrievals resulting in live births ^{b,c}	50.0	35.5	24.1	11.5	1 / 9
Percentage of transfers resulting in live births ^{b,c}	55.8	39.1	26.0	13.6	1 / 8
Percentage of transfers resulting in singleton live births ^b	37.6	22.7	16.9	13.6	1 / 8
Percentage of cancellations ^b	5.6	6.2	9.8	7.1	3 / 12
Average number of embryos transferred	2.1	2.6	2.9	3.7	3.3
Percentage of pregnancies with twins ^b	35.2	32.7	20.0	2 / 9	0 / 3
Percentage of pregnancies with triplets or more ^b	1.6	3.8	10.0	0 / 9	0 / 3
Percentage of live births having multiple infants ^{b,c}	32.7	41.9	35.0	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	56	26	10	1	1
Percentage of transfers resulting in live births ^{b,c}	44.6	23.1	2 / 10	0 / 1	0 / 1
Average number of embryos transferred	1.8	1.8	2.0	3.0	1.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	65		48		
Percentage of transfers resulting in live births ^{b,c}	44.6		41.7		
Average number of embryos transferred	1.9		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Atlanta Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

EMORY REPRODUCTIVE CENTER ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	15%	Other factor	2%	
GIFT	0%	With ICSI	66%	Ovulatory dysfunction	6%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	18%
		Used PGD	0%	Uterine factor	1%	Female & male factors	34%
		With eSET	2%	Male factor	10%		

2008 PREGNANCY SUCCESS RATES

Data verified by Donna Session, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	72	35	20	10	9
Percentage of embryos transferred resulting in implantation ^b	49.6	38.0	24.0	6.3	3.3
Percentage of cycles resulting in pregnancies ^b	63.9	65.7	40.0	5 / 10	2 / 9
Percentage of cycles resulting in live births ^{b,c}	54.2	54.3	25.0	1 / 10	1 / 9
(Confidence Interval)	(42.0–66.0)	(36.6–71.2)	(8.7–49.1)		
Percentage of retrievals resulting in live births ^{b,c}	58.2	59.4	5 / 16	1 / 8	1 / 7
Percentage of transfers resulting in live births ^{b,c}	62.9	59.4	5 / 15	1 / 8	1 / 7
Percentage of transfers resulting in singleton live births ^b	43.5	46.9	3 / 15	1 / 8	1 / 7
Percentage of cancellations ^b	6.9	8.6	20.0	2 / 10	2 / 9
Average number of embryos transferred	2.0	2.2	3.3	4.0	4.3
Percentage of pregnancies with twins ^b	28.3	21.7	3 / 8	0 / 5	0 / 2
Percentage of pregnancies with triplets or more ^b	4.3	0.0	1 / 8	0 / 5	0 / 2
Percentage of live births having multiple infants ^{b,c}	30.8	4 / 19	2 / 5	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	11	11	7	0	1
Percentage of transfers resulting in live births ^{b,c}	3 / 11	1 / 11	3 / 7		1 / 1
Average number of embryos transferred	1.9	2.8	2.7		4.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	8		2		
Percentage of transfers resulting in live births ^{b,c}	5 / 8		0 / 2		
Average number of embryos transferred	2.0		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Emory Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEORGIA REPRODUCTIVE SPECIALISTS, LLC ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	13%	Other factor	11%	
GIFT	0%	With ICSI	48%	Ovulatory dysfunction	11%	Unknown factor	17%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	12%
		Used PGD	6%	Uterine factor	<1%	Female & male factors	14%
		With eSET	3%	Male factor	10%		

2008 PREGNANCY SUCCESS RATES

Data verified by Mark Perloe, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	137	74	41	14	5
Percentage of embryos transferred resulting in implantation ^b	30.8	25.9	17.8	9.7	1 / 11
Percentage of cycles resulting in pregnancies ^b	48.2	43.2	41.5	4 / 14	1 / 5
Percentage of cycles resulting in live births ^{b,c}	40.1	37.8	34.1	1 / 14	1 / 5
(Confidence Interval)	(31.9–48.9)	(26.8–49.9)	(20.1–50.6)		
Percentage of retrievals resulting in live births ^{b,c}	42.0	41.2	37.8	1 / 8	1 / 4
Percentage of transfers resulting in live births ^{b,c}	43.7	41.8	37.8	1 / 8	1 / 4
Percentage of transfers resulting in singleton live births ^b	30.2	23.9	32.4	1 / 8	1 / 4
Percentage of cancellations ^b	4.4	8.1	9.8	6 / 14	1 / 5
Average number of embryos transferred	2.2	2.8	2.9	3.9	2.8
Percentage of pregnancies with twins ^b	30.3	28.1	3 / 17	0 / 4	0 / 1
Percentage of pregnancies with triplets or more ^b	3.0	12.5	0 / 17	0 / 4	0 / 1
Percentage of live births having multiple infants ^{b,c}	30.9	42.9	2 / 14	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	68	19	22	5	6
Percentage of transfers resulting in live births ^{b,c}	29.4	3 / 19	27.3	0 / 5	1 / 6
Average number of embryos transferred	1.9	2.1	1.8	2.2	1.8
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		29		19	
Percentage of transfers resulting in live births ^{b,c}		44.8		1 / 19	
Average number of embryos transferred		2.1		1.8	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Georgia Reproductive Specialists, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE BIOLOGY ASSOCIATES ATLANTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	4%	
GIFT	0%	With ICSI	87%	Ovulatory dysfunction	10%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	18%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	4%	Female factors only	19%
		Used PGD	9%	Uterine factor	<1%	Female & male factors	21%
		With eSET	5%	Male factor	12%		

2008 PREGNANCY SUCCESS RATES

Data verified by Andrew Toledo, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	273	187	168	63	34
Percentage of embryos transferred resulting in implantation ^b	33.1	22.1	14.8	8.2	1.3
Percentage of cycles resulting in pregnancies ^b	48.4	36.9	32.1	22.2	2.9
Percentage of cycles resulting in live births ^{b,c}	40.7	31.6	24.4	11.1	0.0
(Confidence Interval)	(34.8–46.7)	(25.0–38.7)	(18.1–31.6)	(4.6–21.6)	(0.0–10.3)
Percentage of retrievals resulting in live births ^{b,c}	42.9	35.5	27.5	14.3	0.0
Percentage of transfers resulting in live births ^{b,c}	46.1	38.8	30.1	15.6	0.0
Percentage of transfers resulting in singleton live births ^b	32.8	25.7	22.8	11.1	0.0
Percentage of cancellations ^b	5.1	11.2	11.3	22.2	14.7
Average number of embryos transferred	2.2	2.6	3.0	3.8	3.5
Percentage of pregnancies with twins ^b	30.3	29.0	14.8	2 / 14	0 / 1
Percentage of pregnancies with triplets or more ^b	0.8	0.0	3.7	0 / 14	0 / 1
Percentage of live births having multiple infants ^{b,c}	28.8	33.9	24.4	2 / 7	
Frozen Embryos from Nondonor Eggs					
Number of transfers	135	69	51	13	6
Percentage of transfers resulting in live births ^{b,c}	48.9	50.7	31.4	1 / 13	3 / 6
Average number of embryos transferred	2.3	2.5	3.0	2.8	2.8
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	70		66		
Percentage of transfers resulting in live births ^{b,c}	64.3		50.0		
Average number of embryos transferred	1.9		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Biology Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND INFERTILITY ASSOCIATES AUGUSTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	17%	Other factor	7%
GIFT	0% With ICSI	82% Ovulatory dysfunction	14%	Unknown factor	14%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	7%	Female factors only	3%
	Used PGD	0% Uterine factor	0%	Female & male factors	7%
	With eSET	0% Male factor	24%		

2008 PREGNANCY SUCCESS RATES

Data verified by Adelina M. Emmi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	11	4	6	0	1
Percentage of embryos transferred resulting in implantation ^b	39.1	1 / 6	2 / 14		0 / 3
Percentage of cycles resulting in pregnancies ^b	6 / 11	1 / 4	3 / 6		0 / 1
Percentage of cycles resulting in live births ^{b,c}	5 / 11	1 / 4	1 / 6		0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	5 / 11	1 / 3	1 / 6		0 / 1
Percentage of transfers resulting in live births ^{b,c}	5 / 10	1 / 3	1 / 6		0 / 1
Percentage of transfers resulting in singleton live births ^b	2 / 10	1 / 3	1 / 6		0 / 1
Percentage of cancellations ^b	0 / 11	1 / 4	0 / 6		0 / 1
Average number of embryos transferred	2.3	2.0	2.3		3.0
Percentage of pregnancies with twins ^b	3 / 6	0 / 1	0 / 3		
Percentage of pregnancies with triplets or more ^b	0 / 6	0 / 1	0 / 3		
Percentage of live births having multiple infants ^{b,c}	3 / 5	0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	0	2	0	0
Percentage of transfers resulting in live births ^{b,c}	2 / 5		1 / 2		
Average number of embryos transferred	2.2		2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine and Infertility Associates

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SERVY INSTITUTE FOR REPRODUCTIVE ENDOCRINOLOGY AUGUSTA, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	3%
GIFT	0%	With ICSI	Ovulatory dysfunction	6%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	3%	Female factors only	42%
		Used PGD	Uterine factor	0%	Female & male factors	27%
		With eSET	Male factor	3%		

2008 PREGNANCY SUCCESS RATES

Data verified by Edouard Servy, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	12	6	2	1	1
Percentage of embryos transferred resulting in implantation ^b	42.3	3 / 9	0 / 4		0 / 3
Percentage of cycles resulting in pregnancies ^b	8 / 12	2 / 6	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in live births ^{b,c}	7 / 12	2 / 6	0 / 2	0 / 1	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	7 / 12	2 / 5	0 / 2		0 / 1
Percentage of transfers resulting in live births ^{b,c}	7 / 12	2 / 4	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births ^b	4 / 12	1 / 4	0 / 2		0 / 1
Percentage of cancellations ^b	0 / 12	1 / 6	0 / 2	1 / 1	0 / 1
Average number of embryos transferred	2.2	2.3	2.0		3.0
Percentage of pregnancies with twins ^b	3 / 8	1 / 2			
Percentage of pregnancies with triplets or more ^b	0 / 8	0 / 2			
Percentage of live births having multiple infants ^{b,c}	3 / 7	1 / 2			
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	1	1	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 1	0 / 1	0 / 1		
Average number of embryos transferred	2.0	2.0	2.0		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	3		1		
Percentage of transfers resulting in live births ^{b,c}	1 / 3		1 / 1		
Average number of embryos transferred	1.7		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Servy Institute for Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBUS CENTER FOR REPRODUCTIVE ENDOCRINOLOGY & INFERTILITY, LLC COLUMBUS, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	18%	Other factor	0%	
GIFT	0%	With ICSI	77%	Ovulatory dysfunction	22%	Unknown factor	1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	18%
		Used PGD	0%	Uterine factor	5%	Female & male factors	23%
		With eSET	0%	Male factor	5%		

2008 PREGNANCY SUCCESS RATES

Data verified by Prakash J. Thirupathi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	38	15	10	1	0
Percentage of embryos transferred resulting in implantation ^b	25.6	27.6	13.6	0 / 3	
Percentage of cycles resulting in pregnancies ^b	50.0	5 / 15	3 / 10	0 / 1	
Percentage of cycles resulting in live births ^{b,c}	31.6	5 / 15	3 / 10	0 / 1	
(Confidence Interval)	(17.5–48.7)				
Percentage of retrievals resulting in live births ^{b,c}	32.4	5 / 13	3 / 7	0 / 1	
Percentage of transfers resulting in live births ^{b,c}	33.3	5 / 12	3 / 7	0 / 1	
Percentage of transfers resulting in singleton live births ^b	22.2	3 / 12	3 / 7	0 / 1	
Percentage of cancellations ^b	2.6	2 / 15	3 / 10	0 / 1	
Average number of embryos transferred	2.4	2.4	3.1	3.0	
Percentage of pregnancies with twins ^b	4 / 19	3 / 5	0 / 3		
Percentage of pregnancies with triplets or more ^b	1 / 19	0 / 5	0 / 3		
Percentage of live births having multiple infants ^{b,c}	4 / 12	2 / 5	0 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	14	2	2	0	0
Percentage of transfers resulting in live births ^{b,c}	6 / 14	1 / 2	0 / 2		
Average number of embryos transferred	2.9	4.5	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		0		
Percentage of transfers resulting in live births ^{b,c}	1 / 4				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Columbus Center for Reproductive Endocrinology & Infertility, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTRAL GEORGIA FERTILITY INSTITUTE MACON, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	20%	Other factor	0%	
GIFT	0%	With ICSI	52%	Ovulatory dysfunction	6%	Unknown factor	12%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	6%
		Used PGD	0%	Uterine factor	2%	Female & male factors	27%
		With eSET	6%	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by William J. Butler, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	24	8	11	1	0
Percentage of embryos transferred resulting in implantation ^b	36.4	0 / 16	0 / 18	0 / 1	
Percentage of cycles resulting in pregnancies ^b	41.7	0 / 8	0 / 11	0 / 1	
Percentage of cycles resulting in live births ^{b,c}	37.5	0 / 8	0 / 11	0 / 1	
(Confidence Interval)	(18.8–59.4)				
Percentage of retrievals resulting in live births ^{b,c}	39.1	0 / 8	0 / 10	0 / 1	
Percentage of transfers resulting in live births ^{b,c}	39.1	0 / 8	0 / 9	0 / 1	
Percentage of transfers resulting in singleton live births ^b	13.0	0 / 8	0 / 9	0 / 1	
Percentage of cancellations ^b	4.2	0 / 8	1 / 11	0 / 1	
Average number of embryos transferred	1.9	2.0	2.0	1.0	
Percentage of pregnancies with twins ^b	6 / 10				
Percentage of pregnancies with triplets or more ^b	0 / 10				
Percentage of live births having multiple infants ^{b,c}	6 / 9				
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	1	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 3	1 / 1	0 / 1		
Average number of embryos transferred	2.0	2.0	2.0		
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		0		0	
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Central Georgia Fertility Institute

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEORGIA CENTER FOR REPRODUCTIVE MEDICINE SAVANNAH, GEORGIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	16%	Other factor	7%
GIFT	0% With ICSI	25% Ovulatory dysfunction	17%	Unknown factor	3%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	4%	Female factors only	22%
	Used PGD	2% Uterine factor	2%	Female & male factors	12%
	With eSET	2% Male factor	7%		

2008 PREGNANCY SUCCESS RATES

Data verified by Patrick L. Blohm, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	43	33	19	5	0
Percentage of embryos transferred resulting in implantation ^b	32.6	22.2	15.9	1 / 12	
Percentage of cycles resulting in pregnancies ^b	51.2	39.4	4 / 19	1 / 5	
Percentage of cycles resulting in live births ^{b,c}	39.5	27.3	4 / 19	1 / 5	
(Confidence Interval)	(25.0–55.6)	(13.3–45.5)			
Percentage of retrievals resulting in live births ^{b,c}	40.5	30.0	4 / 16	1 / 5	
Percentage of transfers resulting in live births ^{b,c}	43.6	33.3	4 / 16	1 / 5	
Percentage of transfers resulting in singleton live births ^b	30.8	29.6	2 / 16	1 / 5	
Percentage of cancellations ^b	2.3	9.1	3 / 19	0 / 5	
Average number of embryos transferred	2.2	2.3	2.8	2.4	
Percentage of pregnancies with twins ^b	31.8	2 / 13	1 / 4	0 / 1	
Percentage of pregnancies with triplets or more ^b	4.5	0 / 13	1 / 4	0 / 1	
Percentage of live births having multiple infants ^{b,c}	5 / 17	1 / 9	2 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	28	13	7	4	0
Percentage of transfers resulting in live births ^{b,c}	39.3	4 / 13	3 / 7	1 / 4	
Average number of embryos transferred	2.0	1.8	2.0	1.8	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	14		4		
Percentage of transfers resulting in live births ^{b,c}	10 / 14		3 / 4		
Average number of embryos transferred	2.1		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Georgia Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CENTER OF HAWAII HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	1%	
GIFT	0%	With ICSI	71%	Ovulatory dysfunction	0%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	4%
		Used PGD	2%	Uterine factor	0%	Female & male factors	54%
		With eSET	0%	Male factor	23%		

2008 PREGNANCY SUCCESS RATES

Data verified by Christopher T. Huang, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	43	18	33	7	9
Percentage of embryos transferred resulting in implantation ^b	18.3	12.7	11.7	1 / 16	0.0
Percentage of cycles resulting in pregnancies ^b	34.9	4 / 18	30.3	1 / 7	0 / 9
Percentage of cycles resulting in live births ^{b,c}	25.6	4 / 18	24.2	1 / 7	0 / 9
(Confidence Interval)	(13.5–41.2)		(11.1–42.3)		
Percentage of retrievals resulting in live births ^{b,c}	28.9	4 / 18	27.6	1 / 7	0 / 9
Percentage of transfers resulting in live births ^{b,c}	32.4	4 / 17	28.6	1 / 6	0 / 9
Percentage of transfers resulting in singleton live births ^b	23.5	3 / 17	25.0	1 / 6	0 / 9
Percentage of cancellations ^b	11.6	0 / 18	12.1	0 / 7	0 / 9
Average number of embryos transferred	2.4	3.2	3.4	2.7	2.4
Percentage of pregnancies with twins ^b	3 / 15	1 / 4	2 / 10	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 15	1 / 4	0 / 10	0 / 1	
Percentage of live births having multiple infants ^{b,c}	3 / 11	1 / 4	1 / 8	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	2	1	1	0
Percentage of transfers resulting in live births ^{b,c}	1 / 5	1 / 2	0 / 1	0 / 1	
Average number of embryos transferred	2.8	3.5	3.0	3.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	6		8		
Percentage of transfers resulting in live births ^{b,c}	3 / 6		5 / 8		
Average number of embryos transferred	2.2		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Center of Hawaii

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

HAWAII REPRODUCTIVE CENTER HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	0%	
GIFT	0%	With ICSI	91%	Ovulatory dysfunction	1%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	12%
		Used PGD	0%	Uterine factor	0%	Female & male factors	44%
		With eSET	0%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by Celia E. Dominguez, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	27	18	21	6	6
Percentage of embryos transferred resulting in implantation ^b	27.1	16.7	22.0	2 / 16	1 / 17
Percentage of cycles resulting in pregnancies ^b	44.4	7 / 18	47.6	1 / 6	1 / 6
Percentage of cycles resulting in live births ^{b,c}	37.0	7 / 18	47.6	1 / 6	0 / 6
(Confidence Interval)	(19.4–57.6)		(25.7–70.2)		
Percentage of retrievals resulting in live births ^{b,c}	41.7	7 / 16	10 / 19	1 / 6	0 / 6
Percentage of transfers resulting in live births ^{b,c}	41.7	7 / 16	10 / 17	1 / 6	0 / 4
Percentage of transfers resulting in singleton live births ^b	29.2	6 / 16	8 / 17	0 / 6	0 / 4
Percentage of cancellations ^b	11.1	2 / 18	9.5	0 / 6	0 / 6
Average number of embryos transferred	2.5	3.0	3.5	2.7	4.3
Percentage of pregnancies with twins ^b	2 / 12	1 / 7	1 / 10	1 / 1	0 / 1
Percentage of pregnancies with triplets or more ^b	2 / 12	0 / 7	1 / 10	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	3 / 10	1 / 7	2 / 10	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	2	2	1	0
Percentage of transfers resulting in live births ^{b,c}		0 / 2	0 / 2	0 / 1	
Average number of embryos transferred		3.5	3.0	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		1		
Percentage of transfers resulting in live births ^{b,c}	1 / 4		1 / 1		
Average number of embryos transferred	2.5		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Hawaii Reproductive Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF HAWAII HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	2%	Other factor	0%	
GIFT	0%	With ICSI	89%	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	39%
		Used PGD	0%	Uterine factor	0%	Female & male factors	51%
		With eSET	0%	Male factor	1%		

2008 PREGNANCY SUCCESS RATES

Data verified by Benton H.H. Chun, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	30	14	25	9	6
Percentage of embryos transferred resulting in implantation ^b	42.0	25.0	11.3	6.7	10.0
Percentage of cycles resulting in pregnancies ^b	63.3	7 / 14	32.0	3 / 9	2 / 6
Percentage of cycles resulting in live births ^{b,c}	60.0	5 / 14	16.0	0 / 9	1 / 6
(Confidence Interval)	(40.6–77.3)		(4.5–36.1)		
Percentage of retrievals resulting in live births ^{b,c}	69.2	5 / 14	18.2	0 / 8	1 / 6
Percentage of transfers resulting in live births ^{b,c}	69.2	5 / 13	19.0	0 / 8	1 / 5
Percentage of transfers resulting in singleton live births ^b	38.5	4 / 13	19.0	0 / 8	1 / 5
Percentage of cancellations ^b	13.3	0 / 14	12.0	1 / 9	0 / 6
Average number of embryos transferred	2.7	2.5	3.0	3.8	4.0
Percentage of pregnancies with twins ^b	5 / 19	1 / 7	0 / 8	0 / 3	0 / 2
Percentage of pregnancies with triplets or more ^b	3 / 19	0 / 7	0 / 8	0 / 3	0 / 2
Percentage of live births having multiple infants ^{b,c}	8 / 18	1 / 5	0 / 4		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	3	0	3	0
Percentage of transfers resulting in live births ^{b,c}	0 / 1	0 / 3		2 / 3	
Average number of embryos transferred	3.0	2.3		2.7	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	2		0		
Percentage of transfers resulting in live births ^{b,c}	2 / 2				
Average number of embryos transferred	2.5				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Hawaii

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC IN VITRO FERTILIZATION INSTITUTE HONOLULU, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	2%	
GIFT	0%	With ICSI	57%	Ovulatory dysfunction	1%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	6%	Female factors only	11%
		Used PGD	1%	Uterine factor	0%	Female & male factors	45%
		With eSET	<1%	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by Thomas S. Kosasa, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	103	71	67	34	11
Percentage of embryos transferred resulting in implantation ^b	25.2	25.7	12.4	9.0	0.0
Percentage of cycles resulting in pregnancies ^b	35.0	33.8	29.9	14.7	1 / 11
Percentage of cycles resulting in live births ^{b,c}	30.1	29.6	23.9	8.8	0 / 11
(Confidence Interval)	(21.5–39.9)	(19.3–41.6)	(14.3–35.9)	(1.9–23.7)	
Percentage of retrievals resulting in live births ^{b,c}	34.8	35.0	27.6	11.1	0 / 11
Percentage of transfers resulting in live births ^{b,c}	36.5	38.2	28.6	12.5	0 / 9
Percentage of transfers resulting in singleton live births ^b	22.4	20.0	23.2	12.5	0 / 9
Percentage of cancellations ^b	13.6	15.5	13.4	20.6	0 / 11
Average number of embryos transferred	2.4	2.6	3.7	3.3	2.8
Percentage of pregnancies with twins ^b	30.6	45.8	20.0	2 / 5	0 / 1
Percentage of pregnancies with triplets or more ^b	5.6	4.2	5.0	0 / 5	0 / 1
Percentage of live births having multiple infants ^{b,c}	38.7	47.6	3 / 16	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	31	20	16	9	3
Percentage of transfers resulting in live births ^{b,c}	32.3	30.0	9 / 16	1 / 9	1 / 3
Average number of embryos transferred	2.2	2.2	2.5	2.9	3.0
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		24		17	
Percentage of transfers resulting in live births ^{b,c}		58.3		5 / 17	
Average number of embryos transferred		2.1		1.9	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific In Vitro Fertilization Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

TRIPLER ARMY MEDICAL CENTER IVF INSTITUTE TRIPLER AMC, HAWAII

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	20%	Other factor	0%	
GIFT	0%	With ICSI	72%	Ovulatory dysfunction	13%	Unknown factor	16%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	4%
		Used PGD	0%	Uterine factor	0%	Female & male factors	26%
		With eSET	0%	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by Richard S. Lucidi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	14	5	13	0	0
Percentage of embryos transferred resulting in implantation ^b	25.7	0 / 12	9.3		
Percentage of cycles resulting in pregnancies ^b	7 / 14	1 / 5	3 / 13		
Percentage of cycles resulting in live births ^{b,c}	4 / 14	0 / 5	3 / 13		
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	4 / 14	0 / 5	3 / 12		
Percentage of transfers resulting in live births ^{b,c}	4 / 13	0 / 5	3 / 11		
Percentage of transfers resulting in singleton live births ^b	2 / 13	0 / 5	2 / 11		
Percentage of cancellations ^b	0 / 14	0 / 5	1 / 13		
Average number of embryos transferred	2.7	2.4	3.9		
Percentage of pregnancies with twins ^b	4 / 7	0 / 1	1 / 3		
Percentage of pregnancies with triplets or more ^b	0 / 7	0 / 1	0 / 3		
Percentage of live births having multiple infants ^{b,c}	2 / 4		1 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	9	5	0	0
Percentage of transfers resulting in live births ^{b,c}	3 / 9	3 / 9	0 / 5		
Average number of embryos transferred	2.0	2.0	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2008. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

IDAHO CENTER FOR REPRODUCTIVE MEDICINE BOISE, IDAHO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	2%	
GIFT	0%	With ICSI	56%	Ovulatory dysfunction	5%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	15%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	6%	Endometriosis	3%	Female factors only	21%
		Used PGD	3%	Uterine factor	3%	Female & male factors	24%
		With eSET	0%	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by Cristin C. Slater, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	130	56	25	5	1
Percentage of embryos transferred resulting in implantation ^b	28.9	17.8	10.9	1 / 15	0 / 5
Percentage of cycles resulting in pregnancies ^b	46.2	39.3	24.0	1 / 5	0 / 1
Percentage of cycles resulting in live births ^{b,c}	40.0	28.6	16.0	1 / 5	0 / 1
(Confidence Interval)	(31.5–49.0)	(17.3–42.2)	(4.5–36.1)		
Percentage of retrievals resulting in live births ^{b,c}	42.3	32.0	19.0	1 / 4	0 / 1
Percentage of transfers resulting in live births ^{b,c}	43.0	33.3	19.0	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births ^b	25.6	22.9	14.3	1 / 4	0 / 1
Percentage of cancellations ^b	5.4	10.7	16.0	1 / 5	0 / 1
Average number of embryos transferred	2.3	3.0	3.0	3.8	5.0
Percentage of pregnancies with twins ^b	36.7	22.7	2 / 6	0 / 1	
Percentage of pregnancies with triplets or more ^b	3.3	4.5	0 / 6	0 / 1	
Percentage of live births having multiple infants ^{b,c}	40.4	5 / 16	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	65	14	11	7	0
Percentage of transfers resulting in live births ^{b,c}	35.4	3 / 14	2 / 11	1 / 7	
Average number of embryos transferred	2.6	2.3	2.4	2.4	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	56		43		
Percentage of transfers resulting in live births ^{b,c}	62.5		37.2		
Average number of embryos transferred	2.3		2.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Idaho Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

RUSH-COPLEY CENTER FOR REPRODUCTIVE HEALTH AURORA, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	98% Procedural Factors:	Tubal factor	15%	Other factor	6%
GIFT	0% With ICSI	84% Ovulatory dysfunction	27%	Unknown factor	<1%
ZIFT	1% Unstimulated	0% Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	1% Used gestational carrier	1% Endometriosis	7%	Female factors only	4%
	Used PGD	0% Uterine factor	6%	Female & male factors	6%
	With eSET	0% Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Zvi Binor, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	34	26	16	4	1
Percentage of embryos transferred resulting in implantation ^b	29.9	16.4	10.0	1 / 10	0 / 2
Percentage of cycles resulting in pregnancies ^b	47.1	30.8	5 / 16	1 / 4	0 / 1
Percentage of cycles resulting in live births ^{b,c}	38.2	19.2	2 / 16	1 / 4	0 / 1
(Confidence Interval)	(22.2–56.4)	(6.6–39.4)			
Percentage of retrievals resulting in live births ^{b,c}	40.6	25.0	2 / 14	1 / 4	0 / 1
Percentage of transfers resulting in live births ^{b,c}	44.8	25.0	2 / 12	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births ^b	27.6	25.0	2 / 12	1 / 4	0 / 1
Percentage of cancellations ^b	5.9	23.1	2 / 16	0 / 4	0 / 1
Average number of embryos transferred	2.7	2.8	2.5	2.5	2.0
Percentage of pregnancies with twins ^b	7 / 16	1 / 8	0 / 5	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 16	0 / 8	0 / 5	0 / 1	
Percentage of live births having multiple infants ^{b,c}	5 / 13	0 / 5	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	1	1	0	0
Percentage of transfers resulting in live births ^{b,c}	2 / 9	0 / 1	0 / 1		
Average number of embryos transferred	2.4	2.0	2.0		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	4		3		
Percentage of transfers resulting in live births ^{b,c}	1 / 4		0 / 3		
Average number of embryos transferred	2.3		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Rush-Copley Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MARTIN S. BALIN, MD, PhD CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	5%	Other factor	0%
GIFT	0% With ICSI	92% Ovulatory dysfunction	10%	Unknown factor	10%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	0%	Female factors only	13%
	Used PGD	0% Uterine factor	0%	Female & male factors	51%
	With eSET	0% Male factor	8%		

2008 PREGNANCY SUCCESS RATES

Data verified by Martin S. Balin, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	13	8	2	3	0
Percentage of embryos transferred resulting in implantation ^b	32.0	5 / 17	0 / 2	0 / 6	
Percentage of cycles resulting in pregnancies ^b	5 / 13	3 / 8	0 / 2	0 / 3	
Percentage of cycles resulting in live births ^{b,c}	3 / 13	3 / 8	0 / 2	0 / 3	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	3 / 13	3 / 8	0 / 2	0 / 3	
Percentage of transfers resulting in live births ^{b,c}	3 / 13	3 / 8	0 / 1	0 / 3	
Percentage of transfers resulting in singleton live births ^b	1 / 13	2 / 8	0 / 1	0 / 3	
Percentage of cancellations ^b	0 / 13	0 / 8	0 / 2	0 / 3	
Average number of embryos transferred	1.9	2.1	2.0	2.0	
Percentage of pregnancies with twins ^b	3 / 5	2 / 3			
Percentage of pregnancies with triplets or more ^b	0 / 5	0 / 3			
Percentage of live births having multiple infants ^{b,c}	2 / 3	1 / 3			
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	0	0	1	1
Percentage of transfers resulting in live births ^{b,c}	1 / 4			0 / 1	0 / 1
Average number of embryos transferred	2.5			3.0	1.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	2		1		
Percentage of transfers resulting in live births ^{b,c}	1 / 2		0 / 1		
Average number of embryos transferred	2.5		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Martin S. Balin, MD, PhD

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE & FERTILITY
THE UNIVERSITY OF CHICAGO
CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	12%	Other factor	17%
GIFT	0% With ICSI	48% Ovulatory dysfunction	5%	Unknown factor	20%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	1% Endometriosis	7%	Female factors only	15%
	Used PGD	1% Uterine factor	3%	Female & male factors	10%
	With eSET	0% Male factor	5%		

2008 PREGNANCY SUCCESS RATES

Data verified by Helen Kim, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	59	33	35	25	7
Percentage of embryos transferred resulting in implantation ^b	22.6	17.1	8.5	9.8	0 / 8
Percentage of cycles resulting in pregnancies ^b	30.5	33.3	20.0	12.0	0 / 7
Percentage of cycles resulting in live births ^{b,c}	25.4	33.3	11.4	4.0	0 / 7
(Confidence Interval)	(15.0–38.4)	(18.0–51.8)	(3.2–26.7)	(0.1–20.4)	
Percentage of retrievals resulting in live births ^{b,c}	33.3	37.9	16.7	1 / 13	0 / 3
Percentage of transfers resulting in live births ^{b,c}	39.5	37.9	18.2	1 / 10	0 / 2
Percentage of transfers resulting in singleton live births ^b	34.2	27.6	13.6	0 / 10	0 / 2
Percentage of cancellations ^b	23.7	12.1	31.4	48.0	4 / 7
Average number of embryos transferred	2.4	2.8	3.2	4.1	4.0
Percentage of pregnancies with twins ^b	2 / 18	3 / 11	1 / 7	0 / 3	
Percentage of pregnancies with triplets or more ^b	1 / 18	0 / 11	0 / 7	1 / 3	
Percentage of live births having multiple infants ^{b,c}	2 / 15	3 / 11	1 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	20	10	6	2	2
Percentage of transfers resulting in live births ^{b,c}	45.0	3 / 10	3 / 6	0 / 2	0 / 2
Average number of embryos transferred	2.8	3.1	3.0	3.5	7.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	13		16		
Percentage of transfers resulting in live births ^{b,c}	5 / 13		3 / 16		
Average number of embryos transferred	2.3		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine & Fertility, The University of Chicago

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR HUMAN REPRODUCTION (IHR) CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	3%	Other factor	24%	
GIFT	0%	With ICSI	94%	Ovulatory dysfunction	6%	Unknown factor	1%
ZIFT	0%	Unstimulated	1%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	0%	Female factors only	16%
		Used PGD	58%	Uterine factor	1%	Female & male factors	31%
		With eSET	8%	Male factor	5%		

2008 PREGNANCY SUCCESS RATES

Data verified by Ilan Tur-Kaspa, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	79	26	40	21	12
Percentage of embryos transferred resulting in implantation ^b	31.0	36.8	32.7	9.8	0 / 16
Percentage of cycles resulting in pregnancies ^b	41.8	38.5	35.0	19.0	0 / 12
Percentage of cycles resulting in live births ^{b,c}	35.4	30.8	20.0	9.5	0 / 12
(Confidence Interval)	(25.0–47.0)	(14.3–51.8)	(9.1–35.6)	(1.2–30.4)	
Percentage of retrievals resulting in live births ^{b,c}	35.4	30.8	21.6	10.0	0 / 11
Percentage of transfers resulting in live births ^{b,c}	38.4	36.4	27.6	2 / 19	0 / 7
Percentage of transfers resulting in singleton live births ^b	27.4	27.3	13.8	1 / 19	0 / 7
Percentage of cancellations ^b	0.0	0.0	7.5	4.8	1 / 12
Average number of embryos transferred	1.8	1.7	1.8	2.2	2.3
Percentage of pregnancies with twins ^b	27.3	4 / 10	4 / 14	1 / 4	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 10	0 / 14	0 / 4	
Percentage of live births having multiple infants ^{b,c}	28.6	2 / 8	4 / 8	1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	34	9	8	4	0
Percentage of transfers resulting in live births ^{b,c}	23.5	0 / 9	1 / 8	1 / 4	
Average number of embryos transferred	1.8	1.3	1.9	2.3	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	20		18		
Percentage of transfers resulting in live births ^{b,c}	65.0		4 / 18		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Human Reproduction (IHR)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWESTERN UNIVERSITY CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	1%	
GIFT	0%	With ICSI	72%	Ovulatory dysfunction	9%	Unknown factor	21%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	25%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	4%	Female factors only	4%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	8%
		With eSET	2%	Male factor	22%		

2008 PREGNANCY SUCCESS RATES

Data verified by Edmond Confino, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	154	124	111	48	14
Percentage of embryos transferred resulting in implantation ^b	28.3	23.6	15.0	9.3	0.0
Percentage of cycles resulting in pregnancies ^b	44.2	31.5	26.1	20.8	0 / 14
Percentage of cycles resulting in live births ^{b,c}	37.7	26.6	20.7	10.4	0 / 14
(Confidence Interval)	(30.0–45.8)	(19.1–35.3)	(13.6–29.5)	(3.5–22.7)	
Percentage of retrievals resulting in live births ^{b,c}	40.6	33.0	24.5	11.9	0 / 12
Percentage of transfers resulting in live births ^{b,c}	41.4	35.1	27.1	12.5	0 / 9
Percentage of transfers resulting in singleton live births ^b	32.1	26.6	22.4	12.5	0 / 9
Percentage of cancellations ^b	7.1	19.4	15.3	12.5	2 / 14
Average number of embryos transferred	2.1	2.2	2.4	2.7	3.3
Percentage of pregnancies with twins ^b	23.5	23.1	13.8	0 / 10	
Percentage of pregnancies with triplets or more ^b	0.0	0.0	0.0	0 / 10	
Percentage of live births having multiple infants ^{b,c}	22.4	24.2	17.4	0 / 5	
Frozen Embryos from Nondonor Eggs					
Number of transfers	38	36	24	4	2
Percentage of transfers resulting in live births ^{b,c}	42.1	33.3	33.3	1 / 4	0 / 2
Average number of embryos transferred	2.2	2.3	2.4	2.5	3.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	41		24		
Percentage of transfers resulting in live births ^{b,c}	58.5		20.8		
Average number of embryos transferred	2.0		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Northwestern University

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

RIVER NORTH IVF-FERTILITY CENTERS OF ILLINOIS CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	9%	
GIFT	0%	With ICSI	82%	Ovulatory dysfunction	15%	Unknown factor	18%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	4%	Female factors only	8%
		Used PGD	3%	Uterine factor	2%	Female & male factors	10%
		With eSET	8%	Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by Angelina Beltsos, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	912	476	390	178	91
Percentage of embryos transferred resulting in implantation ^b	35.8	22.8	14.2	9.6	7.2
Percentage of cycles resulting in pregnancies ^b	41.6	29.2	18.7	12.4	6.6
Percentage of cycles resulting in live births ^{b,c}	35.3	23.7	12.8	6.7	5.5
(Confidence Interval)	(32.2–38.5)	(20.0–27.8)	(9.7–16.6)	(3.5–11.5)	(1.8–12.4)
Percentage of retrievals resulting in live births ^{b,c}	39.3	27.9	16.3	9.3	8.9
Percentage of transfers resulting in live births ^{b,c}	43.2	31.0	19.6	11.9	11.9
Percentage of transfers resulting in singleton live births ^b	29.9	23.1	15.7	10.9	11.9
Percentage of cancellations ^b	10.2	14.9	21.3	27.5	38.5
Average number of embryos transferred	1.9	2.1	2.3	2.3	2.3
Percentage of pregnancies with twins ^b	29.3	28.1	16.4	13.6	1 / 6
Percentage of pregnancies with triplets or more ^b	4.7	0.7	2.7	0.0	0 / 6
Percentage of live births having multiple infants ^{b,c}	30.7	25.7	20.0	1 / 12	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of transfers	228	93	78	19	12
Percentage of transfers resulting in live births ^{b,c}	35.1	29.0	30.8	6 / 19	2 / 12
Average number of embryos transferred	1.9	1.9	2.0	1.8	2.1
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	117		34		
Percentage of transfers resulting in live births ^{b,c}	49.6		23.5		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: River North IVF-Fertility Centers of Illinois

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF ILLINOIS AT CHICAGO IVF PROGRAM CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	9%
GIFT	0%	With ICSI	Ovulatory dysfunction	8%	Unknown factor	6%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	4%	Female factors only	23%
	0%	Used PGD	Uterine factor	<1%	Female & male factors	17%
	10%	With eSET	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by Humberto Scoccia, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	64	21	15	14	7
Percentage of embryos transferred resulting in implantation ^b	33.3	10.0	9.7	1 / 9	0 / 8
Percentage of cycles resulting in pregnancies ^b	29.7	23.8	2 / 15	1 / 14	0 / 7
Percentage of cycles resulting in live births ^{b,c}	26.6	9.5	1 / 15	0 / 14	0 / 7
(Confidence Interval)	(16.3–39.1)	(1.2–30.4)			
Percentage of retrievals resulting in live births ^{b,c}	34.7	10.0	1 / 13	0 / 3	0 / 3
Percentage of transfers resulting in live births ^{b,c}	40.5	10.0	1 / 12	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births ^b	38.1	10.0	0 / 12	0 / 3	0 / 2
Percentage of cancellations ^b	23.4	4.8	2 / 15	11 / 14	4 / 7
Average number of embryos transferred	1.8	2.0	2.6	3.0	4.0
Percentage of pregnancies with twins ^b	4 / 19	0 / 5	1 / 2	0 / 1	
Percentage of pregnancies with triplets or more ^b	1 / 19	0 / 5	0 / 2	0 / 1	
Percentage of live births having multiple infants ^{b,c}	1 / 17	0 / 2	1 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	13	10	1	1	0
Percentage of transfers resulting in live births ^{b,c}	1 / 13	3 / 10	1 / 1	0 / 1	
Average number of embryos transferred	1.8	1.8	2.0	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	8		5		
Percentage of transfers resulting in live births ^{b,c}	5 / 8		2 / 5		
Average number of embryos transferred	1.6		1.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Illinois at Chicago IVF Program

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S HEALTH CONSULTANTS CHICAGO, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	93%	Procedural Factors:	Tubal factor	2%	Other factor	<1%	
GIFT	2%	With ICSI	79%	Ovulatory dysfunction	3%	Unknown factor	<1%
ZIFT	5%	Unstimulated	3%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	<1%	Used gestational carrier	<1%	Endometriosis	0%	Female factors only	53%
		Used PGD	4%	Uterine factor	<1%	Female & male factors	37%
		With eSET	2%	Male factor	3%		

2008 PREGNANCY SUCCESS RATES

Data verified by Mary W. Molo, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	45	36	23	12	15
Percentage of embryos transferred resulting in implantation ^b	37.2	13.3	19.5	3 / 12	10.3
Percentage of cycles resulting in pregnancies ^b	51.1	22.2	21.7	2 / 12	2 / 15
Percentage of cycles resulting in live births ^{b,c}	40.0	16.7	17.4	1 / 12	2 / 15
(Confidence Interval)	(25.7–55.7)	(6.4–32.8)	(5.0–38.8)		
Percentage of retrievals resulting in live births ^{b,c}	45.0	17.1	4 / 16	1 / 8	2 / 11
Percentage of transfers resulting in live births ^{b,c}	48.6	18.2	4 / 14	1 / 6	2 / 9
Percentage of transfers resulting in singleton live births ^b	35.1	3.0	3 / 14	1 / 6	2 / 9
Percentage of cancellations ^b	11.1	2.8	30.4	4 / 12	4 / 15
Average number of embryos transferred	2.3	3.0	2.9	2.0	3.2
Percentage of pregnancies with twins ^b	21.7	4 / 8	3 / 5	1 / 2	1 / 2
Percentage of pregnancies with triplets or more ^b	8.7	1 / 8	0 / 5	0 / 2	0 / 2
Percentage of live births having multiple infants ^{b,c}	5 / 18	5 / 6	1 / 4	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	3	5	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 3	1 / 3	1 / 5		
Average number of embryos transferred	5.0	3.3	2.2		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		0		
Percentage of transfers resulting in live births ^{b,c}	1 / 1				
Average number of embryos transferred	3.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Health Consultants

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE HEALTH/JOLIET IVF CREST HILL, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	2%	
GIFT	0%	With ICSI	73%	Ovulatory dysfunction	4%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	27%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	7%	Female factors only	12%
		Used PGD	0%	Uterine factor	0%	Female & male factors	17%
		With eSET	0%	Male factor	12%		

2008 PREGNANCY SUCCESS RATES

Data verified by R. Scott Springer, DO

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	65	17	11	9	2
Percentage of embryos transferred resulting in implantation ^b	35.4	15.6	4.5	1 / 18	0 / 5
Percentage of cycles resulting in pregnancies ^b	44.6	5 / 17	1 / 11	1 / 9	0 / 2
Percentage of cycles resulting in live births ^{b,c}	43.1	3 / 17	1 / 11	0 / 9	0 / 2
(Confidence Interval)	(30.8–56.0)				
Percentage of retrievals resulting in live births ^{b,c}	47.5	3 / 14	1 / 9	0 / 7	0 / 1
Percentage of transfers resulting in live births ^{b,c}	50.0	3 / 14	1 / 7	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births ^b	25.0	1 / 14	1 / 7	0 / 6	0 / 1
Percentage of cancellations ^b	9.2	3 / 17	2 / 11	2 / 9	1 / 2
Average number of embryos transferred	2.3	2.3	3.1	3.0	5.0
Percentage of pregnancies with twins ^b	58.6	2 / 5	0 / 1	0 / 1	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 5	0 / 1	0 / 1	
Percentage of live births having multiple infants ^{b,c}	50.0	2 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	12	3	1	1	0
Percentage of transfers resulting in live births ^{b,c}	4 / 12	0 / 3	0 / 1	0 / 1	
Average number of embryos transferred	2.3	2.0	4.0	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	5		0		
Percentage of transfers resulting in live births ^{b,c}	3 / 5				
Average number of embryos transferred	2.2				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Health/Joliet IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY CENTER DOWNERS GROVE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100% Procedural Factors:	Tubal factor	5%	Other factor	5%	
GIFT	0% With ICSI	44%	Ovulatory dysfunction	7%	Unknown factor	3%
ZIFT	0% Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0%	Endometriosis	9%	Female factors only	26%
	Used PGD	5%	Uterine factor	3%	Female & male factors	26%
	With eSET	0%	Male factor	6%		

2008 PREGNANCY SUCCESS RATES

Data verified by Amos E. Madanes, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	59	14	23	4	3
Percentage of embryos transferred resulting in implantation ^b	20.8	19.4	19.0	0 / 12	0 / 8
Percentage of cycles resulting in pregnancies ^b	40.7	6 / 14	34.8	0 / 4	1 / 3
Percentage of cycles resulting in live births ^{b,c}	39.0	5 / 14	30.4	0 / 4	0 / 3
(Confidence Interval)	(26.5–52.6)		(13.2–52.9)		
Percentage of retrievals resulting in live births ^{b,c}	41.1	5 / 14	31.8	0 / 4	0 / 3
Percentage of transfers resulting in live births ^{b,c}	41.1	5 / 14	35.0	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births ^b	30.4	4 / 14	20.0	0 / 4	0 / 3
Percentage of cancellations ^b	5.1	0 / 14	4.3	0 / 4	0 / 3
Average number of embryos transferred	2.7	2.6	2.9	3.0	2.7
Percentage of pregnancies with twins ^b	29.2	2 / 6	2 / 8		0 / 1
Percentage of pregnancies with triplets or more ^b	0.0	0 / 6	1 / 8		0 / 1
Percentage of live births having multiple infants ^{b,c}	26.1	1 / 5	3 / 7		
Frozen Embryos from Nondonor Eggs					
Number of transfers	25	5	1	2	0
Percentage of transfers resulting in live births ^{b,c}	28.0	4 / 5	1 / 1	0 / 2	
Average number of embryos transferred	2.2	3.0	3.0	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	11		0		
Percentage of transfers resulting in live births ^{b,c}	6 / 11				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE RINEHART CENTER FOR REPRODUCTIVE MEDICINE EVANSTON, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	5%	
GIFT	0%	With ICSI	84%	Ovulatory dysfunction	18%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	26%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	5%
		Used PGD	<1%	Uterine factor	1%	Female & male factors	13%
		With eSET	1%	Male factor	14%		

2008 PREGNANCY SUCCESS RATES

Data verified by John S. Rinehart, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	104	40	40	8	2
Percentage of embryos transferred resulting in implantation ^b	33.7	47.1	21.7	1 / 8	2 / 2
Percentage of cycles resulting in pregnancies ^b	26.0	50.0	20.0	2 / 8	1 / 2
Percentage of cycles resulting in live births ^{b,c}	24.0	40.0	17.5	0 / 8	1 / 2
(Confidence Interval)	(16.2–33.4)	(24.9–56.7)	(7.3–32.8)		
Percentage of retrievals resulting in live births ^{b,c}	28.1	45.7	25.0	0 / 8	1 / 2
Percentage of transfers resulting in live births ^{b,c}	50.0	59.3	35.0	0 / 5	1 / 1
Percentage of transfers resulting in singleton live births ^b	46.0	44.4	25.0	0 / 5	0 / 1
Percentage of cancellations ^b	14.4	12.5	30.0	0 / 8	0 / 2
Average number of embryos transferred	1.9	1.9	2.3	1.6	2.0
Percentage of pregnancies with twins ^b	18.5	25.0	2 / 8	0 / 2	1 / 1
Percentage of pregnancies with triplets or more ^b	0.0	0.0	0 / 8	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	8.0	4 / 16	2 / 7		1 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	33	3	3	4	2
Percentage of transfers resulting in live births ^{b,c}	42.4	0 / 3	0 / 3	1 / 4	2 / 2
Average number of embryos transferred	2.2	2.3	2.7	2.3	2.5
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	16		9		
Percentage of transfers resulting in live births ^{b,c}	5 / 16		6 / 9		
Average number of embryos transferred	2.0		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Rinehart Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE RINEHART-COULAM CENTER EVANSTON, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	15%	
GIFT	0%	With ICSI	84%	Ovulatory dysfunction	11%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	22%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	15%
		Used PGD	0%	Uterine factor	2%	Female & male factors	11%
		With eSET	8%	Male factor	7%		

2008 PREGNANCY SUCCESS RATES

Data verified by Carolyn B. Coulam, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	20	9	7	0	2
Percentage of embryos transferred resulting in implantation ^b	33.3	7 / 13	2 / 16		0 / 5
Percentage of cycles resulting in pregnancies ^b	35.0	5 / 9	2 / 7		0 / 2
Percentage of cycles resulting in live births ^{b,c}	20.0	5 / 9	0 / 7		0 / 2
(Confidence Interval)	(5.7–43.7)				
Percentage of retrievals resulting in live births ^{b,c}	4 / 19	5 / 8	0 / 7		0 / 1
Percentage of transfers resulting in live births ^{b,c}	4 / 15	5 / 5	0 / 6		0 / 1
Percentage of transfers resulting in singleton live births ^b	3 / 15	4 / 5	0 / 6		0 / 1
Percentage of cancellations ^b	5.0	1 / 9	0 / 7		1 / 2
Average number of embryos transferred	2.4	2.6	2.7		5.0
Percentage of pregnancies with twins ^b	2 / 7	2 / 5	0 / 2		
Percentage of pregnancies with triplets or more ^b	1 / 7	0 / 5	0 / 2		
Percentage of live births having multiple infants ^{b,c}	1 / 4	1 / 5			
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	2	1	0	0
Percentage of transfers resulting in live births ^{b,c}	2 / 3	0 / 2	0 / 1		
Average number of embryos transferred	2.7	2.0	4.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		0		
Percentage of transfers resulting in live births ^{b,c}	1 / 1				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Rinehart-Coulam Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF CHICAGO GURNEE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	2%	
GIFT	0%	With ICSI	72%	Ovulatory dysfunction	8%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	8%	Female factors only	14%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	14%
		With eSET	3%	Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Richard P. Sherbahn, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	187	71	53	19	5
Percentage of embryos transferred resulting in implantation ^b	45.0	31.5	20.4	10.2	1 / 12
Percentage of cycles resulting in pregnancies ^b	60.4	45.1	34.0	7 / 19	1 / 5
Percentage of cycles resulting in live births ^{b,c}	54.0	38.0	22.6	1 / 19	0 / 5
(Confidence Interval)	(46.6–61.3)	(26.8–50.3)	(12.3–36.2)		
Percentage of retrievals resulting in live births ^{b,c}	56.7	40.9	26.1	1 / 15	0 / 5
Percentage of transfers resulting in live births ^{b,c}	57.4	42.9	27.3	1 / 15	0 / 5
Percentage of transfers resulting in singleton live births ^b	36.4	36.5	20.5	1 / 15	0 / 5
Percentage of cancellations ^b	4.8	7.0	13.2	4 / 19	0 / 5
Average number of embryos transferred	2.1	2.0	2.3	3.3	2.4
Percentage of pregnancies with twins ^b	38.9	9.4	4 / 18	0 / 7	0 / 1
Percentage of pregnancies with triplets or more ^b	4.4	9.4	1 / 18	0 / 7	0 / 1
Percentage of live births having multiple infants ^{b,c}	36.6	14.8	3 / 12	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	20	8	5	2	0
Percentage of transfers resulting in live births ^{b,c}	45.0	2 / 8	2 / 5	0 / 2	
Average number of embryos transferred	1.8	2.4	2.2	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	47		7		
Percentage of transfers resulting in live births ^{b,c}	78.7		3 / 7		
Average number of embryos transferred	1.9		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Center of Chicago

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO INFERTILITY ASSOCIATES HANOVER PARK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	20%	Other factor	0%	
GIFT	0%	With ICSI	64%	Ovulatory dysfunction	33%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	20%
		Used PGD	0%	Uterine factor	0%	Female & male factors	7%
		With eSET	0%	Male factor	7%		

2008 PREGNANCY SUCCESS RATES

Data verified by Ketan N. Jobanputra, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	3	1	6	1	0
Percentage of embryos transferred resulting in implantation ^b	1 / 3		0 / 7		
Percentage of cycles resulting in pregnancies ^b	1 / 3	0 / 1	2 / 6	0 / 1	
Percentage of cycles resulting in live births ^{b,c}	1 / 3	0 / 1	0 / 6	0 / 1	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	1 / 2	0 / 1	0 / 5	0 / 1	
Percentage of transfers resulting in live births ^{b,c}	1 / 2		0 / 3		
Percentage of transfers resulting in singleton live births ^b	1 / 2		0 / 3		
Percentage of cancellations ^b	1 / 3	0 / 1	1 / 6	0 / 1	
Average number of embryos transferred	1.5		2.3		
Percentage of pregnancies with twins ^b	0 / 1		0 / 2		
Percentage of pregnancies with triplets or more ^b	0 / 1		0 / 2		
Percentage of live births having multiple infants ^{b,c}	0 / 1				
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	4	0	0	0
Percentage of transfers resulting in live births ^{b,c}		0 / 4			
Average number of embryos transferred		2.0			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Chicago Infertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

HIGHLAND PARK IVF CENTER HIGHLAND PARK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	3%	Other factor	10%	
GIFT	0%	With ICSI	83%	Ovulatory dysfunction	7%	Unknown factor	26%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	1%	Female factors only	29%
		Used PGD	10%	Uterine factor	1%	Female & male factors	9%
		With eSET	7%	Male factor	10%		

2008 PREGNANCY SUCCESS RATES

Data verified by Edward L. Marut, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	555	339	391	170	89
Percentage of embryos transferred resulting in implantation ^b	31.0	18.3	10.7	6.8	5.0
Percentage of cycles resulting in pregnancies ^b	42.9	30.1	18.9	14.7	7.9
Percentage of cycles resulting in live births ^{b,c}	37.7	23.3	15.1	8.2	5.6
(Confidence Interval)	(33.6–41.8)	(18.9–28.2)	(11.7–19.0)	(4.6–13.4)	(1.8–12.6)
Percentage of retrievals resulting in live births ^{b,c}	41.7	26.6	18.7	10.9	7.7
Percentage of transfers resulting in live births ^{b,c}	44.0	28.2	21.5	13.0	9.6
Percentage of transfers resulting in singleton live births ^b	29.5	22.1	18.2	11.1	9.6
Percentage of cancellations ^b	9.7	12.4	19.2	24.1	27.0
Average number of embryos transferred	2.2	2.5	2.8	3.1	3.5
Percentage of pregnancies with twins ^b	31.5	20.6	16.2	12.0	0 / 7
Percentage of pregnancies with triplets or more ^b	2.9	2.9	2.7	0.0	1 / 7
Percentage of live births having multiple infants ^{b,c}	33.0	21.5	15.3	2 / 14	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of transfers	125	54	45	14	5
Percentage of transfers resulting in live births ^{b,c}	41.6	20.4	33.3	4 / 14	1 / 5
Average number of embryos transferred	2.3	2.1	2.2	2.6	2.2
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	185		115		
Percentage of transfers resulting in live births ^{b,c}	45.4		39.1		
Average number of embryos transferred	2.2		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Highland Park IVF Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

HINSDALE CENTER FOR REPRODUCTION HINSDALE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	23%	
GIFT	0%	With ICSI	94%	Ovulatory dysfunction	3%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	9%	Female factors only	6%
		Used PGD	2%	Uterine factor	0%	Female & male factors	18%
		With eSET	4%	Male factor	22%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael J. Hickey, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	25	19	11	8	0
Percentage of embryos transferred resulting in implantation ^b	29.8	32.6	20.8	1 / 16	
Percentage of cycles resulting in pregnancies ^b	32.0	10 / 19	4 / 11	1 / 8	
Percentage of cycles resulting in live births ^{b,c}	32.0	6 / 19	3 / 11	1 / 8	
(Confidence Interval)	(14.9–53.5)				
Percentage of retrievals resulting in live births ^{b,c}	32.0	6 / 19	3 / 9	1 / 7	
Percentage of transfers resulting in live births ^{b,c}	40.0	6 / 17	3 / 8	1 / 7	
Percentage of transfers resulting in singleton live births ^b	15.0	4 / 17	3 / 8	1 / 7	
Percentage of cancellations ^b	0.0	0 / 19	2 / 11	1 / 8	
Average number of embryos transferred	2.4	2.7	3.0	2.3	
Percentage of pregnancies with twins ^b	4 / 8	4 / 10	1 / 4	0 / 1	
Percentage of pregnancies with triplets or more ^b	1 / 8	1 / 10	0 / 4	0 / 1	
Percentage of live births having multiple infants ^{b,c}	5 / 8	2 / 6	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	12	6	2	2	5
Percentage of transfers resulting in live births ^{b,c}	5 / 12	2 / 6	1 / 2	0 / 2	2 / 5
Average number of embryos transferred	2.4	2.8	3.0	2.0	2.4
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	8		0		
Percentage of transfers resulting in live births ^{b,c}	4 / 8				
Average number of embryos transferred	2.3				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Hinsdale Center for Reproduction

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REENA JABAMONI, MD, SC HOFFMAN ESTATES, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	2%	Other factor	0%
GIFT	0%	With ICSI	Ovulatory dysfunction	62%	Unknown factor	2%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	3%	Female factors only	5%
		Used PGD	Uterine factor	2%	Female & male factors	12%
		With eSET	Male factor	3%		

2008 PREGNANCY SUCCESS RATES

Data verified by Reena Jabamoni, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	23	9	2	4	0
Percentage of embryos transferred resulting in implantation ^b	17.0	7 / 13	0 / 5	0 / 10	
Percentage of cycles resulting in pregnancies ^b	30.4	5 / 9	0 / 2	0 / 4	
Percentage of cycles resulting in live births ^{b,c}	26.1	5 / 9	0 / 2	0 / 4	
(Confidence Interval)	(10.2–48.4)				
Percentage of retrievals resulting in live births ^{b,c}	27.3	5 / 7	0 / 2	0 / 4	
Percentage of transfers resulting in live births ^{b,c}	27.3	5 / 6	0 / 2	0 / 4	
Percentage of transfers resulting in singleton live births ^b	18.2	3 / 6	0 / 2	0 / 4	
Percentage of cancellations ^b	4.3	2 / 9	0 / 2	0 / 4	
Average number of embryos transferred	2.1	2.2	2.5	2.5	
Percentage of pregnancies with twins ^b	2 / 7	2 / 5			
Percentage of pregnancies with triplets or more ^b	0 / 7	0 / 5			
Percentage of live births having multiple infants ^{b,c}	2 / 6	2 / 5			
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	8	3	1	0
Percentage of transfers resulting in live births ^{b,c}	1 / 5	1 / 8	1 / 3	0 / 1	
Average number of embryos transferred	2.0	2.0	2.3	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		0		
Percentage of transfers resulting in live births ^{b,c}	2 / 3				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reena Jabamoni, MD, SC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

KARANDE AND ASSOCIATES, SC HOFFMAN ESTATES, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	5%	
GIFT	0%	With ICSI	81%	Ovulatory dysfunction	12%	Unknown factor	24%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	26%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	2%
		Used PGD	3%	Uterine factor	<1%	Female & male factors	7%
		With eSET	2%	Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by Vishvanath C. Karande, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	143	76	48	18	14
Percentage of embryos transferred resulting in implantation ^b	39.5	20.1	14.2	3.4	0.0
Percentage of cycles resulting in pregnancies ^b	53.1	31.6	27.1	2 / 18	0 / 14
Percentage of cycles resulting in live births ^{b,c}	50.3	26.3	22.9	2 / 18	0 / 14
(Confidence Interval)	(41.9–58.8)	(16.9–37.7)	(12.0–37.3)		
Percentage of retrievals resulting in live births ^{b,c}	55.4	29.0	26.8	2 / 18	0 / 13
Percentage of transfers resulting in live births ^{b,c}	58.5	29.9	30.6	2 / 17	0 / 12
Percentage of transfers resulting in singleton live births ^b	39.0	17.9	25.0	2 / 17	0 / 12
Percentage of cancellations ^b	9.1	9.2	14.6	0 / 18	1 / 14
Average number of embryos transferred	2.2	2.4	3.1	3.4	2.5
Percentage of pregnancies with twins ^b	32.9	37.5	1 / 13	0 / 2	
Percentage of pregnancies with triplets or more ^b	2.6	0.0	1 / 13	0 / 2	
Percentage of live births having multiple infants ^{b,c}	33.3	40.0	2 / 11	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	20	14	3	1	0
Percentage of transfers resulting in live births ^{b,c}	45.0	1 / 14	1 / 3	0 / 1	
Average number of embryos transferred	1.9	1.9	2.3	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	33		8		
Percentage of transfers resulting in live births ^{b,c}	66.7		3 / 8		
Average number of embryos transferred	2.1		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Karande and Associates, SC, dba InVia Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS, LTD. JOLIET, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	0%	Other factor	0%	
GIFT	0%	With ICSI	100%	Ovulatory dysfunction	10%	Unknown factor	25%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	7%
		Used PGD	6%	Uterine factor	15%	Female & male factors	10%
		With eSET	0%	Male factor	26%		

2008 PREGNANCY SUCCESS RATES

Data verified by Marek W. Piekos, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	51	18	9	2	0
Percentage of embryos transferred resulting in implantation ^b	11.6	12.0	20.0	0 / 5	
Percentage of cycles resulting in pregnancies ^b	29.4	5 / 18	2 / 9	0 / 2	
Percentage of cycles resulting in live births ^{b,c}	25.5	4 / 18	2 / 9	0 / 2	
(Confidence Interval)	(14.3–39.6)				
Percentage of retrievals resulting in live births ^{b,c}	25.5	4 / 18	2 / 9	0 / 2	
Percentage of transfers resulting in live births ^{b,c}	26.0	4 / 18	2 / 7	0 / 2	
Percentage of transfers resulting in singleton live births ^b	20.0	2 / 18	1 / 7	0 / 2	
Percentage of cancellations ^b	0.0	0 / 18	0 / 9	0 / 2	
Average number of embryos transferred	2.9	2.8	2.9	2.5	
Percentage of pregnancies with twins ^b	3 / 15	2 / 5	0 / 2		
Percentage of pregnancies with triplets or more ^b	0 / 15	0 / 5	1 / 2		
Percentage of live births having multiple infants ^{b,c}	3 / 13	2 / 4	1 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	8	2	2	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 8	0 / 2	1 / 2		
Average number of embryos transferred	3.0	2.5	3.5		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		0		
Percentage of transfers resulting in live births ^{b,c}	0 / 1				
Average number of embryos transferred	3.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Specialists, Ltd.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE FERTILITY INSTITUTE AT EDWARD
CHARLES E. MILLER, MD & ASSOCIATES
NAPERVILLE, ILLINOIS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	11%	
GIFT	0%	With ICSI	90%	Ovulatory dysfunction	2%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	4%	Female factors only	12%
		Used PGD	3%	Uterine factor	3%	Female & male factors	28%
		With eSET	10%	Male factor	17%		

2008 PREGNANCY SUCCESS RATES

Data verified by Charles E. Miller, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	133	55	49	26	9
Percentage of embryos transferred resulting in implantation ^b	40.6	28.4	13.5	6.3	5 / 17
Percentage of cycles resulting in pregnancies ^b	50.4	47.3	24.5	15.4	3 / 9
Percentage of cycles resulting in live births ^{b,c}	39.1	36.4	18.4	7.7	3 / 9
(Confidence Interval)	(30.8–47.9)	(23.8–50.4)	(8.8–32.0)	(0.9–25.1)	
Percentage of retrievals resulting in live births ^{b,c}	40.0	40.0	22.5	10.0	3 / 8
Percentage of transfers resulting in live births ^{b,c}	43.7	42.6	25.0	2 / 18	3 / 5
Percentage of transfers resulting in singleton live births ^b	29.4	34.0	16.7	2 / 18	3 / 5
Percentage of cancellations ^b	2.3	9.1	18.4	23.1	1 / 9
Average number of embryos transferred	1.8	2.2	3.1	2.7	3.4
Percentage of pregnancies with twins ^b	28.4	15.4	2 / 12	0 / 4	0 / 3
Percentage of pregnancies with triplets or more ^b	4.5	3.8	2 / 12	0 / 4	1 / 3
Percentage of live births having multiple infants ^{b,c}	32.7	20.0	3 / 9	0 / 2	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of transfers	30	10	5	1	0
Percentage of transfers resulting in live births ^{b,c}	56.7	5 / 10	1 / 5	0 / 1	
Average number of embryos transferred	2.1	2.2	2.4	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	14		8		
Percentage of transfers resulting in live births ^{b,c}	8 / 14		3 / 8		
Average number of embryos transferred	2.3		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2008. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).
^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF1 NAPERVILLE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	>99%	Procedural Factors:	Tubal factor	7%	Other factor	15%	
GIFT	0%	With ICSI	94%	Ovulatory dysfunction	2%	Unknown factor	22%
ZIFT	<1%	Unstimulated	1%	Diminished ovarian reserve	16%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	1%	Female factors only	9%
		Used PGD	25%	Uterine factor	<1%	Female & male factors	14%
		With eSET	3%	Male factor	14%		

2008 PREGNANCY SUCCESS RATES

Data verified by Randy S. Morris, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	143	57	60	12	3
Percentage of embryos transferred resulting in implantation ^b	35.8	27.3	14.3	17.4	0 / 4
Percentage of cycles resulting in pregnancies ^b	47.6	38.6	25.0	4 / 12	0 / 3
Percentage of cycles resulting in live births ^{b,c}	41.3	36.8	20.0	4 / 12	0 / 3
(Confidence Interval)	(33.1–49.8)	(24.4–50.7)	(10.8–32.3)		
Percentage of retrievals resulting in live births ^{b,c}	43.1	38.2	21.8	4 / 12	0 / 3
Percentage of transfers resulting in live births ^{b,c}	46.1	38.9	24.5	4 / 10	0 / 2
Percentage of transfers resulting in singleton live births ^b	29.7	24.1	18.4	4 / 10	0 / 2
Percentage of cancellations ^b	4.2	3.5	8.3	0 / 12	0 / 3
Average number of embryos transferred	2.0	2.2	2.4	2.3	2.0
Percentage of pregnancies with twins ^b	39.7	40.9	3 / 15	0 / 4	
Percentage of pregnancies with triplets or more ^b	0.0	4.5	0 / 15	0 / 4	
Percentage of live births having multiple infants ^{b,c}	35.6	38.1	3 / 12	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of transfers	55	36	14	1	0
Percentage of transfers resulting in live births ^{b,c}	25.5	33.3	3 / 14	1 / 1	
Average number of embryos transferred	1.9	1.9	1.8	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	32		23		
Percentage of transfers resulting in live births ^{b,c}	59.4		13.0		
Average number of embryos transferred	2.1		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF1

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

OAK BROOK FERTILITY CENTER OAK BROOK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	12%	
GIFT	0%	With ICSI	88%	Ovulatory dysfunction	11%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	14%	Female factors only	5%
		Used PGD	4%	Uterine factor	1%	Female & male factors	19%
		With eSET	17%	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by W. Paul Dmowski, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	60	22	17	3	0
Percentage of embryos transferred resulting in implantation ^b	40.2	62.2	23.8	0 / 6	
Percentage of cycles resulting in pregnancies ^b	45.0	72.7	4 / 17	1 / 3	
Percentage of cycles resulting in live births ^{b,c}	36.7	59.1	2 / 17	0 / 3	
(Confidence Interval)	(24.6–50.1)	(36.4–79.3)			
Percentage of retrievals resulting in live births ^{b,c}	37.9	65.0	2 / 14	0 / 3	
Percentage of transfers resulting in live births ^{b,c}	43.1	13 / 17	2 / 9	0 / 3	
Percentage of transfers resulting in singleton live births ^b	23.5	7 / 17	2 / 9	0 / 3	
Percentage of cancellations ^b	3.3	9.1	3 / 17	0 / 3	
Average number of embryos transferred	1.8	2.2	2.3	2.0	
Percentage of pregnancies with twins ^b	40.7	8 / 16	1 / 4	0 / 1	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 16	0 / 4	0 / 1	
Percentage of live births having multiple infants ^{b,c}	45.5	6 / 13	0 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	29	14	9	1	0
Percentage of transfers resulting in live births ^{b,c}	58.6	4 / 14	6 / 9	0 / 1	
Average number of embryos transferred	2.0	2.3	1.9	4.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	2		8		
Percentage of transfers resulting in live births ^{b,c}	0 / 2		4 / 8		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Oak Brook Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-CENTRAL ILLINOIS PEORIA, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	13%	Other factor	7%	
GIFT	0%	With ICSI	94%	Ovulatory dysfunction	8%	Unknown factor	18%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	27%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	2%
		Used PGD	5%	Uterine factor	0%	Female & male factors	4%
		With eSET	0%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by Natalie Schultz, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	68	20	14	9	3
Percentage of embryos transferred resulting in implantation ^b	28.3	18.2	16.1	3.7	0 / 9
Percentage of cycles resulting in pregnancies ^b	41.2	30.0	6 / 14	1 / 9	1 / 3
Percentage of cycles resulting in live births ^{b,c}	38.2	20.0	4 / 14	1 / 9	0 / 3
(Confidence Interval)	(26.7–50.8)	(5.7–43.7)			
Percentage of retrievals resulting in live births ^{b,c}	39.4	4 / 17	4 / 14	1 / 9	0 / 3
Percentage of transfers resulting in live births ^{b,c}	42.6	4 / 16	4 / 12	1 / 9	0 / 3
Percentage of transfers resulting in singleton live births ^b	27.9	1 / 16	4 / 12	1 / 9	0 / 3
Percentage of cancellations ^b	2.9	15.0	0 / 14	0 / 9	0 / 3
Average number of embryos transferred	2.3	2.8	2.6	3.0	3.0
Percentage of pregnancies with twins ^b	39.3	3 / 6	0 / 6	0 / 1	0 / 1
Percentage of pregnancies with triplets or more ^b	0.0	0 / 6	0 / 6	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	34.6	3 / 4	0 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	6	3	1	0
Percentage of transfers resulting in live births ^{b,c}	7 / 9	1 / 6	2 / 3	0 / 1	
Average number of embryos transferred	1.9	2.8	1.7	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		0		
Percentage of transfers resulting in live births ^{b,c}	2 / 4				
Average number of embryos transferred	2.3				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sher Institute for Reproductive Medicine-Central Illinois

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH AND FERTILITY CENTER ROCKFORD, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	95% Procedural Factors:	Tubal factor	13%	Other factor	<1%
GIFT	5% With ICSI	81% Ovulatory dysfunction	3%	Unknown factor	2%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	2% Endometriosis	8%	Female factors only	31%
	Used PGD	0% Uterine factor	<1%	Female & male factors	22%
	With eSET	3% Male factor	17%		

2008 PREGNANCY SUCCESS RATES

Data verified by Chiravudh Sawetawan, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	48	18	10	3	2
Percentage of embryos transferred resulting in implantation ^b	23.5	19.5	4 / 18	0 / 9	0 / 3
Percentage of cycles resulting in pregnancies ^b	37.5	5 / 18	3 / 10	0 / 3	0 / 2
Percentage of cycles resulting in live births ^{b,c}	29.2	3 / 18	3 / 10	0 / 3	0 / 2
(Confidence Interval)	(17.0–44.1)				
Percentage of retrievals resulting in live births ^{b,c}	31.1	3 / 14	3 / 7	0 / 3	0 / 2
Percentage of transfers resulting in live births ^{b,c}	35.9	3 / 11	3 / 6	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births ^b	23.1	1 / 11	2 / 6	0 / 2	0 / 1
Percentage of cancellations ^b	6.3	4 / 18	3 / 10	0 / 3	0 / 2
Average number of embryos transferred	2.6	3.7	3.0	4.5	3.0
Percentage of pregnancies with twins ^b	4 / 18	1 / 5	1 / 3		
Percentage of pregnancies with triplets or more ^b	1 / 18	1 / 5	0 / 3		
Percentage of live births having multiple infants ^{b,c}	5 / 14	2 / 3	1 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	28	9	3	1	0
Percentage of transfers resulting in live births ^{b,c}	7.1	2 / 9	2 / 3	0 / 1	
Average number of embryos transferred	2.5	2.4	2.7	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	10		14		
Percentage of transfers resulting in live births ^{b,c}	3 / 10		4 / 14		
Average number of embryos transferred	2.1		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health and Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH SHORE FERTILITY, SC SKOKIE, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	14%	
GIFT	0%	With ICSI	92%	Ovulatory dysfunction	13%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	31%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	3%
		Used PGD	28%	Uterine factor	5%	Female & male factors	9%
		With eSET	3%	Male factor	13%		

2008 PREGNANCY SUCCESS RATES

Data verified by Susan Davies, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	69	48	43	19	21
Percentage of embryos transferred resulting in implantation ^b	25.8	10.1	11.9	3 / 16	5.0
Percentage of cycles resulting in pregnancies ^b	40.6	14.6	23.3	3 / 19	4.8
Percentage of cycles resulting in live births ^{b,c}	29.0	14.6	7.0	2 / 19	4.8
(Confidence Interval)	(18.7–41.2)	(6.1–27.8)	(1.5–19.1)		(0.1–23.8)
Percentage of retrievals resulting in live births ^{b,c}	29.4	14.6	7.0	2 / 19	5.0
Percentage of transfers resulting in live births ^{b,c}	32.8	17.1	8.6	2 / 11	1 / 8
Percentage of transfers resulting in singleton live births ^b	23.0	12.2	2.9	2 / 11	1 / 8
Percentage of cancellations ^b	1.4	0.0	0.0	0 / 19	4.8
Average number of embryos transferred	2.2	2.2	1.9	1.5	2.5
Percentage of pregnancies with twins ^b	28.6	2 / 7	2 / 10	1 / 3	0 / 1
Percentage of pregnancies with triplets or more ^b	3.6	0 / 7	0 / 10	0 / 3	0 / 1
Percentage of live births having multiple infants ^{b,c}	30.0	2 / 7	2 / 3	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	20	9	3	3	0
Percentage of transfers resulting in live births ^{b,c}	5.0	4 / 9	0 / 3	0 / 3	
Average number of embryos transferred	2.3	2.3	3.0	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	15		9		
Percentage of transfers resulting in live births ^{b,c}	6 / 15		2 / 9		
Average number of embryos transferred	2.0		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Shore Fertility, SC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ENDOCRINOLOGY ASSOCIATES, SC SPRINGFIELD, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	27%	Other factor	4%	
GIFT	0%	With ICSI	77%	Ovulatory dysfunction	2%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	1%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	5%
		Used PGD	0%	Uterine factor	0%	Female & male factors	16%
		With eSET	0%	Male factor	34%		

2008 PREGNANCY SUCCESS RATES

Data verified by Mary Ann McRae, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	41	20	13	5	0
Percentage of embryos transferred resulting in implantation ^b	14.5	16.9	0 / 18	0 / 7	
Percentage of cycles resulting in pregnancies ^b	31.7	30.0	0 / 13	0 / 5	
Percentage of cycles resulting in live births ^{b,c}	29.3	25.0	0 / 13	0 / 5	
(Confidence Interval)	(16.1–45.5)	(8.7–49.1)			
Percentage of retrievals resulting in live births ^{b,c}	34.3	5 / 17	0 / 6	0 / 3	
Percentage of transfers resulting in live births ^{b,c}	34.3	5 / 17	0 / 6	0 / 3	
Percentage of transfers resulting in singleton live births ^b	20.0	3 / 17	0 / 6	0 / 3	
Percentage of cancellations ^b	14.6	15.0	7 / 13	2 / 5	
Average number of embryos transferred	3.5	3.5	3.0	2.3	
Percentage of pregnancies with twins ^b	5 / 13	1 / 6			
Percentage of pregnancies with triplets or more ^b	0 / 13	2 / 6			
Percentage of live births having multiple infants ^{b,c}	5 / 12	2 / 5			
Frozen Embryos from Nondonor Eggs					
Number of transfers	8	2	3	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 8	0 / 2	0 / 3		
Average number of embryos transferred	3.5	4.0	4.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Endocrinology Associates, SC

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SETH LEVRANT, MD, PC
PARTNERS IN REPRODUCTIVE HEALTH
TINLEY PARK, ILLINOIS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	3%	
GIFT	0%	With ICSI	100%	Ovulatory dysfunction	3%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	24%
		Used PGD	0%	Uterine factor	2%	Female & male factors	33%
		With eSET	2%	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by Seth G. Levrant, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	22	14	4	6	0
Percentage of embryos transferred resulting in implantation ^b	13.7	13.5	3 / 10	1 / 19	
Percentage of cycles resulting in pregnancies ^b	27.3	4 / 14	2 / 4	1 / 6	
Percentage of cycles resulting in live births ^{b,c}	22.7	4 / 14	2 / 4	0 / 6	
(Confidence Interval)	(7.8–45.4)				
Percentage of retrievals resulting in live births ^{b,c}	22.7	4 / 14	2 / 4	0 / 6	
Percentage of transfers resulting in live births ^{b,c}	22.7	4 / 14	2 / 4	0 / 6	
Percentage of transfers resulting in singleton live births ^b	13.6	3 / 14	1 / 4	0 / 6	
Percentage of cancellations ^b	0.0	0 / 14	0 / 4	0 / 6	
Average number of embryos transferred	2.3	2.6	2.5	3.2	
Percentage of pregnancies with twins ^b	2 / 6	1 / 4	1 / 2	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 6	0 / 4	0 / 2	0 / 1	
Percentage of live births having multiple infants ^{b,c}	2 / 5	1 / 4	1 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	5	2	1	1
Percentage of transfers resulting in live births ^{b,c}	0 / 3	0 / 5	0 / 2	0 / 1	0 / 1
Average number of embryos transferred	2.3	2.4	3.5	2.0	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		0		
Percentage of transfers resulting in live births ^{b,c}	2 / 3				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Seth Levrant, MD, PC, Partners in Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

BONAVENTURA REPRODUCTIVE MEDICINE CARMEL, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	5%	Other factor	3%
GIFT	0% With ICSI	92% Ovulatory dysfunction	21%	Unknown factor	7%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	25%	Multiple Factors:	
Combination	0% Used gestational carrier	2% Endometriosis	7%	Female factors only	3%
	Used PGD	0% Uterine factor	2%	Female & male factors	12%
	With eSET	0% Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by Leo M. Bonaventura, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	48	11	17	5	1
Percentage of embryos transferred resulting in implantation ^b	27.5	2 / 16	5.7	0 / 9	0 / 3
Percentage of cycles resulting in pregnancies ^b	41.7	1 / 11	3 / 17	0 / 5	0 / 1
Percentage of cycles resulting in live births ^{b,c}	31.3	1 / 11	1 / 17	0 / 5	0 / 1
(Confidence Interval)	(18.7–46.3)				
Percentage of retrievals resulting in live births ^{b,c}	32.6	1 / 10	1 / 16	0 / 5	0 / 1
Percentage of transfers resulting in live births ^{b,c}	37.5	1 / 9	1 / 15	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births ^b	25.0	0 / 9	1 / 15	0 / 4	0 / 1
Percentage of cancellations ^b	4.2	1 / 11	1 / 17	0 / 5	0 / 1
Average number of embryos transferred	2.0	1.8	2.3	2.3	3.0
Percentage of pregnancies with twins ^b	25.0	1 / 1	0 / 3		
Percentage of pregnancies with triplets or more ^b	0.0	0 / 1	0 / 3		
Percentage of live births having multiple infants ^{b,c}	5 / 15	1 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	13	4	3	3	2
Percentage of transfers resulting in live births ^{b,c}	1 / 13	0 / 4	1 / 3	0 / 3	1 / 2
Average number of embryos transferred	1.8	2.0	3.0	1.7	1.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	10		0		
Percentage of transfers resulting in live births ^{b,c}	5 / 10				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Bonaventura Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

JARRETT FERTILITY GROUP CARMEL, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	98%	Procedural Factors:	Tubal factor	7%	Other factor	10%	
GIFT	<1%	With ICSI	68%	Ovulatory dysfunction	10%	Unknown factor	13%
ZIFT	<1%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	7%	Female factors only	14%
		Used PGD	<1%	Uterine factor	2%	Female & male factors	15%
		With eSET	<1%	Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by John C. Jarrett, II, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	186	63	54	14	5
Percentage of embryos transferred resulting in implantation ^b	31.4	25.0	17.7	2.9	1 / 15
Percentage of cycles resulting in pregnancies ^b	44.1	33.3	33.3	1 / 14	1 / 5
Percentage of cycles resulting in live births ^{b,c}	38.7	28.6	25.9	1 / 14	1 / 5
(Confidence Interval)	(31.7–46.1)	(17.9–41.3)	(15.0–39.7)		
Percentage of retrievals resulting in live births ^{b,c}	43.6	34.6	31.8	1 / 11	1 / 4
Percentage of transfers resulting in live births ^{b,c}	46.2	36.7	35.0	1 / 10	1 / 3
Percentage of transfers resulting in singleton live births ^b	28.2	28.6	27.5	1 / 10	1 / 3
Percentage of cancellations ^b	11.3	17.5	18.5	3 / 14	1 / 5
Average number of embryos transferred	2.3	2.3	2.8	3.4	5.0
Percentage of pregnancies with twins ^b	34.1	33.3	4 / 18	0 / 1	0 / 1
Percentage of pregnancies with triplets or more ^b	2.4	0.0	0 / 18	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	38.9	4 / 18	3 / 14	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	34	12	7	3	1
Percentage of transfers resulting in live births ^{b,c}	23.5	4 / 12	3 / 7	1 / 3	0 / 1
Average number of embryos transferred	2.2	1.8	2.7	2.7	2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	29		13		
Percentage of transfers resulting in live births ^{b,c}	48.3		4 / 13		
Average number of embryos transferred	2.2		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jarrett Fertility Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY SPECIALISTS CARMEL, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	12%	Other factor	11%	
GIFT	0%	With ICSI	79%	Ovulatory dysfunction	7%	Unknown factor	11%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	5%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	14%
		With eSET	1%	Male factor	27%		

2008 PREGNANCY SUCCESS RATES

Data verified by Laura M. Reuter, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	214	69	42	18	2
Percentage of embryos transferred resulting in implantation ^b	28.5	19.1	8.2	12.5	0 / 4
Percentage of cycles resulting in pregnancies ^b	41.1	29.0	11.9	4 / 18	0 / 2
Percentage of cycles resulting in live births ^{b,c}	36.4	23.2	9.5	2 / 18	0 / 2
(Confidence Interval)	(30.0–43.3)	(13.9–34.9)	(2.7–22.6)		
Percentage of retrievals resulting in live births ^{b,c}	39.8	25.4	13.3	2 / 14	0 / 1
Percentage of transfers resulting in live births ^{b,c}	40.8	26.2	14.3	2 / 14	0 / 1
Percentage of transfers resulting in singleton live births ^b	26.2	21.3	10.7	1 / 14	0 / 1
Percentage of cancellations ^b	8.4	8.7	28.6	4 / 18	1 / 2
Average number of embryos transferred	2.2	2.3	2.6	2.9	4.0
Percentage of pregnancies with twins ^b	31.8	30.0	0 / 5	1 / 4	
Percentage of pregnancies with triplets or more ^b	3.4	5.0	1 / 5	0 / 4	
Percentage of live births having multiple infants ^{b,c}	35.9	3 / 16	1 / 4	1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	92	32	15	8	2
Percentage of transfers resulting in live births ^{b,c}	20.7	18.8	5 / 15	3 / 8	1 / 2
Average number of embryos transferred	2.6	2.6	3.1	3.1	2.0
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		47		35	
Percentage of transfers resulting in live births ^{b,c}		44.7		28.6	
Average number of embryos transferred		2.0		2.8	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Fertility Specialists

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTION INSTITUTE, LLC
ADVANCED FERTILITY GROUP
EVANSVILLE, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	14%	Other factor	<1%	
GIFT	0%	With ICSI	60%	Ovulatory dysfunction	30%	Unknown factor	1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	8%	Female factors only	8%
		Used PGD	0%	Uterine factor	0%	Female & male factors	34%
		With eSET	0%	Male factor	1%		

2008 PREGNANCY SUCCESS RATES

Data verified by William L. Gentry, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	66	21	9	1	0
Percentage of embryos transferred resulting in implantation ^b	41.7	35.6	13.6	0 / 4	
Percentage of cycles resulting in pregnancies ^b	51.5	52.4	3 / 9	0 / 1	
Percentage of cycles resulting in live births ^{b,c}	40.9	38.1	3 / 9	0 / 1	
(Confidence Interval)	(29.0–53.7)	(18.1–61.6)			
Percentage of retrievals resulting in live births ^{b,c}	50.9	8 / 18	3 / 7	0 / 1	
Percentage of transfers resulting in live births ^{b,c}	52.9	8 / 16	3 / 7	0 / 1	
Percentage of transfers resulting in singleton live births ^b	23.5	4 / 16	3 / 7	0 / 1	
Percentage of cancellations ^b	19.7	14.3	2 / 9	0 / 1	
Average number of embryos transferred	2.4	2.8	3.1	4.0	
Percentage of pregnancies with twins ^b	38.2	6 / 11	0 / 3		
Percentage of pregnancies with triplets or more ^b	8.8	0 / 11	0 / 3		
Percentage of live births having multiple infants ^{b,c}	55.6	4 / 8	0 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	21	7	0	3	3
Percentage of transfers resulting in live births ^{b,c}	23.8	1 / 7		1 / 3	0 / 3
Average number of embryos transferred	2.5	2.1		1.7	3.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	16		2		
Percentage of transfers resulting in live births ^{b,c}	3 / 16		0 / 2		
Average number of embryos transferred	2.3		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproduction Institute, LLC, Advanced Fertility Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY GROUP INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	13%	Other factor	1%	
GIFT	0%	With ICSI	60%	Ovulatory dysfunction	27%	Unknown factor	0%
ZIFT	0%	Unstimulated	1%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	5%	Endometriosis	14%	Female factors only	7%
		Used PGD	5%	Uterine factor	1%	Female & male factors	27%
		With eSET	2%	Male factor	5%		

2008 PREGNANCY SUCCESS RATES

Data verified by William L. Gentry, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	36	13	18	8	2
Percentage of embryos transferred resulting in implantation ^b	43.1	2 / 18	39.5	2 / 14	0 / 4
Percentage of cycles resulting in pregnancies ^b	55.6	1 / 13	8 / 18	2 / 8	0 / 2
Percentage of cycles resulting in live births ^{b,c}	50.0	1 / 13	6 / 18	2 / 8	0 / 2
(Confidence Interval)	(32.9–67.1)				
Percentage of retrievals resulting in live births ^{b,c}	56.3	1 / 11	6 / 15	2 / 7	0 / 2
Percentage of transfers resulting in live births ^{b,c}	60.0	1 / 7	6 / 13	2 / 5	0 / 1
Percentage of transfers resulting in singleton live births ^b	36.7	0 / 7	3 / 13	2 / 5	0 / 1
Percentage of cancellations ^b	11.1	2 / 13	3 / 18	1 / 8	0 / 2
Average number of embryos transferred	2.2	2.6	2.9	2.8	4.0
Percentage of pregnancies with twins ^b	40.0	1 / 1	1 / 8	0 / 2	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 1	2 / 8	0 / 2	
Percentage of live births having multiple infants ^{b,c}	7 / 18	1 / 1	3 / 6	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	4	2	1	1
Percentage of transfers resulting in live births ^{b,c}	0 / 5	0 / 4	0 / 2	0 / 1	0 / 1
Average number of embryos transferred	2.4	2.8	2.0	4.0	3.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	1		1		
Percentage of transfers resulting in live births ^{b,c}	0 / 1		0 / 1		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Group

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY BEGINNINGS, PC INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	19%	Other factor	4%	
GIFT	0%	With ICSI	43%	Ovulatory dysfunction	11%	Unknown factor	12%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	20%	Female factors only	<1%
		Used PGD	0%	Uterine factor	0%	Female & male factors	5%
		With eSET	0%	Male factor	23%		

2008 PREGNANCY SUCCESS RATES

Data verified by James G. Donahue, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	52	22	24	10	2
Percentage of embryos transferred resulting in implantation ^b	28.7	21.4	21.6	0 / 13	0 / 2
Percentage of cycles resulting in pregnancies ^b	44.2	31.8	41.7	0 / 10	0 / 2
Percentage of cycles resulting in live births ^{b,c}	38.5	22.7	20.8	0 / 10	0 / 2
(Confidence Interval)	(25.3–53.0)	(7.8–45.4)	(7.1–42.2)		
Percentage of retrievals resulting in live births ^{b,c}	43.5	5 / 17	5 / 17	0 / 6	0 / 1
Percentage of transfers resulting in live births ^{b,c}	44.4	5 / 15	5 / 17	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births ^b	31.1	3 / 15	3 / 17	0 / 6	0 / 1
Percentage of cancellations ^b	11.5	22.7	29.2	4 / 10	1 / 2
Average number of embryos transferred	2.4	2.8	3.0	2.2	2.0
Percentage of pregnancies with twins ^b	21.7	1 / 7	1 / 10		
Percentage of pregnancies with triplets or more ^b	8.7	1 / 7	1 / 10		
Percentage of live births having multiple infants ^{b,c}	30.0	2 / 5	2 / 5		
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	1	2	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 5	0 / 1	0 / 2		
Average number of embryos transferred	2.8	1.0	2.5		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	5		2		
Percentage of transfers resulting in live births ^{b,c}	1 / 5		1 / 2		
Average number of embryos transferred	2.6		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Family Beginnings, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

INDIANA UNIVERSITY HOSPITAL INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	16%	Other factor	11%	
GIFT	0%	With ICSI	38%	Ovulatory dysfunction	16%	Unknown factor	16%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	11%	Female factors only	5%
		Used PGD	0%	Uterine factor	0%	Female & male factors	26%
		With eSET	0%	Male factor	0%		

2008 PREGNANCY SUCCESS RATES

Data verified by Marguerite K. Shepard, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	8	2	3	1	2
Percentage of embryos transferred resulting in implantation ^b	6 / 17	0 / 4	0 / 4	1 / 3	0 / 5
Percentage of cycles resulting in pregnancies ^b	3 / 8	0 / 2	0 / 3	1 / 1	0 / 2
Percentage of cycles resulting in live births ^{b,c}	2 / 8	0 / 2	0 / 3	1 / 1	0 / 2
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	2 / 8	0 / 2	0 / 2	1 / 1	0 / 2
Percentage of transfers resulting in live births ^{b,c}	2 / 8	0 / 2	0 / 2	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births ^b	0 / 8	0 / 2	0 / 2	1 / 1	0 / 2
Percentage of cancellations ^b	0 / 8	0 / 2	1 / 3	0 / 1	0 / 2
Average number of embryos transferred	2.1	2.0	2.0	3.0	2.5
Percentage of pregnancies with twins ^b	3 / 3			0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 3			0 / 1	
Percentage of live births having multiple infants ^{b,c}	2 / 2			0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	0	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 1		0 / 1		
Average number of embryos transferred	2.0		1.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Indiana University Hospital

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE OF INDIANA INDIANAPOLIS, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	0%	Other factor	0%	
GIFT	0%	With ICSI	73%	Ovulatory dysfunction	0%	Unknown factor	100%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	0%	Female factors only	0%
		Used PGD	1%	Uterine factor	0%	Female & male factors	0%
		With eSET	0%	Male factor	0%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael A. Henry, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	36	24	10	4	0
Percentage of embryos transferred resulting in implantation ^b	42.5	44.0	35.5	0 / 12	
Percentage of cycles resulting in pregnancies ^b	58.3	70.8	8 / 10	0 / 4	
Percentage of cycles resulting in live births ^{b,c}	47.2	58.3	5 / 10	0 / 4	
(Confidence Interval)	(30.4–64.5)	(36.6–77.9)			
Percentage of retrievals resulting in live births ^{b,c}	53.1	63.6	5 / 10	0 / 3	
Percentage of transfers resulting in live births ^{b,c}	54.8	63.6	5 / 10	0 / 3	
Percentage of transfers resulting in singleton live births ^b	38.7	40.9	2 / 10	0 / 3	
Percentage of cancellations ^b	11.1	8.3	0 / 10	1 / 4	
Average number of embryos transferred	2.4	2.3	3.1	4.0	
Percentage of pregnancies with twins ^b	28.6	6 / 17	2 / 8		
Percentage of pregnancies with triplets or more ^b	9.5	0 / 17	1 / 8		
Percentage of live births having multiple infants ^{b,c}	5 / 17	5 / 14	3 / 5		
Frozen Embryos from Nondonor Eggs					
Number of transfers	14	2	1	1	1
Percentage of transfers resulting in live births ^{b,c}	3 / 14	0 / 2	0 / 1	0 / 1	0 / 1
Average number of embryos transferred	3.2	1.5	4.0	2.0	2.0
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		10		0	
Percentage of transfers resulting in live births ^{b,c}		6 / 10			
Average number of embryos transferred		2.5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Care of Indiana

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S SPECIALTY HEALTH CENTERS, PC NOBLESVILLE, INDIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	3%	Other factor	8%
GIFT	0%	With ICSI	Ovulatory dysfunction	8%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	8%	Female factors only	33%
		Used PGD	Uterine factor	0%	Female & male factors	31%
		With eSET	Male factor	0%		

2008 PREGNANCY SUCCESS RATES

Data verified by David S. McLaughlin, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	18	3	5	1	4
Percentage of embryos transferred resulting in implantation ^b	33.3	0 / 7	6 / 17		1 / 6
Percentage of cycles resulting in pregnancies ^b	8 / 18	0 / 3	5 / 5	0 / 1	1 / 4
Percentage of cycles resulting in live births ^{b,c}	7 / 18	0 / 3	5 / 5	0 / 1	1 / 4
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	7 / 16	0 / 3	5 / 5	0 / 1	1 / 4
Percentage of transfers resulting in live births ^{b,c}	7 / 16	0 / 2	5 / 5		1 / 2
Percentage of transfers resulting in singleton live births ^b	2 / 16	0 / 2	4 / 5		1 / 2
Percentage of cancellations ^b	2 / 18	0 / 3	0 / 5	0 / 1	0 / 4
Average number of embryos transferred	2.4	3.5	3.4		3.0
Percentage of pregnancies with twins ^b	5 / 8		1 / 5		0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 8		0 / 5		0 / 1
Percentage of live births having multiple infants ^{b,c}	5 / 7		1 / 5		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	1	1	0	0
Percentage of transfers resulting in live births ^{b,c}		0 / 1	0 / 1		
Average number of embryos transferred		1.0	2.0		
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		0		3	
Percentage of transfers resulting in live births ^{b,c}				0 / 3	
Average number of embryos transferred				2.0	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Specialty Health Centers, PC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-IOWA FERTILITY, PC CLIVE, IOWA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	14%	
GIFT	0%	With ICSI	79%	Ovulatory dysfunction	14%	Unknown factor	12%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	9%	Female factors only	3%
		Used PGD	<1%	Uterine factor	2%	Female & male factors	3%
		With eSET	2%	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by Donald C. Young, DO

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	208	46	48	9	2
Percentage of embryos transferred resulting in implantation ^b	43.6	25.3	10.9	2 / 12	0 / 4
Percentage of cycles resulting in pregnancies ^b	47.6	41.3	14.6	1 / 9	0 / 2
Percentage of cycles resulting in live births ^{b,c}	40.9	37.0	8.3	1 / 9	0 / 2
(Confidence Interval)	(34.1–47.9)	(23.2–52.5)	(2.3–20.0)		
Percentage of retrievals resulting in live births ^{b,c}	47.5	44.7	11.4	1 / 6	0 / 1
Percentage of transfers resulting in live births ^{b,c}	55.9	45.9	13.3	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births ^b	32.2	40.5	10.0	0 / 4	0 / 1
Percentage of cancellations ^b	13.9	17.4	27.1	3 / 9	1 / 2
Average number of embryos transferred	2.1	2.1	2.1	3.0	4.0
Percentage of pregnancies with twins ^b	40.4	2 / 19	1 / 7	1 / 1	
Percentage of pregnancies with triplets or more ^b	2.0	0 / 19	0 / 7	0 / 1	
Percentage of live births having multiple infants ^{b,c}	42.4	2 / 17	1 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	45	16	3	2	1
Percentage of transfers resulting in live births ^{b,c}	42.2	2 / 16	1 / 3	1 / 2	0 / 1
Average number of embryos transferred	2.3	2.1	2.3	3.0	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	29		23		
Percentage of transfers resulting in live births ^{b,c}	69.0		30.4		
Average number of embryos transferred	2.1		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Mid-Iowa Fertility, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF IOWA HOSPITALS AND CLINICS
CENTER FOR ADVANCED REPRODUCTIVE CARE
IOWA CITY, IOWA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	5%	
GIFT	0%	With ICSI	44%	Ovulatory dysfunction	6%	Unknown factor	11%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	19%
		Used PGD	1%	Uterine factor	<1%	Female & male factors	32%
		With eSET	31%	Male factor	10%		

2008 PREGNANCY SUCCESS RATES

Data verified by Bradley J. Van Voorhis, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	179	65	31	15	2
Percentage of embryos transferred resulting in implantation ^b	51.5	38.5	21.7	11.1	1 / 7
Percentage of cycles resulting in pregnancies ^b	54.7	43.1	32.3	2 / 15	1 / 2
Percentage of cycles resulting in live births ^{b,c}	48.0	30.8	22.6	2 / 15	0 / 2
(Confidence Interval)	(40.5–55.6)	(19.9–43.4)	(9.6–41.1)		
Percentage of retrievals resulting in live births ^{b,c}	54.1	38.5	29.2	2 / 10	0 / 2
Percentage of transfers resulting in live births ^{b,c}	57.0	40.0	29.2	2 / 10	0 / 2
Percentage of transfers resulting in singleton live births ^b	45.0	30.0	16.7	2 / 10	0 / 2
Percentage of cancellations ^b	11.2	20.0	22.6	5 / 15	0 / 2
Average number of embryos transferred	1.6	1.6	2.5	2.7	3.5
Percentage of pregnancies with twins ^b	24.5	17.9	3 / 10	1 / 2	0 / 1
Percentage of pregnancies with triplets or more ^b	2.0	0.0	1 / 10	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	20.9	25.0	3 / 7	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	82	24	13	6	0
Percentage of transfers resulting in live births ^{b,c}	45.1	54.2	6 / 13	1 / 6	
Average number of embryos transferred	1.7	1.8	1.8	1.5	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	15		19		
Percentage of transfers resulting in live births ^{b,c}	10 / 15		7 / 19		
Average number of embryos transferred	1.4		1.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Iowa Hospitals and Clinics, Center for Advanced Reproductive Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST REPRODUCTIVE CENTER, PA OLATHE, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	9%	
GIFT	0%	With ICSI	78%	Ovulatory dysfunction	6%	Unknown factor	11%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	4%	Female factors only	13%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	23%
		With eSET	0%	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by Dan L. Gehlbach, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	62	21	16	7	5
Percentage of embryos transferred resulting in implantation ^b	23.5	31.3	5.6	1 / 19	0 / 8
Percentage of cycles resulting in pregnancies ^b	33.9	47.6	2 / 16	1 / 7	0 / 5
Percentage of cycles resulting in live births ^{b,c}	29.0	38.1	0 / 16	1 / 7	0 / 5
(Confidence Interval)	(18.2–41.9)	(18.1–61.6)			
Percentage of retrievals resulting in live births ^{b,c}	30.5	40.0	0 / 11	1 / 6	0 / 4
Percentage of transfers resulting in live births ^{b,c}	31.0	40.0	0 / 10	1 / 6	0 / 3
Percentage of transfers resulting in singleton live births ^b	19.0	25.0	0 / 10	1 / 6	0 / 3
Percentage of cancellations ^b	4.8	4.8	5 / 16	1 / 7	1 / 5
Average number of embryos transferred	2.3	2.4	3.6	3.2	2.7
Percentage of pregnancies with twins ^b	57.1	3 / 10	1 / 2	0 / 1	
Percentage of pregnancies with triplets or more ^b	0.0	1 / 10	0 / 2	0 / 1	
Percentage of live births having multiple infants ^{b,c}	7 / 18	3 / 8		0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	23	3	2	0	0
Percentage of transfers resulting in live births ^{b,c}	21.7	0 / 3	0 / 2		
Average number of embryos transferred	2.5	2.0	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	13		9		
Percentage of transfers resulting in live births ^{b,c}	6 / 13		2 / 9		
Average number of embryos transferred	2.1		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Reproductive Center, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR ADVANCED REPRODUCTIVE MEDICINE
UNIVERSITY OF KANSAS MEDICAL CENTER
OVERLAND PARK, KANSAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	28%	Other factor	2%
GIFT	0% With ICSI	59% Ovulatory dysfunction	0%	Unknown factor	13%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	0%	Female factors only	10%
	Used PGD	0% Uterine factor	0%	Female & male factors	13%
	With eSET	0% Male factor	33%		

2008 PREGNANCY SUCCESS RATES

Data verified by S. Samuel Kim, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	18	10	8	1	2
Percentage of embryos transferred resulting in implantation ^b	15.4	9.5	0 / 15		0 / 2
Percentage of cycles resulting in pregnancies ^b	5 / 18	4 / 10	0 / 8	0 / 1	0 / 2
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	4 / 18	2 / 10	0 / 8	0 / 1	0 / 2
Percentage of retrievals resulting in live births ^{b,c}	4 / 16	2 / 8	0 / 6		0 / 1
Percentage of transfers resulting in live births ^{b,c}	4 / 16	2 / 8	0 / 6		0 / 1
Percentage of transfers resulting in singleton live births ^b	3 / 16	2 / 8	0 / 6		0 / 1
Percentage of cancellations ^b	2 / 18	2 / 10	2 / 8	1 / 1	1 / 2
Average number of embryos transferred	2.4	2.6	2.5		2.0
Percentage of pregnancies with twins ^b	0 / 5	0 / 4			
Percentage of pregnancies with triplets or more ^b	1 / 5	0 / 4			
Percentage of live births having multiple infants ^{b,c}	1 / 4	0 / 2			
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	0	2	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 10		1 / 2		
Average number of embryos transferred	2.5		3.5		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		2		
Percentage of transfers resulting in live births ^{b,c}	0 / 1		0 / 2		
Average number of embryos transferred	1.0		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Advanced Reproductive Medicine, University of Kansas Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE RESOURCE CENTER OF GREATER KANSAS CITY OVERLAND PARK, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	2%	
GIFT	0%	With ICSI	85%	Ovulatory dysfunction	8%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	2%	Female factors only	7%
		Used PGD	9%	Uterine factor	<1%	Female & male factors	30%
		With eSET	5%	Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Rodney Lyles, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	196	57	29	4	1
Percentage of embryos transferred resulting in implantation ^b	48.8	41.8	43.9	2 / 7	0 / 2
Percentage of cycles resulting in pregnancies ^b	58.2	57.9	41.4	2 / 4	0 / 1
Percentage of cycles resulting in live births ^{b,c}	48.5	45.6	37.9	1 / 4	0 / 1
(Confidence Interval)	(41.3–55.7)	(32.4–59.3)	(20.7–57.7)		
Percentage of retrievals resulting in live births ^{b,c}	52.8	49.1	44.0	1 / 4	0 / 1
Percentage of transfers resulting in live births ^{b,c}	55.6	51.0	47.8	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births ^b	29.8	39.2	21.7	0 / 4	0 / 1
Percentage of cancellations ^b	8.2	7.0	13.8	0 / 4	0 / 1
Average number of embryos transferred	1.9	1.8	1.8	1.8	2.0
Percentage of pregnancies with twins ^b	38.6	18.2	5 / 12	1 / 2	
Percentage of pregnancies with triplets or more ^b	1.8	3.0	1 / 12	0 / 2	
Percentage of live births having multiple infants ^{b,c}	46.3	23.1	6 / 11	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	49	13	11	0	1
Percentage of transfers resulting in live births ^{b,c}	51.0	3 / 13	4 / 11		0 / 1
Average number of embryos transferred	2.0	1.9	2.0		1.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	55		27		
Percentage of transfers resulting in live births ^{b,c}	61.8		33.3		
Average number of embryos transferred	1.9		1.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Resource Center of Greater Kansas City

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE MEDICINE & INFERTILITY
SHAWNEE MISSION MEDICAL CENTER
SHAWNEE MISSION, KANSAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	6%	Other factor	2%
GIFT	0% With ICSI	45% Ovulatory dysfunction	4%	Unknown factor	22%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	2% Endometriosis	11%	Female factors only	19%
	Used PGD	0% Uterine factor	0%	Female & male factors	16%
	With eSET	0% Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by Dan L. Stewart, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	58	25	17	7	0
Percentage of embryos transferred resulting in implantation ^b	18.8	23.7	19.0	2 / 10	
Percentage of cycles resulting in pregnancies ^b	22.4	24.0	7 / 17	1 / 7	
Percentage of cycles resulting in live births ^{b,c}	20.7	20.0	6 / 17	1 / 7	
(Confidence Interval)	(11.2–33.4)	(6.8–40.7)			
Percentage of retrievals resulting in live births ^{b,c}	26.7	5 / 16	6 / 15	1 / 4	
Percentage of transfers resulting in live births ^{b,c}	33.3	5 / 15	6 / 14	1 / 4	
Percentage of transfers resulting in singleton live births ^b	19.4	3 / 15	6 / 14	0 / 4	
Percentage of cancellations ^b	22.4	36.0	2 / 17	3 / 7	
Average number of embryos transferred	2.7	2.5	3.0	2.5	
Percentage of pregnancies with twins ^b	6 / 13	0 / 6	1 / 7	1 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 13	2 / 6	0 / 7	0 / 1	
Percentage of live births having multiple infants ^{b,c}	5 / 12	2 / 5	0 / 6	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	11	10	2	1	0
Percentage of transfers resulting in live births ^{b,c}	5 / 11	2 / 10	0 / 2	0 / 1	
Average number of embryos transferred	1.6	1.6	2.0	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		7		
Percentage of transfers resulting in live births ^{b,c}	1 / 3		2 / 7		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine & Infertility, Shawnee Mission Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE MEDICINE WICHITA, KANSAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	>99%	Procedural Factors:	Tubal factor	15%	Other factor	2%	
GIFT	<1%	With ICSI	56%	Ovulatory dysfunction	10%	Unknown factor	<1%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	9%	Female factors only	13%
		Used PGD	0%	Uterine factor	1%	Female & male factors	28%
		With eSET	<1%	Male factor	14%		

2008 PREGNANCY SUCCESS RATES

Data verified by Bruce L. Tjaden, DO

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	94	31	26	4	3
Percentage of embryos transferred resulting in implantation ^b	42.2	36.5	33.3	0 / 11	1 / 7
Percentage of cycles resulting in pregnancies ^b	43.6	48.4	34.6	0 / 4	1 / 3
Percentage of cycles resulting in live births ^{b,c}	40.4	41.9	30.8	0 / 4	0 / 3
(Confidence Interval)	(30.4–51.0)	(24.5–60.9)	(14.3–51.8)		
Percentage of retrievals resulting in live births ^{b,c}	46.3	52.0	8 / 19	0 / 3	0 / 3
Percentage of transfers resulting in live births ^{b,c}	50.7	52.0	8 / 17	0 / 3	0 / 3
Percentage of transfers resulting in singleton live births ^b	21.3	32.0	4 / 17	0 / 3	0 / 3
Percentage of cancellations ^b	12.8	19.4	26.9	1 / 4	0 / 3
Average number of embryos transferred	2.1	2.1	2.6	3.7	2.3
Percentage of pregnancies with twins ^b	56.1	4 / 15	5 / 9		0 / 1
Percentage of pregnancies with triplets or more ^b	2.4	1 / 15	1 / 9		0 / 1
Percentage of live births having multiple infants ^{b,c}	57.9	5 / 13	4 / 8		
Frozen Embryos from Nondonor Eggs					
Number of transfers	27	2	6	3	1
Percentage of transfers resulting in live births ^{b,c}	22.2	0 / 2	2 / 6	0 / 3	0 / 1
Average number of embryos transferred	1.6	1.0	1.8	1.7	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	5		6		
Percentage of transfers resulting in live births ^{b,c}	4 / 5		0 / 6		
Average number of embryos transferred	2.0		1.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

BLUEGRASS FERTILITY CENTER LEXINGTON, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	8%	Other factor	6%
GIFT	0% With ICSI	78% Ovulatory dysfunction	8%	Unknown factor	5%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	20%	Female factors only	9%
	Used PGD	1% Uterine factor	<1%	Female & male factors	17%
	With eSET	0% Male factor	22%		

2008 PREGNANCY SUCCESS RATES

Data verified by James W. Akin, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	101	22	11	4	2
Percentage of embryos transferred resulting in implantation ^b	24.8	17.1	18.5	1 / 12	1 / 6
Percentage of cycles resulting in pregnancies ^b	45.5	36.4	3 / 11	1 / 4	1 / 2
Percentage of cycles resulting in live births ^{b,c}	36.6	27.3	3 / 11	1 / 4	1 / 2
(Confidence Interval)	(27.3–46.8)	(10.7–50.2)			
Percentage of retrievals resulting in live births ^{b,c}	38.1	6 / 16	3 / 11	1 / 3	1 / 2
Percentage of transfers resulting in live births ^{b,c}	40.2	6 / 15	3 / 10	1 / 3	1 / 2
Percentage of transfers resulting in singleton live births ^b	26.1	6 / 15	2 / 10	1 / 3	1 / 2
Percentage of cancellations ^b	4.0	27.3	0 / 11	1 / 4	0 / 2
Average number of embryos transferred	2.6	2.7	2.7	4.0	3.0
Percentage of pregnancies with twins ^b	23.9	1 / 8	0 / 3	0 / 1	0 / 1
Percentage of pregnancies with triplets or more ^b	6.5	0 / 8	1 / 3	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	35.1	0 / 6	1 / 3	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	16	2	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 16	1 / 2	1 / 1		
Average number of embryos transferred	2.4	2.5	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	11		3		
Percentage of transfers resulting in live births ^{b,c}	5 / 11		0 / 3		
Average number of embryos transferred	2.3		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Bluegrass Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND ENDOCRINE ASSOCIATES LOUISVILLE REPRODUCTIVE CENTER LOUISVILLE, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	2%	Other factor	2%	
GIFT	0%	With ICSI	76%	Ovulatory dysfunction	2%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	2%	Female factors only	21%
		Used PGD	0%	Uterine factor	0%	Female & male factors	55%
		With eSET	0%	Male factor	6%		

2008 PREGNANCY SUCCESS RATES

Data verified by Robert J. Homm, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	48	16	18	7	2
Percentage of embryos transferred resulting in implantation ^b	25.3	20.0	14.9	0 / 12	1 / 7
Percentage of cycles resulting in pregnancies ^b	39.6	5 / 16	5 / 18	0 / 7	1 / 2
Percentage of cycles resulting in live births ^{b,c}	33.3	4 / 16	3 / 18	0 / 7	0 / 2
(Confidence Interval)	(20.4–48.4)				
Percentage of retrievals resulting in live births ^{b,c}	33.3	4 / 16	3 / 18	0 / 6	0 / 2
Percentage of transfers resulting in live births ^{b,c}	36.4	4 / 11	3 / 17	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births ^b	22.7	3 / 11	3 / 17	0 / 4	0 / 2
Percentage of cancellations ^b	0.0	0 / 16	0 / 18	1 / 7	0 / 2
Average number of embryos transferred	2.3	2.7	2.8	3.0	3.5
Percentage of pregnancies with twins ^b	7 / 19	1 / 5	2 / 5		0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 19	0 / 5	0 / 5		0 / 1
Percentage of live births having multiple infants ^{b,c}	6 / 16	1 / 4	0 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	46	13	8	2	0
Percentage of transfers resulting in live births ^{b,c}	21.7	3 / 13	0 / 8	0 / 2	
Average number of embryos transferred	2.0	2.5	2.3	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	7		3		
Percentage of transfers resulting in live births ^{b,c}	5 / 7		0 / 3		
Average number of embryos transferred	2.4		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Endocrine Associates, Louisville Reproductive Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OB/GYN ASSOCIATES FERTILITY CENTER LOUISVILLE, KENTUCKY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	<1%	
GIFT	0%	With ICSI	54%	Ovulatory dysfunction	3%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	7%	Female factors only	15%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	26%
		With eSET	<1%	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by Steven T. Nakajima, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	84	37	28	14	6
Percentage of embryos transferred resulting in implantation ^b	29.1	28.4	9.4	6.1	1 / 13
Percentage of cycles resulting in pregnancies ^b	46.4	40.5	14.3	2 / 14	1 / 6
Percentage of cycles resulting in live births ^{b,c}	40.5	35.1	14.3	1 / 14	0 / 6
(Confidence Interval)	(29.9–51.7)	(20.2–52.5)	(4.0–32.7)		
Percentage of retrievals resulting in live births ^{b,c}	44.2	38.2	19.0	1 / 13	0 / 5
Percentage of transfers resulting in live births ^{b,c}	44.2	40.6	20.0	1 / 12	0 / 5
Percentage of transfers resulting in singleton live births ^b	29.9	28.1	15.0	1 / 12	0 / 5
Percentage of cancellations ^b	8.3	8.1	25.0	1 / 14	1 / 6
Average number of embryos transferred	2.3	2.5	2.7	2.8	2.6
Percentage of pregnancies with twins ^b	28.2	8 / 15	1 / 4	0 / 2	0 / 1
Percentage of pregnancies with triplets or more ^b	2.6	0 / 15	0 / 4	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	32.4	4 / 13	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	20	4	3	0	2
Percentage of transfers resulting in live births ^{b,c}	35.0	3 / 4	0 / 3		1 / 2
Average number of embryos transferred	2.0	2.3	2.7		2.5
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	8		7		
Percentage of transfers resulting in live births ^{b,c}	1 / 8		3 / 7		
Average number of embryos transferred	2.3		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University OB/GYN Associates Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

A WOMAN'S CENTER FOR REPRODUCTIVE MEDICINE BATON ROUGE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	10%	
GIFT	0%	With ICSI	80%	Ovulatory dysfunction	4%	Unknown factor	12%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	7%	Female factors only	13%
		Used PGD	2%	Uterine factor	4%	Female & male factors	23%
		With eSET	0%	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by Bobby W. Webster, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	81	30	21	5	7
Percentage of embryos transferred resulting in implantation ^b	25.9	26.3	20.0	0 / 6	0 / 15
Percentage of cycles resulting in pregnancies ^b	33.3	50.0	38.1	0 / 5	0 / 7
Percentage of cycles resulting in live births ^{b,c}	30.9	40.0	23.8	0 / 5	0 / 7
(Confidence Interval)	(21.1–42.1)	(22.7–59.4)	(8.2–47.2)		
Percentage of retrievals resulting in live births ^{b,c}	35.2	50.0	5 / 15	0 / 3	0 / 5
Percentage of transfers resulting in live births ^{b,c}	35.7	50.0	5 / 14	0 / 3	0 / 5
Percentage of transfers resulting in singleton live births ^b	24.3	41.7	3 / 14	0 / 3	0 / 5
Percentage of cancellations ^b	12.3	20.0	28.6	2 / 5	2 / 7
Average number of embryos transferred	2.1	2.4	3.2	2.0	3.0
Percentage of pregnancies with twins ^b	25.9	3 / 15	3 / 8		
Percentage of pregnancies with triplets or more ^b	7.4	0 / 15	0 / 8		
Percentage of live births having multiple infants ^{b,c}	32.0	2 / 12	2 / 5		
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	3	2	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 7	0 / 3	0 / 2		
Average number of embryos transferred	1.7	2.0	1.0		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	6		2		
Percentage of transfers resulting in live births ^{b,c}	2 / 6		0 / 2		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: A Woman's Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

OCHSNER FOUNDATION FERTILITY CLINIC JEFFERSON, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	13%	Other factor	6%	
GIFT	0%	With ICSI	53%	Ovulatory dysfunction	9%	Unknown factor	15%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	13%
		Used PGD	0%	Uterine factor	0%	Female & male factors	27%
		With eSET	0%	Male factor	6%		

2008 PREGNANCY SUCCESS RATES

Data verified by P. R. Clisham, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	17	6	7	4	4
Percentage of embryos transferred resulting in implantation ^b	18.4	0 / 5	13.6	0 / 10	0 / 13
Percentage of cycles resulting in pregnancies ^b	8 / 17	0 / 6	3 / 7	1 / 4	1 / 4
Percentage of cycles resulting in live births ^{b,c}	6 / 17	0 / 6	1 / 7	0 / 4	0 / 4
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	6 / 16	0 / 4	1 / 7	0 / 3	0 / 4
Percentage of transfers resulting in live births ^{b,c}	6 / 16	0 / 2	1 / 7	0 / 3	0 / 4
Percentage of transfers resulting in singleton live births ^b	5 / 16	0 / 2	1 / 7	0 / 3	0 / 4
Percentage of cancellations ^b	1 / 17	2 / 6	0 / 7	1 / 4	0 / 4
Average number of embryos transferred	2.4	2.5	3.1	3.3	3.3
Percentage of pregnancies with twins ^b	1 / 8		0 / 3	0 / 1	0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 8		0 / 3	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	1 / 6		0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	2	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 5	1 / 2			
Average number of embryos transferred	1.8	2.5			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	6		0		
Percentage of transfers resulting in live births ^{b,c}	3 / 6				
Average number of embryos transferred	2.5				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2008. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND WOMEN'S HEALTH CENTER OF LOUISIANA LAFAYETTE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	24%	Other factor	<1%	
GIFT	0%	With ICSI	57%	Ovulatory dysfunction	9%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	19%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	8%	Female factors only	10%
		Used PGD	0%	Uterine factor	3%	Female & male factors	4%
		With eSET	0%	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by John Storment, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	57	30	12	1	2
Percentage of embryos transferred resulting in implantation ^b	31.0	16.4	20.6	0 / 2	0 / 9
Percentage of cycles resulting in pregnancies ^b	54.4	30.0	5 / 12	0 / 1	0 / 2
Percentage of cycles resulting in live births ^{b,c}	50.9	23.3	5 / 12	0 / 1	0 / 2
(Confidence Interval)	(37.3–64.4)	(9.9–42.3)			
Percentage of retrievals resulting in live births ^{b,c}	53.7	25.0	5 / 11	0 / 1	0 / 2
Percentage of transfers resulting in live births ^{b,c}	53.7	25.9	5 / 10	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births ^b	40.7	22.2	3 / 10	0 / 1	0 / 2
Percentage of cancellations ^b	5.3	6.7	1 / 12	0 / 1	0 / 2
Average number of embryos transferred	2.4	2.5	3.4	2.0	4.5
Percentage of pregnancies with twins ^b	32.3	3 / 9	2 / 5		
Percentage of pregnancies with triplets or more ^b	0.0	0 / 9	0 / 5		
Percentage of live births having multiple infants ^{b,c}	24.1	1 / 7	2 / 5		
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	3	0	1	0
Percentage of transfers resulting in live births ^{b,c}	2 / 6	0 / 3		0 / 1	
Average number of embryos transferred	3.0	3.3		3.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	2		3		
Percentage of transfers resulting in live births ^{b,c}	1 / 2		2 / 3		
Average number of embryos transferred	2.0		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Women's Health Center of Louisiana

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTE OF NEW ORLEANS METAIRIE, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	21%	Other factor	11%	
GIFT	0%	With ICSI	44%	Ovulatory dysfunction	18%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	12%	Female factors only	5%
		Used PGD	7%	Uterine factor	<1%	Female & male factors	11%
		With eSET	1%	Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by Richard P. Dickey, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	168	61	70	21	23
Percentage of embryos transferred resulting in implantation ^b	32.2	33.6	18.1	16.7	2.6
Percentage of cycles resulting in pregnancies ^b	41.7	36.1	24.3	19.0	4.3
Percentage of cycles resulting in live births ^{b,c}	39.3	31.1	14.3	9.5	4.3
(Confidence Interval)	(31.9–47.1)	(19.9–44.3)	(7.1–24.7)	(1.2–30.4)	(0.1–21.9)
Percentage of retrievals resulting in live births ^{b,c}	44.3	33.9	17.5	2 / 17	1 / 15
Percentage of transfers resulting in live births ^{b,c}	46.5	37.3	19.2	2 / 14	1 / 12
Percentage of transfers resulting in singleton live births ^b	28.2	19.6	13.5	2 / 14	1 / 12
Percentage of cancellations ^b	11.3	8.2	18.6	19.0	34.8
Average number of embryos transferred	2.3	2.2	2.7	2.6	3.2
Percentage of pregnancies with twins ^b	42.9	50.0	6 / 17	0 / 4	0 / 1
Percentage of pregnancies with triplets or more ^b	2.9	9.1	1 / 17	1 / 4	0 / 1
Percentage of live births having multiple infants ^{b,c}	39.4	9 / 19	3 / 10	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	35	18	8	4	0
Percentage of transfers resulting in live births ^{b,c}	25.7	1 / 18	1 / 8	0 / 4	
Average number of embryos transferred	1.9	1.9	2.0	1.8	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	11		11		
Percentage of transfers resulting in live births ^{b,c}	4 / 11		3 / 11		
Average number of embryos transferred	2.3		1.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Institute of New Orleans

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR FERTILITY AND REPRODUCTIVE HEALTH SHREVEPORT, LOUISIANA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	19%	Other factor	3%	
GIFT	0%	With ICSI	61%	Ovulatory dysfunction	7%	Unknown factor	17%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	14%	Female factors only	10%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	10%
		With eSET	1%	Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by David T. Vandermolen, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	74	24	10	6	0
Percentage of embryos transferred resulting in implantation ^b	29.4	34.1	4 / 12	1 / 15	
Percentage of cycles resulting in pregnancies ^b	36.5	37.5	3 / 10	1 / 6	
Percentage of cycles resulting in live births ^{b,c}	33.8	37.5	3 / 10	1 / 6	
(Confidence Interval)	(23.2–45.7)	(18.8–59.4)			
Percentage of retrievals resulting in live births ^{b,c}	40.3	9 / 16	3 / 5	1 / 4	
Percentage of transfers resulting in live births ^{b,c}	40.3	9 / 16	3 / 5	1 / 4	
Percentage of transfers resulting in singleton live births ^b	21.0	5 / 16	2 / 5	1 / 4	
Percentage of cancellations ^b	16.2	33.3	5 / 10	2 / 6	
Average number of embryos transferred	2.3	2.8	2.4	3.8	
Percentage of pregnancies with twins ^b	40.7	2 / 9	1 / 3	0 / 1	
Percentage of pregnancies with triplets or more ^b	7.4	2 / 9	0 / 3	0 / 1	
Percentage of live births having multiple infants ^{b,c}	48.0	4 / 9	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	2	3	0	0
Percentage of transfers resulting in live births ^{b,c}	4 / 9	1 / 2	1 / 3		
Average number of embryos transferred	2.1	2.5	2.7		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	4		2		
Percentage of transfers resulting in live births ^{b,c}	2 / 4		0 / 2		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Fertility and Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ART AT UNION MEMORIAL HOSPITAL BALTIMORE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	13%	Other factor	7%	
GIFT	0%	With ICSI	78%	Ovulatory dysfunction	14%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	7%	Female factors only	11%
		Used PGD	0%	Uterine factor	0%	Female & male factors	12%
		With eSET	2%	Male factor	12%		

2008 PREGNANCY SUCCESS RATES

Data verified by Nathan G. Berger, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	41	37	24	5	5
Percentage of embryos transferred resulting in implantation ^b	35.1	19.7	10.2	4 / 6	0 / 8
Percentage of cycles resulting in pregnancies ^b	51.2	32.4	20.8	2 / 5	0 / 5
Percentage of cycles resulting in live births ^{b,c}	41.5	21.6	4.2	2 / 5	0 / 5
(Confidence Interval)	(26.3–57.9)	(9.8–38.2)	(0.1–21.1)		
Percentage of retrievals resulting in live births ^{b,c}	47.2	25.0	5.0	2 / 3	0 / 2
Percentage of transfers resulting in live births ^{b,c}	47.2	26.7	1 / 17	2 / 2	0 / 2
Percentage of transfers resulting in singleton live births ^b	33.3	20.0	1 / 17	1 / 2	0 / 2
Percentage of cancellations ^b	12.2	13.5	16.7	2 / 5	3 / 5
Average number of embryos transferred	2.1	2.5	2.9	3.0	4.0
Percentage of pregnancies with twins ^b	28.6	4 / 12	1 / 5	0 / 2	
Percentage of pregnancies with triplets or more ^b	4.8	0 / 12	0 / 5	1 / 2	
Percentage of live births having multiple infants ^{b,c}	5 / 17	2 / 8	0 / 1	1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	8	2	4	0	1
Percentage of transfers resulting in live births ^{b,c}	1 / 8	0 / 2	1 / 4		0 / 1
Average number of embryos transferred	1.8	2.0	2.5		2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	5		3		
Percentage of transfers resulting in live births ^{b,c}	1 / 5		0 / 3		
Average number of embryos transferred	2.2		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for ART at Union Memorial Hospital

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHADY GROVE FERTILITY RSC AT GBMC BALTIMORE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	6%	
GIFT	0%	With ICSI	56%	Ovulatory dysfunction	10%	Unknown factor	22%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	8%	Female factors only	6%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	7%
		With eSET	4%	Male factor	27%		

2008 PREGNANCY SUCCESS RATES

Data verified by Eugene Katz, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	174	99	86	36	10
Percentage of embryos transferred resulting in implantation ^b	31.0	27.6	18.2	11.2	11.1
Percentage of cycles resulting in pregnancies ^b	47.1	45.5	33.7	27.8	3 / 10
Percentage of cycles resulting in live births ^{b,c}	41.4	38.4	25.6	16.7	2 / 10
(Confidence Interval)	(34.0–49.1)	(28.8–48.7)	(16.8–36.1)	(6.4–32.8)	
Percentage of retrievals resulting in live births ^{b,c}	41.9	41.3	27.5	16.7	2 / 10
Percentage of transfers resulting in live births ^{b,c}	42.4	43.7	28.2	17.6	2 / 10
Percentage of transfers resulting in singleton live births ^b	31.2	33.3	16.7	11.8	1 / 10
Percentage of cancellations ^b	1.1	7.1	7.0	0.0	0 / 10
Average number of embryos transferred	2.0	2.2	3.0	3.4	2.7
Percentage of pregnancies with twins ^b	26.8	24.4	41.4	2 / 10	1 / 3
Percentage of pregnancies with triplets or more ^b	3.7	0.0	6.9	1 / 10	0 / 3
Percentage of live births having multiple infants ^{b,c}	26.4	23.7	40.9	2 / 6	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	36	14	20	4	0
Percentage of transfers resulting in live births ^{b,c}	22.2	3 / 14	20.0	1 / 4	
Average number of embryos transferred	2.4	2.1	2.9	3.5	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	8		6		
Percentage of transfers resulting in live births ^{b,c}	3 / 8		2 / 6		
Average number of embryos transferred	2.0		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Shady Grove Fertility RSC at GBMC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UMMS-CENTER FOR ADVANCED REPRODUCTIVE TECHNOLOGIES BALTIMORE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	22%	Other factor	5%	
GIFT	0%	With ICSI	58%	Ovulatory dysfunction	1%	Unknown factor	23%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	3%
		Used PGD	0%	Uterine factor	0%	Female & male factors	17%
		With eSET	0%	Male factor	22%		

2008 PREGNANCY SUCCESS RATES

Data verified by Howard D. McClamrock, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	34	19	10	4	0
Percentage of embryos transferred resulting in implantation ^b	30.8	11.5	2 / 15	1 / 9	
Percentage of cycles resulting in pregnancies ^b	41.2	2 / 19	2 / 10	1 / 4	
Percentage of cycles resulting in live births ^{b,c}	35.3	1 / 19	2 / 10	1 / 4	
(Confidence Interval)	(19.7–53.5)				
Percentage of retrievals resulting in live births ^{b,c}	40.0	1 / 11	2 / 7	1 / 3	
Percentage of transfers resulting in live births ^{b,c}	50.0	1 / 10	2 / 6	1 / 3	
Percentage of transfers resulting in singleton live births ^b	37.5	0 / 10	2 / 6	1 / 3	
Percentage of cancellations ^b	11.8	8 / 19	3 / 10	1 / 4	
Average number of embryos transferred	2.2	2.6	2.5	3.0	
Percentage of pregnancies with twins ^b	3 / 14	1 / 2	0 / 2	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 14	0 / 2	0 / 2	0 / 1	
Percentage of live births having multiple infants ^{b,c}	3 / 12	1 / 1	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	2	0	0	1
Percentage of transfers resulting in live births ^{b,c}	1 / 5	0 / 2			0 / 1
Average number of embryos transferred	2.6	2.0			4.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		1		
Percentage of transfers resulting in live births ^{b,c}	1 / 1		0 / 1		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2008. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

JOHNS HOPKINS FERTILITY CENTER LUTHERVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	17%	Other factor	9%	
GIFT	0%	With ICSI	34%	Ovulatory dysfunction	9%	Unknown factor	5%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	27%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	7%	Female factors only	7%
		Used PGD	0%	Uterine factor	1%	Female & male factors	7%
		With eSET	2%	Male factor	13%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jairo E. Garcia, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	54	46	48	54	20
Percentage of embryos transferred resulting in implantation ^b	28.7	19.4	14.4	10.8	6.7
Percentage of cycles resulting in pregnancies ^b	33.3	21.7	20.8	14.8	10.0
Percentage of cycles resulting in live births ^{b,c}	25.9	17.4	18.8	7.4	0.0
(Confidence Interval)	(15.0–39.7)	(7.8–31.4)	(8.9–32.6)	(2.1–17.9)	(0.0–16.8)
Percentage of retrievals resulting in live births ^{b,c}	28.0	21.1	21.4	10.0	0 / 15
Percentage of transfers resulting in live births ^{b,c}	33.3	26.7	23.1	15.4	0 / 12
Percentage of transfers resulting in singleton live births ^b	16.7	20.0	17.9	15.4	0 / 12
Percentage of cancellations ^b	7.4	17.4	12.5	25.9	25.0
Average number of embryos transferred	2.1	2.1	2.5	2.5	2.5
Percentage of pregnancies with twins ^b	7 / 18	2 / 10	4 / 10	1 / 8	0 / 2
Percentage of pregnancies with triplets or more ^b	0 / 18	0 / 10	0 / 10	0 / 8	0 / 2
Percentage of live births having multiple infants ^{b,c}	7 / 14	2 / 8	2 / 9	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of transfers	16	11	12	7	4
Percentage of transfers resulting in live births ^{b,c}	4 / 16	1 / 11	2 / 12	2 / 7	0 / 4
Average number of embryos transferred	1.9	1.8	2.3	3.0	3.3
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	11		2		
Percentage of transfers resulting in live births ^{b,c}	7 / 11		0 / 2		
Average number of embryos transferred	2.0		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Johns Hopkins Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHADY GROVE FERTILITY REPRODUCTIVE SCIENCE CENTER ROCKVILLE, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	10%	
GIFT	0%	With ICSI	51%	Ovulatory dysfunction	7%	Unknown factor	24%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	4%	Female factors only	6%
		Used PGD	4%	Uterine factor	3%	Female & male factors	7%
		With eSET	7%	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael J. Levy, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	1423	968	885	372	135
Percentage of embryos transferred resulting in implantation ^b	38.8	27.7	19.4	11.7	5.4
Percentage of cycles resulting in pregnancies ^b	51.9	40.3	33.0	24.5	15.6
Percentage of cycles resulting in live births ^{b,c}	44.4	32.2	24.3	13.2	7.4
(Confidence Interval)	(41.8–47.0)	(29.3–35.3)	(21.5–27.3)	(9.9–17.0)	(3.6–13.2)
Percentage of retrievals resulting in live births ^{b,c}	47.7	35.9	29.1	16.2	9.1
Percentage of transfers resulting in live births ^{b,c}	50.6	37.1	30.3	17.8	10.1
Percentage of transfers resulting in singleton live births ^b	36.6	26.7	22.8	14.9	10.1
Percentage of cancellations ^b	6.8	10.3	16.6	18.5	18.5
Average number of embryos transferred	1.9	2.0	2.5	3.0	3.4
Percentage of pregnancies with twins ^b	28.6	25.4	22.6	19.8	14.3
Percentage of pregnancies with triplets or more ^b	1.2	2.6	3.4	2.2	4.8
Percentage of live births having multiple infants ^{b,c}	27.7	28.2	24.7	16.3	0 / 10
Frozen Embryos from Nondonor Eggs					
Number of transfers	226	164	129	27	15
Percentage of transfers resulting in live births ^{b,c}	30.1	28.7	18.6	22.2	2 / 15
Average number of embryos transferred	1.8	1.8	1.8	1.8	1.7
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	560		175		
Percentage of transfers resulting in live births ^{b,c}	50.7		26.9		
Average number of embryos transferred	1.9		1.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Shady Grove Fertility Reproductive Science Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF MARYLAND TOWSON, MARYLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	7%	
GIFT	0%	With ICSI	28%	Ovulatory dysfunction	7%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	23%
		Used PGD	0%	Uterine factor	1%	Female & male factors	25%
		With eSET	3%	Male factor	12%		

2008 PREGNANCY SUCCESS RATES

Data verified by Santiago L. Padilla, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	101	44	32	20	8
Percentage of embryos transferred resulting in implantation ^b	29.6	25.3	18.5	7.0	1 / 17
Percentage of cycles resulting in pregnancies ^b	42.6	40.9	31.3	25.0	1 / 8
Percentage of cycles resulting in live births ^{b,c}	38.6	36.4	21.9	15.0	0 / 8
(Confidence Interval)	(29.1–48.8)	(22.4–52.2)	(9.3–40.0)	(3.2–37.9)	
Percentage of retrievals resulting in live births ^{b,c}	43.3	42.1	25.0	3 / 16	0 / 4
Percentage of transfers resulting in live births ^{b,c}	44.3	42.1	25.0	3 / 16	0 / 4
Percentage of transfers resulting in singleton live births ^b	33.0	34.2	17.9	3 / 16	0 / 4
Percentage of cancellations ^b	10.9	13.6	12.5	20.0	4 / 8
Average number of embryos transferred	2.0	2.1	2.9	3.6	4.3
Percentage of pregnancies with twins ^b	27.9	3 / 18	5 / 10	0 / 5	0 / 1
Percentage of pregnancies with triplets or more ^b	0.0	0 / 18	0 / 10	0 / 5	0 / 1
Percentage of live births having multiple infants ^{b,c}	25.6	3 / 16	2 / 7	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	31	13	15	1	0
Percentage of transfers resulting in live births ^{b,c}	41.9	3 / 13	5 / 15	0 / 1	
Average number of embryos transferred	1.9	1.9	2.1	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	7		13		
Percentage of transfers resulting in live births ^{b,c}	2 / 7		5 / 13		
Average number of embryos transferred	2.0		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Maryland

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

BRIGHAM AND WOMEN'S HOSPITAL ART CENTER BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	12%	
GIFT	0%	With ICSI	37%	Ovulatory dysfunction	6%	Unknown factor	22%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	5%	Female factors only	8%
		Used PGD	3%	Uterine factor	<1%	Female & male factors	8%
		With eSET	5%	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by Elizabeth S. Ginsburg, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	462	345	358	151	62
Percentage of embryos transferred resulting in implantation ^b	37.8	26.6	17.5	8.2	6.5
Percentage of cycles resulting in pregnancies ^b	49.4	44.1	35.8	27.8	21.0
Percentage of cycles resulting in live births ^{b,c}	44.2	38.0	26.3	17.9	12.9
(Confidence Interval)	(39.6–48.8)	(32.8–43.3)	(21.8–31.1)	(12.1–24.9)	(5.7–23.9)
Percentage of retrievals resulting in live births ^{b,c}	46.0	40.7	28.8	19.0	15.4
Percentage of transfers resulting in live births ^{b,c}	49.0	43.2	30.6	19.7	17.0
Percentage of transfers resulting in singleton live births ^b	33.7	31.7	21.8	16.1	12.8
Percentage of cancellations ^b	4.1	6.7	8.9	6.0	16.1
Average number of embryos transferred	1.9	2.5	2.8	4.4	5.6
Percentage of pregnancies with twins ^b	32.9	24.3	23.4	21.4	3 / 13
Percentage of pregnancies with triplets or more ^b	0.9	4.6	3.1	4.8	1 / 13
Percentage of live births having multiple infants ^{b,c}	31.4	26.7	28.7	18.5	2 / 8
Frozen Embryos from Nondonor Eggs					
Number of transfers	93	60	31	9	1
Percentage of transfers resulting in live births ^{b,c}	36.6	33.3	19.4	4 / 9	1 / 1
Average number of embryos transferred	2.0	2.2	2.9	3.0	9.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	79		33		
Percentage of transfers resulting in live births ^{b,c}	58.2		39.4		
Average number of embryos transferred	2.0		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Brigham and Women's Hospital ART Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MASSACHUSETTS GENERAL HOSPITAL FERTILITY CENTER BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	4%
GIFT	0%	With ICSI	Ovulatory dysfunction	6%	Unknown factor	15%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	2%	Female factors only	7%
		Used PGD	Uterine factor	<1%	Female & male factors	23%
		With eSET	Male factor	26%		

2008 PREGNANCY SUCCESS RATES

Data verified by Thomas L. Toth, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	154	123	81	56	13
Percentage of embryos transferred resulting in implantation ^b	44.7	31.2	26.2	14.9	5.0
Percentage of cycles resulting in pregnancies ^b	58.4	45.5	40.7	33.9	3 / 13
Percentage of cycles resulting in live births ^{b,c}	50.6	40.7	34.6	17.9	1 / 13
(Confidence Interval)	(42.5–58.8)	(31.9–49.9)	(24.3–46.0)	(8.9–30.4)	
Percentage of retrievals resulting in live births ^{b,c}	52.3	42.4	37.3	20.4	1 / 12
Percentage of transfers resulting in live births ^{b,c}	54.5	43.1	40.0	23.3	1 / 11
Percentage of transfers resulting in singleton live births ^b	36.4	31.0	31.4	20.9	1 / 11
Percentage of cancellations ^b	3.2	4.1	7.4	12.5	1 / 13
Average number of embryos transferred	1.8	2.0	2.4	3.3	3.6
Percentage of pregnancies with twins ^b	31.1	23.2	18.2	6 / 19	0 / 3
Percentage of pregnancies with triplets or more ^b	2.2	5.4	9.1	0 / 19	0 / 3
Percentage of live births having multiple infants ^{b,c}	33.3	28.0	21.4	1 / 10	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	41	29	14	4	0
Percentage of transfers resulting in live births ^{b,c}	34.1	34.5	7 / 14	0 / 4	
Average number of embryos transferred	1.5	1.6	1.8	1.8	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	29		14		
Percentage of transfers resulting in live births ^{b,c}	58.6		6 / 14		
Average number of embryos transferred	1.9		1.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Massachusetts General Hospital Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REI DIVISION AT TUFTS MEDICAL CENTER BOSTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	15%	Other factor	2%
GIFT	0%	With ICSI	Ovulatory dysfunction	1%	Unknown factor	42%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	2%	Female factors only	2%
		Used PGD	Uterine factor	0%	Female & male factors	5%
		With eSET	Male factor	27%		

2008 PREGNANCY SUCCESS RATES

Data verified by Sandra A. Carson, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	24	32	25	6	2
Percentage of embryos transferred resulting in implantation ^b	22.0	19.4	8.9	0 / 19	0 / 1
Percentage of cycles resulting in pregnancies ^b	25.0	37.5	16.0	0 / 6	0 / 2
Percentage of cycles resulting in live births ^{b,c}	25.0	25.0	16.0	0 / 6	0 / 2
(Confidence Interval)	(9.8–46.7)	(11.5–43.4)	(4.5–36.1)		
Percentage of retrievals resulting in live births ^{b,c}	26.1	26.7	16.0	0 / 6	0 / 2
Percentage of transfers resulting in live births ^{b,c}	30.0	28.6	19.0	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births ^b	20.0	21.4	14.3	0 / 6	0 / 1
Percentage of cancellations ^b	4.2	6.3	0.0	0 / 6	0 / 2
Average number of embryos transferred	2.1	2.2	2.7	3.2	1.0
Percentage of pregnancies with twins ^b	3 / 6	3 / 12	1 / 4		
Percentage of pregnancies with triplets or more ^b	0 / 6	0 / 12	0 / 4		
Percentage of live births having multiple infants ^{b,c}	2 / 6	2 / 8	1 / 4		
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	4	2	1	0
Percentage of transfers resulting in live births ^{b,c}	0 / 4	0 / 4	2 / 2	0 / 1	
Average number of embryos transferred	1.5	2.8	3.5	4.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: REI Division at Tufts Medical Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE CENTER LEXINGTON, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	4%	
GIFT	0%	With ICSI	44%	Ovulatory dysfunction	8%	Unknown factor	16%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	4%	Female factors only	9%
		Used PGD	1%	Uterine factor	1%	Female & male factors	19%
		With eSET	12%	Male factor	22%		

2008 PREGNANCY SUCCESS RATES

Data verified by Samuel C. Pang, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	815	467	432	218	37
Percentage of embryos transferred resulting in implantation ^b	34.1	25.2	19.4	6.8	12.7
Percentage of cycles resulting in pregnancies ^b	40.4	32.3	28.9	15.6	21.6
Percentage of cycles resulting in live births ^{b,c}	35.2	26.1	20.6	7.8	8.1
(Confidence Interval)	(31.9–38.6)	(22.2–30.4)	(16.9–24.7)	(4.6–12.2)	(1.7–21.9)
Percentage of retrievals resulting in live births ^{b,c}	36.5	28.6	23.5	8.8	8.6
Percentage of transfers resulting in live births ^{b,c}	41.7	31.9	26.7	10.2	10.0
Percentage of transfers resulting in singleton live births ^b	31.1	23.0	21.0	10.2	6.7
Percentage of cancellations ^b	3.4	8.8	12.3	11.0	5.4
Average number of embryos transferred	1.7	1.9	2.2	2.5	2.6
Percentage of pregnancies with twins ^b	26.4	24.5	22.4	8.8	1 / 8
Percentage of pregnancies with triplets or more ^b	1.2	0.0	3.2	0.0	1 / 8
Percentage of live births having multiple infants ^{b,c}	25.4	27.9	21.3	0 / 17	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of transfers	139	87	45	16	3
Percentage of transfers resulting in live births ^{b,c}	28.1	37.9	31.1	3 / 16	0 / 3
Average number of embryos transferred	1.7	1.8	1.7	1.9	1.3
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	93		54		
Percentage of transfers resulting in live births ^{b,c}	63.4		25.9		
Average number of embryos transferred	1.5		1.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Science Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTERS OF NEW ENGLAND, INC.
NEW ENGLAND CLINICS OF REPRODUCTIVE MEDICINE, INC.
READING, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	7%
GIFT	0%	With ICSI	Ovulatory dysfunction	8%	Unknown factor	13%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	4%	Female factors only	16%
		Used PGD	Uterine factor	2%	Female & male factors	22%
		With eSET	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by R. Ian Hardy, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	272	140	125	46	14
Percentage of embryos transferred resulting in implantation ^b	30.4	29.9	17.3	15.5	7.4
Percentage of cycles resulting in pregnancies ^b	40.8	39.3	27.2	26.1	3 / 14
Percentage of cycles resulting in live births ^{b,c}	36.0	32.1	20.8	17.4	2 / 14
(Confidence Interval)	(30.3–42.0)	(24.5–40.6)	(14.1–29.0)	(7.8–31.4)	
Percentage of retrievals resulting in live births ^{b,c}	37.1	34.1	23.0	21.1	2 / 14
Percentage of transfers resulting in live births ^{b,c}	39.4	37.8	25.5	24.2	2 / 12
Percentage of transfers resulting in singleton live births ^b	28.5	28.6	20.6	21.2	2 / 12
Percentage of cancellations ^b	2.9	5.7	9.6	17.4	0 / 14
Average number of embryos transferred	1.8	1.9	2.2	2.5	2.3
Percentage of pregnancies with twins ^b	27.0	25.5	23.5	2 / 12	0 / 3
Percentage of pregnancies with triplets or more ^b	1.8	3.6	0.0	0 / 12	0 / 3
Percentage of live births having multiple infants ^{b,c}	27.6	24.4	19.2	1 / 8	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	54	35	20	4	0
Percentage of transfers resulting in live births ^{b,c}	22.2	22.9	10.0	1 / 4	
Average number of embryos transferred	1.8	1.9	2.1	1.8	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	50		27		
Percentage of transfers resulting in live births ^{b,c}	60.0		37.0		
Average number of embryos transferred	2.0		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Centers of New England, Inc., New England Clinics of Reproductive Medicine, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAYSTATE REPRODUCTIVE MEDICINE SPRINGFIELD, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	13%	Other factor	2%	
GIFT	0%	With ICSI	46%	Ovulatory dysfunction	15%	Unknown factor	24%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	1%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	5%	Female factors only	9%
		Used PGD	0%	Uterine factor	2%	Female & male factors	8%
		With eSET	13%	Male factor	23%		

2008 PREGNANCY SUCCESS RATES

Data verified by Kelly Lynch, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	153	58	97	51	6
Percentage of embryos transferred resulting in implantation ^b	44.1	37.4	24.1	7.8	0.0
Percentage of cycles resulting in pregnancies ^b	54.2	55.2	42.3	27.5	0 / 6
Percentage of cycles resulting in live births ^{b,c}	47.7	46.6	32.0	11.8	0 / 6
(Confidence Interval)	(39.6–55.9)	(33.3–60.1)	(22.9–42.2)	(4.4–23.9)	
Percentage of retrievals resulting in live births ^{b,c}	50.0	48.2	36.9	12.8	0 / 6
Percentage of transfers resulting in live births ^{b,c}	51.8	49.1	38.8	13.3	0 / 6
Percentage of transfers resulting in singleton live births ^b	34.8	36.4	25.0	13.3	0 / 6
Percentage of cancellations ^b	4.6	3.4	13.4	7.8	0 / 6
Average number of embryos transferred	1.8	2.1	2.8	4.3	4.0
Percentage of pregnancies with twins ^b	30.1	15.6	34.1	1 / 14	
Percentage of pregnancies with triplets or more ^b	2.4	9.4	2.4	0 / 14	
Percentage of live births having multiple infants ^{b,c}	32.9	25.9	35.5	0 / 6	
Frozen Embryos from Nondonor Eggs					
Number of transfers	50	27	16	4	2
Percentage of transfers resulting in live births ^{b,c}	22.0	11.1	2 / 16	1 / 4	0 / 2
Average number of embryos transferred	1.9	2.1	2.2	3.0	5.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	15		18		
Percentage of transfers resulting in live births ^{b,c}	4 / 15		5 / 18		
Average number of embryos transferred	1.9		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Baystate Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARDONE REPRODUCTIVE MEDICINE AND INFERTILITY STONEHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	3%	Other factor	12%
GIFT	0%	With ICSI	Ovulatory dysfunction	2%	Unknown factor	17%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	30%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	4%	Female factors only	7%
		Used PGD	Uterine factor	3%	Female & male factors	7%
		With eSET	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by Vito R. Cardone, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	37	28	32	21	16
Percentage of embryos transferred resulting in implantation ^b	29.2	22.2	16.1	5.3	3.8
Percentage of cycles resulting in pregnancies ^b	48.6	35.7	25.0	9.5	1 / 16
Percentage of cycles resulting in live births ^{b,c}	37.8	21.4	18.8	4.8	0 / 16
(Confidence Interval)	(22.5–55.2)	(8.3–41.0)	(7.2–36.4)	(0.1–23.8)	
Percentage of retrievals resulting in live births ^{b,c}	38.9	21.4	19.4	5.0	0 / 15
Percentage of transfers resulting in live births ^{b,c}	42.4	26.1	21.4	1 / 14	0 / 10
Percentage of transfers resulting in singleton live births ^b	33.3	17.4	17.9	1 / 14	0 / 10
Percentage of cancellations ^b	2.7	0.0	3.1	4.8	1 / 16
Average number of embryos transferred	2.0	2.0	2.2	2.7	2.6
Percentage of pregnancies with twins ^b	4 / 18	2 / 10	0 / 8	0 / 2	0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 18	0 / 10	1 / 8	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	3 / 14	2 / 6	1 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	0	2	0	0
Percentage of transfers resulting in live births ^{b,c}	2 / 4		0 / 2		
Average number of embryos transferred	1.8		1.5		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	26		18		
Percentage of transfers resulting in live births ^{b,c}	30.8		5 / 18		
Average number of embryos transferred	2.0		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cardone Reproductive Medicine and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF WALTHAM, MASSACHUSETTS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	>99%	Procedural Factors:	Tubal factor	6%	Other factor	16%	
GIFT	<1%	With ICSI	42%	Ovulatory dysfunction	7%	Unknown factor	32%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	2%
		Used PGD	5%	Uterine factor	1%	Female & male factors	3%
		With eSET	4%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael M. Alper, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	837	525	552	288	142
Percentage of embryos transferred resulting in implantation ^b	30.5	22.3	13.4	7.2	3.2
Percentage of cycles resulting in pregnancies ^b	41.6	32.2	25.7	16.7	12.0
Percentage of cycles resulting in live births ^{b,c}	35.8	27.0	18.5	11.8	4.2
(Confidence Interval)	(32.6–39.2)	(23.3–31.1)	(15.3–22.0)	(8.3–16.1)	(1.6–9.0)
Percentage of retrievals resulting in live births ^{b,c}	37.0	28.8	20.2	13.3	4.8
Percentage of transfers resulting in live births ^{b,c}	39.8	30.9	22.1	15.0	5.0
Percentage of transfers resulting in singleton live births ^b	26.6	22.0	16.0	11.9	5.0
Percentage of cancellations ^b	3.1	6.1	8.7	11.5	12.0
Average number of embryos transferred	2.0	2.1	2.7	3.5	3.9
Percentage of pregnancies with twins ^b	31.0	26.6	22.5	18.8	1 / 17
Percentage of pregnancies with triplets or more ^b	2.9	3.0	2.1	6.3	0 / 17
Percentage of live births having multiple infants ^{b,c}	33.3	28.9	27.5	20.6	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of transfers	124	81	46	17	3
Percentage of transfers resulting in live births ^{b,c}	16.1	18.5	17.4	4 / 17	0 / 3
Average number of embryos transferred	1.8	1.6	1.7	1.6	1.7
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	123		83		
Percentage of transfers resulting in live births ^{b,c}	49.6		22.9		
Average number of embryos transferred	2.0		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Boston IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE
UNIVERSITY OF MICHIGAN REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
ANN ARBOR, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	2%	Other factor	3%
GIFT	0% With ICSI	51% Ovulatory dysfunction	5%	Unknown factor	3%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	10%	Multiple Factors:	
Combination	0% Used gestational carrier	0% Endometriosis	1%	Female factors only	10%
	Used PGD	0% Uterine factor	2%	Female & male factors	48%
	With eSET	3% Male factor	17%		

2008 PREGNANCY SUCCESS RATES

Data verified by Senait Fisseha, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	41	17	13	18	0
Percentage of embryos transferred resulting in implantation ^b	20.7	22.9	3 / 19	9.7	
Percentage of cycles resulting in pregnancies ^b	29.3	5 / 17	2 / 13	3 / 18	
Percentage of cycles resulting in live births ^{b,c}	24.4	5 / 17	2 / 13	3 / 18	
(Confidence Interval)	(12.4–40.3)				
Percentage of retrievals resulting in live births ^{b,c}	24.4	5 / 14	2 / 12	3 / 13	
Percentage of transfers resulting in live births ^{b,c}	25.6	5 / 14	2 / 9	3 / 13	
Percentage of transfers resulting in singleton live births ^b	15.4	3 / 14	1 / 9	3 / 13	
Percentage of cancellations ^b	0.0	3 / 17	1 / 13	5 / 18	
Average number of embryos transferred	2.1	2.5	2.1	2.4	
Percentage of pregnancies with twins ^b	4 / 12	3 / 5	1 / 2	0 / 3	
Percentage of pregnancies with triplets or more ^b	1 / 12	0 / 5	0 / 2	0 / 3	
Percentage of live births having multiple infants ^{b,c}	4 / 10	2 / 5	1 / 2	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	25	10	8	1	0
Percentage of transfers resulting in live births ^{b,c}	44.0	3 / 10	3 / 8	0 / 1	
Average number of embryos transferred	2.0	2.1	1.6	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	9		5		
Percentage of transfers resulting in live births ^{b,c}	4 / 9		1 / 5		
Average number of embryos transferred	2.0		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine, University of Michigan Reproductive Endocrinology and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE AND SURGERY, PC BIRMINGHAM, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	<1%	Other factor	<1%	
GIFT	0%	With ICSI	84%	Ovulatory dysfunction	11%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	26%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	21%
		Used PGD	0%	Uterine factor	0%	Female & male factors	19%
		With eSET	7%	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael S. Mersol-Barg, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	39	19	18	5	1
Percentage of embryos transferred resulting in implantation ^b	42.3	42.4	30.3	3 / 8	1 / 2
Percentage of cycles resulting in pregnancies ^b	56.4	11 / 19	8 / 18	2 / 5	1 / 1
Percentage of cycles resulting in live births ^{b,c}	48.7	8 / 19	6 / 18	2 / 5	1 / 1
(Confidence Interval)	(32.4–65.2)				
Percentage of retrievals resulting in live births ^{b,c}	48.7	8 / 19	6 / 18	2 / 5	1 / 1
Percentage of transfers resulting in live births ^{b,c}	50.0	8 / 18	6 / 17	2 / 5	1 / 1
Percentage of transfers resulting in singleton live births ^b	31.6	4 / 18	5 / 17	1 / 5	1 / 1
Percentage of cancellations ^b	0.0	0 / 19	0 / 18	0 / 5	0 / 1
Average number of embryos transferred	1.9	1.8	1.9	1.6	2.0
Percentage of pregnancies with twins ^b	36.4	4 / 11	2 / 8	1 / 2	0 / 1
Percentage of pregnancies with triplets or more ^b	4.5	0 / 11	0 / 8	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	7 / 19	4 / 8	1 / 6	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	8	1	6	1	0
Percentage of transfers resulting in live births ^{b,c}	2 / 8	0 / 1	2 / 6	0 / 1	
Average number of embryos transferred	1.6	1.0	1.8	1.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	21		4		
Percentage of transfers resulting in live births ^{b,c}	28.6		3 / 4		
Average number of embryos transferred	2.0		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine and Surgery, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE AND SURGERY BLOOMFIELD HILLS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	3%	
GIFT	0%	With ICSI	95%	Ovulatory dysfunction	5%	Unknown factor	12%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	11%	Female factors only	10%
		Used PGD	4%	Uterine factor	0%	Female & male factors	25%
		With eSET	6%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by David A. Brinton, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	22	11	9	6	7
Percentage of embryos transferred resulting in implantation ^b	28.9	38.5	19.2	3 / 17	0 / 17
Percentage of cycles resulting in pregnancies ^b	50.0	8 / 11	4 / 9	2 / 6	1 / 7
Percentage of cycles resulting in live births ^{b,c}	40.9	7 / 11	4 / 9	2 / 6	0 / 7
(Confidence Interval)	(20.7–63.6)				
Percentage of retrievals resulting in live births ^{b,c}	42.9	7 / 11	4 / 9	2 / 6	0 / 5
Percentage of transfers resulting in live births ^{b,c}	42.9	7 / 11	4 / 9	2 / 6	0 / 5
Percentage of transfers resulting in singleton live births ^b	33.3	6 / 11	4 / 9	1 / 6	0 / 5
Percentage of cancellations ^b	4.5	0 / 11	0 / 9	0 / 6	2 / 7
Average number of embryos transferred	2.1	2.4	2.9	2.8	3.4
Percentage of pregnancies with twins ^b	3 / 11	2 / 8	1 / 4	1 / 2	0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 11	0 / 8	0 / 4	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	2 / 9	1 / 7	0 / 4	1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	5	3	2	1
Percentage of transfers resulting in live births ^{b,c}	7 / 9	2 / 5	0 / 3	0 / 2	1 / 1
Average number of embryos transferred	2.3	2.0	1.7	1.0	3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		0		
Percentage of transfers resulting in live births ^{b,c}	1 / 3				
Average number of embryos transferred	2.3				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Medicine and Surgery

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN COMPREHENSIVE FERTILITY CENTER DEARBORN, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	1%	
GIFT	0%	With ICSI	69%	Ovulatory dysfunction	9%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	10%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	37%
		With eSET	0%	Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by David M. Magyar, DO

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	95	29	37	13	10
Percentage of embryos transferred resulting in implantation ^b	13.4	15.3	7.7	1 / 10	0 / 18
Percentage of cycles resulting in pregnancies ^b	24.2	17.2	16.2	2 / 13	1 / 10
Percentage of cycles resulting in live births ^{b,c}	23.2	10.3	16.2	0 / 13	0 / 10
(Confidence Interval)	(15.1–32.9)	(2.2–27.4)	(6.2–32.0)		
Percentage of retrievals resulting in live births ^{b,c}	27.2	13.6	23.1	0 / 3	0 / 6
Percentage of transfers resulting in live births ^{b,c}	27.8	3 / 19	25.0	0 / 3	0 / 6
Percentage of transfers resulting in singleton live births ^b	19.0	2 / 19	20.8	0 / 3	0 / 6
Percentage of cancellations ^b	14.7	24.1	29.7	10 / 13	4 / 10
Average number of embryos transferred	3.1	3.1	3.8	3.3	3.0
Percentage of pregnancies with twins ^b	26.1	2 / 5	1 / 6	0 / 2	0 / 1
Percentage of pregnancies with triplets or more ^b	8.7	1 / 5	0 / 6	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	31.8	1 / 3	1 / 6		
Frozen Embryos from Nondonor Eggs					
Number of transfers	22	4	1	0	0
Percentage of transfers resulting in live births ^{b,c}	18.2	0 / 4	0 / 1		
Average number of embryos transferred	2.9	3.3	1.0		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	17		11		
Percentage of transfers resulting in live births ^{b,c}	2 / 17		3 / 11		
Average number of embryos transferred	2.6		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Michigan Comprehensive Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

GRAND RAPIDS FERTILITY & IVF, PC GRAND RAPIDS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	16%	Other factor	5%	
GIFT	0%	With ICSI	79%	Ovulatory dysfunction	10%	Unknown factor	14%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	7%
		Used PGD	0%	Uterine factor	0%	Female & male factors	11%
		With eSET	3%	Male factor	25%		

2008 PREGNANCY SUCCESS RATES

Data verified by Douglas C. Daly, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	58	15	10	5	2
Percentage of embryos transferred resulting in implantation ^b	10.7	13.8	0.0	1 / 9	0 / 4
Percentage of cycles resulting in pregnancies ^b	17.2	2 / 15	0 / 10	1 / 5	0 / 2
Percentage of cycles resulting in live births ^{b,c}	17.2	2 / 15	0 / 10	1 / 5	0 / 2
(Confidence Interval)	(8.6–29.4)				
Percentage of retrievals resulting in live births ^{b,c}	20.8	2 / 11	0 / 9	1 / 3	0 / 1
Percentage of transfers resulting in live births ^{b,c}	23.8	2 / 10	0 / 8	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births ^b	19.0	1 / 10	0 / 8	1 / 3	0 / 1
Percentage of cancellations ^b	17.2	4 / 15	1 / 10	2 / 5	1 / 2
Average number of embryos transferred	2.7	2.9	3.5	3.0	4.0
Percentage of pregnancies with twins ^b	2 / 10	2 / 2		0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 10	0 / 2		0 / 1	
Percentage of live births having multiple infants ^{b,c}	2 / 10	1 / 2		0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	44	10	3	2	0
Percentage of transfers resulting in live births ^{b,c}	27.3	3 / 10	0 / 3	0 / 2	
Average number of embryos transferred	2.5	2.4	2.7	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	7		27		
Percentage of transfers resulting in live births ^{b,c}	3 / 7		37.0		
Average number of embryos transferred	2.0		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Grand Rapids Fertility & IVF, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN REPRODUCTIVE & IVF CENTER, PC GRAND RAPIDS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	>99%	Procedural Factors:	Tubal factor	8%	Other factor	1%	
GIFT	0%	With ICSI	90%	Ovulatory dysfunction	3%	Unknown factor	2%
ZIFT	<1%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	8%
		Used PGD	0%	Uterine factor	0%	Female & male factors	41%
		With eSET	<1%	Male factor	27%		

2008 PREGNANCY SUCCESS RATES

Data verified by William G. Dodds, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	218	80	62	22	6
Percentage of embryos transferred resulting in implantation ^b	35.3	23.0	19.5	9.3	0.0
Percentage of cycles resulting in pregnancies ^b	51.4	48.8	38.7	22.7	0 / 6
Percentage of cycles resulting in live births ^{b,c}	48.2	38.8	35.5	9.1	0 / 6
(Confidence Interval)	(41.4–55.0)	(28.1–50.3)	(23.7–48.7)	(1.1–29.2)	
Percentage of retrievals resulting in live births ^{b,c}	52.5	42.5	40.7	10.0	0 / 6
Percentage of transfers resulting in live births ^{b,c}	53.6	43.1	44.9	2 / 19	0 / 4
Percentage of transfers resulting in singleton live births ^b	35.7	34.7	32.7	2 / 19	0 / 4
Percentage of cancellations ^b	8.3	8.8	12.9	9.1	0 / 6
Average number of embryos transferred	2.2	2.7	3.1	2.8	6.0
Percentage of pregnancies with twins ^b	30.4	15.4	29.2	0 / 5	
Percentage of pregnancies with triplets or more ^b	3.6	2.6	0.0	0 / 5	
Percentage of live births having multiple infants ^{b,c}	33.3	19.4	27.3	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	129	48	16	2	0
Percentage of transfers resulting in live births ^{b,c}	46.5	41.7	5 / 16	0 / 2	
Average number of embryos transferred	2.8	3.1	4.0	4.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	24		43		
Percentage of transfers resulting in live births ^{b,c}	54.2		39.5		
Average number of embryos transferred	2.0		2.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Michigan Reproductive & IVF Center, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY AND GYNECOLOGY CENTER OF LANSING, PC LANSING, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	0%	Other factor	0%	
GIFT	0%	With ICSI	91%	Ovulatory dysfunction	10%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	1%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	7%	Female factors only	12%
		Used PGD	0%	Uterine factor	0%	Female & male factors	49%
		With eSET	3%	Male factor	17%		

2008 PREGNANCY SUCCESS RATES

Data verified by Mohammad Mohsenian, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	28	9	5	3	0
Percentage of embryos transferred resulting in implantation ^b	33.3	4 / 15	0 / 8	0 / 4	
Percentage of cycles resulting in pregnancies ^b	57.1	4 / 9	0 / 5	0 / 3	
Percentage of cycles resulting in live births ^{b,c}	53.6	4 / 9	0 / 5	0 / 3	
(Confidence Interval)	(33.9–72.5)				
Percentage of retrievals resulting in live births ^{b,c}	53.6	4 / 8	0 / 3	0 / 2	
Percentage of transfers resulting in live births ^{b,c}	53.6	4 / 7	0 / 3	0 / 2	
Percentage of transfers resulting in singleton live births ^b	53.6	4 / 7	0 / 3	0 / 2	
Percentage of cancellations ^b	0.0	1 / 9	2 / 5	1 / 3	
Average number of embryos transferred	1.9	2.1	2.7	2.0	
Percentage of pregnancies with twins ^b	2 / 16	0 / 4			
Percentage of pregnancies with triplets or more ^b	0 / 16	0 / 4			
Percentage of live births having multiple infants ^{b,c}	0 / 15	0 / 4			
Frozen Embryos from Nondonor Eggs					
Number of transfers	14	6	2	0	0
Percentage of transfers resulting in live births ^{b,c}	2 / 14	0 / 6	0 / 2		
Average number of embryos transferred	1.8	1.8	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility and Gynecology Center of Lansing, PC

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**MICHIGAN STATE UNIVERSITY
CENTER FOR ASSISTED REPRODUCTIVE TECHNOLOGY
LANSING, MICHIGAN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	0%	Procedural Factors:	Tubal factor	0%	Other factor	0%
GIFT	0%	With ICSI	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	0%	Female factors only	50%
		Used PGD	Uterine factor	0%	Female & male factors	50%
		With eSET	Male factor	0%		

2008 PREGNANCY SUCCESS RATES

Data verified by Richard Leach, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	0	0	0	0	0
Percentage of embryos transferred resulting in implantation ^b					
Percentage of cycles resulting in pregnancies ^b					
Percentage of cycles resulting in live births ^{b,c}					
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}					
Percentage of transfers resulting in live births ^{b,c}					
Percentage of transfers resulting in singleton live births ^b					
Percentage of cancellations ^b					
Average number of embryos transferred					
Percentage of pregnancies with twins ^b					
Percentage of pregnancies with triplets or more ^b					
Percentage of live births having multiple infants ^{b,c}					
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	1	0	0
Percentage of transfers resulting in live births ^{b,c}			0 / 1		
Average number of embryos transferred			1.0		
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		0		0	
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Michigan State University, Center for Assisted Reproductive Technology

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF MICHIGAN ROCHESTER HILLS, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	>99%	Procedural Factors:	Tubal factor	6%	Other factor	7%	
GIFT	0%	With ICSI	86%	Ovulatory dysfunction	10%	Unknown factor	3%
ZIFT	<1%	Unstimulated	<1%	Diminished ovarian reserve	15%	<i>Multiple Factors:</i>	
Combination	<1%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	16%
		Used PGD	8%	Uterine factor	<1%	Female & male factors	23%
		With eSET	3%	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by Mostafa I. Abuzeid, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	502	172	163	55	23
Percentage of embryos transferred resulting in implantation ^b	40.0	31.0	22.8	6.7	3.8
Percentage of cycles resulting in pregnancies ^b	54.0	43.6	35.0	10.9	13.0
Percentage of cycles resulting in live births ^{b,c}	47.6	35.5	28.8	5.5	4.3
(Confidence Interval)	(43.2–52.1)	(28.3–43.1)	(22.0–36.4)	(1.1–15.1)	(0.1–21.9)
Percentage of retrievals resulting in live births ^{b,c}	50.5	40.1	32.9	7.3	1 / 17
Percentage of transfers resulting in live births ^{b,c}	54.4	43.9	37.3	8.6	1 / 16
Percentage of transfers resulting in singleton live births ^b	29.8	28.1	26.2	5.7	1 / 16
Percentage of cancellations ^b	5.8	11.6	12.3	25.5	26.1
Average number of embryos transferred	2.3	2.4	2.5	2.6	3.3
Percentage of pregnancies with twins ^b	42.1	30.7	26.3	2 / 6	0 / 3
Percentage of pregnancies with triplets or more ^b	3.7	5.3	3.5	0 / 6	0 / 3
Percentage of live births having multiple infants ^{b,c}	45.2	36.1	29.8	1 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	81	49	28	5	3
Percentage of transfers resulting in live births ^{b,c}	40.7	32.7	21.4	0 / 5	0 / 3
Average number of embryos transferred	2.2	2.0	2.0	2.2	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	96		43		
Percentage of transfers resulting in live births ^{b,c}	57.3		41.9		
Average number of embryos transferred	2.2		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF Michigan

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY WOMEN'S CARE/WAYNE STATE UNIVERSITY SOUTHFIELD, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	8%	
GIFT	0%	With ICSI	95%	Ovulatory dysfunction	5%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	14%
		Used PGD	5%	Uterine factor	6%	Female & male factors	28%
		With eSET	0%	Male factor	24%		

2008 PREGNANCY SUCCESS RATES

Data verified by Elizabeth E. Puscheck, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	24	15	19	4	1
Percentage of embryos transferred resulting in implantation ^b	31.5	28.1	12.8	2 / 13	0 / 4
Percentage of cycles resulting in pregnancies ^b	50.0	5 / 15	4 / 19	2 / 4	0 / 1
Percentage of cycles resulting in live births ^{b,c}	41.7	5 / 15	4 / 19	2 / 4	0 / 1
(Confidence Interval)	(22.1–63.4)				
Percentage of retrievals resulting in live births ^{b,c}	41.7	5 / 13	4 / 18	2 / 4	0 / 1
Percentage of transfers resulting in live births ^{b,c}	43.5	5 / 13	4 / 15	2 / 4	0 / 1
Percentage of transfers resulting in singleton live births ^b	26.1	2 / 13	3 / 15	2 / 4	0 / 1
Percentage of cancellations ^b	0.0	2 / 15	1 / 19	0 / 4	0 / 1
Average number of embryos transferred	2.3	2.5	3.1	3.3	4.0
Percentage of pregnancies with twins ^b	5 / 12	4 / 5	2 / 4	0 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 12	0 / 5	0 / 4	0 / 2	
Percentage of live births having multiple infants ^{b,c}	4 / 10	3 / 5	1 / 4	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	13	8	5	0	1
Percentage of transfers resulting in live births ^{b,c}	5 / 13	2 / 8	4 / 5		0 / 1
Average number of embryos transferred	3.0	2.4	3.4		3.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	4		1		
Percentage of transfers resulting in live births ^{b,c}	2 / 4		0 / 1		
Average number of embryos transferred	2.3		5.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Women's Care/Wayne State University

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY FORD REPRODUCTIVE MEDICINE TROY, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	23%	Other factor	7%	
GIFT	0%	With ICSI	48%	Ovulatory dysfunction	0%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	1%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	9%
		Used PGD	0%	Uterine factor	0%	Female & male factors	29%
		With eSET	3%	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by Ronald C. Strickler, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	19	15	12	3	1
Percentage of embryos transferred resulting in implantation ^b	12.9	2 / 19	20.0	2 / 7	0 / 2
Percentage of cycles resulting in pregnancies ^b	3 / 19	2 / 15	3 / 12	2 / 3	0 / 1
Percentage of cycles resulting in live births ^{b,c}	3 / 19	1 / 15	2 / 12	1 / 3	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	3 / 16	1 / 12	2 / 10	1 / 2	0 / 1
Percentage of transfers resulting in live births ^{b,c}	3 / 15	1 / 9	2 / 9	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births ^b	2 / 15	1 / 9	1 / 9	0 / 2	0 / 1
Percentage of cancellations ^b	3 / 19	3 / 15	2 / 12	1 / 3	0 / 1
Average number of embryos transferred	2.1	2.1	2.8	3.5	2.0
Percentage of pregnancies with twins ^b	1 / 3	0 / 2	2 / 3	1 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 3	0 / 2	0 / 3	0 / 2	
Percentage of live births having multiple infants ^{b,c}	1 / 3	0 / 1	1 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	13	7	1	1	0
Percentage of transfers resulting in live births ^{b,c}	3 / 13	2 / 7	0 / 1	0 / 1	
Average number of embryos transferred	1.9	2.7	3.0	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		2		
Percentage of transfers resulting in live births ^{b,c}	1 / 1		0 / 2		
Average number of embryos transferred	2.0		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2008. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

BRENDA L. MOSKOVITZ, MD, PC TROY, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	0%	Other factor	0%	
GIFT	0%	With ICSI	86%	Ovulatory dysfunction	13%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	6%
		Used PGD	0%	Uterine factor	0%	Female & male factors	50%
		With eSET	9%	Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Brenda L. Moskovitz, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	6	3	5	0	0
Percentage of embryos transferred resulting in implantation ^b	6 / 11	4 / 6	0 / 6		
Percentage of cycles resulting in pregnancies ^b	3 / 6	3 / 3	0 / 5		
Percentage of cycles resulting in live births ^{b,c}	3 / 6	3 / 3	0 / 5		
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	3 / 6	3 / 3	0 / 4		
Percentage of transfers resulting in live births ^{b,c}	3 / 6	3 / 3	0 / 3		
Percentage of transfers resulting in singleton live births ^b	1 / 6	2 / 3	0 / 3		
Percentage of cancellations ^b	0 / 6	0 / 3	1 / 5		
Average number of embryos transferred	1.8	2.0	2.0		
Percentage of pregnancies with twins ^b	1 / 3	1 / 3			
Percentage of pregnancies with triplets or more ^b	1 / 3	0 / 3			
Percentage of live births having multiple infants ^{b,c}	2 / 3	1 / 3			
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	0	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 1		0 / 1		
Average number of embryos transferred	1.0		1.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Brenda L. Moskovitz, MD, PC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF MICHIGAN TROY, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	7%	
GIFT	0%	With ICSI	68%	Ovulatory dysfunction	7%	Unknown factor	11%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	11%
		Used PGD	2%	Uterine factor	0%	Female & male factors	20%
		With eSET	2%	Male factor	27%		

2008 PREGNANCY SUCCESS RATES

Data verified by Brad T. Miller, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	111	60	35	11	2
Percentage of embryos transferred resulting in implantation ^b	34.6	23.0	14.1	2.9	0 / 1
Percentage of cycles resulting in pregnancies ^b	50.5	41.7	25.7	4 / 11	0 / 2
Percentage of cycles resulting in live births ^{b,c}	43.2	30.0	17.1	1 / 11	0 / 2
(Confidence Interval)	(33.9–53.0)	(18.8–43.2)	(6.6–33.6)		
Percentage of retrievals resulting in live births ^{b,c}	44.9	30.0	18.2	1 / 11	0 / 2
Percentage of transfers resulting in live births ^{b,c}	48.5	32.1	20.0	1 / 11	0 / 1
Percentage of transfers resulting in singleton live births ^b	31.3	21.4	10.0	1 / 11	0 / 1
Percentage of cancellations ^b	3.6	0.0	5.7	0 / 11	0 / 2
Average number of embryos transferred	2.4	2.6	2.4	3.1	1.0
Percentage of pregnancies with twins ^b	41.1	28.0	3 / 9	0 / 4	
Percentage of pregnancies with triplets or more ^b	5.4	8.0	0 / 9	0 / 4	
Percentage of live births having multiple infants ^{b,c}	35.4	6 / 18	3 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	4	3	1	0
Percentage of transfers resulting in live births ^{b,c}	3 / 10	1 / 4	0 / 3	0 / 1	
Average number of embryos transferred	1.7	2.0	2.7	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	26		8		
Percentage of transfers resulting in live births ^{b,c}	53.8		1 / 8		
Average number of embryos transferred	2.3		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Michigan

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN CENTER FOR FERTILITY AND WOMEN'S HEALTH, PLC WARREN, MICHIGAN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	10%	
GIFT	0%	With ICSI	89%	Ovulatory dysfunction	4%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	15%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	11%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	15%
		With eSET	0%	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by Carole L. Kowalczyk, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	60	22	18	13	1
Percentage of embryos transferred resulting in implantation ^b	24.4	8.2	14.6	4.8	
Percentage of cycles resulting in pregnancies ^b	40.0	18.2	6 / 18	1 / 13	0 / 1
Percentage of cycles resulting in live births ^{b,c}	36.7	13.6	4 / 18	0 / 13	0 / 1
(Confidence Interval)	(24.6–50.1)	(2.9–34.9)			
Percentage of retrievals resulting in live births ^{b,c}	40.0	15.0	4 / 17	0 / 10	
Percentage of transfers resulting in live births ^{b,c}	41.5	3 / 19	4 / 17	0 / 9	
Percentage of transfers resulting in singleton live births ^b	26.4	3 / 19	4 / 17	0 / 9	
Percentage of cancellations ^b	8.3	9.1	1 / 18	3 / 13	1 / 1
Average number of embryos transferred	2.5	2.6	2.8	2.3	
Percentage of pregnancies with twins ^b	29.2	0 / 4	0 / 6	0 / 1	
Percentage of pregnancies with triplets or more ^b	4.2	0 / 4	1 / 6	0 / 1	
Percentage of live births having multiple infants ^{b,c}	36.4	0 / 3	0 / 4		
Frozen Embryos from Nondonor Eggs					
Number of transfers	8	7	5	0	0
Percentage of transfers resulting in live births ^{b,c}	3 / 8	3 / 7	3 / 5		
Average number of embryos transferred	3.3	2.0	3.4		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	16		5		
Percentage of transfers resulting in live births ^{b,c}	11 / 16		2 / 5		
Average number of embryos transferred	2.1		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Michigan Center for Fertility and Women's Health, PLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE MIDWEST CENTER FOR REPRODUCTIVE HEALTH, PA MAPLE GROVE, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	2%	
GIFT	0%	With ICSI	33%	Ovulatory dysfunction	11%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	5%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	35%
		With eSET	1%	Male factor	25%		

2008 PREGNANCY SUCCESS RATES

Data verified by Randle S. Corfman, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	74	31	13	3	0
Percentage of embryos transferred resulting in implantation ^b	50.4	32.0	5 / 15	1 / 4	
Percentage of cycles resulting in pregnancies ^b	60.8	35.5	2 / 13	1 / 3	
Percentage of cycles resulting in live births ^{b,c}	55.4	29.0	1 / 13	1 / 3	
(Confidence Interval)	(43.4–67.0)	(14.2–48.0)			
Percentage of retrievals resulting in live births ^{b,c}	59.4	33.3	1 / 8	1 / 3	
Percentage of transfers resulting in live births ^{b,c}	65.1	34.6	1 / 8	1 / 2	
Percentage of transfers resulting in singleton live births ^b	41.3	19.2	0 / 8	1 / 2	
Percentage of cancellations ^b	6.8	12.9	5 / 13	0 / 3	
Average number of embryos transferred	2.0	1.9	1.9	2.0	
Percentage of pregnancies with twins ^b	37.8	4 / 11	1 / 2	0 / 1	
Percentage of pregnancies with triplets or more ^b	2.2	1 / 11	1 / 2	0 / 1	
Percentage of live births having multiple infants ^{b,c}	36.6	4 / 9	1 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	55	18	9	1	0
Percentage of transfers resulting in live births ^{b,c}	25.5	7 / 18	3 / 9	0 / 1	
Average number of embryos transferred	1.7	1.7	1.7	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	31		20		
Percentage of transfers resulting in live births ^{b,c}	51.6		30.0		
Average number of embryos transferred	2.0		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Midwest Center for Reproductive Health, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE
ADVANCED REPRODUCTIVE TECHNOLOGIES
MINNEAPOLIS, MINNESOTA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	2%	
GIFT	0%	With ICSI	58%	Ovulatory dysfunction	7%	Unknown factor	12%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	20%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	5%	Female factors only	9%
		Used PGD	2%	Uterine factor	2%	Female & male factors	15%
		With eSET	6%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by Bruce F. Campbell, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	338	139	128	42	12
Percentage of embryos transferred resulting in implantation ^b	40.4	37.2	30.4	10.8	13.6
Percentage of cycles resulting in pregnancies ^b	53.3	45.3	44.5	19.0	3 / 12
Percentage of cycles resulting in live births ^{b,c}	48.8	39.6	28.9	16.7	2 / 12
(Confidence Interval)	(43.4–54.3)	(31.4–48.2)	(21.2–37.6)	(7.0–31.4)	
Percentage of retrievals resulting in live births ^{b,c}	51.6	44.4	34.3	18.9	2 / 9
Percentage of transfers resulting in live births ^{b,c}	52.7	45.5	36.3	20.0	2 / 9
Percentage of transfers resulting in singleton live births ^b	35.5	30.6	31.4	14.3	2 / 9
Percentage of cancellations ^b	5.3	10.8	15.6	11.9	3 / 12
Average number of embryos transferred	1.8	1.9	2.1	2.4	2.4
Percentage of pregnancies with twins ^b	30.6	38.1	22.8	2 / 8	0 / 3
Percentage of pregnancies with triplets or more ^b	1.7	1.6	0.0	0 / 8	0 / 3
Percentage of live births having multiple infants ^{b,c}	32.7	32.7	13.5	2 / 7	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	40	25	12	1	1
Percentage of transfers resulting in live births ^{b,c}	55.0	40.0	4 / 12	0 / 1	0 / 1
Average number of embryos transferred	2.0	1.8	1.8	2.0	1.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	96		23		
Percentage of transfers resulting in live births ^{b,c}	59.4		30.4		
Average number of embryos transferred	1.8		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine, Advanced Reproductive Technologies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE CENTER MINNEAPOLIS, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	1%	
GIFT	0%	With ICSI	75%	Ovulatory dysfunction	5%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	4%	Female factors only	10%
		Used PGD	0%	Uterine factor	2%	Female & male factors	28%
		With eSET	<1%	Male factor	31%		

2008 PREGNANCY SUCCESS RATES

Data verified by Mark A. Damario, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	130	77	51	17	3
Percentage of embryos transferred resulting in implantation ^b	45.1	24.8	19.7	13.8	0 / 3
Percentage of cycles resulting in pregnancies ^b	53.1	40.3	37.3	5 / 17	0 / 3
Percentage of cycles resulting in live births ^{b,c}	46.9	32.5	29.4	3 / 17	0 / 3
(Confidence Interval)	(38.1–55.9)	(22.2–44.1)	(17.5–43.8)		
Percentage of retrievals resulting in live births ^{b,c}	53.5	39.1	32.6	3 / 10	0 / 3
Percentage of transfers resulting in live births ^{b,c}	54.5	39.7	34.1	3 / 10	0 / 1
Percentage of transfers resulting in singleton live births ^b	29.5	31.7	20.5	3 / 10	0 / 1
Percentage of cancellations ^b	12.3	16.9	9.8	7 / 17	0 / 3
Average number of embryos transferred	1.9	2.2	2.8	2.9	3.0
Percentage of pregnancies with twins ^b	46.4	19.4	5 / 19	1 / 5	
Percentage of pregnancies with triplets or more ^b	0.0	0.0	1 / 19	0 / 5	
Percentage of live births having multiple infants ^{b,c}	45.9	20.0	6 / 15	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	26	8	4	0	1
Percentage of transfers resulting in live births ^{b,c}	34.6	3 / 8	0 / 4		0 / 1
Average number of embryos transferred	1.8	2.3	1.8		3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	8		2		
Percentage of transfers resulting in live births ^{b,c}	4 / 8		2 / 2		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAYO CLINIC ASSISTED REPRODUCTIVE TECHNOLOGIES ROCHESTER, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	<1%	
GIFT	0%	With ICSI	71%	Ovulatory dysfunction	6%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	8%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	54%
		With eSET	1%	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by Charles C. Coddington, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	61	20	19	9	2
Percentage of embryos transferred resulting in implantation ^b	22.5	24.3	21.1	10.0	0 / 1
Percentage of cycles resulting in pregnancies ^b	29.5	45.0	9 / 19	2 / 9	0 / 2
Percentage of cycles resulting in live births ^{b,c}	24.6	45.0	7 / 19	2 / 9	0 / 2
(Confidence Interval)	(14.5–37.3)	(23.1–68.5)			
Percentage of retrievals resulting in live births ^{b,c}	28.8	9 / 18	7 / 18	2 / 8	0 / 1
Percentage of transfers resulting in live births ^{b,c}	34.1	9 / 16	7 / 15	2 / 8	0 / 1
Percentage of transfers resulting in singleton live births ^b	27.3	9 / 16	7 / 15	2 / 8	0 / 1
Percentage of cancellations ^b	14.8	10.0	1 / 19	1 / 9	1 / 2
Average number of embryos transferred	2.0	2.3	2.5	2.5	1.0
Percentage of pregnancies with twins ^b	3 / 18	0 / 9	0 / 9	0 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 18	0 / 9	0 / 9	0 / 2	
Percentage of live births having multiple infants ^{b,c}	3 / 15	0 / 9	0 / 7	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	44	12	11	5	1
Percentage of transfers resulting in live births ^{b,c}	38.6	7 / 12	2 / 11	0 / 5	0 / 1
Average number of embryos transferred	2.2	2.0	2.1	2.4	2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	1		15		
Percentage of transfers resulting in live births ^{b,c}	0 / 1		5 / 15		
Average number of embryos transferred	2.0		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Mayo Clinic Assisted Reproductive Technologies

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & INFERTILITY ASSOCIATES WOODBURY, MINNESOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	2%	Other factor	7%	
GIFT	0%	With ICSI	94%	Ovulatory dysfunction	4%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	3%	Female factors only	6%
		Used PGD	1%	Uterine factor	<1%	Female & male factors	48%
		With eSET	2%	Male factor	24%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jacques P. Stassart, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	218	85	50	13	1
Percentage of embryos transferred resulting in implantation ^b	38.4	27.9	16.2	11.1	0 / 5
Percentage of cycles resulting in pregnancies ^b	52.8	47.1	30.0	4 / 13	0 / 1
Percentage of cycles resulting in live births ^{b,c}	43.6	35.3	16.0	1 / 13	0 / 1
(Confidence Interval)	(36.9–50.4)	(25.2–46.4)	(7.2–29.1)		
Percentage of retrievals resulting in live births ^{b,c}	44.4	35.7	17.8	1 / 12	0 / 1
Percentage of transfers resulting in live births ^{b,c}	46.1	37.5	18.2	1 / 12	0 / 1
Percentage of transfers resulting in singleton live births ^b	30.6	32.5	9.1	1 / 12	0 / 1
Percentage of cancellations ^b	1.8	1.2	10.0	1 / 13	0 / 1
Average number of embryos transferred	2.0	2.1	2.4	3.0	5.0
Percentage of pregnancies with twins ^b	33.9	17.5	5 / 15	1 / 4	
Percentage of pregnancies with triplets or more ^b	3.5	2.5	0 / 15	0 / 4	
Percentage of live births having multiple infants ^{b,c}	33.7	13.3	4 / 8	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	87	25	10	4	1
Percentage of transfers resulting in live births ^{b,c}	34.5	44.0	2 / 10	0 / 4	0 / 1
Average number of embryos transferred	1.6	1.6	2.1	3.3	3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	67		32		
Percentage of transfers resulting in live births ^{b,c}	41.8		25.0		
Average number of embryos transferred	1.9		1.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine & Infertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSISSIPPI FERTILITY INSTITUTE JACKSON, MISSISSIPPI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	25%	Other factor	0%	
GIFT	0%	With ICSI	69%	Ovulatory dysfunction	1%	Unknown factor	11%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	13%	Female factors only	8%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	10%
		With eSET	1%	Male factor	24%		

2008 PREGNANCY SUCCESS RATES

Data verified by John D. Isaacs, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	64	34	15	7	3
Percentage of embryos transferred resulting in implantation ^b	34.4	24.1	11.8	1 / 7	0 / 8
Percentage of cycles resulting in pregnancies ^b	43.8	23.5	3 / 15	1 / 7	0 / 3
Percentage of cycles resulting in live births ^{b,c}	35.9	20.6	1 / 15	1 / 7	0 / 3
(Confidence Interval)	(24.3–48.9)	(8.7–37.9)			
Percentage of retrievals resulting in live births ^{b,c}	39.7	26.9	1 / 12	1 / 4	0 / 3
Percentage of transfers resulting in live births ^{b,c}	42.6	30.4	1 / 11	1 / 3	0 / 3
Percentage of transfers resulting in singleton live births ^b	22.2	17.4	1 / 11	1 / 3	0 / 3
Percentage of cancellations ^b	9.4	23.5	3 / 15	3 / 7	0 / 3
Average number of embryos transferred	2.3	2.3	3.1	2.3	2.7
Percentage of pregnancies with twins ^b	35.7	1 / 8	1 / 3	0 / 1	
Percentage of pregnancies with triplets or more ^b	7.1	2 / 8	0 / 3	0 / 1	
Percentage of live births having multiple infants ^{b,c}	47.8	3 / 7	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	12	8	0	1	0
Percentage of transfers resulting in live births ^{b,c}	5 / 12	1 / 8		0 / 1	
Average number of embryos transferred	1.7	1.8		1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	13		8		
Percentage of transfers resulting in live births ^{b,c}	7 / 13		2 / 8		
Average number of embryos transferred	2.1		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Mississippi Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MISSISSIPPI MEDICAL CENTER JACKSON, MISSISSIPPI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	17%	Other factor	2%
GIFT	0% With ICSI	80% Ovulatory dysfunction	7%	Unknown factor	3%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	1% Endometriosis	10%	Female factors only	35%
	Used PGD	1% Uterine factor	0%	Female & male factors	18%
	With eSET	2% Male factor	5%		

2008 PREGNANCY SUCCESS RATES

Data verified by Randall S. Hines, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	70	8	14	0	0
Percentage of embryos transferred resulting in implantation ^b	27.6	2 / 12	8.7		
Percentage of cycles resulting in pregnancies ^b	40.0	2 / 8	1 / 14		
Percentage of cycles resulting in live births ^{b,c}	34.3	2 / 8	0 / 14		
(Confidence Interval)	(23.3–46.6)				
Percentage of retrievals resulting in live births ^{b,c}	40.0	2 / 6	0 / 11		
Percentage of transfers resulting in live births ^{b,c}	42.9	2 / 5	0 / 9		
Percentage of transfers resulting in singleton live births ^b	28.6	2 / 5	0 / 9		
Percentage of cancellations ^b	14.3	2 / 8	3 / 14		
Average number of embryos transferred	2.3	2.4	2.6		
Percentage of pregnancies with twins ^b	25.0	0 / 2	1 / 1		
Percentage of pregnancies with triplets or more ^b	3.6	0 / 2	0 / 1		
Percentage of live births having multiple infants ^{b,c}	33.3	0 / 2			
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	5	2	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 10	1 / 5	0 / 2		
Average number of embryos transferred	2.0	2.0	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	10		6		
Percentage of transfers resulting in live births ^{b,c}	5 / 10		0 / 6		
Average number of embryos transferred	2.1		1.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Mississippi Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-MISSOURI REPRODUCTIVE MEDICINE AND SURGERY, INC. COLUMBIA, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	0%	Other factor	5%	
GIFT	0%	With ICSI	66%	Ovulatory dysfunction	6%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	3%	Female factors only	11%
		Used PGD	0%	Uterine factor	0%	Female & male factors	51%
		With eSET	5%	Male factor	17%		

2008 PREGNANCY SUCCESS RATES

Data verified by Steven A. Brody, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	58	12	5	6	2
Percentage of embryos transferred resulting in implantation ^b	22.1	30.0	1 / 13	1 / 14	0 / 6
Percentage of cycles resulting in pregnancies ^b	32.8	5 / 12	2 / 5	1 / 6	0 / 2
Percentage of cycles resulting in live births ^{b,c}	29.3	4 / 12	1 / 5	1 / 6	0 / 2
(Confidence Interval)	(18.1–42.7)				
Percentage of retrievals resulting in live births ^{b,c}	30.9	4 / 10	1 / 5	1 / 5	0 / 2
Percentage of transfers resulting in live births ^{b,c}	31.5	4 / 10	1 / 5	1 / 5	0 / 2
Percentage of transfers resulting in singleton live births ^b	20.4	3 / 10	1 / 5	1 / 5	0 / 2
Percentage of cancellations ^b	5.2	2 / 12	0 / 5	1 / 6	0 / 2
Average number of embryos transferred	2.1	2.0	2.6	2.8	3.0
Percentage of pregnancies with twins ^b	8 / 19	2 / 5	0 / 2	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 19	0 / 5	0 / 2	0 / 1	
Percentage of live births having multiple infants ^{b,c}	6 / 17	1 / 4	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	12	3	1	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 12	0 / 3	0 / 1		
Average number of embryos transferred	2.0	2.3	4.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		3		
Percentage of transfers resulting in live births ^{b,c}	1 / 4		0 / 3		
Average number of embryos transferred	2.3		1.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Mid-Missouri Reproductive Medicine and Surgery, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**MISSOURI CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY
UNIVERSITY OF MISSOURI
COLUMBIA, MISSOURI**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	8%	Other factor	8%
GIFT	0% With ICSI	31% Ovulatory dysfunction	0%	Unknown factor	8%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	8% Endometriosis	46%	Female factors only	0%
	Used PGD	8% Uterine factor	8%	Female & male factors	8%
	With eSET	0% Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by Mira Aubuchon, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	5	4	2	0	0
Percentage of embryos transferred resulting in implantation ^b	3 / 6	1 / 2	2 / 2		
Percentage of cycles resulting in pregnancies ^b	3 / 5	1 / 4	1 / 2		
Percentage of cycles resulting in live births ^{b,c}	2 / 5	1 / 4	1 / 2		
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	2 / 4	1 / 2	1 / 2		
Percentage of transfers resulting in live births ^{b,c}	2 / 4	1 / 1	1 / 1		
Percentage of transfers resulting in singleton live births ^b	2 / 4	1 / 1	0 / 1		
Percentage of cancellations ^b	1 / 5	2 / 4	0 / 2		
Average number of embryos transferred	1.5	2.0	2.0		
Percentage of pregnancies with twins ^b	0 / 3	0 / 1	1 / 1		
Percentage of pregnancies with triplets or more ^b	0 / 3	0 / 1	0 / 1		
Percentage of live births having multiple infants ^{b,c}	0 / 2	0 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Missouri Center for Reproductive Medicine and Fertility, University of Missouri

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST WOMEN'S HEALTHCARE KANSAS CITY, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	0%	
GIFT	0%	With ICSI	80%	Ovulatory dysfunction	6%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	12%	Female factors only	23%
		Used PGD	0%	Uterine factor	2%	Female & male factors	36%
		With eSET	2%	Male factor	9%		

2008 PREGNANCY SUCCESS RATES

Data verified by Gregory C. Starks, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	32	11	9	2	0
Percentage of embryos transferred resulting in implantation ^b	50.0	4 / 13	4 / 16	0 / 3	
Percentage of cycles resulting in pregnancies ^b	56.3	4 / 11	3 / 9	0 / 2	
Percentage of cycles resulting in live births ^{b,c}	56.3	2 / 11	2 / 9	0 / 2	
(Confidence Interval)	(37.7–73.6)				
Percentage of retrievals resulting in live births ^{b,c}	66.7	2 / 8	2 / 8	0 / 2	
Percentage of transfers resulting in live births ^{b,c}	66.7	2 / 7	2 / 8	0 / 2	
Percentage of transfers resulting in singleton live births ^b	40.7	2 / 7	1 / 8	0 / 2	
Percentage of cancellations ^b	15.6	3 / 11	1 / 9	0 / 2	
Average number of embryos transferred	1.9	1.9	2.0	1.5	
Percentage of pregnancies with twins ^b	8 / 18	0 / 4	1 / 3		
Percentage of pregnancies with triplets or more ^b	0 / 18	0 / 4	0 / 3		
Percentage of live births having multiple infants ^{b,c}	7 / 18	0 / 2	1 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	1	1	1	0
Percentage of transfers resulting in live births ^{b,c}	1 / 3	0 / 1	1 / 1	0 / 1	
Average number of embryos transferred	2.0	2.0	2.0	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		0		
Percentage of transfers resulting in live births ^{b,c}	1 / 3				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Midwest Women's Healthcare

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER AT MISSOURI BAPTIST MEDICAL CENTER ST. LOUIS, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	0%	Other factor	0%	
GIFT	0%	With ICSI	71%	Ovulatory dysfunction	5%	Unknown factor	<1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	22%
		Used PGD	13%	Uterine factor	0%	Female & male factors	48%
		With eSET	0%	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Anthony C. Pearlstone, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	54	15	10	9	5
Percentage of embryos transferred resulting in implantation ^b	45.6	22.2	4 / 18	3 / 14	0 / 4
Percentage of cycles resulting in pregnancies ^b	53.7	4 / 15	2 / 10	2 / 9	0 / 5
Percentage of cycles resulting in live births ^{b,c}	50.0	4 / 15	2 / 10	2 / 9	0 / 5
(Confidence Interval)	(36.1–63.9)				
Percentage of retrievals resulting in live births ^{b,c}	52.9	4 / 13	2 / 7	2 / 5	0 / 2
Percentage of transfers resulting in live births ^{b,c}	57.4	4 / 12	2 / 6	2 / 4	0 / 2
Percentage of transfers resulting in singleton live births ^b	23.4	3 / 12	0 / 6	2 / 4	0 / 2
Percentage of cancellations ^b	5.6	2 / 15	3 / 10	4 / 9	3 / 5
Average number of embryos transferred	2.2	2.3	3.0	3.5	2.0
Percentage of pregnancies with twins ^b	55.2	2 / 4	2 / 2	1 / 2	
Percentage of pregnancies with triplets or more ^b	3.4	0 / 4	0 / 2	0 / 2	
Percentage of live births having multiple infants ^{b,c}	59.3	1 / 4	2 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	5	0	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 4	1 / 5			
Average number of embryos transferred	2.3	2.2			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	8		1		
Percentage of transfers resulting in live births ^{b,c}	7 / 8		0 / 1		
Average number of embryos transferred	2.3		1.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Center at Missouri Baptist Medical Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY & IVF CENTER ST. LOUIS, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	3%	Other factor	0%
GIFT	0%	With ICSI	Ovulatory dysfunction	15%	Unknown factor	3%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	0%	Female factors only	9%
		Used PGD	Uterine factor	1%	Female & male factors	44%
		With eSET	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Ronald P. Wilbois, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	40	13	11	3	3
Percentage of embryos transferred resulting in implantation ^b	47.7	33.3	14.3	0 / 4	0 / 3
Percentage of cycles resulting in pregnancies ^b	60.0	8 / 13	3 / 11	0 / 3	0 / 3
Percentage of cycles resulting in live births ^{b,c}	57.5	8 / 13	2 / 11	0 / 3	0 / 3
(Confidence Interval)	(40.9–73.0)				
Percentage of retrievals resulting in live births ^{b,c}	62.2	8 / 13	2 / 10	0 / 2	0 / 1
Percentage of transfers resulting in live births ^{b,c}	65.7	8 / 11	2 / 10	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births ^b	28.6	7 / 11	2 / 10	0 / 2	0 / 1
Percentage of cancellations ^b	7.5	0 / 13	1 / 11	1 / 3	2 / 3
Average number of embryos transferred	2.5	2.5	2.1	2.0	3.0
Percentage of pregnancies with twins ^b	54.2	1 / 8	0 / 3		
Percentage of pregnancies with triplets or more ^b	8.3	0 / 8	0 / 3		
Percentage of live births having multiple infants ^{b,c}	56.5	1 / 8	0 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	19	18	1	0	0
Percentage of transfers resulting in live births ^{b,c}	9 / 19	2 / 18	0 / 1		
Average number of embryos transferred	2.6	2.6	1.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	19		23		
Percentage of transfers resulting in live births ^{b,c}	9 / 19		34.8		
Average number of embryos transferred	2.5		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility & IVF Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE INFERTILITY AND REPRODUCTIVE MEDICINE CENTER AT WASHINGTON UNIVERSITY SCHOOL OF MEDICINE AND BARNES-JEWISH HOSPITAL ST. LOUIS, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	12%	Other factor	6%	
GIFT	0%	With ICSI	57%	Ovulatory dysfunction	9%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	19%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	5%	Female factors only	9%
		Used PGD	1%	Uterine factor	<1%	Female & male factors	14%
		With eSET	1%	Male factor	12%		

2008 PREGNANCY SUCCESS RATES

Data verified by Randall R. Odem, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	178	96	71	21	2
Percentage of embryos transferred resulting in implantation ^b	36.4	21.6	17.3	6.2	0 / 11
Percentage of cycles resulting in pregnancies ^b	49.4	33.3	28.2	23.8	0 / 2
Percentage of cycles resulting in live births ^{b,c}	45.5	28.1	15.5	14.3	0 / 2
(Confidence Interval)	(38.0–53.1)	(19.4–38.2)	(8.0–26.0)	(3.0–36.3)	
Percentage of retrievals resulting in live births ^{b,c}	50.3	32.9	20.0	3 / 18	0 / 2
Percentage of transfers resulting in live births ^{b,c}	51.3	34.6	20.8	3 / 18	0 / 2
Percentage of transfers resulting in singleton live births ^b	32.3	23.1	13.2	3 / 18	0 / 2
Percentage of cancellations ^b	9.6	14.6	22.5	14.3	0 / 2
Average number of embryos transferred	2.0	2.6	2.8	3.6	5.5
Percentage of pregnancies with twins ^b	34.1	28.1	10.0	0 / 5	
Percentage of pregnancies with triplets or more ^b	1.1	6.3	15.0	0 / 5	
Percentage of live births having multiple infants ^{b,c}	37.0	33.3	4 / 11	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	30	9	7	2	0
Percentage of transfers resulting in live births ^{b,c}	16.7	2 / 9	1 / 7	1 / 2	
Average number of embryos transferred	2.3	2.4	2.6	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	14		3		
Percentage of transfers resulting in live births ^{b,c}	7 / 14		0 / 3		
Average number of embryos transferred	2.2		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Infertility and Reproductive Medicine Center at Washington University School of Medicine and Barnes-Jewish Hospital

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INFERTILITY CENTER OF ST. LOUIS
ST. LUKE'S HOSPITAL
ST. LOUIS, MISSOURI**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	98%	Procedural Factors:	Tubal factor	4%	Other factor	4%	
GIFT	0%	With ICSI	95%	Ovulatory dysfunction	15%	Unknown factor	5%
ZIFT	2%	Unstimulated	0%	Diminished ovarian reserve	19%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	5%	Endometriosis	1%	Female factors only	6%
		Used PGD	2%	Uterine factor	3%	Female & male factors	10%
		With eSET	<1%	Male factor	33%		

2008 PREGNANCY SUCCESS RATES

Data verified by Sherman J. Silber, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	98	39	25	1	2
Percentage of embryos transferred resulting in implantation ^b	24.2	23.2	9.3	0 / 2	0 / 6
Percentage of cycles resulting in pregnancies ^b	37.8	43.6	32.0	0 / 1	0 / 2
Percentage of cycles resulting in live births ^{b,c}	33.7	35.9	16.0	0 / 1	0 / 2
(Confidence Interval)	(24.4–43.9)	(21.2–52.8)	(4.5–36.1)		
Percentage of retrievals resulting in live births ^{b,c}	35.5	37.8	17.4	0 / 1	0 / 2
Percentage of transfers resulting in live births ^{b,c}	36.3	37.8	17.4	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births ^b	22.0	32.4	17.4	0 / 1	0 / 2
Percentage of cancellations ^b	5.1	5.1	8.0	0 / 1	0 / 2
Average number of embryos transferred	2.2	2.2	2.3	2.0	3.0
Percentage of pregnancies with twins ^b	37.8	3 / 17	1 / 8		
Percentage of pregnancies with triplets or more ^b	0.0	0 / 17	0 / 8		
Percentage of live births having multiple infants ^{b,c}	39.4	2 / 14	0 / 4		
Frozen Embryos from Nondonor Eggs					
Number of transfers	83	28	21	8	4
Percentage of transfers resulting in live births ^{b,c}	31.3	28.6	28.6	1 / 8	1 / 4
Average number of embryos transferred	2.0	2.1	2.2	3.4	1.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	14		13		
Percentage of transfers resulting in live births ^{b,c}	6 / 14		6 / 13		
Average number of embryos transferred	2.0		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility Center of St. Louis, St. Luke's Hospital

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-ST. LOUIS ST. LOUIS, MISSOURI

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	24%	Other factor	6%	
GIFT	0%	With ICSI	96%	Ovulatory dysfunction	7%	Unknown factor	3%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	30%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	7%	Female factors only	<1%
		Used PGD	7%	Uterine factor	3%	Female & male factors	3%
		With eSET	1%	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by Peter M. Ahlering, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	211	68	62	27	7
Percentage of embryos transferred resulting in implantation ^b	40.7	29.6	24.8	9.3	0 / 6
Percentage of cycles resulting in pregnancies ^b	53.1	52.9	37.1	22.2	0 / 7
Percentage of cycles resulting in live births ^{b,c}	46.0	39.7	29.0	11.1	0 / 7
(Confidence Interval)	(39.1–52.9)	(28.0–52.3)	(18.2–41.9)	(2.4–29.2)	
Percentage of retrievals resulting in live births ^{b,c}	46.6	40.9	30.0	11.5	0 / 7
Percentage of transfers resulting in live births ^{b,c}	50.5	45.0	36.0	3 / 17	0 / 5
Percentage of transfers resulting in singleton live births ^b	26.6	23.3	18.0	3 / 17	0 / 5
Percentage of cancellations ^b	1.4	2.9	3.2	3.7	0 / 7
Average number of embryos transferred	2.1	2.4	2.4	2.5	1.2
Percentage of pregnancies with twins ^b	50.0	33.3	39.1	0 / 6	
Percentage of pregnancies with triplets or more ^b	1.8	2.8	4.3	0 / 6	
Percentage of live births having multiple infants ^{b,c}	47.4	48.1	9 / 18	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	41	18	9	3	3
Percentage of transfers resulting in live births ^{b,c}	26.8	4 / 18	2 / 9	2 / 3	0 / 3
Average number of embryos transferred	2.6	2.6	2.8	2.3	3.3
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	21		1		
Percentage of transfers resulting in live births ^{b,c}	57.1		0 / 1		
Average number of embryos transferred	1.9		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sher Institute for Reproductive Medicine-St. Louis

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

HEARTLAND CENTER FOR REPRODUCTIVE MEDICINE, PC OMAHA, NEBRASKA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	>99%	Procedural Factors:	Tubal factor	3%	Other factor	3%
GIFT	0%	With ICSI	Ovulatory dysfunction	7%	Unknown factor	<1%
ZIFT	<1%	Unstimulated	Diminished ovarian reserve	15%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	2%	Female factors only	11%
		Used PGD	Uterine factor	<1%	Female & male factors	31%
		With eSET	Male factor	27%		

2008 PREGNANCY SUCCESS RATES

Data verified by Victoria M. Maclin, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	94	29	17	13	5
Percentage of embryos transferred resulting in implantation ^b	32.3	23.1	36.0	9.5	0 / 1
Percentage of cycles resulting in pregnancies ^b	36.2	17.2	7 / 17	3 / 13	0 / 5
Percentage of cycles resulting in live births ^{b,c}	29.8	13.8	7 / 17	2 / 13	0 / 5
(Confidence Interval)	(20.8–40.1)	(3.9–31.7)			
Percentage of retrievals resulting in live births ^{b,c}	34.1	16.7	7 / 15	2 / 13	0 / 4
Percentage of transfers resulting in live births ^{b,c}	42.4	4 / 16	7 / 12	2 / 8	0 / 1
Percentage of transfers resulting in singleton live births ^b	28.8	3 / 16	5 / 12	2 / 8	0 / 1
Percentage of cancellations ^b	12.8	17.2	2 / 17	0 / 13	1 / 5
Average number of embryos transferred	1.9	1.6	2.1	2.6	1.0
Percentage of pregnancies with twins ^b	29.4	1 / 5	2 / 7	0 / 3	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 5	0 / 7	0 / 3	
Percentage of live births having multiple infants ^{b,c}	32.1	1 / 4	2 / 7	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	9	2	0	0
Percentage of transfers resulting in live births ^{b,c}	6 / 9	3 / 9	0 / 2		
Average number of embryos transferred	1.9	1.9	2.5		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	20		8		
Percentage of transfers resulting in live births ^{b,c}	45.0		4 / 8		
Average number of embryos transferred	1.8		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Heartland Center for Reproductive Medicine, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEBRASKA METHODIST HOSPITAL REI OMAHA, NEBRASKA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	14%	Other factor	7%	
GIFT	0%	With ICSI	85%	Ovulatory dysfunction	5%	Unknown factor	10%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	10%	Female factors only	11%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	11%
		With eSET	3%	Male factor	25%		

2008 PREGNANCY SUCCESS RATES

Data verified by Carolyn M. Doherty, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	154	57	35	11	1
Percentage of embryos transferred resulting in implantation ^b	38.7	22.5	26.1	25.0	
Percentage of cycles resulting in pregnancies ^b	52.6	40.4	42.9	7 / 11	0 / 1
Percentage of cycles resulting in live births ^{b,c}	46.8	33.3	34.3	4 / 11	0 / 1
(Confidence Interval)	(38.7–55.0)	(21.4–47.1)	(19.1–52.2)		
Percentage of retrievals resulting in live births ^{b,c}	50.3	39.6	50.0	4 / 9	
Percentage of transfers resulting in live births ^{b,c}	50.7	39.6	50.0	4 / 9	
Percentage of transfers resulting in singleton live births ^b	28.2	33.3	41.7	4 / 9	
Percentage of cancellations ^b	7.1	15.8	31.4	2 / 11	1 / 1
Average number of embryos transferred	2.3	2.7	2.9	3.6	
Percentage of pregnancies with twins ^b	42.0	26.1	4 / 15	0 / 7	
Percentage of pregnancies with triplets or more ^b	6.2	0.0	0 / 15	1 / 7	
Percentage of live births having multiple infants ^{b,c}	44.4	3 / 19	2 / 12	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of transfers	40	6	2	0	1
Percentage of transfers resulting in live births ^{b,c}	57.5	2 / 6	2 / 2		0 / 1
Average number of embryos transferred	1.7	1.8	1.0		1.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	25		6		
Percentage of transfers resulting in live births ^{b,c}	48.0		1 / 6		
Average number of embryos transferred	2.2		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Nebraska Methodist Hospital REI

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF LAS VEGAS LAS VEGAS, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	6%	
GIFT	0%	With ICSI	87%	Ovulatory dysfunction	2%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	22%	Multiple Factors:	
Combination	0%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	13%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	31%
		With eSET	5%	Male factor	14%		

2008 PREGNANCY SUCCESS RATES

Data verified by Bruce S. Shapiro, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	129	51	31	28	13
Percentage of embryos transferred resulting in implantation ^b	48.6	32.9	33.3	1 / 19	1 / 4
Percentage of cycles resulting in pregnancies ^b	48.8	33.3	29.0	3.6	1 / 13
Percentage of cycles resulting in live births ^{b,c}	45.0	23.5	22.6	3.6	1 / 13
(Confidence Interval)	(36.2–54.0)	(12.8–37.5)	(9.6–41.1)	(0.1–18.3)	
Percentage of retrievals resulting in live births ^{b,c}	48.3	26.7	26.9	5.0	1 / 11
Percentage of transfers resulting in live births ^{b,c}	60.4	31.6	7 / 13	1 / 12	1 / 2
Percentage of transfers resulting in singleton live births ^b	36.5	18.4	7 / 13	1 / 12	1 / 2
Percentage of cancellations ^b	7.0	11.8	16.1	28.6	2 / 13
Average number of embryos transferred	1.9	1.8	1.8	1.6	2.0
Percentage of pregnancies with twins ^b	42.9	7 / 17	1 / 9	0 / 1	0 / 1
Percentage of pregnancies with triplets or more ^b	0.0	0 / 17	0 / 9	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	39.7	5 / 12	0 / 7	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	116	66	41	15	4
Percentage of transfers resulting in live births ^{b,c}	65.5	45.5	51.2	3 / 15	2 / 4
Average number of embryos transferred	1.9	1.9	2.0	1.9	2.3
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		43		17	
Percentage of transfers resulting in live births ^{b,c}		74.4		9 / 17	
Average number of embryos transferred		1.9		1.9	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Las Vegas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEVADA FERTILITY C.A.R.E.S. LAS VEGAS, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	20%	
GIFT	0%	With ICSI	38%	Ovulatory dysfunction	8%	Unknown factor	8%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	26%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	9%
		Used PGD	9%	Uterine factor	0%	Female & male factors	6%
		With eSET	0%	Male factor	8%		

2008 PREGNANCY SUCCESS RATES

Data verified by Rachel A. McConnell, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	48	20	25	10	2
Percentage of embryos transferred resulting in implantation ^b	45.2	34.3	13.3	2 / 13	0 / 4
Percentage of cycles resulting in pregnancies ^b	47.9	45.0	20.0	2 / 10	0 / 2
Percentage of cycles resulting in live births ^{b,c}	43.8	30.0	16.0	2 / 10	0 / 2
(Confidence Interval)	(29.5–58.8)	(11.9–54.3)	(4.5–36.1)		
Percentage of retrievals resulting in live births ^{b,c}	48.8	6 / 17	17.4	2 / 9	0 / 2
Percentage of transfers resulting in live births ^{b,c}	53.8	6 / 15	4 / 18	2 / 6	0 / 1
Percentage of transfers resulting in singleton live births ^b	30.8	4 / 15	3 / 18	2 / 6	0 / 1
Percentage of cancellations ^b	10.4	15.0	8.0	1 / 10	0 / 2
Average number of embryos transferred	2.4	2.3	2.5	2.2	4.0
Percentage of pregnancies with twins ^b	26.1	1 / 9	1 / 5	0 / 2	
Percentage of pregnancies with triplets or more ^b	26.1	1 / 9	0 / 5	0 / 2	
Percentage of live births having multiple infants ^{b,c}	42.9	2 / 6	1 / 4	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	8	6	4	1	0
Percentage of transfers resulting in live births ^{b,c}	3 / 8	2 / 6	0 / 4	0 / 1	
Average number of embryos transferred	2.6	2.0	2.3	2.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	12		4		
Percentage of transfers resulting in live births ^{b,c}	6 / 12		2 / 4		
Average number of embryos transferred	2.3		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Nevada Fertility C.A.R.E.S.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-LAS VEGAS LAS VEGAS, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	13%	
GIFT	0%	With ICSI	93%	Ovulatory dysfunction	5%	Unknown factor	16%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	16%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	6%	Female factors only	7%
		Used PGD	6%	Uterine factor	3%	Female & male factors	12%
		With eSET	8%	Male factor	12%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jeffrey D. Fisch, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	61	50	54	21	12
Percentage of embryos transferred resulting in implantation ^b	33.3	24.4	14.3	4.4	0 / 15
Percentage of cycles resulting in pregnancies ^b	55.7	34.0	29.6	19.0	0 / 12
Percentage of cycles resulting in live births ^{b,c}	37.7	26.0	20.4	4.8	0 / 12
(Confidence Interval)	(25.6–51.0)	(14.6–40.3)	(10.6–33.5)	(0.1–23.8)	
Percentage of retrievals resulting in live births ^{b,c}	39.0	27.7	20.8	5.0	0 / 11
Percentage of transfers resulting in live births ^{b,c}	40.4	31.7	22.0	1 / 18	0 / 5
Percentage of transfers resulting in singleton live births ^b	28.1	24.4	18.0	1 / 18	0 / 5
Percentage of cancellations ^b	3.3	6.0	1.9	4.8	1 / 12
Average number of embryos transferred	2.1	2.1	2.2	2.5	3.0
Percentage of pregnancies with twins ^b	26.5	1 / 17	1 / 16	0 / 4	
Percentage of pregnancies with triplets or more ^b	0.0	2 / 17	1 / 16	0 / 4	
Percentage of live births having multiple infants ^{b,c}	30.4	3 / 13	2 / 11	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	35	15	22	5	6
Percentage of transfers resulting in live births ^{b,c}	34.3	6 / 15	13.6	2 / 5	1 / 6
Average number of embryos transferred	2.0	1.8	2.0	1.2	1.7
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	22		25		
Percentage of transfers resulting in live births ^{b,c}	54.5		28.0		
Average number of embryos transferred	2.1		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sher Institute for Reproductive Medicine-Las Vegas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEVADA CENTER FOR REPRODUCTIVE MEDICINE RENO, NEVADA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	6%	
GIFT	0%	With ICSI	67%	Ovulatory dysfunction	3%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	7%	Endometriosis	2%	Female factors only	39%
		Used PGD	13%	Uterine factor	2%	Female & male factors	25%
		With eSET	2%	Male factor	4%		

2008 PREGNANCY SUCCESS RATES

Data verified by Russell A. Foulk, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	47	36	28	10	2
Percentage of embryos transferred resulting in implantation ^b	39.0	31.3	17.4	1 / 19	0 / 6
Percentage of cycles resulting in pregnancies ^b	51.1	52.8	42.9	1 / 10	0 / 2
Percentage of cycles resulting in live births ^{b,c}	46.8	44.4	39.3	1 / 10	0 / 2
(Confidence Interval)	(32.1–61.9)	(27.9–61.9)	(21.5–59.4)		
Percentage of retrievals resulting in live births ^{b,c}	47.8	44.4	39.3	1 / 10	0 / 2
Percentage of transfers resulting in live births ^{b,c}	47.8	47.1	42.3	1 / 8	0 / 2
Percentage of transfers resulting in singleton live births ^b	26.1	35.3	42.3	1 / 8	0 / 2
Percentage of cancellations ^b	2.1	0.0	0.0	0 / 10	0 / 2
Average number of embryos transferred	2.3	2.4	2.7	2.4	3.0
Percentage of pregnancies with twins ^b	37.5	7 / 19	1 / 12	0 / 1	
Percentage of pregnancies with triplets or more ^b	16.7	0 / 19	0 / 12	0 / 1	
Percentage of live births having multiple infants ^{b,c}	45.5	4 / 16	0 / 11	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	46	20	13	3	4
Percentage of transfers resulting in live births ^{b,c}	41.3	10.0	5 / 13	1 / 3	2 / 4
Average number of embryos transferred	2.3	2.6	2.5	2.3	2.5
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	45		56		
Percentage of transfers resulting in live births ^{b,c}	53.3		48.2		
Average number of embryos transferred	2.2		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Nevada Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

DARTMOUTH-HITCHCOCK MEDICAL CENTER LEBANON, NEW HAMPSHIRE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	3%	
GIFT	0%	With ICSI	43%	Ovulatory dysfunction	1%	Unknown factor	26%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	7%
		Used PGD	0%	Uterine factor	0%	Female & male factors	15%
		With eSET	1%	Male factor	22%		

2008 PREGNANCY SUCCESS RATES

Data verified by Misty B. Porter, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	64	32	28	8	4
Percentage of embryos transferred resulting in implantation ^b	40.4	25.0	16.7	0.0	0 / 7
Percentage of cycles resulting in pregnancies ^b	48.4	21.9	25.0	0 / 8	1 / 4
Percentage of cycles resulting in live births ^{b,c}	42.2	18.8	21.4	0 / 8	0 / 4
(Confidence Interval)	(29.9–55.2)	(7.2–36.4)	(8.3–41.0)		
Percentage of retrievals resulting in live births ^{b,c}	44.3	23.1	26.1	0 / 7	0 / 2
Percentage of transfers resulting in live births ^{b,c}	48.2	28.6	26.1	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births ^b	26.8	19.0	21.7	0 / 6	0 / 2
Percentage of cancellations ^b	4.7	18.8	17.9	1 / 8	2 / 4
Average number of embryos transferred	1.9	1.9	2.6	3.3	3.5
Percentage of pregnancies with twins ^b	45.2	3 / 7	1 / 7		0 / 1
Percentage of pregnancies with triplets or more ^b	0.0	0 / 7	1 / 7		0 / 1
Percentage of live births having multiple infants ^{b,c}	44.4	2 / 6	1 / 6		
Frozen Embryos from Nondonor Eggs					
Number of transfers	21	12	1	3	0
Percentage of transfers resulting in live births ^{b,c}	28.6	3 / 12	1 / 1	1 / 3	
Average number of embryos transferred	1.9	2.1	2.0	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	11		6		
Percentage of transfers resulting in live births ^{b,c}	6 / 11		2 / 6		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dartmouth-Hitchcock Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE & FERTILITY EDISON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	4%	
GIFT	0%	With ICSI	53%	Ovulatory dysfunction	10%	Unknown factor	11%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	16%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	5%
		Used PGD	2%	Uterine factor	2%	Female & male factors	17%
		With eSET	<1%	Male factor	23%		

2008 PREGNANCY SUCCESS RATES

Data verified by Gregory H. Corsan, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	128	60	43	14	5
Percentage of embryos transferred resulting in implantation ^b	29.0	13.3	10.5	15.6	0 / 7
Percentage of cycles resulting in pregnancies ^b	40.6	23.3	16.3	3 / 14	0 / 5
Percentage of cycles resulting in live births ^{b,c}	35.9	20.0	11.6	3 / 14	0 / 5
(Confidence Interval)	(27.7–44.9)	(10.8–32.3)	(3.9–25.1)		
Percentage of retrievals resulting in live births ^{b,c}	36.5	20.3	11.9	3 / 13	0 / 4
Percentage of transfers resulting in live births ^{b,c}	39.7	21.1	13.9	3 / 11	0 / 4
Percentage of transfers resulting in singleton live births ^b	28.4	17.5	5.6	2 / 11	0 / 4
Percentage of cancellations ^b	1.6	1.7	2.3	1 / 14	1 / 5
Average number of embryos transferred	2.1	2.4	2.4	2.9	1.8
Percentage of pregnancies with twins ^b	28.8	4 / 14	3 / 7	2 / 3	
Percentage of pregnancies with triplets or more ^b	3.8	0 / 14	0 / 7	0 / 3	
Percentage of live births having multiple infants ^{b,c}	28.3	2 / 12	3 / 5	1 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	23	7	5	2	1
Percentage of transfers resulting in live births ^{b,c}	21.7	1 / 7	0 / 5	2 / 2	1 / 1
Average number of embryos transferred	2.0	2.1	1.6	2.0	2.0
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		11		3	
Percentage of transfers resulting in live births ^{b,c}		6 / 11		0 / 3	
Average number of embryos transferred		2.1		2.3	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Advanced Reproductive Medicine & Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S FERTILITY CENTER ENGLEWOOD, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	2%	
GIFT	0%	With ICSI	92%	Ovulatory dysfunction	3%	Unknown factor	7%
ZIFT	0%	Unstimulated	2%	Diminished ovarian reserve	32%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	4%
		Used PGD	0%	Uterine factor	3%	Female & male factors	24%
		With eSET	0%	Male factor	13%		

2008 PREGNANCY SUCCESS RATES

Data verified by Philip R. Lesorgen, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	23	12	10	7	5
Percentage of embryos transferred resulting in implantation ^b	20.0	13.6	0.0	1 / 12	0 / 7
Percentage of cycles resulting in pregnancies ^b	39.1	3 / 12	1 / 10	1 / 7	0 / 5
Percentage of cycles resulting in live births ^{b,c}	30.4	3 / 12	0 / 10	1 / 7	0 / 5
(Confidence Interval)	(13.2–52.9)				
Percentage of retrievals resulting in live births ^{b,c}	30.4	3 / 12	0 / 10	1 / 7	0 / 5
Percentage of transfers resulting in live births ^{b,c}	33.3	3 / 11	0 / 10	1 / 6	0 / 4
Percentage of transfers resulting in singleton live births ^b	23.8	3 / 11	0 / 10	1 / 6	0 / 4
Percentage of cancellations ^b	0.0	0 / 12	0 / 10	0 / 7	0 / 5
Average number of embryos transferred	2.4	2.0	2.4	2.0	1.8
Percentage of pregnancies with twins ^b	2 / 9	0 / 3	0 / 1	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 9	0 / 3	0 / 1	0 / 1	
Percentage of live births having multiple infants ^{b,c}	2 / 7	0 / 3		0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	1	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 2	0 / 1	0 / 1		
Average number of embryos transferred	2.5	2.0	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH HUDSON I.V.F.
CENTER FOR FERTILITY AND GYNECOLOGY
ENGLEWOOD CLIFFS, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	5%	Other factor	5%
GIFT	0% With ICSI	90% Ovulatory dysfunction	4%	Unknown factor	8%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	43%	Multiple Factors:	
Combination	0% Used gestational carrier	0% Endometriosis	1%	Female factors only	9%
	Used PGD	3% Uterine factor	0%	Female & male factors	13%
	With eSET	0% Male factor	12%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jane E. Miller, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	11	6	8	4	2
Percentage of embryos transferred resulting in implantation ^b	45.8	4 / 11	1 / 7	2 / 10	1 / 6
Percentage of cycles resulting in pregnancies ^b	8 / 11	3 / 6	1 / 8	1 / 4	1 / 2
Percentage of cycles resulting in live births ^{b,c}	6 / 11	3 / 6	1 / 8	1 / 4	0 / 2
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	6 / 11	3 / 5	1 / 6	1 / 4	0 / 2
Percentage of transfers resulting in live births ^{b,c}	6 / 10	3 / 5	1 / 3	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births ^b	4 / 10	2 / 5	1 / 3	0 / 3	0 / 2
Percentage of cancellations ^b	0 / 11	1 / 6	2 / 8	0 / 4	0 / 2
Average number of embryos transferred	2.4	2.2	2.3	3.3	3.0
Percentage of pregnancies with twins ^b	3 / 8	1 / 3	0 / 1	1 / 1	0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 8	0 / 3	0 / 1	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	2 / 6	1 / 3	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	3	0	0	0
Percentage of transfers resulting in live births ^{b,c}	3 / 7	1 / 3			
Average number of embryos transferred	2.7	2.7			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	18		12		
Percentage of transfers resulting in live births ^{b,c}	12 / 18		3 / 12		
Average number of embryos transferred	2.3		2.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Hudson I.V.F., Center for Fertility and Gynecology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

DOUGLAS S. RABIN, MD
FAIR LAWN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	20%	Other factor	6%
GIFT	0% With ICSI	94% Ovulatory dysfunction	6%	Unknown factor	23%
ZIFT	0% Unstimulated	6% Diminished ovarian reserve	14%	Multiple Factors:	
Combination	0% Used gestational carrier	0% Endometriosis	0%	Female factors only	0%
	Used PGD	6% Uterine factor	0%	Female & male factors	3%
	With eSET	7% Male factor	29%		

2008 PREGNANCY SUCCESS RATES

Data verified by Douglas S. Rabin, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	6	10	5	2	1
Percentage of embryos transferred resulting in implantation ^b	1 / 7	1 / 14	0 / 4	1 / 10	0 / 2
Percentage of cycles resulting in pregnancies ^b	1 / 6	1 / 10	0 / 5	1 / 2	0 / 1
Percentage of cycles resulting in live births ^{b,c}	1 / 6	1 / 10	0 / 5	0 / 2	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	1 / 6	1 / 10	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births ^{b,c}	1 / 5	1 / 5	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births ^b	1 / 5	1 / 5	0 / 2	0 / 2	0 / 1
Percentage of cancellations ^b	0 / 6	0 / 10	1 / 5	0 / 2	0 / 1
Average number of embryos transferred	1.4	2.8	2.0	5.0	2.0
Percentage of pregnancies with twins ^b	0 / 1	0 / 1		0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 1	0 / 1		0 / 1	
Percentage of live births having multiple infants ^{b,c}	0 / 1	0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	2	0	0	0
Percentage of transfers resulting in live births ^{b,c}		0 / 2			
Average number of embryos transferred		2.5			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		1		
Percentage of transfers resulting in live births ^{b,c}			0 / 1		
Average number of embryos transferred			4.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Douglas S. Rabin, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY REPRODUCTIVE ASSOCIATES, PC HASBROUCK HEIGHTS, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	2%	
GIFT	0%	With ICSI	87%	Ovulatory dysfunction	0%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	4%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	48%
		With eSET	1%	Male factor	28%		

2008 PREGNANCY SUCCESS RATES

Data verified by Peter G. McGovern, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	113	67	48	26	16
Percentage of embryos transferred resulting in implantation ^b	35.1	24.6	15.8	7.0	2.3
Percentage of cycles resulting in pregnancies ^b	55.8	41.8	35.4	15.4	1 / 16
Percentage of cycles resulting in live births ^{b,c}	46.0	26.9	18.8	11.5	0 / 16
(Confidence Interval)	(36.6–55.6)	(16.8–39.1)	(8.9–32.6)	(2.4–30.2)	
Percentage of retrievals resulting in live births ^{b,c}	46.8	28.6	20.5	12.5	0 / 14
Percentage of transfers resulting in live births ^{b,c}	48.1	29.0	20.9	12.5	0 / 14
Percentage of transfers resulting in singleton live births ^b	31.5	14.5	16.3	8.3	0 / 14
Percentage of cancellations ^b	1.8	6.0	8.3	7.7	2 / 16
Average number of embryos transferred	2.1	2.2	2.7	3.0	3.1
Percentage of pregnancies with twins ^b	31.7	32.1	3 / 17	1 / 4	0 / 1
Percentage of pregnancies with triplets or more ^b	1.6	0.0	0 / 17	0 / 4	0 / 1
Percentage of live births having multiple infants ^{b,c}	34.6	9 / 18	2 / 9	1 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	13	8	7	0	0
Percentage of transfers resulting in live births ^{b,c}	3 / 13	1 / 8	4 / 7		
Average number of embryos transferred	2.6	2.6	3.3		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	8		2		
Percentage of transfers resulting in live births ^{b,c}	4 / 8		0 / 2		
Average number of embryos transferred	2.0		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Reproductive Associates, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHORE INSTITUTE FOR REPRODUCTIVE MEDICINE LAKEWOOD, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	16%	Other factor	6%	
GIFT	0%	With ICSI	29%	Ovulatory dysfunction	6%	Unknown factor	21%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	8%
		Used PGD	3%	Uterine factor	0%	Female & male factors	5%
		With eSET	0%	Male factor	24%		

2008 PREGNANCY SUCCESS RATES

Data verified by Allen Morgan, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	26	17	12	8	0
Percentage of embryos transferred resulting in implantation ^b	20.6	10.0	26.1	2 / 17	
Percentage of cycles resulting in pregnancies ^b	34.6	3 / 17	3 / 12	2 / 8	
Percentage of cycles resulting in live births ^{b,c}	26.9	3 / 17	3 / 12	2 / 8	
(Confidence Interval)	(11.6–47.8)				
Percentage of retrievals resulting in live births ^{b,c}	28.0	3 / 16	3 / 9	2 / 6	
Percentage of transfers resulting in live births ^{b,c}	29.2	3 / 16	3 / 9	2 / 6	
Percentage of transfers resulting in singleton live births ^b	16.7	2 / 16	1 / 9	2 / 6	
Percentage of cancellations ^b	3.8	1 / 17	3 / 12	2 / 8	
Average number of embryos transferred	2.6	2.5	2.6	2.8	
Percentage of pregnancies with twins ^b	4 / 9	1 / 3	1 / 3	0 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 9	0 / 3	1 / 3	0 / 2	
Percentage of live births having multiple infants ^{b,c}	3 / 7	1 / 3	2 / 3	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	8	6	1	0	0
Percentage of transfers resulting in live births ^{b,c}	2 / 8	1 / 6	0 / 1		
Average number of embryos transferred	2.4	2.2	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		2		
Percentage of transfers resulting in live births ^{b,c}	0 / 3		0 / 2		
Average number of embryos transferred	2.7		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Shore Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DELAWARE VALLEY OBGYN AND INFERTILITY GROUP
PRINCETON IVF
LAWRENCEVILLE, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	8%	Other factor	4%
GIFT	0% With ICSI	43% Ovulatory dysfunction	14%	Unknown factor	5%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	<1%	Female factors only	34%
	Used PGD	0% Uterine factor	0%	Female & male factors	21%
	With eSET	0% Male factor	9%		

2008 PREGNANCY SUCCESS RATES

Data verified by Seth G. Derman, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	62	27	22	11	0
Percentage of embryos transferred resulting in implantation ^b	14.0	6.9	19.2	8.1	
Percentage of cycles resulting in pregnancies ^b	27.4	11.1	50.0	4 / 11	
Percentage of cycles resulting in live births ^{b,c}	17.7	11.1	22.7	2 / 11	
(Confidence Interval)	(9.2–29.5)	(2.4–29.2)	(7.8–45.4)		
Percentage of retrievals resulting in live births ^{b,c}	19.3	13.0	25.0	2 / 11	
Percentage of transfers resulting in live births ^{b,c}	19.6	13.6	5 / 18	2 / 11	
Percentage of transfers resulting in singleton live births ^b	14.3	4.5	3 / 18	2 / 11	
Percentage of cancellations ^b	8.1	14.8	9.1	0 / 11	
Average number of embryos transferred	2.6	3.3	2.9	3.4	
Percentage of pregnancies with twins ^b	5 / 17	2 / 3	2 / 11	0 / 4	
Percentage of pregnancies with triplets or more ^b	0 / 17	0 / 3	1 / 11	0 / 4	
Percentage of live births having multiple infants ^{b,c}	3 / 11	2 / 3	2 / 5	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	14	5	3	3	2
Percentage of transfers resulting in live births ^{b,c}	5 / 14	1 / 5	1 / 3	0 / 3	1 / 2
Average number of embryos transferred	2.5	2.4	3.0	2.3	2.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		0		
Percentage of transfers resulting in live births ^{b,c}	2 / 4				
Average number of embryos transferred	3.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Delaware Valley OBGYN and Infertility Group, Princeton IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PRINCETON CENTER FOR INFERTILITY & REPRODUCTIVE MEDICINE LAWRENCEVILLE, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	2%	
GIFT	0%	With ICSI	43%	Ovulatory dysfunction	0%	Unknown factor	24%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	18%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	2%
		Used PGD	0%	Uterine factor	0%	Female & male factors	23%
		With eSET	11%	Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Althea M. O'Shaughnessy, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	13	8	8	3	2
Percentage of embryos transferred resulting in implantation ^b	27.3	5 / 17	0.0	0 / 4	0 / 7
Percentage of cycles resulting in pregnancies ^b	5 / 13	4 / 8	0 / 8	0 / 3	0 / 2
Percentage of cycles resulting in live births ^{b,c}	4 / 13	4 / 8	0 / 8	0 / 3	0 / 2
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	4 / 13	4 / 8	0 / 6	0 / 2	0 / 2
Percentage of transfers resulting in live births ^{b,c}	4 / 11	4 / 6	0 / 6	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births ^b	3 / 11	3 / 6	0 / 6	0 / 2	0 / 2
Percentage of cancellations ^b	0 / 13	0 / 8	2 / 8	1 / 3	0 / 2
Average number of embryos transferred	2.0	2.8	3.3	2.0	3.5
Percentage of pregnancies with twins ^b	1 / 5	1 / 4			
Percentage of pregnancies with triplets or more ^b	0 / 5	0 / 4			
Percentage of live births having multiple infants ^{b,c}	1 / 4	1 / 4			
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	4	3	4	3
Percentage of transfers resulting in live births ^{b,c}	4 / 5	0 / 4	2 / 3	1 / 4	0 / 3
Average number of embryos transferred	3.0	3.0	3.3	2.3	1.7
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	2		0		
Percentage of transfers resulting in live births ^{b,c}	1 / 2				
Average number of embryos transferred	1.5				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Princeton Center for Infertility & Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST COAST INFERTILITY AND IVF LITTLE SILVER, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	4%	
GIFT	0%	With ICSI	63%	Ovulatory dysfunction	2%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	18%	Female factors only	13%
		Used PGD	4%	Uterine factor	1%	Female & male factors	34%
		With eSET	0%	Male factor	13%		

2008 PREGNANCY SUCCESS RATES

Data verified by Miguel Damien, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	53	26	39	16	9
Percentage of embryos transferred resulting in implantation ^b	40.3	36.2	11.6	8.1	4.3
Percentage of cycles resulting in pregnancies ^b	60.4	50.0	25.6	4 / 16	1 / 9
Percentage of cycles resulting in live births ^{b,c}	56.6	38.5	20.5	3 / 16	1 / 9
(Confidence Interval)	(42.3–70.2)	(20.2–59.4)	(9.3–36.5)		
Percentage of retrievals resulting in live births ^{b,c}	58.8	41.7	22.2	3 / 15	1 / 6
Percentage of transfers resulting in live births ^{b,c}	60.0	47.6	25.8	3 / 14	1 / 6
Percentage of transfers resulting in singleton live births ^b	30.0	28.6	25.8	3 / 14	1 / 6
Percentage of cancellations ^b	3.8	7.7	7.7	1 / 16	3 / 9
Average number of embryos transferred	2.5	2.8	2.8	2.6	3.8
Percentage of pregnancies with twins ^b	46.9	4 / 13	0 / 10	0 / 4	0 / 1
Percentage of pregnancies with triplets or more ^b	6.3	2 / 13	0 / 10	0 / 4	0 / 1
Percentage of live births having multiple infants ^{b,c}	50.0	4 / 10	0 / 8	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	9	3	1	0
Percentage of transfers resulting in live births ^{b,c}	3 / 10	3 / 9	1 / 3	0 / 1	
Average number of embryos transferred	2.6	2.7	4.0	4.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	15		10		
Percentage of transfers resulting in live births ^{b,c}	9 / 15		3 / 10		
Average number of embryos transferred	2.3		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Coast Infertility and IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INSTITUTE FOR REPRODUCTIVE MEDICINE AND SCIENCE
SAINT BARNABAS MEDICAL CENTER
LIVINGSTON, NEW JERSEY**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	33%	
GIFT	0%	With ICSI	47%	Ovulatory dysfunction	1%	Unknown factor	25%
ZIFT	0%	Unstimulated	7%	Diminished ovarian reserve	<1%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	<1%	Female factors only	21%
		Used PGD	17%	Uterine factor	<1%	Female & male factors	12%
		With eSET	<1%	Male factor	3%		

2008 PREGNANCY SUCCESS RATES

Data verified by Margaret G. Garrisi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	251	158	175	79	21
Percentage of embryos transferred resulting in implantation ^b	34.6	23.9	19.9	10.6	9.1
Percentage of cycles resulting in pregnancies ^b	43.8	40.5	30.3	13.9	28.6
Percentage of cycles resulting in live births ^{b,c}	37.1	34.8	22.3	8.9	19.0
(Confidence Interval)	(31.1–43.4)	(27.4–42.8)	(16.4–29.2)	(3.6–17.4)	(5.4–41.9)
Percentage of retrievals resulting in live births ^{b,c}	41.9	37.4	27.9	12.1	4 / 18
Percentage of transfers resulting in live births ^{b,c}	45.1	39.3	31.7	15.2	4 / 14
Percentage of transfers resulting in singleton live births ^b	28.6	27.9	25.2	8.7	4 / 14
Percentage of cancellations ^b	11.6	7.0	20.0	26.6	14.3
Average number of embryos transferred	2.3	2.6	2.7	3.1	3.9
Percentage of pregnancies with twins ^b	32.7	29.7	13.2	3 / 11	1 / 6
Percentage of pregnancies with triplets or more ^b	7.3	4.7	9.4	1 / 11	0 / 6
Percentage of live births having multiple infants ^{b,c}	36.6	29.1	20.5	3 / 7	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of transfers	51	27	13	4	1
Percentage of transfers resulting in live births ^{b,c}	39.2	33.3	3 / 13	0 / 4	1 / 1
Average number of embryos transferred	1.8	2.0	2.2	2.0	3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	51		26		
Percentage of transfers resulting in live births ^{b,c}	60.8		34.6		
Average number of embryos transferred	2.3		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Reproductive Medicine and Science, Saint Barnabas Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR REPRODUCTIVE HORMONAL DISORDERS MARLTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	12%	Other factor	4%
GIFT	0%	With ICSI	Ovulatory dysfunction	5%	Unknown factor	7%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	31%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	3%	Female factors only	13%
		Used PGD	Uterine factor	<1%	Female & male factors	11%
		With eSET	Male factor	13%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jerome H. Check, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	286	216	226	145	126
Percentage of embryos transferred resulting in implantation ^b	30.4	20.9	17.4	8.8	2.6
Percentage of cycles resulting in pregnancies ^b	38.1	19.4	15.5	10.3	2.4
Percentage of cycles resulting in live births ^{b,c}	31.8	16.7	9.3	5.5	0.0
(Confidence Interval)	(26.5–37.6)	(12.0–22.3)	(5.8–13.9)	(2.4–10.6)	(0.0–2.9)
Percentage of retrievals resulting in live births ^{b,c}	34.3	22.6	13.0	7.5	0.0
Percentage of transfers resulting in live births ^{b,c}	40.8	30.8	18.4	10.8	0.0
Percentage of transfers resulting in singleton live births ^b	26.9	22.2	10.5	9.5	0.0
Percentage of cancellations ^b	7.3	26.4	28.8	26.2	37.3
Average number of embryos transferred	2.1	2.3	2.2	2.3	1.7
Percentage of pregnancies with twins ^b	33.0	26.2	31.4	1 / 15	0 / 3
Percentage of pregnancies with triplets or more ^b	2.8	7.1	2.9	0 / 15	0 / 3
Percentage of live births having multiple infants ^{b,c}	34.1	27.8	42.9	1 / 8	
Frozen Embryos from Nondonor Eggs					
Number of transfers	129	43	25	11	5
Percentage of transfers resulting in live births ^{b,c}	36.4	25.6	32.0	0 / 11	3 / 5
Average number of embryos transferred	2.5	2.7	2.8	2.2	2.8
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	62		98		
Percentage of transfers resulting in live births ^{b,c}	50.0		38.8		
Average number of embryos transferred	2.3		2.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cooper Institute for Reproductive Hormonal Disorders

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE VALLEY INSTITUTE OF FERTILITY AND GENETICS MARLTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	2%	Other factor	0%	
GIFT	0%	With ICSI	71%	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	0%	Female factors only	18%
		Used PGD	0%	Uterine factor	0%	Female & male factors	81%
		With eSET	0%	Male factor	0%		

2008 PREGNANCY SUCCESS RATES

Data verified by George S. Taliadouros, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	56	29	17	6	2
Percentage of embryos transferred resulting in implantation ^b	30.4	19.3	10.4	2 / 11	0 / 7
Percentage of cycles resulting in pregnancies ^b	39.3	31.0	4 / 17	2 / 6	0 / 2
Percentage of cycles resulting in live births ^{b,c}	35.7	24.1	4 / 17	0 / 6	0 / 2
(Confidence Interval)	(23.4–49.6)	(10.3–43.5)			
Percentage of retrievals resulting in live births ^{b,c}	39.2	26.9	4 / 16	0 / 4	0 / 2
Percentage of transfers resulting in live births ^{b,c}	40.8	28.0	4 / 15	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births ^b	24.5	24.0	4 / 15	0 / 4	0 / 2
Percentage of cancellations ^b	8.9	10.3	1 / 17	2 / 6	0 / 2
Average number of embryos transferred	2.3	2.3	3.2	2.8	3.5
Percentage of pregnancies with twins ^b	31.8	2 / 9	1 / 4	0 / 2	
Percentage of pregnancies with triplets or more ^b	13.6	0 / 9	0 / 4	0 / 2	
Percentage of live births having multiple infants ^{b,c}	40.0	1 / 7	0 / 4		
Frozen Embryos from Nondonor Eggs					
Number of transfers	8	8	1	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 8	3 / 8	0 / 1		
Average number of embryos transferred	2.4	1.6	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		0		
Percentage of transfers resulting in live births ^{b,c}	0 / 1				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Delaware Valley Institute of Fertility and Genetics

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH JERSEY FERTILITY CENTER MARLTON, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	>99%	Procedural Factors:	Tubal factor	11%	Other factor	2%	
GIFT	<1%	With ICSI	68%	Ovulatory dysfunction	3%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	1%	Female factors only	27%
		Used PGD	1%	Uterine factor	<1%	Female & male factors	25%
		With eSET	3%	Male factor	17%		

2008 PREGNANCY SUCCESS RATES

Data verified by Robert A. Skaf, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	198	96	81	39	18
Percentage of embryos transferred resulting in implantation ^b	26.6	20.2	8.4	8.5	0.0
Percentage of cycles resulting in pregnancies ^b	37.4	30.2	24.7	20.5	0 / 18
Percentage of cycles resulting in live births ^{b,c}	29.8	22.9	16.0	7.7	0 / 18
(Confidence Interval)	(23.5–36.7)	(15.0–32.6)	(8.8–25.9)	(1.6–20.9)	
Percentage of retrievals resulting in live births ^{b,c}	31.6	26.5	17.3	8.8	0 / 14
Percentage of transfers resulting in live births ^{b,c}	32.1	27.8	17.3	9.1	0 / 14
Percentage of transfers resulting in singleton live births ^b	19.0	19.0	16.0	3.0	0 / 14
Percentage of cancellations ^b	5.6	13.5	7.4	12.8	4 / 18
Average number of embryos transferred	2.1	2.3	2.9	3.6	3.1
Percentage of pregnancies with twins ^b	37.8	24.1	5.0	3 / 8	
Percentage of pregnancies with triplets or more ^b	2.7	6.9	0.0	0 / 8	
Percentage of live births having multiple infants ^{b,c}	40.7	31.8	1 / 13	2 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	58	25	13	6	0
Percentage of transfers resulting in live births ^{b,c}	25.9	36.0	5 / 13	0 / 6	
Average number of embryos transferred	2.2	2.3	2.2	2.8	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	20		14		
Percentage of transfers resulting in live births ^{b,c}	50.0		1 / 14		
Average number of embryos transferred	2.2		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: South Jersey Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

DIAMOND INSTITUTE FOR INFERTILITY MILLBURN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	<1%
GIFT	0%	With ICSI	Ovulatory dysfunction	7%	Unknown factor	8%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	38%	Multiple Factors:	
Combination	0%	Used gestational carrier	Endometriosis	3%	Female factors only	15%
		Used PGD	Uterine factor	<1%	Female & male factors	15%
		With eSET	Male factor	4%		

2008 PREGNANCY SUCCESS RATES

Data verified by Arie Birkenfeld, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	111	65	87	41	28
Percentage of embryos transferred resulting in implantation ^b	46.8	28.2	14.5	13.9	2.1
Percentage of cycles resulting in pregnancies ^b	61.3	40.0	26.4	24.4	3.6
Percentage of cycles resulting in live births ^{b,c}	51.4	29.2	12.6	12.2	0.0
(Confidence Interval)	(41.7–61.0)	(18.6–41.8)	(6.5–21.5)	(4.1–26.2)	(0.0–12.3)
Percentage of retrievals resulting in live births ^{b,c}	55.9	33.9	14.7	15.2	0 / 17
Percentage of transfers resulting in live births ^{b,c}	57.6	37.3	15.7	16.1	0 / 16
Percentage of transfers resulting in singleton live births ^b	31.3	25.5	11.4	16.1	0 / 16
Percentage of cancellations ^b	8.1	13.8	13.8	19.5	39.3
Average number of embryos transferred	2.1	2.2	2.5	2.5	3.0
Percentage of pregnancies with twins ^b	41.2	26.9	34.8	1 / 10	0 / 1
Percentage of pregnancies with triplets or more ^b	2.9	0.0	0.0	0 / 10	0 / 1
Percentage of live births having multiple infants ^{b,c}	45.6	6 / 19	3 / 11	0 / 5	
Frozen Embryos from Nondonor Eggs					
Number of transfers	31	12	10	2	1
Percentage of transfers resulting in live births ^{b,c}	38.7	6 / 12	3 / 10	0 / 2	0 / 1
Average number of embryos transferred	1.8	1.7	1.6	2.0	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	38		13		
Percentage of transfers resulting in live births ^{b,c}	52.6		2 / 13		
Average number of embryos transferred	2.0		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Diamond Institute for Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW JERSEY MORRISTOWN, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	17%	
GIFT	0%	With ICSI	75%	Ovulatory dysfunction	11%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	2%	Female factors only	16%
		Used PGD	4%	Uterine factor	<1%	Female & male factors	27%
		With eSET	<1%	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael R. Drews, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	733	418	395	186	98
Percentage of embryos transferred resulting in implantation ^b	44.4	36.6	21.9	13.0	5.8
Percentage of cycles resulting in pregnancies ^b	60.0	53.8	40.0	32.8	13.3
Percentage of cycles resulting in live births ^{b,c}	51.3	43.5	27.8	16.1	6.1
(Confidence Interval)	(47.6–55.0)	(38.7–48.4)	(23.5–32.6)	(11.2–22.2)	(2.3–12.9)
Percentage of retrievals resulting in live births ^{b,c}	53.6	47.4	33.1	21.0	7.9
Percentage of transfers resulting in live births ^{b,c}	56.1	49.9	35.1	22.2	8.8
Percentage of transfers resulting in singleton live births ^b	30.7	31.0	25.2	19.3	5.9
Percentage of cancellations ^b	4.4	8.1	15.9	23.1	22.4
Average number of embryos transferred	2.1	2.4	3.0	3.2	3.6
Percentage of pregnancies with twins ^b	42.0	37.8	17.7	11.5	3 / 13
Percentage of pregnancies with triplets or more ^b	3.0	7.1	8.9	1.6	0 / 13
Percentage of live births having multiple infants ^{b,c}	45.2	37.9	28.2	13.3	2 / 6
Frozen Embryos from Nondonor Eggs					
Number of transfers	183	82	65	23	9
Percentage of transfers resulting in live births ^{b,c}	46.4	39.0	40.0	21.7	3 / 9
Average number of embryos transferred	2.0	1.9	2.0	1.9	1.7
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	148		133		
Percentage of transfers resulting in live births ^{b,c}	56.1		35.3		
Average number of embryos transferred	2.1		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of New Jersey

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY HOSPITAL FERTILITY CENTER PARAMUS, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	3%	
GIFT	0%	With ICSI	31%	Ovulatory dysfunction	11%	Unknown factor	12%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	26%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	3%	Female factors only	12%
		Used PGD	<1%	Uterine factor	4%	Female & male factors	14%
		With eSET	4%	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Ali Nasseri, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	111	65	65	31	20
Percentage of embryos transferred resulting in implantation ^b	43.5	37.2	24.8	16.1	5.1
Percentage of cycles resulting in pregnancies ^b	55.9	43.1	32.3	32.3	10.0
Percentage of cycles resulting in live births ^{b,c}	50.5	35.4	24.6	19.4	5.0
(Confidence Interval)	(40.8–60.1)	(23.9–48.2)	(14.8–36.9)	(7.5–37.5)	(0.1–24.9)
Percentage of retrievals resulting in live births ^{b,c}	51.9	37.7	25.8	24.0	1 / 15
Percentage of transfers resulting in live births ^{b,c}	53.8	40.4	28.1	25.0	1 / 15
Percentage of transfers resulting in singleton live births ^b	37.5	21.1	22.8	20.8	1 / 15
Percentage of cancellations ^b	2.7	6.2	4.6	19.4	25.0
Average number of embryos transferred	1.9	2.0	2.1	2.6	2.6
Percentage of pregnancies with twins ^b	35.5	42.9	33.3	2 / 10	0 / 2
Percentage of pregnancies with triplets or more ^b	3.2	7.1	4.8	0 / 10	0 / 2
Percentage of live births having multiple infants ^{b,c}	30.4	47.8	3 / 16	1 / 6	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	14	7	5	1	0
Percentage of transfers resulting in live births ^{b,c}	6 / 14	3 / 7	1 / 5	0 / 1	
Average number of embryos transferred	2.1	2.1	2.4	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Valley Hospital Fertility Center

Donor egg?	No	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF NEW JERSEY SOMERSET, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	5%	
GIFT	0%	With ICSI	30%	Ovulatory dysfunction	7%	Unknown factor	5%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	2%	Female factors only	25%
		Used PGD	2%	Uterine factor	2%	Female & male factors	25%
		With eSET	<1%	Male factor	12%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael C. Darder, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	252	138	69	31	4
Percentage of embryos transferred resulting in implantation ^b	35.7	23.5	25.9	16.9	2 / 10
Percentage of cycles resulting in pregnancies ^b	49.2	39.9	42.0	25.8	2 / 4
Percentage of cycles resulting in live births ^{b,c}	42.9	34.1	36.2	19.4	2 / 4
(Confidence Interval)	(36.7–49.2)	(26.2–42.6)	(25.0–48.7)	(7.5–37.5)	
Percentage of retrievals resulting in live births ^{b,c}	46.4	36.2	40.3	22.2	2 / 4
Percentage of transfers resulting in live births ^{b,c}	50.0	40.2	41.7	28.6	2 / 4
Percentage of transfers resulting in singleton live births ^b	31.5	29.9	25.0	23.8	2 / 4
Percentage of cancellations ^b	7.5	5.8	10.1	12.9	0 / 4
Average number of embryos transferred	2.3	2.4	2.6	2.8	2.5
Percentage of pregnancies with twins ^b	37.1	30.9	37.9	2 / 8	0 / 2
Percentage of pregnancies with triplets or more ^b	4.8	0.0	3.4	0 / 8	0 / 2
Percentage of live births having multiple infants ^{b,c}	37.0	25.5	40.0	1 / 6	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	24	14	5	1	0
Percentage of transfers resulting in live births ^{b,c}	70.8	4 / 14	1 / 5	0 / 1	
Average number of embryos transferred	2.0	2.3	1.8	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
	Number of transfers	122	46		
	Percentage of transfers resulting in live births ^{b,c}	73.0	39.1		
Average number of embryos transferred	2.0	1.8			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF New Jersey

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE CENTER OF NEW JERSEY TINTON FALLS, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	2%	
GIFT	0%	With ICSI	50%	Ovulatory dysfunction	<1%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	4%	Female factors only	16%
		Used PGD	2%	Uterine factor	2%	Female & male factors	30%
		With eSET	0%	Male factor	24%		

2008 PREGNANCY SUCCESS RATES

Data verified by William Ziegler, DO

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	77	52	39	10	5
Percentage of embryos transferred resulting in implantation ^b	36.6	26.8	21.3	25.9	1 / 13
Percentage of cycles resulting in pregnancies ^b	50.6	44.2	33.3	4 / 10	1 / 5
Percentage of cycles resulting in live births ^{b,c}	42.9	32.7	25.6	2 / 10	1 / 5
(Confidence Interval)	(31.6–54.6)	(20.3–47.1)	(13.0–42.1)		
Percentage of retrievals resulting in live births ^{b,c}	44.6	37.0	32.3	2 / 10	1 / 4
Percentage of transfers resulting in live births ^{b,c}	48.5	40.5	34.5	2 / 10	1 / 4
Percentage of transfers resulting in singleton live births ^b	33.8	26.2	24.1	2 / 10	1 / 4
Percentage of cancellations ^b	3.9	11.5	20.5	0 / 10	1 / 5
Average number of embryos transferred	2.1	2.3	2.6	2.7	3.3
Percentage of pregnancies with twins ^b	28.2	30.4	4 / 13	1 / 4	0 / 1
Percentage of pregnancies with triplets or more ^b	7.7	0.0	1 / 13	1 / 4	0 / 1
Percentage of live births having multiple infants ^{b,c}	30.3	6 / 17	3 / 10	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	4	4	2	0
Percentage of transfers resulting in live births ^{b,c}	5 / 7	0 / 4	2 / 4	0 / 2	
Average number of embryos transferred	2.3	2.5	2.8	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	6		1		
Percentage of transfers resulting in live births ^{b,c}	5 / 6		0 / 1		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Science Center of New Jersey

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

DR. LOUIS R. MANARA
THE CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY
VOORHEES, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	12%	Other factor	9%
GIFT	0%	With ICSI	Ovulatory dysfunction	5%	Unknown factor	28%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	<1%	Female factors only	5%
		Used PGD	Uterine factor	<1%	Female & male factors	5%
		With eSET	Male factor	23%		

2008 PREGNANCY SUCCESS RATES

Data verified by Louis R. Manara, DO

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	47	20	12	12	2
Percentage of embryos transferred resulting in implantation ^b	27.8	17.9	2 / 18	2 / 18	0 / 4
Percentage of cycles resulting in pregnancies ^b	36.2	30.0	3 / 12	2 / 12	0 / 2
Percentage of cycles resulting in live births ^{b,c}	29.8	30.0	0 / 12	1 / 12	0 / 2
(Confidence Interval)	(17.3–44.9)	(11.9–54.3)			
Percentage of retrievals resulting in live births ^{b,c}	35.0	6 / 19	0 / 7	1 / 8	0 / 1
Percentage of transfers resulting in live births ^{b,c}	38.9	6 / 19	0 / 7	1 / 6	0 / 1
Percentage of transfers resulting in singleton live births ^b	22.2	5 / 19	0 / 7	1 / 6	0 / 1
Percentage of cancellations ^b	14.9	5.0	5 / 12	4 / 12	1 / 2
Average number of embryos transferred	2.2	2.1	2.6	3.0	4.0
Percentage of pregnancies with twins ^b	6 / 17	1 / 6	0 / 3	0 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 17	0 / 6	0 / 3	0 / 2	
Percentage of live births having multiple infants ^{b,c}	6 / 14	1 / 6		0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	3	2	1	1
Percentage of transfers resulting in live births ^{b,c}	1 / 6	0 / 3	0 / 2	0 / 1	0 / 1
Average number of embryos transferred	2.0	2.0	2.0	3.0	3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	5		1		
Percentage of transfers resulting in live births ^{b,c}	3 / 5		1 / 1		
Average number of embryos transferred	2.2		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dr. Louis R. Manara, The Center for Reproductive Medicine & Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH JERSEY FERTILITY ASSOCIATES, LLC WAYNE, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	14%	Other factor	11%	
GIFT	0%	With ICSI	76%	Ovulatory dysfunction	4%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	18%
		Used PGD	0%	Uterine factor	3%	Female & male factors	24%
		With eSET	0%	Male factor	7%		

2008 PREGNANCY SUCCESS RATES

Data verified by Mark X. Ransom, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	41	31	21	11	9
Percentage of embryos transferred resulting in implantation ^b	47.2	27.8	16.2	4.5	0.0
Percentage of cycles resulting in pregnancies ^b	56.1	32.3	23.8	1 / 11	0 / 9
Percentage of cycles resulting in live births ^{b,c}	46.3	32.3	9.5	1 / 11	0 / 9
(Confidence Interval)	(30.7–62.6)	(16.7–51.4)	(1.2–30.4)		
Percentage of retrievals resulting in live births ^{b,c}	54.3	34.5	2 / 18	1 / 11	0 / 9
Percentage of transfers resulting in live births ^{b,c}	55.9	45.5	2 / 16	1 / 9	0 / 8
Percentage of transfers resulting in singleton live births ^b	35.3	36.4	1 / 16	1 / 9	0 / 8
Percentage of cancellations ^b	14.6	6.5	14.3	0 / 11	0 / 9
Average number of embryos transferred	2.1	2.5	2.3	2.4	3.0
Percentage of pregnancies with twins ^b	39.1	1 / 10	1 / 5	0 / 1	
Percentage of pregnancies with triplets or more ^b	8.7	2 / 10	1 / 5	0 / 1	
Percentage of live births having multiple infants ^{b,c}	7 / 19	2 / 10	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 3				
Average number of embryos transferred	2.0				
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	2		3		
Percentage of transfers resulting in live births ^{b,c}	0 / 2		0 / 3		
Average number of embryos transferred	2.5		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Jersey Fertility Associates, LLC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF NEW JERSEY AND NEW YORK WESTWOOD, NEW JERSEY

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	3%	Other factor	8%
GIFT	0% With ICSI	93% Ovulatory dysfunction	5%	Unknown factor	<1%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	1% Endometriosis	0%	Female factors only	28%
	Used PGD	10% Uterine factor	0%	Female & male factors	41%
	With eSET	2% Male factor	5%		

2008 PREGNANCY SUCCESS RATES

Data verified by Daniel Navot, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	58	28	37	25	13
Percentage of embryos transferred resulting in implantation ^b	15.6	24.2	10.9	5.9	0.0
Percentage of cycles resulting in pregnancies ^b	27.6	46.4	27.0	12.0	0 / 13
Percentage of cycles resulting in live births ^{b,c}	20.7	28.6	18.9	8.0	0 / 13
(Confidence Interval)	(11.2–33.4)	(13.2–48.7)	(8.0–35.2)	(1.0–26.0)	
Percentage of retrievals resulting in live births ^{b,c}	21.4	28.6	20.6	8.7	0 / 12
Percentage of transfers resulting in live births ^{b,c}	22.6	30.8	23.3	10.0	0 / 12
Percentage of transfers resulting in singleton live births ^b	15.1	15.4	16.7	5.0	0 / 12
Percentage of cancellations ^b	3.4	0.0	8.1	8.0	1 / 13
Average number of embryos transferred	2.4	2.5	3.1	3.4	3.2
Percentage of pregnancies with twins ^b	5 / 16	3 / 13	2 / 10	1 / 3	
Percentage of pregnancies with triplets or more ^b	0 / 16	1 / 13	0 / 10	0 / 3	
Percentage of live births having multiple infants ^{b,c}	4 / 12	4 / 8	2 / 7	1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	23	7	10	1	0
Percentage of transfers resulting in live births ^{b,c}	21.7	2 / 7	2 / 10	0 / 1	
Average number of embryos transferred	2.6	2.3	2.3	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	13		14		
Percentage of transfers resulting in live births ^{b,c}	6 / 13		5 / 14		
Average number of embryos transferred	2.6		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Institute of New Jersey and New York

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE OF NEW MEXICO ALBUQUERQUE, NEW MEXICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	3%	
GIFT	0%	With ICSI	71%	Ovulatory dysfunction	3%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	15%
		Used PGD	4%	Uterine factor	1%	Female & male factors	46%
		With eSET	4%	Male factor	14%		

2008 PREGNANCY SUCCESS RATES

Data verified by Douglas J. Thompson, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	88	44	40	8	3
Percentage of embryos transferred resulting in implantation ^b	44.7	29.5	21.1	9.7	0 / 5
Percentage of cycles resulting in pregnancies ^b	55.7	50.0	47.5	4 / 8	0 / 3
Percentage of cycles resulting in live births ^{b,c}	45.5	43.2	32.5	2 / 8	0 / 3
(Confidence Interval)	(34.8–56.4)	(28.3–59.0)	(18.6–49.1)		
Percentage of retrievals resulting in live births ^{b,c}	54.1	48.7	40.6	2 / 8	0 / 3
Percentage of transfers resulting in live births ^{b,c}	54.1	50.0	40.6	2 / 8	0 / 3
Percentage of transfers resulting in singleton live births ^b	35.1	36.8	37.5	2 / 8	0 / 3
Percentage of cancellations ^b	15.9	11.4	20.0	0 / 8	0 / 3
Average number of embryos transferred	2.1	2.3	2.8	3.9	1.7
Percentage of pregnancies with twins ^b	26.5	22.7	3 / 19	1 / 4	
Percentage of pregnancies with triplets or more ^b	8.2	0.0	0 / 19	0 / 4	
Percentage of live births having multiple infants ^{b,c}	35.0	5 / 19	1 / 13	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	20	7	9	0	0
Percentage of transfers resulting in live births ^{b,c}	45.0	4 / 7	1 / 9		
Average number of embryos transferred	2.7	2.4	2.6		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	36		31		
Percentage of transfers resulting in live births ^{b,c}	66.7		54.8		
Average number of embryos transferred	2.0		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Medicine of New Mexico

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALBANY IVF FERTILITY ALBANY, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	4%	
GIFT	0%	With ICSI	88%	Ovulatory dysfunction	11%	Unknown factor	7%
ZIFT	0%	Unstimulated	1%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	31%
		Used PGD	0%	Uterine factor	2%	Female & male factors	20%
		With eSET	3%	Male factor	6%		

2008 PREGNANCY SUCCESS RATES

Data verified by Peter M. Horvath, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	63	40	49	6	2
Percentage of embryos transferred resulting in implantation ^b	20.6	21.1	12.5	1 / 17	0 / 1
Percentage of cycles resulting in pregnancies ^b	38.1	37.5	20.4	1 / 6	0 / 2
Percentage of cycles resulting in live births ^{b,c}	34.9	32.5	12.2	1 / 6	0 / 2
(Confidence Interval)	(23.3–48.0)	(18.6–49.1)	(4.6–24.8)		
Percentage of retrievals resulting in live births ^{b,c}	37.3	32.5	14.6	1 / 5	0 / 2
Percentage of transfers resulting in live births ^{b,c}	39.3	34.2	16.2	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births ^b	33.9	23.7	8.1	1 / 4	0 / 1
Percentage of cancellations ^b	6.3	0.0	16.3	1 / 6	0 / 2
Average number of embryos transferred	2.3	2.5	3.0	4.3	1.0
Percentage of pregnancies with twins ^b	16.7	5 / 15	3 / 10	0 / 1	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 15	1 / 10	0 / 1	
Percentage of live births having multiple infants ^{b,c}	13.6	4 / 13	3 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	3	5	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 6	0 / 3	1 / 5		
Average number of embryos transferred	2.3	2.3	3.2		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	11		3		
Percentage of transfers resulting in live births ^{b,c}	5 / 11		1 / 3		
Average number of embryos transferred	2.2		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Albany IVF Fertility

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTE AT NEW YORK METHODIST HOSPITAL BROOKLYN, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	6%
GIFT	0%	With ICSI	Ovulatory dysfunction	<1%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	3%	Female factors only	59%
		Used PGD	Uterine factor	5%	Female & male factors	15%
		With eSET	Male factor	2%		

2008 PREGNANCY SUCCESS RATES

Data verified by George D. Kofinas, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	50	56	66	43	49
Percentage of embryos transferred resulting in implantation ^b	21.4	13.8	8.7	6.5	0.9
Percentage of cycles resulting in pregnancies ^b	42.0	32.1	15.2	11.6	4.1
Percentage of cycles resulting in live births ^{b,c}	26.0	17.9	12.1	9.3	0.0
(Confidence Interval)	(14.6–40.3)	(8.9–30.4)	(5.4–22.5)	(2.6–22.1)	(0.0–7.3)
Percentage of retrievals resulting in live births ^{b,c}	28.3	24.4	20.0	12.5	0.0
Percentage of transfers resulting in live births ^{b,c}	29.5	24.4	21.1	13.3	0.0
Percentage of transfers resulting in singleton live births ^b	20.5	19.5	21.1	13.3	0.0
Percentage of cancellations ^b	8.0	26.8	39.4	25.6	36.7
Average number of embryos transferred	2.9	3.0	3.3	3.6	3.8
Percentage of pregnancies with twins ^b	9.5	2 / 18	1 / 10	0 / 5	0 / 2
Percentage of pregnancies with triplets or more ^b	9.5	0 / 18	0 / 10	1 / 5	0 / 2
Percentage of live births having multiple infants ^{b,c}	4 / 13	2 / 10	0 / 8	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of transfers	34	11	12	7	3
Percentage of transfers resulting in live births ^{b,c}	41.2	3 / 11	1 / 12	2 / 7	0 / 3
Average number of embryos transferred	2.6	2.4	3.1	3.4	2.7
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	48		47		
Percentage of transfers resulting in live births ^{b,c}	35.4		29.8		
Average number of embryos transferred	2.6		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Institute at New York Methodist Hospital

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENESIS FERTILITY & REPRODUCTIVE MEDICINE BROOKLYN, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	5%	
GIFT	0%	With ICSI	50%	Ovulatory dysfunction	4%	Unknown factor	11%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	15%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	8%
		Used PGD	6%	Uterine factor	<1%	Female & male factors	19%
		With eSET	3%	Male factor	29%		

2008 PREGNANCY SUCCESS RATES

Data verified by Richard V. Grazi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	176	60	57	32	16
Percentage of embryos transferred resulting in implantation ^b	30.7	19.8	15.7	8.6	4.3
Percentage of cycles resulting in pregnancies ^b	43.8	30.0	28.1	18.8	3 / 16
Percentage of cycles resulting in live births ^{b,c}	37.5	21.7	22.8	12.5	0 / 16
(Confidence Interval)	(30.3–45.1)	(12.1–34.2)	(12.7–35.8)	(3.5–29.0)	
Percentage of retrievals resulting in live births ^{b,c}	43.4	27.1	31.0	20.0	0 / 14
Percentage of transfers resulting in live births ^{b,c}	44.0	30.2	37.1	4 / 19	0 / 14
Percentage of transfers resulting in singleton live births ^b	27.3	27.9	25.7	3 / 19	0 / 14
Percentage of cancellations ^b	13.6	20.0	26.3	37.5	2 / 16
Average number of embryos transferred	2.3	2.5	3.3	3.1	3.4
Percentage of pregnancies with twins ^b	31.2	5 / 18	4 / 16	1 / 6	0 / 3
Percentage of pregnancies with triplets or more ^b	5.2	0 / 18	0 / 16	0 / 6	0 / 3
Percentage of live births having multiple infants ^{b,c}	37.9	1 / 13	4 / 13	1 / 4	
Frozen Embryos from Nondonor Eggs					
Number of transfers	34	10	4	3	0
Percentage of transfers resulting in live births ^{b,c}	14.7	7 / 10	0 / 4	0 / 3	
Average number of embryos transferred	2.6	2.4	1.8	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	30		11		
Percentage of transfers resulting in live births ^{b,c}	40.0		4 / 11		
Average number of embryos transferred	2.3		2.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Genesis Fertility & Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY & IVF MEDICAL ASSOCIATES OF WESTERN NEW YORK BUFFALO, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	23%	Other factor	<1%	
GIFT	0%	With ICSI	65%	Ovulatory dysfunction	3%	Unknown factor	19%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	8%	Female factors only	6%
		Used PGD	0%	Uterine factor	0%	Female & male factors	6%
		With eSET	<1%	Male factor	24%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael W. Sullivan, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	132	80	45	14	3
Percentage of embryos transferred resulting in implantation ^b	23.9	21.5	15.7	2 / 19	0 / 1
Percentage of cycles resulting in pregnancies ^b	31.1	26.3	31.1	2 / 14	0 / 3
Percentage of cycles resulting in live births ^{b,c}	27.3	21.3	24.4	2 / 14	0 / 3
(Confidence Interval)	(19.9–35.7)	(12.9–31.8)	(12.9–39.5)		
Percentage of retrievals resulting in live births ^{b,c}	32.4	28.3	28.2	2 / 9	0 / 2
Percentage of transfers resulting in live births ^{b,c}	35.6	31.5	30.6	2 / 8	0 / 1
Percentage of transfers resulting in singleton live births ^b	22.8	24.1	19.4	2 / 8	0 / 1
Percentage of cancellations ^b	15.9	25.0	13.3	5 / 14	1 / 3
Average number of embryos transferred	2.3	2.4	2.8	2.4	1.0
Percentage of pregnancies with twins ^b	34.1	19.0	5 / 14	0 / 2	
Percentage of pregnancies with triplets or more ^b	2.4	9.5	0 / 14	0 / 2	
Percentage of live births having multiple infants ^{b,c}	36.1	4 / 17	4 / 11	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	19	4	3	0	0
Percentage of transfers resulting in live births ^{b,c}	5 / 19	0 / 4	2 / 3		
Average number of embryos transferred	2.2	2.0	2.7		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	3		2		
Percentage of transfers resulting in live births ^{b,c}	1 / 3		1 / 2		
Average number of embryos transferred	2.3		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility & IVF Medical Associates of Western New York

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DIVISION OF REPRODUCTIVE ENDOCRINOLOGY
SUNY STONY BROOK
EAST SETAUKET, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	20%	Other factor	10%
GIFT	0% With ICSI	67% Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	0%	Female factors only	10%
	Used PGD	0% Uterine factor	0%	Female & male factors	20%
	With eSET	0% Male factor	40%		

2008 PREGNANCY SUCCESS RATES

Data verified by Richard A. Bronson, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	4	2	0	0	0
Percentage of embryos transferred resulting in implantation ^b	1 / 6	0 / 5			
Percentage of cycles resulting in pregnancies ^b	1 / 4	0 / 2			
Percentage of cycles resulting in live births ^{b,c}	1 / 4	0 / 2			
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	1 / 4	0 / 2			
Percentage of transfers resulting in live births ^{b,c}	1 / 4	0 / 2			
Percentage of transfers resulting in singleton live births ^b	1 / 4	0 / 2			
Percentage of cancellations ^b	0 / 4	0 / 2			
Average number of embryos transferred	1.5	2.5			
Percentage of pregnancies with twins ^b	0 / 1				
Percentage of pregnancies with triplets or more ^b	0 / 1				
Percentage of live births having multiple infants ^{b,c}	0 / 1				
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	2	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 1	0 / 2	0 / 1		
Average number of embryos transferred	1.0	1.5	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2008. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).
^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEW YORK FERTILITY CENTER FLUSHING, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	0%
GIFT	0%	With ICSI	Ovulatory dysfunction	22%	Unknown factor	5%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	20%	Multiple Factors:	
Combination	0%	Used gestational carrier	Endometriosis	7%	Female factors only	18%
		Used PGD	Uterine factor	1%	Female & male factors	11%
		With eSET	Male factor	7%		

2008 PREGNANCY SUCCESS RATES

Data verified by Tony Tsai, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	15	11	10	13	4
Percentage of embryos transferred resulting in implantation ^b	10.5	20.0	4.8	0 / 9	0 / 10
Percentage of cycles resulting in pregnancies ^b	5 / 15	3 / 11	1 / 10	1 / 13	0 / 4
Percentage of cycles resulting in live births ^{b,c}	4 / 15	2 / 11	0 / 10	0 / 13	0 / 4
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	4 / 13	2 / 10	0 / 8	0 / 4	0 / 2
Percentage of transfers resulting in live births ^{b,c}	4 / 13	2 / 7	0 / 7	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births ^b	4 / 13	1 / 7	0 / 7	0 / 4	0 / 2
Percentage of cancellations ^b	2 / 15	1 / 11	2 / 10	9 / 13	2 / 4
Average number of embryos transferred	2.9	3.6	3.0	2.3	5.0
Percentage of pregnancies with twins ^b	0 / 5	0 / 3	0 / 1	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 5	1 / 3	0 / 1	0 / 1	
Percentage of live births having multiple infants ^{b,c}	0 / 4	1 / 2			
Frozen Embryos from Nondonor Eggs					
Number of transfers	8	3	4	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 8	0 / 3	0 / 4		
Average number of embryos transferred	2.3	3.0	4.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The New York Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MONTEFIORE'S INSTITUTE FOR REPRODUCTIVE MEDICINE AND HEALTH HARTSDALE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	15%	Other factor	3%	
GIFT	0%	With ICSI	71%	Ovulatory dysfunction	6%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	1%	Female factors only	14%
		Used PGD	2%	Uterine factor	2%	Female & male factors	17%
		With eSET	4%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by Harry J. Lieman, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	71	48	47	17	5
Percentage of embryos transferred resulting in implantation ^b	24.6	27.4	20.7	4.7	2 / 7
Percentage of cycles resulting in pregnancies ^b	35.2	47.9	36.2	3 / 17	2 / 5
Percentage of cycles resulting in live births ^{b,c}	26.8	29.2	27.7	2 / 17	1 / 5
(Confidence Interval)	(16.9–38.6)	(17.0–44.1)	(15.6–42.6)		
Percentage of retrievals resulting in live births ^{b,c}	27.9	33.3	29.5	2 / 13	1 / 4
Percentage of transfers resulting in live births ^{b,c}	30.2	35.9	31.7	2 / 12	1 / 4
Percentage of transfers resulting in singleton live births ^b	19.0	25.6	19.5	2 / 12	1 / 4
Percentage of cancellations ^b	4.2	12.5	6.4	4 / 17	1 / 5
Average number of embryos transferred	2.1	2.4	3.0	3.6	1.8
Percentage of pregnancies with twins ^b	32.0	21.7	6 / 17	0 / 3	1 / 2
Percentage of pregnancies with triplets or more ^b	4.0	4.3	1 / 17	0 / 3	0 / 2
Percentage of live births having multiple infants ^{b,c}	7 / 19	4 / 14	5 / 13	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	6	3	1	0
Percentage of transfers resulting in live births ^{b,c}	3 / 7	0 / 6	0 / 3	0 / 1	
Average number of embryos transferred	2.3	1.8	2.0	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	9		1		
Percentage of transfers resulting in live births ^{b,c}	5 / 9		1 / 1		
Average number of embryos transferred	2.2		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Montefiore's Institute for Reproductive Medicine and Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH SHORE UNIVERSITY HOSPITAL
CENTER FOR HUMAN REPRODUCTION
MANHASSET, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	12%	Other factor	5%	
GIFT	0%	With ICSI	93%	Ovulatory dysfunction	9%	Unknown factor	19%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	4%
		Used PGD	4%	Uterine factor	2%	Female & male factors	7%
		With eSET	<1%	Male factor	27%		

2008 PREGNANCY SUCCESS RATES

Data verified by Avner Hershlag, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	197	102	99	40	22
Percentage of embryos transferred resulting in implantation ^b	35.5	31.3	18.9	6.8	7.6
Percentage of cycles resulting in pregnancies ^b	50.8	54.9	41.4	30.0	13.6
Percentage of cycles resulting in live births ^{b,c}	43.7	48.0	31.3	17.5	13.6
(Confidence Interval)	(36.6–50.9)	(38.0–58.2)	(22.4–41.4)	(7.3–32.8)	(2.9–34.9)
Percentage of retrievals resulting in live births ^{b,c}	46.0	50.0	33.7	19.4	15.0
Percentage of transfers resulting in live births ^{b,c}	48.0	52.1	35.2	19.4	3 / 19
Percentage of transfers resulting in singleton live births ^b	30.2	31.9	23.9	19.4	2 / 19
Percentage of cancellations ^b	5.1	3.9	7.1	10.0	9.1
Average number of embryos transferred	2.2	2.9	3.3	4.1	3.5
Percentage of pregnancies with twins ^b	37.0	41.1	34.1	1 / 12	0 / 3
Percentage of pregnancies with triplets or more ^b	4.0	5.4	2.4	0 / 12	1 / 3
Percentage of live births having multiple infants ^{b,c}	37.2	38.8	32.3	0 / 7	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of transfers	84	51	42	9	7
Percentage of transfers resulting in live births ^{b,c}	27.4	27.5	14.3	0 / 9	0 / 7
Average number of embryos transferred	2.6	2.9	3.1	3.4	2.7
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		33		22	
Percentage of transfers resulting in live births ^{b,c}		48.5		13.6	
Average number of embryos transferred		2.2		2.7	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Shore University Hospital, Center for Human Reproduction

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALISTS OF NEW YORK MINEOLA, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	9%	
GIFT	0%	With ICSI	68%	Ovulatory dysfunction	9%	Unknown factor	15%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	9%
		Used PGD	5%	Uterine factor	3%	Female & male factors	17%
		With eSET	14%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by Gabriel A. San Roman, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	292	190	222	139	96
Percentage of embryos transferred resulting in implantation ^b	34.9	23.0	15.1	6.5	3.4
Percentage of cycles resulting in pregnancies ^b	42.8	31.1	27.0	18.0	11.5
Percentage of cycles resulting in live births ^{b,c}	35.6	24.7	20.3	9.4	6.3
(Confidence Interval)	(30.1–41.4)	(18.8–31.5)	(15.2–26.2)	(5.1–15.5)	(2.3–13.1)
Percentage of retrievals resulting in live births ^{b,c}	38.2	27.5	23.6	11.7	8.8
Percentage of transfers resulting in live births ^{b,c}	40.8	30.1	25.0	12.5	10.0
Percentage of transfers resulting in singleton live births ^b	28.6	19.2	19.4	10.6	8.3
Percentage of cancellations ^b	6.8	10.0	14.0	20.1	29.2
Average number of embryos transferred	1.8	2.2	2.6	3.4	3.9
Percentage of pregnancies with twins ^b	28.0	37.3	26.7	16.0	1 / 11
Percentage of pregnancies with triplets or more ^b	1.6	1.7	0.0	0.0	0 / 11
Percentage of live births having multiple infants ^{b,c}	29.8	36.2	22.2	2 / 13	1 / 6
Frozen Embryos from Nondonor Eggs					
Number of transfers	142	86	69	16	6
Percentage of transfers resulting in live births ^{b,c}	24.6	17.4	13.0	2 / 16	1 / 6
Average number of embryos transferred	1.8	1.8	1.7	1.9	1.7
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	24		18		
Percentage of transfers resulting in live births ^{b,c}	54.2		3 / 18		
Average number of embryos transferred	1.9		1.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Specialists of New York

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY SERVICES NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	13%	Other factor	9%	
GIFT	0%	With ICSI	92%	Ovulatory dysfunction	10%	Unknown factor	14%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	19%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	5%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	10%
		With eSET	<1%	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by Hugh D. Melnick, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	122	80	88	39	24
Percentage of embryos transferred resulting in implantation ^b	17.4	10.2	11.6	6.5	1.8
Percentage of cycles resulting in pregnancies ^b	32.0	15.0	20.5	17.9	4.2
Percentage of cycles resulting in live births ^{b,c}	25.4	13.8	14.8	15.4	4.2
(Confidence Interval)	(18.0–34.1)	(7.1–23.3)	(8.1–23.9)	(5.9–30.5)	(0.1–21.1)
Percentage of retrievals resulting in live births ^{b,c}	27.0	15.5	15.5	15.8	4.5
Percentage of transfers resulting in live births ^{b,c}	27.9	16.9	16.3	17.1	4.5
Percentage of transfers resulting in singleton live births ^b	18.0	9.2	11.3	11.4	4.5
Percentage of cancellations ^b	5.7	11.3	4.5	2.6	8.3
Average number of embryos transferred	3.0	3.6	2.7	3.9	2.6
Percentage of pregnancies with twins ^b	28.2	3 / 12	5 / 18	2 / 7	0 / 1
Percentage of pregnancies with triplets or more ^b	7.7	4 / 12	1 / 18	0 / 7	0 / 1
Percentage of live births having multiple infants ^{b,c}	35.5	5 / 11	4 / 13	2 / 6	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	17	11	10	1	0
Percentage of transfers resulting in live births ^{b,c}	4 / 17	1 / 11	1 / 10	0 / 1	
Average number of embryos transferred	3.9	3.1	3.1	3.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	24		20		
Percentage of transfers resulting in live births ^{b,c}	25.0		20.0		
Average number of embryos transferred	2.8		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility Services

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

AMERICAN FERTILITY SERVICES, PC NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	10%	
GIFT	0%	With ICSI	89%	Ovulatory dysfunction	4%	Unknown factor	23%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	30%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	10%
		Used PGD	4%	Uterine factor	2%	Female & male factors	8%
		With eSET	2%	Male factor	6%		

2008 PREGNANCY SUCCESS RATES

Data verified by Andrew Loucopoulos, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	121	64	81	46	27
Percentage of embryos transferred resulting in implantation ^b	19.8	10.2	8.6	4.8	0.0
Percentage of cycles resulting in pregnancies ^b	28.9	21.9	17.3	6.5	0.0
Percentage of cycles resulting in live births ^{b,c}	24.0	18.8	9.9	4.3	0.0
(Confidence Interval)	(16.7–32.6)	(10.1–30.5)	(4.4–18.5)	(0.5–14.8)	(0.0–12.8)
Percentage of retrievals resulting in live births ^{b,c}	24.6	20.3	10.4	4.7	0.0
Percentage of transfers resulting in live births ^{b,c}	27.1	21.4	11.3	6.9	0 / 16
Percentage of transfers resulting in singleton live births ^b	19.6	19.6	7.0	3.4	0 / 16
Percentage of cancellations ^b	2.5	7.8	4.9	6.5	14.8
Average number of embryos transferred	2.6	2.4	2.5	2.2	2.6
Percentage of pregnancies with twins ^b	28.6	1 / 14	3 / 14	1 / 3	
Percentage of pregnancies with triplets or more ^b	11.4	0 / 14	0 / 14	0 / 3	
Percentage of live births having multiple infants ^{b,c}	27.6	1 / 12	3 / 8	1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	11	4	4	2	1
Percentage of transfers resulting in live births ^{b,c}	2 / 11	0 / 4	0 / 4	0 / 2	0 / 1
Average number of embryos transferred	2.5	2.8	2.8	3.0	3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	20		10		
Percentage of transfers resulting in live births ^{b,c}	30.0		1 / 10		
Average number of embryos transferred	2.5		2.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: American Fertility Services, PC

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

BETH ISRAEL CENTER FOR INFERTILITY & REPRODUCTIVE HEALTH NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	0%
GIFT	0%	With ICSI	Ovulatory dysfunction	4%	Unknown factor	12%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	<1%	Female factors only	3%
		Used PGD	Uterine factor	4%	Female & male factors	29%
		With eSET	Male factor	30%		

2008 PREGNANCY SUCCESS RATES

Data verified by Peter Chang, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	35	25	27	12	8
Percentage of embryos transferred resulting in implantation ^b	18.5	17.5	4.9	0.0	0.0
Percentage of cycles resulting in pregnancies ^b	31.4	32.0	14.8	1 / 12	1 / 8
Percentage of cycles resulting in live births ^{b,c}	25.7	24.0	11.1	0 / 12	0 / 8
(Confidence Interval)	(12.5–43.3)	(9.4–45.1)	(2.4–29.2)		
Percentage of retrievals resulting in live births ^{b,c}	27.3	28.6	3 / 19	0 / 8	0 / 4
Percentage of transfers resulting in live births ^{b,c}	37.5	6 / 17	3 / 17	0 / 8	0 / 4
Percentage of transfers resulting in singleton live births ^b	29.2	3 / 17	2 / 17	0 / 8	0 / 4
Percentage of cancellations ^b	5.7	16.0	29.6	4 / 12	4 / 8
Average number of embryos transferred	3.4	3.7	4.8	5.8	5.5
Percentage of pregnancies with twins ^b	2 / 11	4 / 8	1 / 4	0 / 1	0 / 1
Percentage of pregnancies with triplets or more ^b	1 / 11	0 / 8	0 / 4	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	2 / 9	3 / 6	1 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	13	6	3	0	0
Percentage of transfers resulting in live births ^{b,c}	9 / 13	5 / 6	0 / 3		
Average number of embryos transferred	3.1	4.2	6.3		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	7		2		
Percentage of transfers resulting in live births ^{b,c}	4 / 7		2 / 2		
Average number of embryos transferred	3.4		4.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Beth Israel Center for Infertility & Reproductive Health

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**BROOKLYN/WESTSIDE FERTILITY CENTER
BROOKLYN FERTILITY CENTER
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	3%	Other factor	3%
GIFT	0%	With ICSI	Ovulatory dysfunction	6%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	0%	Female factors only	34%
		Used PGD	Uterine factor	0%	Female & male factors	53%
		With eSET	Male factor	0%		

2008 PREGNANCY SUCCESS RATES

Data verified by Dov B. Goldstein, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	9	5	8	2	0
Percentage of embryos transferred resulting in implantation ^b	14.3	1 / 10	9.5	0 / 7	
Percentage of cycles resulting in pregnancies ^b	2 / 9	1 / 5	1 / 8	0 / 2	
Percentage of cycles resulting in live births ^{b,c}	0 / 9	1 / 5	1 / 8	0 / 2	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	0 / 9	1 / 5	1 / 8	0 / 2	
Percentage of transfers resulting in live births ^{b,c}	0 / 8	1 / 5	1 / 8	0 / 2	
Percentage of transfers resulting in singleton live births ^b	0 / 8	1 / 5	1 / 8	0 / 2	
Percentage of cancellations ^b	0 / 9	0 / 5	0 / 8	0 / 2	
Average number of embryos transferred	2.6	2.0	2.6	3.5	
Percentage of pregnancies with twins ^b	0 / 2	0 / 1	1 / 1		
Percentage of pregnancies with triplets or more ^b	1 / 2	0 / 1	0 / 1		
Percentage of live births having multiple infants ^{b,c}		0 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	0	1	1	0
Percentage of transfers resulting in live births ^{b,c}	2 / 4		0 / 1	0 / 1	
Average number of embryos transferred	2.3		3.0	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		1		
Percentage of transfers resulting in live births ^{b,c}	1 / 1		0 / 1		
Average number of embryos transferred	4.0		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Brooklyn/Westside Fertility Center, Brooklyn Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA UNIVERSITY CENTER FOR WOMEN'S REPRODUCTIVE CARE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	3%	
GIFT	0%	With ICSI	58%	Ovulatory dysfunction	3%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	40%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	4%
		Used PGD	<1%	Uterine factor	1%	Female & male factors	16%
		With eSET	0%	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael M. Guarnaccia, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	367	302	356	216	142
Percentage of embryos transferred resulting in implantation ^b	34.8	28.1	16.1	10.4	1.3
Percentage of cycles resulting in pregnancies ^b	46.0	38.7	30.1	17.6	4.9
Percentage of cycles resulting in live births ^{b,c}	37.9	32.5	18.3	13.4	0.7
(Confidence Interval)	(32.9–43.1)	(27.2–38.0)	(14.4–22.7)	(9.2–18.7)	(0.0–3.9)
Percentage of retrievals resulting in live births ^{b,c}	42.0	36.6	22.4	18.8	1.0
Percentage of transfers resulting in live births ^{b,c}	46.8	42.6	26.2	26.4	1.5
Percentage of transfers resulting in singleton live births ^b	29.0	28.7	19.0	24.5	1.5
Percentage of cancellations ^b	9.8	11.3	18.5	28.7	32.4
Average number of embryos transferred	2.2	2.4	2.8	3.3	3.4
Percentage of pregnancies with twins ^b	30.8	31.6	17.8	5.3	0 / 7
Percentage of pregnancies with triplets or more ^b	5.3	5.1	4.7	2.6	0 / 7
Percentage of live births having multiple infants ^{b,c}	38.1	32.7	27.7	6.9	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	58	44	23	6	5
Percentage of transfers resulting in live births ^{b,c}	39.7	34.1	34.8	1 / 6	1 / 5
Average number of embryos transferred	2.2	2.2	2.4	2.0	2.4
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	136		36		
Percentage of transfers resulting in live births ^{b,c}	53.7		47.2		
Average number of embryos transferred	2.1		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Columbia University Center for Women's Reproductive Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF NEW YORK NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	24%	Other factor	0%
GIFT	0% With ICSI	73% Ovulatory dysfunction	18%	Unknown factor	18%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	18%	Female factors only	6%
	Used PGD	0% Uterine factor	0%	Female & male factors	0%
	With eSET	0% Male factor	6%		

2008 PREGNANCY SUCCESS RATES

Data verified by Trishit K. Mukherjee, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	5	0	4	1	1
Percentage of embryos transferred resulting in implantation ^b	4 / 13		0 / 7	0 / 4	0 / 5
Percentage of cycles resulting in pregnancies ^b	3 / 5		0 / 4	0 / 1	0 / 1
Percentage of cycles resulting in live births ^{b,c}	2 / 5		0 / 4	0 / 1	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	2 / 5		0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births ^{b,c}	2 / 5		0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births ^b	1 / 5		0 / 2	0 / 1	0 / 1
Percentage of cancellations ^b	0 / 5		0 / 4	0 / 1	0 / 1
Average number of embryos transferred	2.6		3.5	4.0	5.0
Percentage of pregnancies with twins ^b	1 / 3				
Percentage of pregnancies with triplets or more ^b	0 / 3				
Percentage of live births having multiple infants ^{b,c}	1 / 2				
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	1	0	1	0
Percentage of transfers resulting in live births ^{b,c}	1 / 3	0 / 1		0 / 1	
Average number of embryos transferred	3.0	4.0		3.0	
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		0		1	
Percentage of transfers resulting in live births ^{b,c}				0 / 1	
Average number of embryos transferred				2.0	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: IVF New York

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MANHATTAN REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	17%	Other factor	7%	
GIFT	0%	With ICSI	98%	Ovulatory dysfunction	0%	Unknown factor	1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	14%
		Used PGD	3%	Uterine factor	3%	Female & male factors	47%
		With eSET	0%	Male factor	1%		

2008 PREGNANCY SUCCESS RATES

Data verified by Hanna Jesionowska, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	22	14	12	7	2
Percentage of embryos transferred resulting in implantation ^b	26.3	15.8	2.9	0.0	0 / 2
Percentage of cycles resulting in pregnancies ^b	54.5	7 / 14	2 / 12	0 / 7	0 / 2
Percentage of cycles resulting in live births ^{b,c}	50.0	3 / 14	0 / 12	0 / 7	0 / 2
(Confidence Interval)	(28.2–71.8)				
Percentage of retrievals resulting in live births ^{b,c}	50.0	3 / 14	0 / 12	0 / 7	0 / 2
Percentage of transfers resulting in live births ^{b,c}	50.0	3 / 14	0 / 12	0 / 7	0 / 2
Percentage of transfers resulting in singleton live births ^b	22.7	1 / 14	0 / 12	0 / 7	0 / 2
Percentage of cancellations ^b	0.0	0 / 14	0 / 12	0 / 7	0 / 2
Average number of embryos transferred	3.6	4.1	2.8	3.6	1.0
Percentage of pregnancies with twins ^b	3 / 12	3 / 7	0 / 2		
Percentage of pregnancies with triplets or more ^b	3 / 12	0 / 7	0 / 2		
Percentage of live births having multiple infants ^{b,c}	6 / 11	2 / 3			
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 1				
Average number of embryos transferred	5.0				
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	17		1		
Percentage of transfers resulting in live births ^{b,c}	8 / 17		1 / 1		
Average number of embryos transferred	4.4		4.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Manhattan Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**MEDICAL OFFICES FOR HUMAN REPRODUCTION
CENTER FOR HUMAN REPRODUCTION (CHR)
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	19%	
GIFT	0%	With ICSI	81%	Ovulatory dysfunction	1%	Unknown factor	2%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	19%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	31%
		Used PGD	9%	Uterine factor	<1%	Female & male factors	16%
		With eSET	2%	Male factor	5%		

2008 PREGNANCY SUCCESS RATES

Data verified by Norbert Gleicher, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	75	46	88	31	58
Percentage of embryos transferred resulting in implantation ^b	18.8	15.5	13.6	4.0	1.9
Percentage of cycles resulting in pregnancies ^b	33.3	26.1	21.6	9.7	3.4
Percentage of cycles resulting in live births ^{b,c}	25.3	17.4	14.8	3.2	0.0
(Confidence Interval)	(16.0–36.7)	(7.8–31.4)	(8.1–23.9)	(0.1–16.7)	(0.0–6.2)
Percentage of retrievals resulting in live births ^{b,c}	25.7	18.6	16.3	4.2	0.0
Percentage of transfers resulting in live births ^{b,c}	30.2	21.1	23.2	5.0	0.0
Percentage of transfers resulting in singleton live births ^b	23.8	13.2	19.6	5.0	0.0
Percentage of cancellations ^b	1.3	6.5	9.1	22.6	10.3
Average number of embryos transferred	2.2	2.6	2.5	2.5	2.6
Percentage of pregnancies with twins ^b	12.0	3 / 12	2 / 19	0 / 3	0 / 2
Percentage of pregnancies with triplets or more ^b	4.0	0 / 12	0 / 19	0 / 3	0 / 2
Percentage of live births having multiple infants ^{b,c}	4 / 19	3 / 8	2 / 13	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	17	7	10	4	3
Percentage of transfers resulting in live births ^{b,c}	6 / 17	0 / 7	2 / 10	0 / 4	0 / 3
Average number of embryos transferred	2.1	1.7	2.8	2.8	1.3
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	18		25		
Percentage of transfers resulting in live births ^{b,c}	8 / 18		20.0		
Average number of embryos transferred	2.3		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Medical Offices for Human Reproduction, Center for Human Reproduction (CHR)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW HOPE FERTILITY CENTER NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	9%	
GIFT	0%	With ICSI	68%	Ovulatory dysfunction	2%	Unknown factor	2%
ZIFT	0%	Unstimulated	19%	Diminished ovarian reserve	44%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	15%
		Used PGD	<1%	Uterine factor	2%	Female & male factors	7%
		With eSET	54%	Male factor	8%		

2008 PREGNANCY SUCCESS RATES

Data verified by John J. Zhang, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	171	135	169	111	345
Percentage of embryos transferred resulting in implantation ^b	22.7	16.8	15.5	7.9	2.1
Percentage of cycles resulting in pregnancies ^b	23.4	17.8	15.4	12.6	1.7
Percentage of cycles resulting in live births ^{b,c}	16.4	11.9	10.7	5.4	0.6
(Confidence Interval)	(11.2–22.8)	(6.9–18.5)	(6.4–16.3)	(2.0–11.4)	(0.1–2.1)
Percentage of retrievals resulting in live births ^{b,c}	18.9	14.8	15.1	8.1	0.7
Percentage of transfers resulting in live births ^{b,c}	19.0	14.8	15.1	8.1	2.6
Percentage of transfers resulting in singleton live births ^b	16.3	13.9	15.1	8.1	2.6
Percentage of cancellations ^b	13.5	20.0	29.6	33.3	11.3
Average number of embryos transferred	1.1	1.2	1.2	1.4	1.2
Percentage of pregnancies with twins ^b	12.5	4.2	0.0	0 / 14	0 / 6
Percentage of pregnancies with triplets or more ^b	0.0	0.0	0.0	0 / 14	0 / 6
Percentage of live births having multiple infants ^{b,c}	14.3	1 / 16	0 / 18	0 / 6	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	160	110	95	52	45
Percentage of transfers resulting in live births ^{b,c}	30.6	28.2	17.9	15.4	2.2
Average number of embryos transferred	1.1	1.1	1.1	1.2	1.2
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Donor Eggs					
Number of transfers	2		67		
Percentage of transfers resulting in live births ^{b,c}	0 / 2		25.4		
Average number of embryos transferred	1.5		1.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New Hope Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK FERTILITY INSTITUTE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	13%	Other factor	0%	
GIFT	0%	With ICSI	81%	Ovulatory dysfunction	15%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	22%	Female factors only	<1%
		Used PGD	35%	Uterine factor	6%	Female & male factors	22%
		With eSET	2%	Male factor	6%		

2008 PREGNANCY SUCCESS RATES

Data verified by Majid Fateh, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	30	29	46	33	10
Percentage of embryos transferred resulting in implantation ^b	21.6	26.5	24.1	13.3	2 / 12
Percentage of cycles resulting in pregnancies ^b	43.3	41.4	37.0	24.2	2 / 10
Percentage of cycles resulting in live births ^{b,c}	40.0	37.9	34.8	15.2	1 / 10
(Confidence Interval)	(22.7–59.4)	(20.7–57.7)	(21.4–50.2)	(5.1–31.9)	
Percentage of retrievals resulting in live births ^{b,c}	41.4	39.3	38.1	16.1	1 / 9
Percentage of transfers resulting in live births ^{b,c}	42.9	39.3	41.0	17.2	1 / 8
Percentage of transfers resulting in singleton live births ^b	32.1	35.7	38.5	17.2	1 / 8
Percentage of cancellations ^b	3.3	3.4	8.7	6.1	1 / 10
Average number of embryos transferred	2.6	2.4	2.2	2.1	1.5
Percentage of pregnancies with twins ^b	3 / 13	2 / 12	4 / 17	0 / 8	0 / 2
Percentage of pregnancies with triplets or more ^b	0 / 13	2 / 12	0 / 17	0 / 8	0 / 2
Percentage of live births having multiple infants ^{b,c}	3 / 12	1 / 11	1 / 16	0 / 5	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	2	2	3	1
Percentage of transfers resulting in live births ^{b,c}	4 / 5	0 / 2	1 / 2	1 / 3	0 / 1
Average number of embryos transferred	2.2	2.5	2.0	1.7	2.0
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		9		22	
Percentage of transfers resulting in live births ^{b,c}		6 / 9		63.6	
Average number of embryos transferred		2.4		2.4	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: New York Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NYU FERTILITY CENTER
NEW YORK UNIVERSITY SCHOOL OF MEDICINE
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	11%	
GIFT	0%	With ICSI	29%	Ovulatory dysfunction	3%	Unknown factor	18%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	19%
		Used PGD	8%	Uterine factor	4%	Female & male factors	13%
		With eSET	3%	Male factor	12%		

2008 PREGNANCY SUCCESS RATES

Data verified by James A. Grifo, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	312	249	278	222	145
Percentage of embryos transferred resulting in implantation ^b	44.9	31.9	25.6	12.5	7.8
Percentage of cycles resulting in pregnancies ^b	57.7	43.4	40.3	28.4	18.6
Percentage of cycles resulting in live births ^{b,c}	49.4	35.7	28.8	19.4	8.3
(Confidence Interval)	(43.7–55.1)	(29.8–42.0)	(23.5–34.5)	(14.4–25.2)	(4.3–14.0)
Percentage of retrievals resulting in live births ^{b,c}	52.4	40.5	34.0	22.6	10.3
Percentage of transfers resulting in live births ^{b,c}	53.8	42.6	35.7	23.8	11.4
Percentage of transfers resulting in singleton live births ^b	33.6	30.6	25.9	19.9	11.4
Percentage of cancellations ^b	5.8	11.6	15.5	14.4	19.3
Average number of embryos transferred	1.9	2.1	2.4	3.0	3.7
Percentage of pregnancies with twins ^b	38.3	31.5	26.8	15.9	11.1
Percentage of pregnancies with triplets or more ^b	1.7	3.7	2.7	1.6	3.7
Percentage of live births having multiple infants ^{b,c}	37.7	28.1	27.5	16.3	0 / 12
Frozen Embryos from Nondonor Eggs					
Number of transfers	73	50	39	13	6
Percentage of transfers resulting in live births ^{b,c}	28.8	28.0	23.1	2 / 13	0 / 6
Average number of embryos transferred	2.0	2.1	2.1	2.1	2.3
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	127		41		
Percentage of transfers resulting in live births ^{b,c}	56.7		26.8		
Average number of embryos transferred	1.9		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: NYU Fertility Center, New York University School of Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

OFFICES FOR FERTILITY AND REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	<1%	Other factor	2%	
GIFT	0%	With ICSI	84%	Ovulatory dysfunction	8%	Unknown factor	0%
ZIFT	0%	Unstimulated	4%	Diminished ovarian reserve	20%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	1%	Female factors only	19%
		Used PGD	10%	Uterine factor	0%	Female & male factors	47%
		With eSET	1%	Male factor	3%		

2008 PREGNANCY SUCCESS RATES

Data verified by Cecilia Schmidt-Sarosi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	23	15	24	29	20
Percentage of embryos transferred resulting in implantation ^b	17.5	6.7	18.6	5.1	13.0
Percentage of cycles resulting in pregnancies ^b	30.4	2 / 15	33.3	10.3	5.0
Percentage of cycles resulting in live births ^{b,c}	26.1	2 / 15	12.5	10.3	5.0
(Confidence Interval)	(10.2–48.4)		(2.7–32.4)	(2.2–27.4)	(0.1–24.9)
Percentage of retrievals resulting in live births ^{b,c}	26.1	2 / 14	12.5	10.7	1 / 13
Percentage of transfers resulting in live births ^{b,c}	27.3	2 / 13	13.0	12.0	1 / 12
Percentage of transfers resulting in singleton live births ^b	13.6	2 / 13	4.3	12.0	0 / 12
Percentage of cancellations ^b	0.0	1 / 15	0.0	3.4	35.0
Average number of embryos transferred	2.6	2.3	2.6	2.4	1.9
Percentage of pregnancies with twins ^b	3 / 7	0 / 2	1 / 8	0 / 3	0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 7	0 / 2	1 / 8	0 / 3	1 / 1
Percentage of live births having multiple infants ^{b,c}	3 / 6	0 / 2	2 / 3	0 / 3	1 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	15	9	7	2	1
Percentage of transfers resulting in live births ^{b,c}	6 / 15	0 / 9	2 / 7	0 / 2	0 / 1
Average number of embryos transferred	2.7	2.8	2.7	3.5	3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	18		17		
Percentage of transfers resulting in live births ^{b,c}	6 / 18		3 / 17		
Average number of embryos transferred	2.3		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Offices for Fertility and Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE ENDOCRINOLOGY ASSOCIATES
OF ST. LUKE'S ROOSEVELT HOSPITAL CENTER
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	4%	Other factor	6%
GIFT	0% With ICSI	92% Ovulatory dysfunction	7%	Unknown factor	6%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	10%	Multiple Factors:	
Combination	0% Used gestational carrier	0% Endometriosis	4%	Female factors only	21%
	Used PGD	2% Uterine factor	2%	Female & male factors	24%
	With eSET	2% Male factor	17%		

2008 PREGNANCY SUCCESS RATES

Data verified by Martin Keltz, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	115	79	70	42	21
Percentage of embryos transferred resulting in implantation ^b	31.8	17.0	17.0	11.4	3.8
Percentage of cycles resulting in pregnancies ^b	53.0	41.8	37.1	31.0	19.0
Percentage of cycles resulting in live births ^{b,c}	40.0	24.1	25.7	16.7	4.8
(Confidence Interval)	(31.0–49.6)	(15.1–35.0)	(16.0–37.6)	(7.0–31.4)	(0.1–23.8)
Percentage of retrievals resulting in live births ^{b,c}	40.4	25.0	28.6	16.7	1 / 19
Percentage of transfers resulting in live births ^{b,c}	41.4	26.0	31.6	17.1	1 / 18
Percentage of transfers resulting in singleton live births ^b	25.2	19.2	24.6	14.6	1 / 18
Percentage of cancellations ^b	0.9	3.8	10.0	0.0	9.5
Average number of embryos transferred	2.4	3.2	3.1	3.9	4.4
Percentage of pregnancies with twins ^b	32.8	18.2	15.4	3 / 13	0 / 4
Percentage of pregnancies with triplets or more ^b	3.3	6.1	3.8	1 / 13	0 / 4
Percentage of live births having multiple infants ^{b,c}	39.1	5 / 19	4 / 18	1 / 7	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	24	11	11	0	1
Percentage of transfers resulting in live births ^{b,c}	29.2	0 / 11	6 / 11		0 / 1
Average number of embryos transferred	2.7	2.6	3.1		3.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	15		6		
Percentage of transfers resulting in live births ^{b,c}	6 / 15		3 / 6		
Average number of embryos transferred	2.5		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Endocrinology Associates of St. Luke's Roosevelt Hospital Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW YORK, LLP NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	12%	Other factor	8%	
GIFT	0%	With ICSI	54%	Ovulatory dysfunction	13%	Unknown factor	15%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	21%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	7%	Female factors only	<1%
		Used PGD	5%	Uterine factor	4%	Female & male factors	0%
		With eSET	<1%	Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Lawrence Grunfeld, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	540	340	373	203	116
Percentage of embryos transferred resulting in implantation ^b	33.6	24.4	15.9	10.5	3.7
Percentage of cycles resulting in pregnancies ^b	56.3	44.7	34.9	23.6	18.1
Percentage of cycles resulting in live births ^{b,c}	47.6	38.2	25.5	12.8	7.8
(Confidence Interval)	(43.3–51.9)	(33.0–43.6)	(21.1–30.2)	(8.5–18.2)	(3.6–14.2)
Percentage of retrievals resulting in live births ^{b,c}	49.3	41.9	29.4	17.1	9.9
Percentage of transfers resulting in live births ^{b,c}	51.9	44.4	31.1	18.2	11.1
Percentage of transfers resulting in singleton live births ^b	32.5	29.7	22.3	13.3	11.1
Percentage of cancellations ^b	3.5	8.8	13.4	25.1	21.6
Average number of embryos transferred	2.4	2.7	3.2	3.5	4.0
Percentage of pregnancies with twins ^b	32.6	28.3	21.5	16.7	0.0
Percentage of pregnancies with triplets or more ^b	3.9	2.0	2.3	4.2	0.0
Percentage of live births having multiple infants ^{b,c}	37.4	33.1	28.4	26.9	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of transfers	89	56	39	12	0
Percentage of transfers resulting in live births ^{b,c}	24.7	30.4	23.1	2 / 12	
Average number of embryos transferred	2.3	2.3	2.1	2.4	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	150		54		
Percentage of transfers resulting in live births ^{b,c}	56.0		22.2		
Average number of embryos transferred	2.3		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of New York, LLP

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEOFFREY SHER, MD, PC NEW YORK, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	25%	
GIFT	0%	With ICSI	98%	Ovulatory dysfunction	2%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	40%	Multiple Factors:	
Combination	0%	Used gestational carrier	<1%	Endometriosis	1%	Female factors only	9%
		Used PGD	10%	Uterine factor	<1%	Female & male factors	5%
		With eSET	4%	Male factor	7%		

2008 PREGNANCY SUCCESS RATES

Data verified by Drew Tortoriello, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	73	61	71	30	31
Percentage of embryos transferred resulting in implantation ^b	42.4	24.8	9.2	20.9	4.5
Percentage of cycles resulting in pregnancies ^b	53.4	31.1	14.1	30.0	9.7
Percentage of cycles resulting in live births ^{b,c}	46.6	26.2	8.5	23.3	6.5
(Confidence Interval)	(34.8–58.6)	(15.8–39.1)	(3.2–17.5)	(9.9–42.3)	(0.8–21.4)
Percentage of retrievals resulting in live births ^{b,c}	46.6	26.2	8.6	23.3	6.5
Percentage of transfers resulting in live births ^{b,c}	54.0	32.0	10.7	35.0	2 / 19
Percentage of transfers resulting in singleton live births ^b	31.7	20.0	7.1	35.0	2 / 19
Percentage of cancellations ^b	0.0	0.0	1.4	0.0	0.0
Average number of embryos transferred	2.3	2.3	2.1	2.2	2.3
Percentage of pregnancies with twins ^b	46.2	3 / 19	3 / 10	0 / 9	0 / 3
Percentage of pregnancies with triplets or more ^b	7.7	3 / 19	0 / 10	0 / 9	0 / 3
Percentage of live births having multiple infants ^{b,c}	41.2	6 / 16	2 / 6	0 / 7	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	35	22	20	3	5
Percentage of transfers resulting in live births ^{b,c}	54.3	36.4	20.0	1 / 3	2 / 5
Average number of embryos transferred	2.2	1.9	2.2	1.7	1.8
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	31		13		
Percentage of transfers resulting in live births ^{b,c}	67.7		5 / 13		
Average number of embryos transferred	2.1		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Geoffrey Sher, MD, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WEILL MEDICAL COLLEGE OF CORNELL UNIVERSITY
THE CENTER FOR REPRODUCTIVE MEDICINE AND INFERTILITY
NEW YORK, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	2%	
GIFT	0%	With ICSI	59%	Ovulatory dysfunction	3%	Unknown factor	10%
ZIFT	0%	Unstimulated	2%	Diminished ovarian reserve	27%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	16%
		Used PGD	6%	Uterine factor	1%	Female & male factors	15%
		With eSET	<1%	Male factor	14%		

2008 PREGNANCY SUCCESS RATES

Data verified by Zev Rosenwaks, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	624	475	619	450	280
Percentage of embryos transferred resulting in implantation ^b	33.5	26.4	17.3	8.8	4.3
Percentage of cycles resulting in pregnancies ^b	45.5	41.7	33.6	23.3	12.1
Percentage of cycles resulting in live births ^{b,c}	39.6	34.1	26.2	13.6	4.3
(Confidence Interval)	(35.7–43.5)	(29.8–38.6)	(22.7–29.8)	(10.5–17.1)	(2.2–7.4)
Percentage of retrievals resulting in live births ^{b,c}	43.5	39.3	30.3	16.5	5.7
Percentage of transfers resulting in live births ^{b,c}	47.4	41.6	32.3	17.8	6.4
Percentage of transfers resulting in singleton live births ^b	33.8	27.2	23.1	15.5	4.8
Percentage of cancellations ^b	9.0	13.3	13.6	17.8	24.3
Average number of embryos transferred	2.2	2.7	3.1	3.5	3.5
Percentage of pregnancies with twins ^b	29.9	26.8	21.6	12.4	14.7
Percentage of pregnancies with triplets or more ^b	4.6	9.6	7.7	1.9	0.0
Percentage of live births having multiple infants ^{b,c}	28.7	34.6	28.4	13.1	3 / 12
Frozen Embryos from Nondonor Eggs					
Number of transfers	109	60	46	15	8
Percentage of transfers resulting in live births ^{b,c}	43.1	31.7	43.5	4 / 15	0 / 8
Average number of embryos transferred	1.9	1.8	1.9	1.5	1.4
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	165		51		
Percentage of transfers resulting in live births ^{b,c}	52.1		35.3		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Weill Medical College of Cornell University, The Center for Reproductive Medicine and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST COAST FERTILITY PLAINVIEW, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	6%	
GIFT	0%	With ICSI	64%	Ovulatory dysfunction	6%	Unknown factor	11%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	16%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	15%
		Used PGD	3%	Uterine factor	<1%	Female & male factors	16%
		With eSET	8%	Male factor	17%		

2008 PREGNANCY SUCCESS RATES

Data verified by David Kreiner, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	172	84	100	69	43
Percentage of embryos transferred resulting in implantation ^b	41.2	20.6	16.8	9.9	2.0
Percentage of cycles resulting in pregnancies ^b	55.8	35.7	33.0	27.5	7.0
Percentage of cycles resulting in live births ^{b,c}	48.8	26.2	15.0	13.0	0.0
(Confidence Interval)	(41.2–56.6)	(17.2–36.9)	(8.6–23.5)	(6.1–23.3)	(0.0–8.2)
Percentage of retrievals resulting in live births ^{b,c}	50.9	28.2	16.0	15.0	0.0
Percentage of transfers resulting in live births ^{b,c}	51.9	28.9	16.1	16.7	0.0
Percentage of transfers resulting in singleton live births ^b	31.5	23.7	10.8	13.0	0.0
Percentage of cancellations ^b	4.1	7.1	6.0	13.0	9.3
Average number of embryos transferred	2.0	2.2	2.4	2.6	2.8
Percentage of pregnancies with twins ^b	36.5	23.3	15.2	2 / 19	0 / 3
Percentage of pregnancies with triplets or more ^b	1.0	0.0	3.0	0 / 19	0 / 3
Percentage of live births having multiple infants ^{b,c}	39.3	18.2	5 / 15	2 / 9	
Frozen Embryos from Nondonor Eggs					
Number of transfers	86	51	34	22	8
Percentage of transfers resulting in live births ^{b,c}	26.7	15.7	17.6	4.5	0 / 8
Average number of embryos transferred	2.0	1.9	2.0	2.0	2.9
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	29		16		
Percentage of transfers resulting in live births ^{b,c}	51.7		7 / 16		
Average number of embryos transferred	1.8		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Coast Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

LONG ISLAND IVF PORT JEFFERSON, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100% Procedural Factors:	Tubal factor	7%	Other factor	7%	
GIFT	0% With ICSI	67%	Ovulatory dysfunction	7%	Unknown factor	7%
ZIFT	0% Unstimulated	<1%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0%	Endometriosis	7%	Female factors only	18%
	Used PGD	6%	Uterine factor	<1%	Female & male factors	18%
	With eSET	2%	Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Daniel Kenigsberg, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	130	105	96	54	12
Percentage of embryos transferred resulting in implantation ^b	31.0	24.7	19.9	9.2	15.8
Percentage of cycles resulting in pregnancies ^b	45.4	34.3	39.6	20.4	4 / 12
Percentage of cycles resulting in live births ^{b,c}	37.7	28.6	26.0	13.0	2 / 12
(Confidence Interval)	(29.3–46.6)	(20.2–38.2)	(17.6–36.0)	(5.4–24.9)	
Percentage of retrievals resulting in live births ^{b,c}	38.9	32.3	31.3	16.7	2 / 12
Percentage of transfers resulting in live births ^{b,c}	41.2	34.9	32.1	19.4	2 / 10
Percentage of transfers resulting in singleton live births ^b	30.3	26.7	26.9	19.4	1 / 10
Percentage of cancellations ^b	3.1	11.4	16.7	22.2	0 / 12
Average number of embryos transferred	2.0	2.2	2.6	3.0	3.8
Percentage of pregnancies with twins ^b	23.7	30.6	18.4	0 / 11	1 / 4
Percentage of pregnancies with triplets or more ^b	3.4	0.0	0.0	0 / 11	1 / 4
Percentage of live births having multiple infants ^{b,c}	26.5	23.3	16.0	0 / 7	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	71	50	41	18	4
Percentage of transfers resulting in live births ^{b,c}	35.2	42.0	29.3	4 / 18	1 / 4
Average number of embryos transferred	2.4	2.4	2.3	2.9	3.8
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	52		62		
Percentage of transfers resulting in live births ^{b,c}	57.7		22.6		
Average number of embryos transferred	1.9		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Long Island IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCHESTER FERTILITY CARE, PC ROCHESTER, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	9%	
GIFT	0%	With ICSI	76%	Ovulatory dysfunction	4%	Unknown factor	11%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	13%
		Used PGD	4%	Uterine factor	0%	Female & male factors	13%
		With eSET	0%	Male factor	27%		

2008 PREGNANCY SUCCESS RATES

Data verified by Rosalind A. Hayes, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	31	13	18	7	5
Percentage of embryos transferred resulting in implantation ^b	26.3	12.1	7.4	1 / 11	0 / 5
Percentage of cycles resulting in pregnancies ^b	45.2	4 / 13	1 / 18	1 / 7	0 / 5
Percentage of cycles resulting in live births ^{b,c}	38.7	4 / 13	1 / 18	0 / 7	0 / 5
(Confidence Interval)	(21.8–57.8)				
Percentage of retrievals resulting in live births ^{b,c}	46.2	4 / 11	1 / 12	0 / 5	0 / 3
Percentage of transfers resulting in live births ^{b,c}	46.2	4 / 10	1 / 8	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births ^b	23.1	4 / 10	1 / 8	0 / 4	0 / 2
Percentage of cancellations ^b	16.1	2 / 13	6 / 18	2 / 7	2 / 5
Average number of embryos transferred	3.1	3.3	3.4	2.8	2.5
Percentage of pregnancies with twins ^b	7 / 14	0 / 4	1 / 1	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 14	0 / 4	0 / 1	0 / 1	
Percentage of live births having multiple infants ^{b,c}	6 / 12	0 / 4	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	3	2	0	0
Percentage of transfers resulting in live births ^{b,c}	2 / 7	1 / 3	1 / 2		
Average number of embryos transferred	2.3	2.7	3.5		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	7		9		
Percentage of transfers resulting in live births ^{b,c}	2 / 7		1 / 9		
Average number of embryos transferred	2.7		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Rochester Fertility Care, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

STRONG FERTILITY CENTER ROCHESTER, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	14%	Other factor	8%	
GIFT	0%	With ICSI	74%	Ovulatory dysfunction	4%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	13%
		Used PGD	3%	Uterine factor	<1%	Female & male factors	22%
		With eSET	2%	Male factor	22%		

2008 PREGNANCY SUCCESS RATES

Data verified by John T. Queenan, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	77	39	28	9	2
Percentage of embryos transferred resulting in implantation ^b	21.1	16.5	12.7	13.8	1 / 7
Percentage of cycles resulting in pregnancies ^b	39.0	28.2	32.1	4 / 9	1 / 2
Percentage of cycles resulting in live births ^{b,c}	35.1	25.6	32.1	2 / 9	1 / 2
(Confidence Interval)	(24.5–46.8)	(13.0–42.1)	(15.9–52.4)		
Percentage of retrievals resulting in live births ^{b,c}	37.0	27.8	34.6	2 / 8	1 / 2
Percentage of transfers resulting in live births ^{b,c}	38.0	29.4	34.6	2 / 8	1 / 2
Percentage of transfers resulting in singleton live births ^b	33.8	20.6	30.8	2 / 8	1 / 2
Percentage of cancellations ^b	5.2	7.7	7.1	1 / 9	0 / 2
Average number of embryos transferred	2.3	2.5	3.0	3.6	3.5
Percentage of pregnancies with twins ^b	16.7	3 / 11	1 / 9	0 / 4	0 / 1
Percentage of pregnancies with triplets or more ^b	0.0	0 / 11	0 / 9	0 / 4	0 / 1
Percentage of live births having multiple infants ^{b,c}	11.1	3 / 10	1 / 9	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	26	11	10	0	1
Percentage of transfers resulting in live births ^{b,c}	46.2	4 / 11	1 / 10		0 / 1
Average number of embryos transferred	2.4	1.7	2.5		2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	25		14		
Percentage of transfers resulting in live births ^{b,c}	72.0		4 / 14		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Strong Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ISLAND REPRODUCTIVE SERVICES STATEN ISLAND, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	3%	Other factor	5%	
GIFT	0%	With ICSI	73%	Ovulatory dysfunction	4%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	23%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	47%
		With eSET	<1%	Male factor	9%		

2008 PREGNANCY SUCCESS RATES

Data verified by Eric S. Knochenhauer, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	60	34	24	14	16
Percentage of embryos transferred resulting in implantation ^b	18.4	23.5	17.0	15.9	2.1
Percentage of cycles resulting in pregnancies ^b	38.3	35.3	20.8	6 / 14	1 / 16
Percentage of cycles resulting in live births ^{b,c}	28.3	29.4	16.7	2 / 14	1 / 16
(Confidence Interval)	(17.5–41.4)	(15.1–47.5)	(4.7–37.4)		
Percentage of retrievals resulting in live births ^{b,c}	29.8	35.7	4 / 19	2 / 12	1 / 12
Percentage of transfers resulting in live births ^{b,c}	30.4	35.7	4 / 17	2 / 11	1 / 10
Percentage of transfers resulting in singleton live births ^b	23.2	10.7	1 / 17	1 / 11	1 / 10
Percentage of cancellations ^b	5.0	17.6	20.8	2 / 14	4 / 16
Average number of embryos transferred	2.9	3.0	3.1	4.0	4.8
Percentage of pregnancies with twins ^b	17.4	5 / 12	4 / 5	2 / 6	0 / 1
Percentage of pregnancies with triplets or more ^b	13.0	2 / 12	0 / 5	0 / 6	0 / 1
Percentage of live births having multiple infants ^{b,c}	4 / 17	7 / 10	3 / 4	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	28	19	9	6	0
Percentage of transfers resulting in live births ^{b,c}	39.3	6 / 19	1 / 9	1 / 6	
Average number of embryos transferred	3.3	3.1	3.7	3.7	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	9		1		
Percentage of transfers resulting in live births ^{b,c}	4 / 9		1 / 1		
Average number of embryos transferred	2.8		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Island Reproductive Services

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GOLD COAST IVF
REPRODUCTIVE MEDICINE AND SURGERY CENTER
SYOSSET, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	3%	Other factor	2%
GIFT	0% With ICSI	85% Ovulatory dysfunction	2%	Unknown factor	3%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	0%	Female factors only	8%
	Used PGD	4% Uterine factor	1%	Female & male factors	58%
	With eSET	0% Male factor	13%		

2008 PREGNANCY SUCCESS RATES

Data verified by Steven F. Palter, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	26	15	12	8	5
Percentage of embryos transferred resulting in implantation ^b	27.4	30.2	16.7	21.2	4.5
Percentage of cycles resulting in pregnancies ^b	50.0	10 / 15	7 / 12	4 / 8	1 / 5
Percentage of cycles resulting in live births ^{b,c}	50.0	8 / 15	4 / 12	3 / 8	0 / 5
(Confidence Interval)	(29.9–70.1)				
Percentage of retrievals resulting in live births ^{b,c}	52.0	8 / 14	4 / 12	3 / 8	0 / 5
Percentage of transfers resulting in live births ^{b,c}	52.0	8 / 14	4 / 12	3 / 8	0 / 5
Percentage of transfers resulting in singleton live births ^b	32.0	8 / 14	4 / 12	0 / 8	0 / 5
Percentage of cancellations ^b	3.8	1 / 15	0 / 12	0 / 8	0 / 5
Average number of embryos transferred	2.9	3.1	3.5	4.1	4.4
Percentage of pregnancies with twins ^b	3 / 13	1 / 10	0 / 7	3 / 4	0 / 1
Percentage of pregnancies with triplets or more ^b	2 / 13	1 / 10	0 / 7	0 / 4	0 / 1
Percentage of live births having multiple infants ^{b,c}	5 / 13	0 / 8	0 / 4	3 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	4	1	0	1
Percentage of transfers resulting in live births ^{b,c}	2 / 4	0 / 4	0 / 1		0 / 1
Average number of embryos transferred	3.0	3.3	3.0		8.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	10		2		
Percentage of transfers resulting in live births ^{b,c}	5 / 10		1 / 2		
Average number of embryos transferred	2.3		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Gold Coast IVF, Reproductive Medicine and Surgery Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CNY FERTILITY CENTER SYRACUSE, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	>99%	Procedural Factors:	Tubal factor	10%	Other factor	6%	
GIFT	<1%	With ICSI	89%	Ovulatory dysfunction	7%	Unknown factor	13%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	6%	Female factors only	15%
		Used PGD	3%	Uterine factor	1%	Female & male factors	15%
		With eSET	2%	Male factor	14%		

2008 PREGNANCY SUCCESS RATES

Data verified by Robert J. Kiltz, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	573	289	261	121	70
Percentage of embryos transferred resulting in implantation ^b	26.8	18.2	11.7	6.6	2.9
Percentage of cycles resulting in pregnancies ^b	45.9	34.3	24.5	15.7	7.1
Percentage of cycles resulting in live births ^{b,c}	37.5	26.3	16.5	7.4	1.4
(Confidence Interval)	(33.5–41.6)	(21.3–31.8)	(12.2–21.5)	(3.5–13.7)	(0.0–7.7)
Percentage of retrievals resulting in live births ^{b,c}	39.5	28.3	18.0	8.4	1.7
Percentage of transfers resulting in live births ^{b,c}	41.7	30.0	19.6	9.7	2.4
Percentage of transfers resulting in singleton live births ^b	25.8	21.3	16.0	8.6	2.4
Percentage of cancellations ^b	5.1	6.9	8.4	11.6	15.7
Average number of embryos transferred	2.6	2.8	2.9	3.3	3.2
Percentage of pregnancies with twins ^b	28.9	23.2	18.8	2 / 19	0 / 5
Percentage of pregnancies with triplets or more ^b	7.2	7.1	3.1	1 / 19	0 / 5
Percentage of live births having multiple infants ^{b,c}	38.1	28.9	18.6	1 / 9	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	132	73	36	11	5
Percentage of transfers resulting in live births ^{b,c}	17.4	9.6	5.6	1 / 11	0 / 5
Average number of embryos transferred	2.4	2.6	2.2	2.5	3.8
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	139		52		
Percentage of transfers resulting in live births ^{b,c}	47.5		7.7		
Average number of embryos transferred	2.7		2.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: CNY Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY IVF OB/GYN ASSOCIATES
SUNY UPSTATE MEDICAL UNIVERSITY
SYRACUSE, NEW YORK**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	0%	Other factor	20%
GIFT	0% With ICSI	80% Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	0%	Female factors only	0%
	Used PGD	0% Uterine factor	0%	Female & male factors	40%
	With eSET	0% Male factor	40%		

2008 PREGNANCY SUCCESS RATES

Data verified by Shawky Z. Badawy, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	2	3	0	0	0
Percentage of embryos transferred resulting in implantation ^b	1 / 5	1 / 8			
Percentage of cycles resulting in pregnancies ^b	1 / 2	1 / 3			
Percentage of cycles resulting in live births ^{b,c}	1 / 2	1 / 3			
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	1 / 2	1 / 3			
Percentage of transfers resulting in live births ^{b,c}	1 / 2	1 / 3			
Percentage of transfers resulting in singleton live births ^b	1 / 2	1 / 3			
Percentage of cancellations ^b	0 / 2	0 / 3			
Average number of embryos transferred	2.5	2.7			
Percentage of pregnancies with twins ^b	0 / 1	0 / 1			
Percentage of pregnancies with triplets or more ^b	0 / 1	0 / 1			
Percentage of live births having multiple infants ^{b,c}	0 / 1	0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University IVF OB/GYN Associates, SUNY Upstate Medical University

Donor egg?	No	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY WHITE PLAINS, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	18%	Other factor	0%
GIFT	0%	With ICSI	Ovulatory dysfunction	7%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	<1%	Female factors only	21%
		Used PGD	Uterine factor	2%	Female & male factors	28%
		With eSET	Male factor	5%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael B. Blotner, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	30	15	28	13	8
Percentage of embryos transferred resulting in implantation ^b	35.3	25.0	19.6	0 / 13	1 / 17
Percentage of cycles resulting in pregnancies ^b	40.0	3 / 15	25.0	0 / 13	1 / 8
Percentage of cycles resulting in live births ^{b,c}	33.3	2 / 15	21.4	0 / 13	0 / 8
(Confidence Interval)	(17.3–52.8)		(8.3–41.0)		
Percentage of retrievals resulting in live births ^{b,c}	35.7	2 / 11	30.0	0 / 9	0 / 7
Percentage of transfers resulting in live births ^{b,c}	38.5	2 / 10	30.0	0 / 6	0 / 7
Percentage of transfers resulting in singleton live births ^b	19.2	0 / 10	20.0	0 / 6	0 / 7
Percentage of cancellations ^b	6.7	4 / 15	28.6	4 / 13	1 / 8
Average number of embryos transferred	2.0	2.0	2.3	2.2	2.4
Percentage of pregnancies with twins ^b	7 / 12	2 / 3	2 / 7		0 / 1
Percentage of pregnancies with triplets or more ^b	0 / 12	0 / 3	0 / 7		0 / 1
Percentage of live births having multiple infants ^{b,c}	5 / 10	2 / 2	2 / 6		
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	2	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 1	0 / 2			
Average number of embryos transferred	2.0	1.5			
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		1		0	
Percentage of transfers resulting in live births ^{b,c}		1 / 1			
Average number of embryos transferred		2.0			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Westchester Fertility and Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER REPRODUCTIVE MEDICINE YORKTOWN HEIGHTS, NEW YORK

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	3%	
GIFT	0%	With ICSI	91%	Ovulatory dysfunction	0%	Unknown factor	11%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	18%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	8%	Female factors only	0%
		Used PGD	3%	Uterine factor	0%	Female & male factors	24%
		With eSET	0%	Male factor	32%		

2008 PREGNANCY SUCCESS RATES

Data verified by Rachel A. Bennett, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	13	13	5	0	3
Percentage of embryos transferred resulting in implantation ^b	24.1	17.2	1 / 14		2 / 13
Percentage of cycles resulting in pregnancies ^b	7 / 13	4 / 13	1 / 5		2 / 3
Percentage of cycles resulting in live births ^{b,c}	6 / 13	4 / 13	1 / 5		1 / 3
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	6 / 12	4 / 12	1 / 5		1 / 3
Percentage of transfers resulting in live births ^{b,c}	6 / 12	4 / 12	1 / 5		1 / 3
Percentage of transfers resulting in singleton live births ^b	6 / 12	3 / 12	1 / 5		1 / 3
Percentage of cancellations ^b	1 / 13	1 / 13	0 / 5		0 / 3
Average number of embryos transferred	2.4	2.4	2.8		4.3
Percentage of pregnancies with twins ^b	0 / 7	1 / 4	0 / 1		0 / 2
Percentage of pregnancies with triplets or more ^b	0 / 7	0 / 4	0 / 1		0 / 2
Percentage of live births having multiple infants ^{b,c}	0 / 6	1 / 4	0 / 1		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	1	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 1	0 / 1	0 / 1		
Average number of embryos transferred	2.0	2.0	3.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Westchester Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH CAROLINA CENTER FOR REPRODUCTIVE MEDICINE
THE TALBERT FERTILITY INSTITUTE
CARY, NORTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	4%	Other factor	20%
GIFT	0% With ICSI	94% Ovulatory dysfunction	7%	Unknown factor	4%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	13%	Multiple Factors:	
Combination	0% Used gestational carrier	3% Endometriosis	7%	Female factors only	9%
	Used PGD	4% Uterine factor	5%	Female & male factors	16%
	With eSET	0% Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by Sameh K. Toma, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	135	51	27	8	4
Percentage of embryos transferred resulting in implantation ^b	26.0	10.0	4.0	8.3	0 / 4
Percentage of cycles resulting in pregnancies ^b	40.7	15.7	11.1	2 / 8	0 / 4
Percentage of cycles resulting in live births ^{b,c}	39.3	13.7	11.1	1 / 8	0 / 4
(Confidence Interval)	(31.0–48.0)	(5.7–26.3)	(2.4–29.2)		
Percentage of retrievals resulting in live births ^{b,c}	39.3	13.7	11.1	1 / 8	0 / 4
Percentage of transfers resulting in live births ^{b,c}	40.8	15.6	13.0	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births ^b	23.1	13.3	13.0	1 / 8	0 / 1
Percentage of cancellations ^b	0.0	0.0	0.0	0 / 8	0 / 4
Average number of embryos transferred	2.4	2.7	3.3	3.0	4.0
Percentage of pregnancies with twins ^b	41.8	2 / 8	0 / 3	0 / 2	
Percentage of pregnancies with triplets or more ^b	3.6	1 / 8	0 / 3	0 / 2	
Percentage of live births having multiple infants ^{b,c}	43.4	1 / 7	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	36	15	9	1	1
Percentage of transfers resulting in live births ^{b,c}	25.0	1 / 15	2 / 9	0 / 1	1 / 1
Average number of embryos transferred	2.6	2.7	2.7	2.0	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	70		26		
Percentage of transfers resulting in live births ^{b,c}	45.7		15.4		
Average number of embryos transferred	2.4		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Carolina Center for Reproductive Medicine, The Talbert Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF NORTH CAROLINA A.R.T. CLINIC CHAPEL HILL, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100% Procedural Factors:	Tubal factor	10%	Other factor	4%	
GIFT	0% With ICSI	44%	Ovulatory dysfunction	8%	Unknown factor	16%
ZIFT	0% Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	3%	Endometriosis	7%	Female factors only	10%
	Used PGD	2%	Uterine factor	<1%	Female & male factors	8%
	With eSET	0%	Male factor	26%		

2008 PREGNANCY SUCCESS RATES

Data verified by Marc A. Fritz, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	45	43	22	9	0
Percentage of embryos transferred resulting in implantation ^b	33.3	31.2	19.6	4.3	
Percentage of cycles resulting in pregnancies ^b	44.4	39.5	27.3	1 / 9	
Percentage of cycles resulting in live births ^{b,c}	33.3	30.2	27.3	0 / 9	
(Confidence Interval)	(20.0–49.0)	(17.2–46.1)	(10.7–50.2)		
Percentage of retrievals resulting in live births ^{b,c}	41.7	40.6	6 / 15	0 / 5	
Percentage of transfers resulting in live births ^{b,c}	41.7	40.6	6 / 15	0 / 5	
Percentage of transfers resulting in singleton live births ^b	27.8	25.0	4 / 15	0 / 5	
Percentage of cancellations ^b	20.0	25.6	31.8	4 / 9	
Average number of embryos transferred	2.1	2.4	3.1	4.6	
Percentage of pregnancies with twins ^b	35.0	5 / 17	3 / 6	0 / 1	
Percentage of pregnancies with triplets or more ^b	0.0	2 / 17	0 / 6	0 / 1	
Percentage of live births having multiple infants ^{b,c}	5 / 15	5 / 13	2 / 6		
Frozen Embryos from Nondonor Eggs					
Number of transfers	22	19	7	4	1
Percentage of transfers resulting in live births ^{b,c}	31.8	4 / 19	3 / 7	1 / 4	0 / 1
Average number of embryos transferred	2.0	1.9	2.6	2.8	4.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	13		6		
Percentage of transfers resulting in live births ^{b,c}	8 / 13		0 / 6		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of North Carolina A.R.T. Clinic

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR ASSISTED REPRODUCTION CHARLOTTE, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	7%	
GIFT	0%	With ICSI	84%	Ovulatory dysfunction	12%	Unknown factor	12%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	16%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	9%	Female factors only	10%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	12%
		With eSET	4%	Male factor	12%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jack L. Crain, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	285	148	139	40	16
Percentage of embryos transferred resulting in implantation ^b	45.3	34.8	20.1	9.9	7.5
Percentage of cycles resulting in pregnancies ^b	57.9	41.9	29.5	17.5	3 / 16
Percentage of cycles resulting in live births ^{b,c}	50.5	37.8	22.3	12.5	0 / 16
(Confidence Interval)	(44.6–56.5)	(30.0–46.2)	(15.7–30.1)	(4.2–26.8)	
Percentage of retrievals resulting in live births ^{b,c}	53.1	44.1	29.2	13.9	0 / 14
Percentage of transfers resulting in live births ^{b,c}	57.8	49.6	34.4	15.6	0 / 14
Percentage of transfers resulting in singleton live births ^b	33.3	32.7	24.4	15.6	0 / 14
Percentage of cancellations ^b	4.9	14.2	23.7	10.0	2 / 16
Average number of embryos transferred	2.1	2.2	2.6	3.2	2.9
Percentage of pregnancies with twins ^b	37.6	41.9	19.5	0 / 7	0 / 3
Percentage of pregnancies with triplets or more ^b	4.2	0.0	4.9	1 / 7	0 / 3
Percentage of live births having multiple infants ^{b,c}	42.4	33.9	29.0	0 / 5	
Frozen Embryos from Nondonor Eggs					
Number of transfers	99	69	17	7	2
Percentage of transfers resulting in live births ^{b,c}	34.3	33.3	5 / 17	1 / 7	0 / 2
Average number of embryos transferred	2.0	1.9	2.1	1.7	1.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	43		9		
Percentage of transfers resulting in live births ^{b,c}	74.4		3 / 9		
Average number of embryos transferred	1.9		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Assisted Reproduction

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PROGRAM FOR ASSISTED REPRODUCTION, CAROLINAS MEDICAL CENTER CHARLOTTE, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	3%	
GIFT	0%	With ICSI	64%	Ovulatory dysfunction	4%	Unknown factor	12%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	17%
		Used PGD	2%	Uterine factor	1%	Female & male factors	28%
		With eSET	0%	Male factor	14%		

2008 PREGNANCY SUCCESS RATES

Data verified by Bradley S. Hurst, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	85	44	46	4	1
Percentage of embryos transferred resulting in implantation ^b	31.9	15.9	7.2	0 / 11	0 / 4
Percentage of cycles resulting in pregnancies ^b	44.7	34.1	19.6	0 / 4	0 / 1
Percentage of cycles resulting in live births ^{b,c}	36.5	20.5	10.9	0 / 4	0 / 1
(Confidence Interval)	(26.3–47.6)	(9.8–35.3)	(3.6–23.6)		
Percentage of retrievals resulting in live births ^{b,c}	39.7	22.5	12.2	0 / 4	0 / 1
Percentage of transfers resulting in live births ^{b,c}	41.9	24.3	12.5	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births ^b	25.7	21.6	10.0	0 / 4	0 / 1
Percentage of cancellations ^b	8.2	9.1	10.9	0 / 4	0 / 1
Average number of embryos transferred	2.2	2.4	2.8	2.8	4.0
Percentage of pregnancies with twins ^b	39.5	3 / 15	0 / 9		
Percentage of pregnancies with triplets or more ^b	2.6	0 / 15	1 / 9		
Percentage of live births having multiple infants ^{b,c}	38.7	1 / 9	1 / 5		
Frozen Embryos from Nondonor Eggs					
Number of transfers	17	15	5	0	0
Percentage of transfers resulting in live births ^{b,c}	8 / 17	5 / 15	1 / 5		
Average number of embryos transferred	2.5	2.5	2.6		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	7		8		
Percentage of transfers resulting in live births ^{b,c}	4 / 7		1 / 8		
Average number of embryos transferred	2.0		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Program for Assisted Reproduction, Carolinas Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DUKE FERTILITY CENTER
DUKE UNIVERSITY MEDICAL CENTER
DURHAM, NORTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	12%	
GIFT	0%	With ICSI	68%	Ovulatory dysfunction	9%	Unknown factor	21%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	18%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	10%	Female factors only	2%
		Used PGD	<1%	Uterine factor	<1%	Female & male factors	3%
		With eSET	3%	Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by David K. Walmer, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	75	55	31	16	3
Percentage of embryos transferred resulting in implantation ^b	40.1	24.8	12.5	13.2	0 / 3
Percentage of cycles resulting in pregnancies ^b	57.3	36.4	38.7	5 / 16	0 / 3
Percentage of cycles resulting in live births ^{b,c}	49.3	34.5	16.1	4 / 16	0 / 3
(Confidence Interval)	(37.6–61.1)	(22.2–48.6)	(5.5–33.7)		
Percentage of retrievals resulting in live births ^{b,c}	52.1	43.2	18.5	4 / 14	0 / 1
Percentage of transfers resulting in live births ^{b,c}	53.6	45.2	19.2	4 / 13	0 / 1
Percentage of transfers resulting in singleton live births ^b	31.9	35.7	19.2	3 / 13	0 / 1
Percentage of cancellations ^b	5.3	20.0	12.9	2 / 16	2 / 3
Average number of embryos transferred	2.1	2.4	2.8	2.9	3.0
Percentage of pregnancies with twins ^b	34.9	20.0	1 / 12	1 / 5	
Percentage of pregnancies with triplets or more ^b	2.3	5.0	0 / 12	0 / 5	
Percentage of live births having multiple infants ^{b,c}	40.5	4 / 19	0 / 5	1 / 4	
Frozen Embryos from Nondonor Eggs					
Number of transfers	30	14	14	6	1
Percentage of transfers resulting in live births ^{b,c}	36.7	2 / 14	4 / 14	0 / 6	0 / 1
Average number of embryos transferred	2.5	2.4	2.3	3.0	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	19		20		
Percentage of transfers resulting in live births ^{b,c}	14 / 19		50.0		
Average number of embryos transferred	1.9		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Duke Fertility Center, Duke University Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST CAROLINA UNIVERSITY GREENVILLE, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	14%	Other factor	0%	
GIFT	0%	With ICSI	55%	Ovulatory dysfunction	13%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	13%	Female factors only	19%
		Used PGD	2%	Uterine factor	0%	Female & male factors	13%
		With eSET	0%	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by Clifford C. Hayslip, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	35	14	10	1	0
Percentage of embryos transferred resulting in implantation ^b	55.4	32.4	29.2	0 / 3	
Percentage of cycles resulting in pregnancies ^b	80.0	6 / 14	4 / 10	0 / 1	
Percentage of cycles resulting in live births ^{b,c}	62.9	5 / 14	4 / 10	0 / 1	
(Confidence Interval)	(44.9–78.5)				
Percentage of retrievals resulting in live births ^{b,c}	66.7	5 / 14	4 / 9	0 / 1	
Percentage of transfers resulting in live births ^{b,c}	68.8	5 / 14	4 / 9	0 / 1	
Percentage of transfers resulting in singleton live births ^b	37.5	2 / 14	3 / 9	0 / 1	
Percentage of cancellations ^b	5.7	0 / 14	1 / 10	0 / 1	
Average number of embryos transferred	2.0	2.4	2.7	3.0	
Percentage of pregnancies with twins ^b	46.4	3 / 6	3 / 4		
Percentage of pregnancies with triplets or more ^b	0.0	1 / 6	0 / 4		
Percentage of live births having multiple infants ^{b,c}	45.5	3 / 5	1 / 4		
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	5	2	2	0
Percentage of transfers resulting in live births ^{b,c}	2 / 4	1 / 5	1 / 2	0 / 2	
Average number of embryos transferred	2.5	2.6	1.5	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	5		1		
Percentage of transfers resulting in live births ^{b,c}	1 / 5		1 / 1		
Average number of embryos transferred	2.0		1.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Carolina University

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PREMIER FERTILITY CENTER
HIGH POINT REGIONAL HEALTH SYSTEM
HIGH POINT, NORTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	0%	
GIFT	0%	With ICSI	69%	Ovulatory dysfunction	5%	Unknown factor	17%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	10%	Female factors only	13%
		Used PGD	2%	Uterine factor	0%	Female & male factors	11%
		With eSET	2%	Male factor	28%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jeffrey L. Deaton, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	39	12	10	0	1
Percentage of embryos transferred resulting in implantation ^b	30.3	40.7	31.8		0 / 3
Percentage of cycles resulting in pregnancies ^b	41.0	6 / 12	6 / 10		0 / 1
Percentage of cycles resulting in live births ^{b,c}	35.9	6 / 12	6 / 10		0 / 1
(Confidence Interval)	(21.2–52.8)				
Percentage of retrievals resulting in live births ^{b,c}	38.9	6 / 12	6 / 8		0 / 1
Percentage of transfers resulting in live births ^{b,c}	40.0	6 / 11	6 / 8		0 / 1
Percentage of transfers resulting in singleton live births ^b	25.7	2 / 11	6 / 8		0 / 1
Percentage of cancellations ^b	7.7	0 / 12	2 / 10		0 / 1
Average number of embryos transferred	2.2	2.5	2.8		3.0
Percentage of pregnancies with twins ^b	8 / 16	5 / 6	1 / 6		
Percentage of pregnancies with triplets or more ^b	0 / 16	0 / 6	0 / 6		
Percentage of live births having multiple infants ^{b,c}	5 / 14	4 / 6	0 / 6		
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	4 / 9	0 / 1			
Average number of embryos transferred	2.2	1.0			
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		5		1	
Percentage of transfers resulting in live births ^{b,c}		0 / 5		1 / 1	
Average number of embryos transferred		2.2		2.0	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Premier Fertility Center, High Point Regional Health System

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

AFFORDABLE IVF HUNTERSVILLE, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	16%	Other factor	2%
GIFT	0% With ICSI	98% Ovulatory dysfunction	7%	Unknown factor	10%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	3%	Female factors only	8%
	0% Used PGD	0% Uterine factor	0%	Female & male factors	23%
	15% With eSET	0% Male factor	26%		

2008 PREGNANCY SUCCESS RATES

Data verified by Mark L. Jutras, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	46	18	8	7	11
Percentage of embryos transferred resulting in implantation ^b	48.8	32.3	2 / 17	9.1	14.3
Percentage of cycles resulting in pregnancies ^b	69.6	9 / 18	2 / 8	4 / 7	3 / 11
Percentage of cycles resulting in live births ^{b,c}	56.5	8 / 18	2 / 8	1 / 7	2 / 11
(Confidence Interval)	(41.1–71.1)				
Percentage of retrievals resulting in live births ^{b,c}	57.8	8 / 18	2 / 8	1 / 7	2 / 10
Percentage of transfers resulting in live births ^{b,c}	57.8	8 / 17	2 / 8	1 / 6	2 / 9
Percentage of transfers resulting in singleton live births ^b	37.8	7 / 17	2 / 8	1 / 6	2 / 9
Percentage of cancellations ^b	2.2	0 / 18	0 / 8	0 / 7	1 / 11
Average number of embryos transferred	1.9	1.8	2.1	3.7	3.1
Percentage of pregnancies with twins ^b	34.4	1 / 9	0 / 2	0 / 4	1 / 3
Percentage of pregnancies with triplets or more ^b	0.0	0 / 9	0 / 2	0 / 4	0 / 3
Percentage of live births having multiple infants ^{b,c}	34.6	1 / 8	0 / 2	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	6	0	1	0
Percentage of transfers resulting in live births ^{b,c}	4 / 6	3 / 6		0 / 1	
Average number of embryos transferred	1.7	2.0		2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Concepts

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CAROLINA CONCEPTIONS RALEIGH, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	2%	
GIFT	0%	With ICSI	74%	Ovulatory dysfunction	8%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	5%
		Used PGD	2%	Uterine factor	2%	Female & male factors	20%
		With eSET	<1%	Male factor	33%		

2008 PREGNANCY SUCCESS RATES

Data verified by William R. Meyer, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	172	64	65	10	1
Percentage of embryos transferred resulting in implantation ^b	30.8	32.0	17.5	17.1	
Percentage of cycles resulting in pregnancies ^b	43.6	42.2	38.5	4 / 10	0 / 1
Percentage of cycles resulting in live births ^{b,c}	37.8	37.5	30.8	4 / 10	0 / 1
(Confidence Interval)	(30.5–45.5)	(25.7–50.5)	(19.9–43.4)		
Percentage of retrievals resulting in live births ^{b,c}	41.9	48.0	35.7	4 / 10	
Percentage of transfers resulting in live births ^{b,c}	42.5	49.0	36.4	4 / 9	
Percentage of transfers resulting in singleton live births ^b	24.8	18.4	27.3	4 / 9	
Percentage of cancellations ^b	9.9	21.9	13.8	0 / 10	1 / 1
Average number of embryos transferred	2.5	3.0	3.6	4.6	
Percentage of pregnancies with twins ^b	42.7	37.0	12.0	1 / 4	
Percentage of pregnancies with triplets or more ^b	6.7	18.5	12.0	1 / 4	
Percentage of live births having multiple infants ^{b,c}	41.5	62.5	25.0	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of transfers	33	14	6	0	1
Percentage of transfers resulting in live births ^{b,c}	33.3	4 / 14	1 / 6		1 / 1
Average number of embryos transferred	2.5	2.7	2.5		2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	37		6		
Percentage of transfers resulting in live births ^{b,c}	56.8		3 / 6		
Average number of embryos transferred	2.5		2.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Carolina Conceptions

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WAKE FOREST UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE WINSTON-SALEM, NORTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	1%	
GIFT	0%	With ICSI	63%	Ovulatory dysfunction	9%	Unknown factor	8%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	8%	Female factors only	21%
		Used PGD	4%	Uterine factor	<1%	Female & male factors	17%
		With eSET	3%	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by Tamer M. Yalcinkaya, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	77	35	22	16	8
Percentage of embryos transferred resulting in implantation ^b	47.3	22.9	20.0	14.3	2 / 18
Percentage of cycles resulting in pregnancies ^b	66.2	45.7	36.4	5 / 16	3 / 8
Percentage of cycles resulting in live births ^{b,c}	58.4	34.3	27.3	2 / 16	1 / 8
(Confidence Interval)	(46.6–69.6)	(19.1–52.2)	(10.7–50.2)		
Percentage of retrievals resulting in live births ^{b,c}	61.6	37.5	30.0	2 / 14	1 / 8
Percentage of transfers resulting in live births ^{b,c}	62.5	37.5	6 / 18	2 / 14	1 / 6
Percentage of transfers resulting in singleton live births ^b	37.5	31.3	5 / 18	1 / 14	1 / 6
Percentage of cancellations ^b	5.2	8.6	9.1	2 / 16	0 / 8
Average number of embryos transferred	2.1	2.2	2.5	3.0	3.0
Percentage of pregnancies with twins ^b	35.3	2 / 16	1 / 8	0 / 5	0 / 3
Percentage of pregnancies with triplets or more ^b	3.9	0 / 16	0 / 8	1 / 5	0 / 3
Percentage of live births having multiple infants ^{b,c}	40.0	2 / 12	1 / 6	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	18	14	6	1	0
Percentage of transfers resulting in live births ^{b,c}	5 / 18	7 / 14	2 / 6	0 / 1	
Average number of embryos transferred	2.1	2.1	2.3	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	11		2		
Percentage of transfers resulting in live births ^{b,c}	10 / 11		1 / 2		
Average number of embryos transferred	1.9		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Wake Forest University Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MERCARE REPRODUCTIVE MEDICINE FARGO, NORTH DAKOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	3%	
GIFT	0%	With ICSI	78%	Ovulatory dysfunction	22%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	4%	Female factors only	4%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	14%
		With eSET	0%	Male factor	23%		

2008 PREGNANCY SUCCESS RATES

Data verified by Steffen P. Christensen, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	67	20	18	7	3
Percentage of embryos transferred resulting in implantation ^b	35.0	27.5	21.1	5.0	
Percentage of cycles resulting in pregnancies ^b	38.8	40.0	6 / 18	1 / 7	0 / 3
Percentage of cycles resulting in live births ^{b,c}	37.3	30.0	4 / 18	1 / 7	0 / 3
(Confidence Interval)	(25.8–50.0)	(11.9–54.3)			
Percentage of retrievals resulting in live births ^{b,c}	45.5	6 / 19	4 / 12	1 / 7	
Percentage of transfers resulting in live births ^{b,c}	52.1	6 / 19	4 / 12	1 / 7	
Percentage of transfers resulting in singleton live births ^b	33.3	2 / 19	2 / 12	1 / 7	
Percentage of cancellations ^b	17.9	5.0	6 / 18	0 / 7	3 / 3
Average number of embryos transferred	2.4	2.7	3.2	2.9	
Percentage of pregnancies with twins ^b	42.3	3 / 8	2 / 6	0 / 1	
Percentage of pregnancies with triplets or more ^b	7.7	1 / 8	0 / 6	0 / 1	
Percentage of live births having multiple infants ^{b,c}	36.0	4 / 6	2 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	22	11	6	0	0
Percentage of transfers resulting in live births ^{b,c}	45.5	5 / 11	2 / 6		
Average number of embryos transferred	2.5	2.5	2.2		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		1		
Percentage of transfers resulting in live births ^{b,c}	1 / 3		1 / 1		
Average number of embryos transferred	2.0		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: MeritCare Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY UNLIMITED, INC.
NORTHEASTERN OHIO FERTILITY CENTER
AKRON, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	0%
GIFT	0%	With ICSI	Ovulatory dysfunction	0%	Unknown factor	8%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	21%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	6%	Female factors only	6%
		Used PGD	Uterine factor	4%	Female & male factors	40%
		With eSET	Male factor	6%		

2008 PREGNANCY SUCCESS RATES

Data verified by Nicholas J. Spirtos, DO

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	14	5	12	0	1
Percentage of embryos transferred resulting in implantation ^b	7.1	0 / 11	4.8		0 / 2
Percentage of cycles resulting in pregnancies ^b	2 / 14	0 / 5	1 / 12		0 / 1
Percentage of cycles resulting in live births ^{b,c}	2 / 14	0 / 5	1 / 12		0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	2 / 14	0 / 4	1 / 10		0 / 1
Percentage of transfers resulting in live births ^{b,c}	2 / 14	0 / 4	1 / 10		0 / 1
Percentage of transfers resulting in singleton live births ^b	1 / 14	0 / 4	1 / 10		0 / 1
Percentage of cancellations ^b	0 / 14	1 / 5	2 / 12		0 / 1
Average number of embryos transferred	3.0	2.8	2.1		2.0
Percentage of pregnancies with twins ^b	1 / 2		0 / 1		
Percentage of pregnancies with triplets or more ^b	0 / 2		0 / 1		
Percentage of live births having multiple infants ^{b,c}	1 / 2		0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	2	0	2	0
Percentage of transfers resulting in live births ^{b,c}	0 / 4	0 / 2		1 / 2	
Average number of embryos transferred	2.0	2.5		3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		4		
Percentage of transfers resulting in live births ^{b,c}	1 / 4		1 / 4		
Average number of embryos transferred	2.8		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Unlimited, Inc., Northeastern Ohio Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY AKRON, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	14%	Other factor	2%	
GIFT	0%	With ICSI	70%	Ovulatory dysfunction	3%	Unknown factor	1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	12%
		Used PGD	0%	Uterine factor	2%	Female & male factors	42%
		With eSET	0%	Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Richard W. Moretuzzo, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	101	55	31	5	0
Percentage of embryos transferred resulting in implantation ^b	26.0	18.8	7.5	0 / 13	
Percentage of cycles resulting in pregnancies ^b	45.5	29.1	22.6	0 / 5	
Percentage of cycles resulting in live births ^{b,c}	39.6	23.6	16.1	0 / 5	
(Confidence Interval)	(30.0–49.8)	(13.2–37.0)	(5.5–33.7)		
Percentage of retrievals resulting in live births ^{b,c}	42.1	25.5	17.2	0 / 4	
Percentage of transfers resulting in live births ^{b,c}	43.5	27.1	18.5	0 / 4	
Percentage of transfers resulting in singleton live births ^b	23.9	16.7	18.5	0 / 4	
Percentage of cancellations ^b	5.9	7.3	6.5	1 / 5	
Average number of embryos transferred	3.0	2.8	3.4	3.3	
Percentage of pregnancies with twins ^b	28.3	3 / 16	1 / 7		
Percentage of pregnancies with triplets or more ^b	17.4	3 / 16	0 / 7		
Percentage of live births having multiple infants ^{b,c}	45.0	5 / 13	0 / 5		
Frozen Embryos from Nondonor Eggs					
Number of transfers	35	12	7	1	1
Percentage of transfers resulting in live births ^{b,c}	42.9	6 / 12	1 / 7	1 / 1	0 / 1
Average number of embryos transferred	3.0	2.5	3.4	5.0	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	15		4		
Percentage of transfers resulting in live births ^{b,c}	8 / 15		0 / 4		
Average number of embryos transferred	3.0		2.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Gynecology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

BETHESDA CENTER FOR REPRODUCTIVE HEALTH & FERTILITY CINCINNATI, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	12%	Other factor	4%	
GIFT	0%	With ICSI	52%	Ovulatory dysfunction	6%	Unknown factor	12%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	27%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	7%
		Used PGD	2%	Uterine factor	1%	Female & male factors	12%
		With eSET	0%	Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by Glen E. Hofmann, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	81	39	35	9	2
Percentage of embryos transferred resulting in implantation ^b	29.8	21.5	19.7	2 / 17	0 / 2
Percentage of cycles resulting in pregnancies ^b	45.7	33.3	37.1	2 / 9	0 / 2
Percentage of cycles resulting in live births ^{b,c}	40.7	23.1	22.9	2 / 9	0 / 2
(Confidence Interval)	(29.9–52.2)	(11.1–39.3)	(10.4–40.1)		
Percentage of retrievals resulting in live births ^{b,c}	43.4	29.0	27.6	2 / 7	0 / 1
Percentage of transfers resulting in live births ^{b,c}	45.2	30.0	28.6	2 / 7	0 / 1
Percentage of transfers resulting in singleton live births ^b	34.2	20.0	21.4	2 / 7	0 / 1
Percentage of cancellations ^b	6.2	20.5	17.1	2 / 9	1 / 2
Average number of embryos transferred	2.1	2.2	2.4	2.4	2.0
Percentage of pregnancies with twins ^b	21.6	2 / 13	4 / 13	0 / 2	
Percentage of pregnancies with triplets or more ^b	2.7	1 / 13	0 / 13	0 / 2	
Percentage of live births having multiple infants ^{b,c}	24.2	3 / 9	2 / 8	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	17	22	5	2	1
Percentage of transfers resulting in live births ^{b,c}	6 / 17	13.6	2 / 5	0 / 2	0 / 1
Average number of embryos transferred	1.8	2.0	1.8	2.0	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	34		33		
Percentage of transfers resulting in live births ^{b,c}	67.6		27.3		
Average number of embryos transferred	2.0		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Bethesda Center for Reproductive Health & Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE HEALTH CINCINNATI, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	>99%	Procedural Factors:	Tubal factor	8%	Other factor	2%	
GIFT	<1%	With ICSI	44%	Ovulatory dysfunction	11%	Unknown factor	9%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	8%	Female factors only	12%
		Used PGD	0%	Uterine factor	0%	Female & male factors	22%
		With eSET	0%	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael A. Thomas, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	95	32	21	4	4
Percentage of embryos transferred resulting in implantation ^b	29.5	23.3	7.5	1 / 14	0 / 11
Percentage of cycles resulting in pregnancies ^b	42.1	37.5	28.6	1 / 4	1 / 4
Percentage of cycles resulting in live births ^{b,c}	35.8	34.4	19.0	1 / 4	0 / 4
(Confidence Interval)	(26.2–46.3)	(18.6–53.2)	(5.4–41.9)		
Percentage of retrievals resulting in live births ^{b,c}	40.0	39.3	20.0	1 / 4	0 / 4
Percentage of transfers resulting in live births ^{b,c}	41.5	42.3	4 / 18	1 / 4	0 / 4
Percentage of transfers resulting in singleton live births ^b	26.8	30.8	4 / 18	1 / 4	0 / 4
Percentage of cancellations ^b	10.5	12.5	4.8	0 / 4	0 / 4
Average number of embryos transferred	2.0	2.3	2.9	3.5	2.8
Percentage of pregnancies with twins ^b	30.0	3 / 12	0 / 6	0 / 1	0 / 1
Percentage of pregnancies with triplets or more ^b	0.0	0 / 12	0 / 6	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	35.3	3 / 11	0 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	32	3	7	0	0
Percentage of transfers resulting in live births ^{b,c}	46.9	0 / 3	2 / 7		
Average number of embryos transferred	2.3	2.3	2.7		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	18		18		
Percentage of transfers resulting in live births ^{b,c}	6 / 18		9 / 18		
Average number of embryos transferred	1.9		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR REPRODUCTIVE HEALTH CINCINNATI, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	4%	
GIFT	0%	With ICSI	58%	Ovulatory dysfunction	9%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	8%	Female factors only	20%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	21%
		With eSET	<1%	Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by Sherif G. Awadalla, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	346	114	90	25	5
Percentage of embryos transferred resulting in implantation ^b	38.0	21.9	15.4	5.1	2 / 15
Percentage of cycles resulting in pregnancies ^b	54.0	42.1	27.8	12.0	2 / 5
Percentage of cycles resulting in live births ^{b,c}	49.1	35.1	23.3	4.0	1 / 5
(Confidence Interval)	(43.7–54.5)	(26.4–44.6)	(15.1–33.4)	(0.1–20.4)	
Percentage of retrievals resulting in live births ^{b,c}	52.3	38.1	28.8	4.8	1 / 4
Percentage of transfers resulting in live births ^{b,c}	53.3	39.2	29.6	1 / 19	1 / 4
Percentage of transfers resulting in singleton live births ^b	31.7	30.4	19.7	1 / 19	1 / 4
Percentage of cancellations ^b	6.1	7.9	18.9	16.0	1 / 5
Average number of embryos transferred	2.1	2.6	3.2	3.1	3.8
Percentage of pregnancies with twins ^b	37.4	20.8	20.0	0 / 3	0 / 2
Percentage of pregnancies with triplets or more ^b	2.1	2.1	12.0	0 / 3	0 / 2
Percentage of live births having multiple infants ^{b,c}	40.6	22.5	33.3	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	107	40	16	2	0
Percentage of transfers resulting in live births ^{b,c}	35.5	27.5	8 / 16	0 / 2	
Average number of embryos transferred	2.4	2.6	2.6	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	63		42		
Percentage of transfers resulting in live births ^{b,c}	46.0		40.5		
Average number of embryos transferred	2.2		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLEVELAND CLINIC FERTILITY CENTER CLEVELAND, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	12%	Other factor	5%	
GIFT	0%	With ICSI	79%	Ovulatory dysfunction	9%	Unknown factor	22%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	7%	Female factors only	8%
		Used PGD	2%	Uterine factor	1%	Female & male factors	10%
		With eSET	2%	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by James Goldfarb, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	283	151	138	58	9
Percentage of embryos transferred resulting in implantation ^b	36.7	26.8	13.8	10.9	4.0
Percentage of cycles resulting in pregnancies ^b	49.1	34.4	21.0	19.0	1 / 9
Percentage of cycles resulting in live births ^{b,c}	44.2	29.1	19.6	13.8	1 / 9
(Confidence Interval)	(38.3–50.2)	(22.0–37.1)	(13.3–27.2)	(6.1–25.4)	
Percentage of retrievals resulting in live births ^{b,c}	50.2	37.9	29.3	17.0	1 / 8
Percentage of transfers resulting in live births ^{b,c}	51.0	39.3	29.7	19.0	1 / 8
Percentage of transfers resulting in singleton live births ^b	35.1	30.4	24.2	16.7	1 / 8
Percentage of cancellations ^b	12.0	23.2	33.3	19.0	1 / 9
Average number of embryos transferred	2.1	2.4	2.8	3.1	3.1
Percentage of pregnancies with twins ^b	33.8	21.2	20.7	1 / 11	0 / 1
Percentage of pregnancies with triplets or more ^b	1.4	7.7	0.0	1 / 11	0 / 1
Percentage of live births having multiple infants ^{b,c}	31.2	22.7	18.5	1 / 8	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	118	74	51	14	6
Percentage of transfers resulting in live births ^{b,c}	39.0	23.0	21.6	3 / 14	1 / 6
Average number of embryos transferred	2.0	2.1	2.4	2.1	2.2
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	38		33		
Percentage of transfers resulting in live births ^{b,c}	52.6		27.3		
Average number of embryos transferred	2.1		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cleveland Clinic Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MACDONALD FERTILITY AND IVF PROGRAM CLEVELAND, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	10%	
GIFT	0%	With ICSI	51%	Ovulatory dysfunction	4%	Unknown factor	6%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	10%	Female factors only	12%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	23%
		With eSET	<1%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by William W. Hurd, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	70	24	38	15	3
Percentage of embryos transferred resulting in implantation ^b	35.6	28.1	9.6	2 / 13	2 / 9
Percentage of cycles resulting in pregnancies ^b	51.4	50.0	18.4	1 / 15	1 / 3
Percentage of cycles resulting in live births ^{b,c}	44.3	41.7	13.2	1 / 15	1 / 3
(Confidence Interval)	(32.4–56.7)	(22.1–63.4)	(4.4–28.1)		
Percentage of retrievals resulting in live births ^{b,c}	50.0	45.5	19.2	1 / 5	1 / 3
Percentage of transfers resulting in live births ^{b,c}	50.0	50.0	20.0	1 / 4	1 / 3
Percentage of transfers resulting in singleton live births ^b	25.8	30.0	16.0	1 / 4	0 / 3
Percentage of cancellations ^b	11.4	8.3	31.6	10 / 15	0 / 3
Average number of embryos transferred	2.4	2.9	2.9	3.3	3.0
Percentage of pregnancies with twins ^b	36.1	3 / 12	1 / 7	1 / 1	1 / 1
Percentage of pregnancies with triplets or more ^b	5.6	1 / 12	0 / 7	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	48.4	4 / 10	1 / 5	0 / 1	1 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	15	7	5	2	1
Percentage of transfers resulting in live births ^{b,c}	3 / 15	4 / 7	0 / 5	2 / 2	0 / 1
Average number of embryos transferred	2.5	2.7	2.0	3.0	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	10		5		
Percentage of transfers resulting in live births ^{b,c}	5 / 10		3 / 5		
Average number of embryos transferred	2.5		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: MacDonald Fertility and IVF Center, Case Medical Center/MacDonald Women's Hospital

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**METROHEALTH MEDICAL CENTER
METROHEALTH FERTILITY CENTER
CLEVELAND, OHIO**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	17%	Other factor	8%	
GIFT	0%	With ICSI	100%	Ovulatory dysfunction	8%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	17%	Female factors only	8%
		Used PGD	0%	Uterine factor	0%	Female & male factors	33%
		With eSET	0%	Male factor	8%		

2008 PREGNANCY SUCCESS RATES

Data verified by Patrick M. Catalano, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	7	2	3	0	0
Percentage of embryos transferred resulting in implantation ^b	8 / 15	4 / 6	4 / 9		
Percentage of cycles resulting in pregnancies ^b	5 / 7	2 / 2	2 / 3		
Percentage of cycles resulting in live births ^{b,c}	5 / 7	2 / 2	2 / 3		
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	5 / 7	2 / 2	2 / 3		
Percentage of transfers resulting in live births ^{b,c}	5 / 7	2 / 2	2 / 3		
Percentage of transfers resulting in singleton live births ^b	2 / 7	0 / 2	1 / 3		
Percentage of cancellations ^b	0 / 7	0 / 2	0 / 3		
Average number of embryos transferred	2.1	3.0	3.0		
Percentage of pregnancies with twins ^b	3 / 5	2 / 2	2 / 2		
Percentage of pregnancies with triplets or more ^b	0 / 5	0 / 2	0 / 2		
Percentage of live births having multiple infants ^{b,c}	3 / 5	2 / 2	1 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2008. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

OHIO REPRODUCTIVE MEDICINE COLUMBUS, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	19%	Other factor	6%	
GIFT	0%	With ICSI	40%	Ovulatory dysfunction	3%	Unknown factor	28%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	7%	Female factors only	5%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	5%
		With eSET	1%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by Grant Schmidt, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	321	129	113	40	11
Percentage of embryos transferred resulting in implantation ^b	25.3	22.4	10.4	1.1	5.3
Percentage of cycles resulting in pregnancies ^b	45.8	32.6	22.1	10.0	3 / 11
Percentage of cycles resulting in live births ^{b,c}	37.1	24.0	14.2	2.5	2 / 11
(Confidence Interval)	(31.8–42.6)	(16.9–32.3)	(8.3–22.0)	(0.1–13.2)	
Percentage of retrievals resulting in live births ^{b,c}	39.8	27.4	17.6	3.3	2 / 10
Percentage of transfers resulting in live births ^{b,c}	41.2	30.7	19.3	3.8	2 / 9
Percentage of transfers resulting in singleton live births ^b	29.4	15.8	14.5	3.8	2 / 9
Percentage of cancellations ^b	6.9	12.4	19.5	25.0	1 / 11
Average number of embryos transferred	2.4	2.5	2.7	3.4	4.2
Percentage of pregnancies with twins ^b	27.9	31.0	20.0	0 / 4	0 / 3
Percentage of pregnancies with triplets or more ^b	2.0	7.1	0.0	0 / 4	0 / 3
Percentage of live births having multiple infants ^{b,c}	28.6	48.4	4 / 16	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	39	19	5	2	2
Percentage of transfers resulting in live births ^{b,c}	20.5	2 / 19	0 / 5	0 / 2	0 / 2
Average number of embryos transferred	2.1	1.9	1.6	2.0	3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	33		18		
Percentage of transfers resulting in live births ^{b,c}	48.5		8 / 18		
Average number of embryos transferred	2.2		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Ohio Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WRIGHT STATE PHYSICIANS WOMEN'S HEALTH CARE DAYTON, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	0%	
GIFT	0%	With ICSI	43%	Ovulatory dysfunction	0%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	10%
		Used PGD	0%	Uterine factor	0%	Female & male factors	40%
		With eSET	0%	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by Lawrence S. Amesse, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	3	2	0	2	0
Percentage of embryos transferred resulting in implantation ^b	1 / 4	2 / 6		2 / 8	
Percentage of cycles resulting in pregnancies ^b	1 / 3	1 / 2		1 / 2	
Percentage of cycles resulting in live births ^{b,c}	1 / 3	1 / 2		0 / 2	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	1 / 2	1 / 2		0 / 2	
Percentage of transfers resulting in live births ^{b,c}	1 / 2	1 / 2		0 / 2	
Percentage of transfers resulting in singleton live births ^b	1 / 2	0 / 2		0 / 2	
Percentage of cancellations ^b	1 / 3	0 / 2		0 / 2	
Average number of embryos transferred	2.0	3.0		4.0	
Percentage of pregnancies with twins ^b	0 / 1	1 / 1		1 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 1	0 / 1		0 / 1	
Percentage of live births having multiple infants ^{b,c}	0 / 1	1 / 1			
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	2	0	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 1	1 / 2			
Average number of embryos transferred	3.0	3.0			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Wright State Physicians Women's Health Care

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

KETTERING REPRODUCTIVE MEDICINE KETTERING, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	12%	Other factor	3%	
GIFT	0%	With ICSI	55%	Ovulatory dysfunction	13%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	7%	Female factors only	2%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	16%
		With eSET	2%	Male factor	31%		

2008 PREGNANCY SUCCESS RATES

Data verified by Thomas H. Burwinkel, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	102	29	19	1	1
Percentage of embryos transferred resulting in implantation ^b	30.1	23.2	28.9	0 / 3	
Percentage of cycles resulting in pregnancies ^b	44.1	37.9	10 / 19	0 / 1	0 / 1
Percentage of cycles resulting in live births ^{b,c}	41.2	34.5	9 / 19	0 / 1	0 / 1
(Confidence Interval)	(31.5–51.4)	(17.9–54.3)			
Percentage of retrievals resulting in live births ^{b,c}	44.7	38.5	9 / 18	0 / 1	
Percentage of transfers resulting in live births ^{b,c}	46.2	38.5	9 / 17	0 / 1	
Percentage of transfers resulting in singleton live births ^b	26.4	26.9	6 / 17	0 / 1	
Percentage of cancellations ^b	7.8	10.3	1 / 19	0 / 1	1 / 1
Average number of embryos transferred	2.4	2.7	2.6	3.0	
Percentage of pregnancies with twins ^b	40.0	3 / 11	3 / 10		
Percentage of pregnancies with triplets or more ^b	2.2	1 / 11	0 / 10		
Percentage of live births having multiple infants ^{b,c}	42.9	3 / 10	3 / 9		
Frozen Embryos from Nondonor Eggs					
Number of transfers	39	15	10	0	3
Percentage of transfers resulting in live births ^{b,c}	38.5	6 / 15	0 / 10		0 / 3
Average number of embryos transferred	2.3	1.9	1.8		2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	11		8		
Percentage of transfers resulting in live births ^{b,c}	7 / 11		2 / 8		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Kettering Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF NORTHWESTERN OHIO TOLEDO, OHIO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	13%	Other factor	3%
GIFT	0%	With ICSI	Ovulatory dysfunction	<1%	Unknown factor	5%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	1%	Female factors only	26%
		Used PGD	Uterine factor	2%	Female & male factors	16%
		With eSET	Male factor	28%		

2008 PREGNANCY SUCCESS RATES

Data verified by Joseph V. Karnitis, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	75	25	13	5	0
Percentage of embryos transferred resulting in implantation ^b	20.9	21.6	0 / 14	3 / 12	
Percentage of cycles resulting in pregnancies ^b	21.3	20.0	0 / 13	2 / 5	
Percentage of cycles resulting in live births ^{b,c}	18.7	20.0	0 / 13	2 / 5	
(Confidence Interval)	(10.6–29.3)	(6.8–40.7)			
Percentage of retrievals resulting in live births ^{b,c}	27.5	5 / 14	0 / 8	2 / 4	
Percentage of transfers resulting in live births ^{b,c}	35.9	5 / 14	0 / 5	2 / 4	
Percentage of transfers resulting in singleton live births ^b	28.2	3 / 14	0 / 5	1 / 4	
Percentage of cancellations ^b	32.0	44.0	5 / 13	1 / 5	
Average number of embryos transferred	2.3	2.6	2.8	3.0	
Percentage of pregnancies with twins ^b	4 / 16	3 / 5		1 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 16	0 / 5		0 / 2	
Percentage of live births having multiple infants ^{b,c}	3 / 14	2 / 5		1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	4	3	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 9	2 / 4	0 / 3		
Average number of embryos transferred	1.4	2.0	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		4		
Percentage of transfers resulting in live births ^{b,c}	2 / 3		1 / 4		
Average number of embryos transferred	3.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of Northwestern Ohio

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY G. BENNETT, JR., FERTILITY INSTITUTE OKLAHOMA CITY, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	1%	
GIFT	0%	With ICSI	50%	Ovulatory dysfunction	9%	Unknown factor	12%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	14%
		Used PGD	0%	Uterine factor	0%	Female & male factors	21%
		With eSET	0%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by Eli Reshef, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	143	45	30	4	1
Percentage of embryos transferred resulting in implantation ^b	42.5	32.2	25.4	0 / 13	0 / 3
Percentage of cycles resulting in pregnancies ^b	58.0	46.7	46.7	0 / 4	0 / 1
Percentage of cycles resulting in live births ^{b,c}	51.7	40.0	30.0	0 / 4	0 / 1
(Confidence Interval)	(43.2–60.2)	(25.7–55.7)	(14.7–49.4)		
Percentage of retrievals resulting in live births ^{b,c}	56.5	47.4	34.6	0 / 4	0 / 1
Percentage of transfers resulting in live births ^{b,c}	58.3	47.4	37.5	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births ^b	34.6	31.6	25.0	0 / 4	0 / 1
Percentage of cancellations ^b	8.4	15.6	13.3	0 / 4	0 / 1
Average number of embryos transferred	2.2	2.3	2.6	3.3	3.0
Percentage of pregnancies with twins ^b	32.5	38.1	4 / 14		
Percentage of pregnancies with triplets or more ^b	8.4	0.0	0 / 14		
Percentage of live births having multiple infants ^{b,c}	40.5	6 / 18	3 / 9		
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	6	6	0	1
Percentage of transfers resulting in live births ^{b,c}	1 / 6	1 / 6	0 / 6		0 / 1
Average number of embryos transferred	2.0	2.3	1.7		2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	32		8		
Percentage of transfers resulting in live births ^{b,c}	28.1		0 / 8		
Average number of embryos transferred	2.1		3.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Henry G. Bennett, Jr., Fertility Institute

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**OU PHYSICIANS OB/GYN ART LABORATORY
CENTER FOR REPRODUCTIVE HEALTH, PC
OKLAHOMA CITY, OKLAHOMA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	12%	Other factor	7%
GIFT	0%	With ICSI	Ovulatory dysfunction	5%	Unknown factor	2%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	7%	Female factors only	13%
		Used PGD	Uterine factor	0%	Female & male factors	27%
		With eSET	Male factor	23%		

2008 PREGNANCY SUCCESS RATES

Data verified by Karl R. Hansen, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	72	14	11	4	0
Percentage of embryos transferred resulting in implantation ^b	53.4	17.1	15.4	0 / 16	
Percentage of cycles resulting in pregnancies ^b	66.7	5 / 14	3 / 11	0 / 4	
Percentage of cycles resulting in live births ^{b,c}	59.7	4 / 14	3 / 11	0 / 4	
(Confidence Interval)	(47.5–71.1)				
Percentage of retrievals resulting in live births ^{b,c}	62.3	4 / 13	3 / 11	0 / 4	
Percentage of transfers resulting in live births ^{b,c}	65.2	4 / 13	3 / 10	0 / 4	
Percentage of transfers resulting in singleton live births ^b	34.8	2 / 13	2 / 10	0 / 4	
Percentage of cancellations ^b	4.2	1 / 14	0 / 11	0 / 4	
Average number of embryos transferred	2.0	2.7	2.6	4.0	
Percentage of pregnancies with twins ^b	45.8	2 / 5	1 / 3		
Percentage of pregnancies with triplets or more ^b	2.1	0 / 5	0 / 3		
Percentage of live births having multiple infants ^{b,c}	46.5	2 / 4	1 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	13	5	1	0	0
Percentage of transfers resulting in live births ^{b,c}	6 / 13	1 / 5	0 / 1		
Average number of embryos transferred	2.0	2.4	1.0		
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		12		5	
Percentage of transfers resulting in live births ^{b,c}		5 / 12		5 / 5	
Average number of embryos transferred		1.9		2.0	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: OU Physicians OB/GYN ART Laboratory, Center for Reproductive Health, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

TULSA FERTILITY CENTER TULSA, OKLAHOMA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	9%	
GIFT	0%	With ICSI	68%	Ovulatory dysfunction	4%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	7%	Female factors only	11%
		Used PGD	0%	Uterine factor	0%	Female & male factors	17%
		With eSET	1%	Male factor	28%		

2008 PREGNANCY SUCCESS RATES

Data verified by Stanley G. Prough, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	139	41	40	16	7
Percentage of embryos transferred resulting in implantation ^b	43.0	31.1	11.1	6.3	1 / 16
Percentage of cycles resulting in pregnancies ^b	52.5	26.8	15.0	3 / 16	1 / 7
Percentage of cycles resulting in live births ^{b,c}	46.8	26.8	15.0	2 / 16	0 / 7
(Confidence Interval)	(38.3–55.4)	(14.2–42.9)	(5.7–29.8)		
Percentage of retrievals resulting in live births ^{b,c}	50.4	29.7	17.1	2 / 15	0 / 7
Percentage of transfers resulting in live births ^{b,c}	54.2	39.3	20.0	2 / 13	0 / 7
Percentage of transfers resulting in singleton live births ^b	33.3	17.9	16.7	2 / 13	0 / 7
Percentage of cancellations ^b	7.2	9.8	12.5	1 / 16	0 / 7
Average number of embryos transferred	2.0	2.2	2.1	2.5	2.3
Percentage of pregnancies with twins ^b	35.6	5 / 11	1 / 6	0 / 3	0 / 1
Percentage of pregnancies with triplets or more ^b	4.1	1 / 11	0 / 6	0 / 3	0 / 1
Percentage of live births having multiple infants ^{b,c}	38.5	6 / 11	1 / 6	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	20	9	6	0	0
Percentage of transfers resulting in live births ^{b,c}	40.0	4 / 9	2 / 6		
Average number of embryos transferred	2.4	2.1	2.3		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	21		1		
Percentage of transfers resulting in live births ^{b,c}	52.4		1 / 1		
Average number of embryos transferred	1.9		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Tulsa Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER OF OREGON EUGENE, OREGON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	3%	
GIFT	0%	With ICSI	80%	Ovulatory dysfunction	8%	Unknown factor	13%
ZIFT	0%	Unstimulated	3%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	23%
		Used PGD	5%	Uterine factor	2%	Female & male factors	23%
		With eSET	2%	Male factor	9%		

2008 PREGNANCY SUCCESS RATES

Data verified by Douglas J. Austin, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	24	18	15	4	3
Percentage of embryos transferred resulting in implantation ^b	26.2	20.9	10.9	2 / 13	0 / 17
Percentage of cycles resulting in pregnancies ^b	41.7	6 / 18	5 / 15	2 / 4	0 / 3
Percentage of cycles resulting in live births ^{b,c}	41.7	5 / 18	5 / 15	1 / 4	0 / 3
(Confidence Interval)	(22.1–63.4)				
Percentage of retrievals resulting in live births ^{b,c}	43.5	5 / 16	5 / 15	1 / 4	0 / 3
Percentage of transfers resulting in live births ^{b,c}	43.5	5 / 16	5 / 15	1 / 4	0 / 3
Percentage of transfers resulting in singleton live births ^b	26.1	4 / 16	4 / 15	1 / 4	0 / 3
Percentage of cancellations ^b	4.2	2 / 18	0 / 15	0 / 4	0 / 3
Average number of embryos transferred	2.8	2.7	3.7	3.3	5.7
Percentage of pregnancies with twins ^b	5 / 10	1 / 6	1 / 5	0 / 2	
Percentage of pregnancies with triplets or more ^b	1 / 10	1 / 6	0 / 5	0 / 2	
Percentage of live births having multiple infants ^{b,c}	4 / 10	1 / 5	1 / 5	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	24	15	8	2	0
Percentage of transfers resulting in live births ^{b,c}	33.3	2 / 15	1 / 8	0 / 2	
Average number of embryos transferred	2.5	2.4	3.3	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	17		20		
Percentage of transfers resulting in live births ^{b,c}	9 / 17		20.0		
Average number of embryos transferred	2.1		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Center of Oregon

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTHWEST FERTILITY CENTER
EUGENE M. STOELK, MD
PORTLAND, OREGON**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	20%	Other factor	9%
GIFT	0% With ICSI	43% Ovulatory dysfunction	0%	Unknown factor	4%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	13%	Multiple Factors:	
Combination	0% Used gestational carrier	1% Endometriosis	5%	Female factors only	15%
	Used PGD	4% Uterine factor	0%	Female & male factors	25%
	With eSET	2% Male factor	9%		

2008 PREGNANCY SUCCESS RATES

Data verified by Eugene M. Stoelk, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	36	10	14	7	6
Percentage of embryos transferred resulting in implantation ^b	32.9	27.3	9.3	3.0	0.0
Percentage of cycles resulting in pregnancies ^b	44.4	4 / 10	3 / 14	1 / 7	0 / 6
Percentage of cycles resulting in live births ^{b,c}	44.4	3 / 10	2 / 14	1 / 7	0 / 6
(Confidence Interval)	(27.9–61.9)				
Percentage of retrievals resulting in live births ^{b,c}	48.5	3 / 9	2 / 12	1 / 7	0 / 6
Percentage of transfers resulting in live births ^{b,c}	50.0	3 / 9	2 / 12	1 / 7	0 / 6
Percentage of transfers resulting in singleton live births ^b	15.6	2 / 9	1 / 12	1 / 7	0 / 6
Percentage of cancellations ^b	8.3	1 / 10	2 / 14	0 / 7	0 / 6
Average number of embryos transferred	2.6	2.4	3.6	4.7	4.3
Percentage of pregnancies with twins ^b	11 / 16	0 / 4	1 / 3	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 16	1 / 4	0 / 3	0 / 1	
Percentage of live births having multiple infants ^{b,c}	11 / 16	1 / 3	1 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	18	19	3	2	0
Percentage of transfers resulting in live births ^{b,c}	1 / 18	2 / 19	0 / 3	0 / 2	
Average number of embryos transferred	2.4	2.2	2.3	3.5	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	11		16		
Percentage of transfers resulting in live births ^{b,c}	7 / 11		2 / 16		
Average number of embryos transferred	2.8		2.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Northwest Fertility Center, Eugene M. Stoelk, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

OREGON REPRODUCTIVE MEDICINE PORTLAND, OREGON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	5%	
GIFT	0%	With ICSI	59%	Ovulatory dysfunction	5%	Unknown factor	14%
ZIFT	0%	Unstimulated	1%	Diminished ovarian reserve	24%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	5%	Female factors only	9%
		Used PGD	4%	Uterine factor	2%	Female & male factors	12%
		With eSET	1%	Male factor	17%		

2008 PREGNANCY SUCCESS RATES

Data verified by Robert K. Matteri, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	177	73	90	31	12
Percentage of embryos transferred resulting in implantation ^b	58.0	50.4	39.5	17.1	6.1
Percentage of cycles resulting in pregnancies ^b	65.5	53.4	50.0	29.0	2 / 12
Percentage of cycles resulting in live births ^{b,c}	60.5	47.9	45.6	16.1	1 / 12
(Confidence Interval)	(52.8–67.7)	(36.1–60.0)	(35.0–56.4)	(5.5–33.7)	
Percentage of retrievals resulting in live births ^{b,c}	65.2	52.2	52.6	18.5	1 / 10
Percentage of transfers resulting in live births ^{b,c}	68.6	56.5	58.6	18.5	1 / 7
Percentage of transfers resulting in singleton live births ^b	30.8	30.6	38.6	11.1	1 / 7
Percentage of cancellations ^b	7.3	8.2	13.3	12.9	2 / 12
Average number of embryos transferred	2.0	2.0	2.5	3.0	4.7
Percentage of pregnancies with twins ^b	51.7	56.4	37.8	2 / 9	0 / 2
Percentage of pregnancies with triplets or more ^b	3.4	2.6	8.9	1 / 9	0 / 2
Percentage of live births having multiple infants ^{b,c}	55.1	45.7	34.1	2 / 5	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	29	26	15	2	0
Percentage of transfers resulting in live births ^{b,c}	44.8	61.5	6 / 15	1 / 2	
Average number of embryos transferred	2.0	2.1	2.1	2.5	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	99		39		
Percentage of transfers resulting in live births ^{b,c}	78.8		41.0		
Average number of embryos transferred	1.9		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Oregon Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY FERTILITY CONSULTANTS
OREGON HEALTH & SCIENCE UNIVERSITY
PORTLAND, OREGON**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	9%	Other factor	23%
GIFT	0% With ICSI	79% Ovulatory dysfunction	6%	Unknown factor	9%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	3%	Multiple Factors:	
Combination	0% Used gestational carrier	<1% Endometriosis	6%	Female factors only	8%
	Used PGD	2% Uterine factor	<1%	Female & male factors	10%
	With eSET	1% Male factor	26%		

2008 PREGNANCY SUCCESS RATES

Data verified by Phillip E. Patton, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	118	72	56	16	8
Percentage of embryos transferred resulting in implantation ^b	32.9	29.9	19.7	7.5	0 / 19
Percentage of cycles resulting in pregnancies ^b	48.3	44.4	32.1	4 / 16	0 / 8
Percentage of cycles resulting in live births ^{b,c}	44.1	37.5	26.8	4 / 16	0 / 8
(Confidence Interval)	(34.9–53.5)	(26.4–49.7)	(15.8–40.3)		
Percentage of retrievals resulting in live births ^{b,c}	48.1	45.8	30.6	4 / 14	0 / 5
Percentage of transfers resulting in live births ^{b,c}	50.0	46.6	34.1	4 / 14	0 / 5
Percentage of transfers resulting in singleton live births ^b	37.5	37.9	22.7	4 / 14	0 / 5
Percentage of cancellations ^b	8.5	18.1	12.5	2 / 16	3 / 8
Average number of embryos transferred	2.1	2.4	2.8	3.8	3.8
Percentage of pregnancies with twins ^b	24.6	25.0	3 / 18	0 / 4	
Percentage of pregnancies with triplets or more ^b	1.8	3.1	2 / 18	0 / 4	
Percentage of live births having multiple infants ^{b,c}	25.0	18.5	5 / 15	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of transfers	72	47	26	7	1
Percentage of transfers resulting in live births ^{b,c}	41.7	31.9	11.5	0 / 7	0 / 1
Average number of embryos transferred	2.3	2.4	2.4	2.3	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	33		46		
Percentage of transfers resulting in live births ^{b,c}	57.6		26.1		
Average number of embryos transferred	2.1		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Fertility Consultants, Oregon Health & Science University

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ABINGTON REPRODUCTIVE MEDICINE, ABINGTON IVF AND GENETICS
TOLL CENTER FOR REPRODUCTIVE SCIENCES
ABINGTON, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	9%
GIFT	0%	With ICSI	71%	Ovulatory dysfunction	7%	Unknown factor
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>
Combination	0%	Used gestational carrier	<1%	Endometriosis	5%	Female factors only
		Used PGD	4%	Uterine factor	<1%	Female & male factors
		With eSET	1%	Male factor	15%	21%
						24%

2008 PREGNANCY SUCCESS RATES

Data verified by Stephen G. Somkuti, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	179	86	58	13	15
Percentage of embryos transferred resulting in implantation ^b	33.1	17.1	16.3	17.6	7.7
Percentage of cycles resulting in pregnancies ^b	48.6	33.7	36.2	5 / 13	1 / 15
Percentage of cycles resulting in live births ^{b,c}	43.6	29.1	25.9	3 / 13	0 / 15
(Confidence Interval)	(36.2–51.2)	(19.8–39.9)	(15.3–39.0)		
Percentage of retrievals resulting in live births ^{b,c}	46.2	32.1	29.4	3 / 11	0 / 11
Percentage of transfers resulting in live births ^{b,c}	50.0	33.8	31.9	3 / 10	0 / 8
Percentage of transfers resulting in singleton live births ^b	31.4	23.0	25.5	3 / 10	0 / 8
Percentage of cancellations ^b	5.6	9.3	12.1	2 / 13	4 / 15
Average number of embryos transferred	2.4	3.0	2.9	3.4	3.3
Percentage of pregnancies with twins ^b	36.8	27.6	9.5	1 / 5	1 / 1
Percentage of pregnancies with triplets or more ^b	3.4	3.4	4.8	0 / 5	0 / 1
Percentage of live births having multiple infants ^{b,c}	37.2	32.0	3 / 15	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	51	19	15	5	0
Percentage of transfers resulting in live births ^{b,c}	35.3	5 / 19	5 / 15	2 / 5	
Average number of embryos transferred	2.2	1.9	2.0	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	37		19		
Percentage of transfers resulting in live births ^{b,c}	56.8		2 / 19		
Average number of embryos transferred	2.3		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Abington Reproductive Medicine, Abington IVF and Genetics, Toll Center for Reproductive Sciences

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY SOLUTIONS, PC ALLENTOWN, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	9%	Other factor	5%
GIFT	0% With ICSI	88% Ovulatory dysfunction	13%	Unknown factor	8%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	15%	Multiple Factors:	
Combination	0% Used gestational carrier	3% Endometriosis	<1%	Female factors only	8%
	Used PGD	3% Uterine factor	0%	Female & male factors	38%
	With eSET	0% Male factor	3%		

2008 PREGNANCY SUCCESS RATES

Data verified by Bruce I. Rose, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	64	18	10	0	1
Percentage of embryos transferred resulting in implantation ^b	19.7	5.6	3.6		0 / 2
Percentage of cycles resulting in pregnancies ^b	34.4	2 / 18	2 / 10		0 / 1
Percentage of cycles resulting in live births ^{b,c}	26.6	2 / 18	1 / 10		0 / 1
(Confidence Interval)	(16.3–39.1)				
Percentage of retrievals resulting in live births ^{b,c}	28.8	2 / 17	1 / 9		0 / 1
Percentage of transfers resulting in live births ^{b,c}	29.8	2 / 17	1 / 9		0 / 1
Percentage of transfers resulting in singleton live births ^b	15.8	1 / 17	1 / 9		0 / 1
Percentage of cancellations ^b	7.8	1 / 18	1 / 10		0 / 1
Average number of embryos transferred	2.8	3.2	3.1		2.0
Percentage of pregnancies with twins ^b	31.8	1 / 2	0 / 2		
Percentage of pregnancies with triplets or more ^b	9.1	0 / 2	0 / 2		
Percentage of live births having multiple infants ^{b,c}	8 / 17	1 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	12	0	2	0	0
Percentage of transfers resulting in live births ^{b,c}	2 / 12		0 / 2		
Average number of embryos transferred	2.9		2.5		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
	Number of transfers	4	2		
	Percentage of transfers resulting in live births ^{b,c}	1 / 4	0 / 2		
Average number of embryos transferred	2.5	3.5			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Infertility Solutions, PC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF PENNSYLVANIA ALLENTOWN, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	4%
GIFT	0%	With ICSI	Ovulatory dysfunction	7%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	7%	Female factors only	7%
		Used PGD	Uterine factor	4%	Female & male factors	41%
		With eSET	Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Wendy J. Schillings, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	6	4	1	4	0
Percentage of embryos transferred resulting in implantation ^b	6 / 12	5 / 9		1 / 4	
Percentage of cycles resulting in pregnancies ^b	4 / 6	4 / 4	0 / 1	1 / 4	
Percentage of cycles resulting in live births ^{b,c}	4 / 6	2 / 4	0 / 1	1 / 4	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	4 / 6	2 / 4	0 / 1	1 / 2	
Percentage of transfers resulting in live births ^{b,c}	4 / 6	2 / 4		1 / 2	
Percentage of transfers resulting in singleton live births ^b	2 / 6	0 / 4		1 / 2	
Percentage of cancellations ^b	0 / 6	0 / 4	0 / 1	2 / 4	
Average number of embryos transferred	2.0	2.3		2.0	
Percentage of pregnancies with twins ^b	2 / 4	2 / 4		0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 4	0 / 4		0 / 1	
Percentage of live births having multiple infants ^{b,c}	2 / 4	2 / 2		0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}	4 / 5				
Average number of embryos transferred	1.8				
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		3		
Percentage of transfers resulting in live births ^{b,c}	2 / 3		2 / 3		
Average number of embryos transferred	2.0		1.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Pennsylvania

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY FERTILITY CENTER BETHLEHEM, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	2%	Other factor	<1%
GIFT	0% With ICSI	84% Ovulatory dysfunction	4%	Unknown factor	<1%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	18%	Multiple Factors:	
Combination	0% Used gestational carrier	0% Endometriosis	2%	Female factors only	12%
	Used PGD	1% Uterine factor	0%	Female & male factors	41%
	With eSET	1% Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by H. Christina Lee, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	36	14	24	15	3
Percentage of embryos transferred resulting in implantation ^b	42.3	24.0	15.7	5.6	1 / 6
Percentage of cycles resulting in pregnancies ^b	61.1	5 / 14	45.8	2 / 15	1 / 3
Percentage of cycles resulting in live births ^{b,c}	55.6	4 / 14	25.0	1 / 15	1 / 3
(Confidence Interval)	(38.1–72.1)		(9.8–46.7)		
Percentage of retrievals resulting in live births ^{b,c}	55.6	4 / 13	25.0	1 / 15	1 / 3
Percentage of transfers resulting in live births ^{b,c}	55.6	4 / 11	27.3	1 / 15	1 / 2
Percentage of transfers resulting in singleton live births ^b	27.8	3 / 11	18.2	1 / 15	1 / 2
Percentage of cancellations ^b	0.0	1 / 14	0.0	0 / 15	0 / 3
Average number of embryos transferred	2.2	2.3	2.3	2.4	3.0
Percentage of pregnancies with twins ^b	45.5	1 / 5	2 / 11	0 / 2	0 / 1
Percentage of pregnancies with triplets or more ^b	4.5	0 / 5	0 / 11	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	50.0	1 / 4	2 / 6	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	4	0	0	0
Percentage of transfers resulting in live births ^{b,c}	2 / 3	0 / 4			
Average number of embryos transferred	1.7	1.5			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	7		6		
Percentage of transfers resulting in live births ^{b,c}	4 / 7		3 / 6		
Average number of embryos transferred	2.1		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Family Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAIN LINE FERTILITY AND REPRODUCTIVE MEDICINE BRYN MAWR, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	8%	
GIFT	0%	With ICSI	22%	Ovulatory dysfunction	9%	Unknown factor	23%
ZIFT	0%	Unstimulated	3%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	21%
		Used PGD	6%	Uterine factor	2%	Female & male factors	10%
		With eSET	5%	Male factor	8%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael J. Glassner, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	218	140	127	64	18
Percentage of embryos transferred resulting in implantation ^b	31.1	21.3	14.2	10.8	6.1
Percentage of cycles resulting in pregnancies ^b	45.4	32.9	27.6	15.6	3 / 18
Percentage of cycles resulting in live births ^{b,c}	37.6	25.7	16.5	9.4	1 / 18
(Confidence Interval)	(31.2–44.4)	(18.7–33.8)	(10.5–24.2)	(3.5–19.3)	
Percentage of retrievals resulting in live births ^{b,c}	42.1	28.8	20.4	11.5	1 / 16
Percentage of transfers resulting in live births ^{b,c}	46.9	34.6	22.8	15.8	1 / 12
Percentage of transfers resulting in singleton live births ^b	29.1	22.1	17.4	7.9	1 / 12
Percentage of cancellations ^b	10.6	10.7	18.9	18.8	2 / 18
Average number of embryos transferred	2.5	2.8	2.9	3.7	4.1
Percentage of pregnancies with twins ^b	32.3	23.9	17.1	3 / 10	0 / 3
Percentage of pregnancies with triplets or more ^b	5.1	4.3	0.0	1 / 10	0 / 3
Percentage of live births having multiple infants ^{b,c}	37.8	36.1	23.8	3 / 6	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	58	39	37	8	5
Percentage of transfers resulting in live births ^{b,c}	43.1	23.1	16.2	4 / 8	0 / 5
Average number of embryos transferred	2.3	2.3	2.7	2.0	2.6
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	36		17		
Percentage of transfers resulting in live births ^{b,c}	52.8		5 / 17		
Average number of embryos transferred	2.1		2.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Main Line Fertility and Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEISINGER MEDICAL CENTER FERTILITY PROGRAM DANVILLE, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	28%
GIFT	0%	With ICSI	Ovulatory dysfunction	13%	Unknown factor	5%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	2%	Female factors only	4%
		Used PGD	Uterine factor	14%	Female & male factors	0%
		With eSET	Male factor	9%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jennifer Gell, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	34	4	18	1	2
Percentage of embryos transferred resulting in implantation ^b	30.4	0 / 8	15.8		0 / 3
Percentage of cycles resulting in pregnancies ^b	41.2	0 / 4	5 / 18	0 / 1	0 / 2
Percentage of cycles resulting in live births ^{b,c}	35.3	0 / 4	4 / 18	0 / 1	0 / 2
(Confidence Interval)	(19.7–53.5)				
Percentage of retrievals resulting in live births ^{b,c}	42.9	0 / 4	4 / 12		0 / 1
Percentage of transfers resulting in live births ^{b,c}	52.2	0 / 2	4 / 12		0 / 1
Percentage of transfers resulting in singleton live births ^b	43.5	0 / 2	2 / 12		0 / 1
Percentage of cancellations ^b	17.6	0 / 4	6 / 18	1 / 1	1 / 2
Average number of embryos transferred	2.4	4.0	3.2		3.0
Percentage of pregnancies with twins ^b	4 / 14		2 / 5		
Percentage of pregnancies with triplets or more ^b	0 / 14		0 / 5		
Percentage of live births having multiple infants ^{b,c}	2 / 12		2 / 4		
Frozen Embryos from Nondonor Eggs					
Number of transfers	13	2	6	1	0
Percentage of transfers resulting in live births ^{b,c}	4 / 13	0 / 2	4 / 6	1 / 1	
Average number of embryos transferred	2.5	1.5	2.5	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	6		4		
Percentage of transfers resulting in live births ^{b,c}	2 / 6		2 / 4		
Average number of embryos transferred	1.8		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Geisinger Medical Center Fertility Program

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED CENTER FOR INFERTILITY AND REPRODUCTIVE MEDICINE, RPC HARRISBURG, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	0%	Other factor	16%	
GIFT	0%	With ICSI	70%	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	7%	Female factors only	59%
		Used PGD	0%	Uterine factor	0%	Female & male factors	16%
		With eSET	0%	Male factor	3%		

2008 PREGNANCY SUCCESS RATES

Data verified by Eric P. Fiedler, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	13	4	3	0	0
Percentage of embryos transferred resulting in implantation ^b	50.0	5 / 8	4 / 7		
Percentage of cycles resulting in pregnancies ^b	8 / 13	3 / 4	2 / 3		
Percentage of cycles resulting in live births ^{b,c}	7 / 13	3 / 4	2 / 3		
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	7 / 13	3 / 4	2 / 3		
Percentage of transfers resulting in live births ^{b,c}	7 / 13	3 / 4	2 / 3		
Percentage of transfers resulting in singleton live births ^b	2 / 13	2 / 4	0 / 3		
Percentage of cancellations ^b	0 / 13	0 / 4	0 / 3		
Average number of embryos transferred	2.0	2.0	2.3		
Percentage of pregnancies with twins ^b	4 / 8	2 / 3	2 / 2		
Percentage of pregnancies with triplets or more ^b	1 / 8	0 / 3	0 / 2		
Percentage of live births having multiple infants ^{b,c}	5 / 7	1 / 3	2 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	7	0	0	0
Percentage of transfers resulting in live births ^{b,c}	3 / 7	6 / 7			
Average number of embryos transferred	1.9	2.1			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	7		14		
Percentage of transfers resulting in live births ^{b,c}	5 / 7		6 / 14		
Average number of embryos transferred	1.9		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Center for Infertility and Reproductive Medicine, RPC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PENN STATE MILTON S. HERSHEY MEDICAL CENTER
HERSHEY, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	4%	
GIFT	0%	With ICSI	76%	Ovulatory dysfunction	13%	Unknown factor	24%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	7%	Female factors only	7%
		Used PGD	0%	Uterine factor	0%	Female & male factors	5%
		With eSET	0%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by William C. Dodson, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	35	14	9	1	0
Percentage of embryos transferred resulting in implantation ^b	31.7	21.4	31.8		
Percentage of cycles resulting in pregnancies ^b	42.9	4 / 14	4 / 9	0 / 1	
Percentage of cycles resulting in live births ^{b,c}	34.3	3 / 14	4 / 9	0 / 1	
(Confidence Interval)	(19.1–52.2)				
Percentage of retrievals resulting in live births ^{b,c}	36.4	3 / 11	4 / 8	0 / 1	
Percentage of transfers resulting in live births ^{b,c}	42.9	3 / 11	4 / 8		
Percentage of transfers resulting in singleton live births ^b	32.1	1 / 11	4 / 8		
Percentage of cancellations ^b	5.7	3 / 14	1 / 9	0 / 1	
Average number of embryos transferred	2.1	2.5	2.8		
Percentage of pregnancies with twins ^b	2 / 15	2 / 4	3 / 4		
Percentage of pregnancies with triplets or more ^b	1 / 15	0 / 4	0 / 4		
Percentage of live births having multiple infants ^{b,c}	3 / 12	2 / 3	0 / 4		
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	9	3	2	0
Percentage of transfers resulting in live births ^{b,c}	2 / 9	2 / 9	1 / 3	0 / 2	
Average number of embryos transferred	2.3	2.2	1.7	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	5		13		
Percentage of transfers resulting in live births ^{b,c}	2 / 5		3 / 13		
Average number of embryos transferred	2.0		1.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Penn State Milton S. Hershey Medical Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHERN FERTILITY AND REPRODUCTIVE ASSOCIATES, PC MEADOWBROOK, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	4%
GIFT	0%	With ICSI	Ovulatory dysfunction	7%	Unknown factor	10%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	6%	Female factors only	11%
		Used PGD	Uterine factor	1%	Female & male factors	20%
		With eSET	Male factor	17%		

2008 PREGNANCY SUCCESS RATES

Data verified by Martin F. Freedman, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	114	42	61	34	19
Percentage of embryos transferred resulting in implantation ^b	42.9	22.1	20.6	9.6	3.8
Percentage of cycles resulting in pregnancies ^b	57.0	38.1	42.6	26.5	2 / 19
Percentage of cycles resulting in live births ^{b,c}	49.1	33.3	34.4	17.6	1 / 19
(Confidence Interval)	(39.6–58.7)	(19.6–49.5)	(22.7–47.7)	(6.8–34.5)	
Percentage of retrievals resulting in live births ^{b,c}	52.8	38.9	37.5	19.4	1 / 17
Percentage of transfers resulting in live births ^{b,c}	56.0	41.2	40.4	19.4	1 / 16
Percentage of transfers resulting in singleton live births ^b	36.0	35.3	32.7	16.1	1 / 16
Percentage of cancellations ^b	7.0	14.3	8.2	8.8	2 / 19
Average number of embryos transferred	2.2	2.5	3.1	3.0	3.3
Percentage of pregnancies with twins ^b	41.5	1 / 16	23.1	1 / 9	0 / 2
Percentage of pregnancies with triplets or more ^b	4.6	1 / 16	3.8	0 / 9	0 / 2
Percentage of live births having multiple infants ^{b,c}	35.7	2 / 14	19.0	1 / 6	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	23	11	12	3	1
Percentage of transfers resulting in live births ^{b,c}	47.8	3 / 11	3 / 12	1 / 3	0 / 1
Average number of embryos transferred	2.4	2.0	1.8	3.7	1.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	10		7		
Percentage of transfers resulting in live births ^{b,c}	6 / 10		4 / 7		
Average number of embryos transferred	2.1		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Philadelphia

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND GYNECOLOGY ASSOCIATES PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	0%	
GIFT	0%	With ICSI	29%	Ovulatory dysfunction	3%	Unknown factor	16%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	26%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	8%	Female factors only	7%
		Used PGD	0%	Uterine factor	0%	Female & male factors	13%
		With eSET	0%	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by Leonore C. Huppert, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	10	8	7	3	0
Percentage of embryos transferred resulting in implantation ^b	4 / 17	31.8	27.3	2 / 11	
Percentage of cycles resulting in pregnancies ^b	4 / 10	6 / 8	4 / 7	2 / 3	
Percentage of cycles resulting in live births ^{b,c}	4 / 10	5 / 8	4 / 7	1 / 3	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	4 / 10	5 / 8	4 / 6	1 / 3	
Percentage of transfers resulting in live births ^{b,c}	4 / 8	5 / 8	4 / 6	1 / 3	
Percentage of transfers resulting in singleton live births ^b	4 / 8	4 / 8	3 / 6	1 / 3	
Percentage of cancellations ^b	0 / 10	0 / 8	1 / 7	0 / 3	
Average number of embryos transferred	2.1	2.8	3.7	3.7	
Percentage of pregnancies with twins ^b	0 / 4	1 / 6	0 / 4	0 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 4	0 / 6	1 / 4	0 / 2	
Percentage of live births having multiple infants ^{b,c}	0 / 4	1 / 5	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	6	2	3	1
Percentage of transfers resulting in live births ^{b,c}	3 / 10	4 / 6	0 / 2	0 / 3	0 / 1
Average number of embryos transferred	2.2	2.7	1.5	3.7	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		5		
Percentage of transfers resulting in live births ^{b,c}	2 / 4		2 / 5		
Average number of embryos transferred	2.3		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Gynecology Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

JEFFERSON IVF PHILADELPHIA, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	7%	Other factor	3%
GIFT	0% With ICSI	27% Ovulatory dysfunction	48%	Unknown factor	0%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	0%	Female factors only	3%
	Used PGD	0% Uterine factor	0%	Female & male factors	13%
	With eSET	0% Male factor	23%		

2008 PREGNANCY SUCCESS RATES

Data verified by Gregory T. Fossum, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	11	3	13	2	1
Percentage of embryos transferred resulting in implantation ^b	4 / 15	0 / 5	20.0	2 / 10	0 / 4
Percentage of cycles resulting in pregnancies ^b	3 / 11	0 / 3	5 / 13	1 / 2	0 / 1
Percentage of cycles resulting in live births ^{b,c}	3 / 11	0 / 3	2 / 13	0 / 2	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	3 / 8	0 / 2	2 / 10	0 / 2	0 / 1
Percentage of transfers resulting in live births ^{b,c}	3 / 7	0 / 2	2 / 8	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births ^b	2 / 7	0 / 2	1 / 8	0 / 2	0 / 1
Percentage of cancellations ^b	3 / 11	1 / 3	3 / 13	0 / 2	0 / 1
Average number of embryos transferred	2.1	2.5	3.8	5.0	4.0
Percentage of pregnancies with twins ^b	1 / 3		1 / 5	1 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 3		0 / 5	0 / 1	
Percentage of live births having multiple infants ^{b,c}	1 / 3		1 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		1		
Percentage of transfers resulting in live births ^{b,c}			0 / 1		
Average number of embryos transferred			3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jefferson IVF

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF PENNSYLVANIA
PENN FERTILITY CARE
PHILADELPHIA, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	9%	
GIFT	0%	With ICSI	28%	Ovulatory dysfunction	4%	Unknown factor	12%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	4%	Female factors only	29%
		Used PGD	0%	Uterine factor	1%	Female & male factors	13%
		With eSET	4%	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Anuja Dokras, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	161	115	92	39	12
Percentage of embryos transferred resulting in implantation ^b	33.0	22.2	21.5	6.3	1 / 12
Percentage of cycles resulting in pregnancies ^b	42.2	29.6	34.8	17.9	2 / 12
Percentage of cycles resulting in live births ^{b,c}	37.3	24.3	26.1	5.1	1 / 12
(Confidence Interval)	(29.8–45.2)	(16.8–33.2)	(17.5–36.3)	(0.6–17.3)	
Percentage of retrievals resulting in live births ^{b,c}	42.9	29.2	34.3	7.7	1 / 8
Percentage of transfers resulting in live births ^{b,c}	46.5	32.9	38.1	8.3	1 / 5
Percentage of transfers resulting in singleton live births ^b	33.3	25.9	28.6	8.3	1 / 5
Percentage of cancellations ^b	13.0	16.5	23.9	33.3	4 / 12
Average number of embryos transferred	2.0	2.3	2.6	2.7	2.4
Percentage of pregnancies with twins ^b	23.5	26.5	18.8	0 / 7	0 / 2
Percentage of pregnancies with triplets or more ^b	2.9	2.9	3.1	0 / 7	0 / 2
Percentage of live births having multiple infants ^{b,c}	28.3	21.4	25.0	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	40	30	15	4	4
Percentage of transfers resulting in live births ^{b,c}	30.0	20.0	4 / 15	0 / 4	0 / 4
Average number of embryos transferred	2.0	2.2	2.3	2.3	1.3
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	45		25		
Percentage of transfers resulting in live births ^{b,c}	42.2		32.0		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Pennsylvania, Penn Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE AT WEST PENN ALLEGHENY HEALTH SYSTEM PITTSBURGH, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	6%	
GIFT	0%	With ICSI	60%	Ovulatory dysfunction	4%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	3%	Female factors only	8%
		Used PGD	<1%	Uterine factor	1%	Female & male factors	24%
		With eSET	0%	Male factor	30%		

2008 PREGNANCY SUCCESS RATES

Data verified by Scott W. Kauma, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	66	23	11	5	2
Percentage of embryos transferred resulting in implantation ^b	37.1	20.9	14.3	0 / 7	0 / 6
Percentage of cycles resulting in pregnancies ^b	43.9	34.8	5 / 11	0 / 5	0 / 2
Percentage of cycles resulting in live births ^{b,c}	36.4	26.1	3 / 11	0 / 5	0 / 2
(Confidence Interval)	(24.9–49.1)	(10.2–48.4)			
Percentage of retrievals resulting in live births ^{b,c}	43.6	30.0	3 / 8	0 / 2	0 / 1
Percentage of transfers resulting in live births ^{b,c}	52.2	6 / 17	3 / 8	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births ^b	37.0	4 / 17	2 / 8	0 / 2	0 / 1
Percentage of cancellations ^b	16.7	13.0	3 / 11	3 / 5	1 / 2
Average number of embryos transferred	2.3	2.5	3.5	3.5	6.0
Percentage of pregnancies with twins ^b	37.9	2 / 8	1 / 5		
Percentage of pregnancies with triplets or more ^b	3.4	0 / 8	0 / 5		
Percentage of live births having multiple infants ^{b,c}	29.2	2 / 6	1 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	27	4	5	1	0
Percentage of transfers resulting in live births ^{b,c}	44.4	2 / 4	0 / 5	1 / 1	
Average number of embryos transferred	2.8	2.5	2.6	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	7		4		
Percentage of transfers resulting in live births ^{b,c}	4 / 7		2 / 4		
Average number of embryos transferred	2.1		3.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jones Institute at West Penn Allegheny Health System

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS, INC. PITTSBURGH, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	8%	
GIFT	0%	With ICSI	58%	Ovulatory dysfunction	6%	Unknown factor	22%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	8%	Female factors only	5%
		Used PGD	<1%	Uterine factor	<1%	Female & male factors	8%
		With eSET	14%	Male factor	29%		

2008 PREGNANCY SUCCESS RATES

Data verified by Judith L. Albert, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	91	55	50	26	2
Percentage of embryos transferred resulting in implantation ^b	38.3	31.5	18.8	12.1	0 / 3
Percentage of cycles resulting in pregnancies ^b	56.0	40.0	30.0	15.4	0 / 2
Percentage of cycles resulting in live births ^{b,c}	49.5	34.5	20.0	7.7	0 / 2
(Confidence Interval)	(38.8–60.1)	(22.2–48.6)	(10.0–33.7)	(0.9–25.1)	
Percentage of retrievals resulting in live births ^{b,c}	50.6	37.3	26.3	2 / 18	0 / 2
Percentage of transfers resulting in live births ^{b,c}	52.3	38.8	28.6	2 / 17	0 / 1
Percentage of transfers resulting in singleton live births ^b	40.7	26.5	22.9	2 / 17	0 / 1
Percentage of cancellations ^b	2.2	7.3	24.0	30.8	0 / 2
Average number of embryos transferred	1.7	1.8	2.3	1.9	3.0
Percentage of pregnancies with twins ^b	21.6	31.8	2 / 15	0 / 4	
Percentage of pregnancies with triplets or more ^b	0.0	0.0	0 / 15	0 / 4	
Percentage of live births having multiple infants ^{b,c}	22.2	6 / 19	2 / 10	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	17	5	11	4	1
Percentage of transfers resulting in live births ^{b,c}	4 / 17	2 / 5	1 / 11	1 / 4	0 / 1
Average number of embryos transferred	1.8	1.6	1.2	1.8	1.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	15		3		
Percentage of transfers resulting in live births ^{b,c}	9 / 15		0 / 3		
Average number of embryos transferred	1.5		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health Specialists, Inc.

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF PITTSBURGH PHYSICIANS
CENTER FOR FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY
PITTSBURGH, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	14%
GIFT	0%	With ICSI	Ovulatory dysfunction	3%	Unknown factor	6%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	26%	Multiple Factors:	
Combination	0%	Used gestational carrier	Endometriosis	5%	Female factors only	10%
		Used PGD	Uterine factor	<1%	Female & male factors	16%
		With eSET	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by Anthony N. Wakim, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	122	76	52	33	11
Percentage of embryos transferred resulting in implantation ^b	20.2	11.7	12.4	8.3	0 / 17
Percentage of cycles resulting in pregnancies ^b	28.7	15.8	21.2	15.2	0 / 11
Percentage of cycles resulting in live births ^{b,c}	24.6	11.8	19.2	6.1	0 / 11
(Confidence Interval)	(17.2–33.2)	(5.6–21.3)	(9.6–32.5)	(0.7–20.2)	
Percentage of retrievals resulting in live births ^{b,c}	27.5	13.6	22.2	8.3	0 / 7
Percentage of transfers resulting in live births ^{b,c}	31.6	16.4	25.0	9.1	0 / 7
Percentage of transfers resulting in singleton live births ^b	25.3	14.5	17.5	4.5	0 / 7
Percentage of cancellations ^b	10.7	13.2	13.5	27.3	4 / 11
Average number of embryos transferred	2.0	2.5	2.6	2.7	2.4
Percentage of pregnancies with twins ^b	20.0	4 / 12	3 / 11	2 / 5	
Percentage of pregnancies with triplets or more ^b	0.0	0 / 12	0 / 11	0 / 5	
Percentage of live births having multiple infants ^{b,c}	20.0	1 / 9	3 / 10	1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	81	45	20	7	9
Percentage of transfers resulting in live births ^{b,c}	30.9	24.4	10.0	0 / 7	0 / 9
Average number of embryos transferred	2.4	2.6	2.6	2.7	2.4
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	27		21		
Percentage of transfers resulting in live births ^{b,c}	44.4		33.3		
Average number of embryos transferred	2.0		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Pittsburgh Physicians, Center for Fertility and Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY CENTER UPLAND, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	14%	
GIFT	0%	With ICSI	52%	Ovulatory dysfunction	2%	Unknown factor	0%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	33%
		Used PGD	<1%	Uterine factor	1%	Female & male factors	21%
		With eSET	0%	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Albert El-Roeiy, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	47	21	27	16	5
Percentage of embryos transferred resulting in implantation ^b	23.5	19.4	3.8	6.1	0 / 10
Percentage of cycles resulting in pregnancies ^b	31.9	23.8	7.4	2 / 16	0 / 5
Percentage of cycles resulting in live births ^{b,c}	27.7	23.8	3.7	0 / 16	0 / 5
(Confidence Interval)	(15.6–42.6)	(8.2–47.2)	(0.1–19.0)		
Percentage of retrievals resulting in live births ^{b,c}	36.1	5 / 17	4.8	0 / 16	0 / 5
Percentage of transfers resulting in live births ^{b,c}	38.2	5 / 15	1 / 18	0 / 11	0 / 5
Percentage of transfers resulting in singleton live births ^b	26.5	3 / 15	1 / 18	0 / 11	0 / 5
Percentage of cancellations ^b	23.4	19.0	22.2	0 / 16	0 / 5
Average number of embryos transferred	2.4	2.4	2.9	3.0	2.0
Percentage of pregnancies with twins ^b	5 / 15	2 / 5	0 / 2	0 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 15	0 / 5	0 / 2	0 / 2	
Percentage of live births having multiple infants ^{b,c}	4 / 13	2 / 5	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	18	3	3	4	0
Percentage of transfers resulting in live births ^{b,c}	6 / 18	0 / 3	1 / 3	1 / 4	
Average number of embryos transferred	2.4	2.7	2.3	2.5	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	12		7		
Percentage of transfers resulting in live births ^{b,c}	6 / 12		1 / 7		
Average number of embryos transferred	2.7		2.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Endocrinology and Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE INSTITUTE OF SUBURBAN PHILADELPHIA WAYNE, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	4%
GIFT	0%	With ICSI	Ovulatory dysfunction	14%	Unknown factor	2%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	29%	Multiple Factors:	
Combination	0%	Used gestational carrier	Endometriosis	<1%	Female factors only	18%
		Used PGD	Uterine factor	<1%	Female & male factors	16%
		With eSET	Male factor	10%		

2008 PREGNANCY SUCCESS RATES

Data verified by Abraham K. Munabi, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	77	37	35	21	0
Percentage of embryos transferred resulting in implantation ^b	29.8	14.3	26.3	5.6	
Percentage of cycles resulting in pregnancies ^b	41.6	21.6	48.6	23.8	
Percentage of cycles resulting in live births ^{b,c}	33.8	16.2	37.1	14.3	
(Confidence Interval)	(23.4–45.4)	(6.2–32.0)	(21.5–55.1)	(3.0–36.3)	
Percentage of retrievals resulting in live births ^{b,c}	37.1	20.0	44.8	15.0	
Percentage of transfers resulting in live births ^{b,c}	38.2	23.1	48.1	15.0	
Percentage of transfers resulting in singleton live births ^b	25.0	19.2	40.7	15.0	
Percentage of cancellations ^b	9.1	18.9	17.1	4.8	
Average number of embryos transferred	2.2	2.4	3.0	3.6	
Percentage of pregnancies with twins ^b	34.4	1 / 8	3 / 17	0 / 5	
Percentage of pregnancies with triplets or more ^b	3.1	0 / 8	1 / 17	0 / 5	
Percentage of live births having multiple infants ^{b,c}	34.6	1 / 6	2 / 13	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	22	5	6	1	0
Percentage of transfers resulting in live births ^{b,c}	22.7	1 / 5	0 / 6	0 / 1	
Average number of embryos transferred	2.2	2.4	2.2	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	31		18		
Percentage of transfers resulting in live births ^{b,c}	45.2		7 / 18		
Average number of embryos transferred	2.2		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Science Institute of Suburban Philadelphia

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WOMEN'S CLINIC, LTD.
WEST READING, PENNSYLVANIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	12%	Other factor	0%
GIFT	0% With ICSI	44% Ovulatory dysfunction	0%	Unknown factor	2%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	2%	Female factors only	33%
	0% Used PGD	0% Uterine factor	0%	Female & male factors	28%
	0% With eSET	0% Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by Vincent A. Pellegrini, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	24	8	11	6	1
Percentage of embryos transferred resulting in implantation ^b	46.5	4 / 18	5 / 19	3 / 7	0 / 4
Percentage of cycles resulting in pregnancies ^b	50.0	3 / 8	4 / 11	1 / 6	0 / 1
Percentage of cycles resulting in live births ^{b,c}	45.8	3 / 8	3 / 11	0 / 6	0 / 1
(Confidence Interval)	(25.6–67.2)				
Percentage of retrievals resulting in live births ^{b,c}	55.0	3 / 6	3 / 9	0 / 3	0 / 1
Percentage of transfers resulting in live births ^{b,c}	11 / 17	3 / 6	3 / 7	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births ^b	10 / 17	2 / 6	1 / 7	0 / 2	0 / 1
Percentage of cancellations ^b	16.7	2 / 8	2 / 11	3 / 6	0 / 1
Average number of embryos transferred	2.5	3.0	2.7	3.5	4.0
Percentage of pregnancies with twins ^b	2 / 12	1 / 3	2 / 4	0 / 1	
Percentage of pregnancies with triplets or more ^b	3 / 12	0 / 3	0 / 4	1 / 1	
Percentage of live births having multiple infants ^{b,c}	1 / 11	1 / 3	2 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	1	0
Percentage of transfers resulting in live births ^{b,c}				0 / 1	
Average number of embryos transferred				1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Clinic, Ltd.

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER, LLC YORK, PENNSYLVANIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	2%	
GIFT	0%	With ICSI	97%	Ovulatory dysfunction	8%	Unknown factor	24%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	1%
		Used PGD	3%	Uterine factor	0%	Female & male factors	8%
		With eSET	0%	Male factor	37%		

2008 PREGNANCY SUCCESS RATES

Data verified by Robert B. Filer, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	55	13	5	0	0
Percentage of embryos transferred resulting in implantation ^b	29.7	10.7	2 / 15		
Percentage of cycles resulting in pregnancies ^b	56.4	3 / 13	2 / 5		
Percentage of cycles resulting in live births ^{b,c}	45.5	2 / 13	1 / 5		
(Confidence Interval)	(32.0–59.4)				
Percentage of retrievals resulting in live births ^{b,c}	45.5	2 / 13	1 / 5		
Percentage of transfers resulting in live births ^{b,c}	49.0	2 / 11	1 / 5		
Percentage of transfers resulting in singleton live births ^b	31.4	2 / 11	1 / 5		
Percentage of cancellations ^b	0.0	0 / 13	0 / 5		
Average number of embryos transferred	2.5	2.5	3.0		
Percentage of pregnancies with twins ^b	25.8	0 / 3	0 / 2		
Percentage of pregnancies with triplets or more ^b	3.2	0 / 3	0 / 2		
Percentage of live births having multiple infants ^{b,c}	36.0	0 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	8	2	2	0	0
Percentage of transfers resulting in live births ^{b,c}	3 / 8	1 / 2	0 / 2		
Average number of embryos transferred	2.0	1.5	2.5		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		4		
Percentage of transfers resulting in live births ^{b,c}	3 / 4		3 / 4		
Average number of embryos transferred	2.3		2.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Fertility Center, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PEDRO J. BEAUCHAMP, MD BAYAMON, PUERTO RICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	13%	Other factor	<1%	
GIFT	0%	With ICSI	79%	Ovulatory dysfunction	2%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	<1%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	5%	Female factors only	24%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	38%
		With eSET	0%	Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by Pedro J. Beauchamp, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	54	39	31	13	12
Percentage of embryos transferred resulting in implantation ^b	34.9	32.9	16.9	10.7	4.3
Percentage of cycles resulting in pregnancies ^b	66.7	51.3	41.9	4 / 13	2 / 12
Percentage of cycles resulting in live births ^{b,c}	50.0	35.9	29.0	2 / 13	0 / 12
(Confidence Interval)	(36.1–63.9)	(21.2–52.8)	(14.2–48.0)		
Percentage of retrievals resulting in live births ^{b,c}	52.9	37.8	33.3	2 / 13	0 / 9
Percentage of transfers resulting in live births ^{b,c}	52.9	41.2	34.6	2 / 12	0 / 9
Percentage of transfers resulting in singleton live births ^b	35.3	20.6	26.9	2 / 12	0 / 9
Percentage of cancellations ^b	5.6	5.1	12.9	0 / 13	3 / 12
Average number of embryos transferred	2.5	2.5	3.0	2.3	2.6
Percentage of pregnancies with twins ^b	27.8	25.0	2 / 13	0 / 4	0 / 2
Percentage of pregnancies with triplets or more ^b	5.6	15.0	0 / 13	0 / 4	0 / 2
Percentage of live births having multiple infants ^{b,c}	33.3	7 / 14	2 / 9	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	4	2	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 4	0 / 4	0 / 2		
Average number of embryos transferred	3.8	3.0	1.5		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	6		1		
Percentage of transfers resulting in live births ^{b,c}	3 / 6		0 / 1		
Average number of embryos transferred	3.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pedro J. Beauchamp, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREFI
GYNECOLOGY, REPRODUCTIVE ENDOCRINOLOGY & FERTILITY INSTITUTE
SANTURCE, PUERTO RICO

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	30%	Other factor	7%
GIFT	0%	With ICSI	Ovulatory dysfunction	0%	Unknown factor	5%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	5%	Female factors only	16%
		Used PGD	Uterine factor	0%	Female & male factors	9%
		With eSET	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by Rosa Ileana Cruz, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	16	9	2	5	0
Percentage of embryos transferred resulting in implantation ^b	15.4	13.8	0 / 7	0 / 11	
Percentage of cycles resulting in pregnancies ^b	5 / 16	3 / 9	0 / 2	0 / 5	
Percentage of cycles resulting in live births ^{b,c}	3 / 16	3 / 9	0 / 2	0 / 5	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	3 / 15	3 / 9	0 / 2	0 / 4	
Percentage of transfers resulting in live births ^{b,c}	3 / 13	3 / 9	0 / 2	0 / 4	
Percentage of transfers resulting in singleton live births ^b	2 / 13	2 / 9	0 / 2	0 / 4	
Percentage of cancellations ^b	1 / 16	0 / 9	0 / 2	1 / 5	
Average number of embryos transferred	3.0	3.2	3.5	2.8	
Percentage of pregnancies with twins ^b	0 / 5	1 / 3			
Percentage of pregnancies with triplets or more ^b	1 / 5	0 / 3			
Percentage of live births having multiple infants ^{b,c}	1 / 3	1 / 3			
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	0	1	1	0
Percentage of transfers resulting in live births ^{b,c}	0 / 1		0 / 1	0 / 1	
Average number of embryos transferred	2.0		4.0	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	5		3		
Percentage of transfers resulting in live births ^{b,c}	0 / 5		0 / 3		
Average number of embryos transferred	2.4		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: GREFI, Gynecology, Reproductive Endocrinology & Fertility Institute

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN AND INFANTS' DIVISION OF REPRODUCTIVE MEDICINE AND INFERTILITY PROVIDENCE, RHODE ISLAND

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	4%	
GIFT	0%	With ICSI	49%	Ovulatory dysfunction	4%	Unknown factor	40%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	9%	Female factors only	3%
		Used PGD	7%	Uterine factor	1%	Female & male factors	17%
		With eSET	3%	Male factor	14%		

2008 PREGNANCY SUCCESS RATES

Data verified by Sandra Carson, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	234	129	129	63	18
Percentage of embryos transferred resulting in implantation ^b	28.2	27.2	12.2	9.3	8.3
Percentage of cycles resulting in pregnancies ^b	41.0	39.5	21.7	23.8	3 / 18
Percentage of cycles resulting in live births ^{b,c}	35.5	34.1	17.1	19.0	2 / 18
(Confidence Interval)	(29.3–42.0)	(26.0–43.0)	(11.0–24.7)	(10.2–30.9)	
Percentage of retrievals resulting in live births ^{b,c}	37.4	37.3	18.8	20.7	2 / 17
Percentage of transfers resulting in live births ^{b,c}	40.1	40.4	20.8	22.6	2 / 12
Percentage of transfers resulting in singleton live births ^b	30.9	27.5	16.0	20.8	2 / 12
Percentage of cancellations ^b	5.1	8.5	9.3	7.9	1 / 18
Average number of embryos transferred	2.0	2.2	2.4	2.8	3.0
Percentage of pregnancies with twins ^b	25.0	31.4	25.0	1 / 15	0 / 3
Percentage of pregnancies with triplets or more ^b	0.0	0.0	0.0	0 / 15	0 / 3
Percentage of live births having multiple infants ^{b,c}	22.9	31.8	22.7	1 / 12	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	47	22	11	7	4
Percentage of transfers resulting in live births ^{b,c}	17.0	22.7	3 / 11	0 / 7	0 / 4
Average number of embryos transferred	2.0	1.9	2.1	2.1	1.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	42		26		
Percentage of transfers resulting in live births ^{b,c}	45.2		15.4		
Average number of embryos transferred	2.0		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women and Infants' Division of Reproductive Medicine and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PIEDMONT REPRODUCTIVE ENDOCRINOLOGY GROUP, PA GREENVILLE, SOUTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	2%	
GIFT	0%	With ICSI	97%	Ovulatory dysfunction	10%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	18%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	4%	Endometriosis	9%	Female factors only	15%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	22%
		With eSET	0%	Male factor	12%		

2008 PREGNANCY SUCCESS RATES

Data verified by John E. Nichols, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	45	18	15	6	2
Percentage of embryos transferred resulting in implantation ^b	43.7	47.2	17.9	1 / 13	0 / 8
Percentage of cycles resulting in pregnancies ^b	60.0	11 / 18	5 / 15	1 / 6	0 / 2
Percentage of cycles resulting in live births ^{b,c}	53.3	9 / 18	4 / 15	1 / 6	0 / 2
(Confidence Interval)	(37.9–68.3)				
Percentage of retrievals resulting in live births ^{b,c}	53.3	9 / 17	4 / 15	1 / 5	0 / 2
Percentage of transfers resulting in live births ^{b,c}	58.5	9 / 17	4 / 15	1 / 5	0 / 2
Percentage of transfers resulting in singleton live births ^b	36.6	5 / 17	4 / 15	1 / 5	0 / 2
Percentage of cancellations ^b	0.0	1 / 18	0 / 15	1 / 6	0 / 2
Average number of embryos transferred	2.1	2.1	1.9	2.6	4.0
Percentage of pregnancies with twins ^b	37.0	4 / 11	1 / 5	0 / 1	
Percentage of pregnancies with triplets or more ^b	7.4	1 / 11	0 / 5	0 / 1	
Percentage of live births having multiple infants ^{b,c}	37.5	4 / 9	0 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	16	3	3	0	0
Percentage of transfers resulting in live births ^{b,c}	9 / 16	1 / 3	1 / 3		
Average number of embryos transferred	2.1	2.0	2.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	16		5		
Percentage of transfers resulting in live births ^{b,c}	11 / 16		5 / 5		
Average number of embryos transferred	2.1		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Piedmont Reproductive Endocrinology Group, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY MEDICAL GROUP, DEPARTMENT OF OBSTETRICS AND GYNECOLOGY
REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
GREENVILLE, SOUTH CAROLINA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	<1%
GIFT	0%	With ICSI	Ovulatory dysfunction	21%	Unknown factor	<1%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	14%	Female factors only	17%
		Used PGD	Uterine factor	0%	Female & male factors	21%
		With eSET	Male factor	10%		

2008 PREGNANCY SUCCESS RATES

Data verified by Bruce A. Lessey, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	40	21	21	1	1
Percentage of embryos transferred resulting in implantation ^b	29.3	23.9	15.2	0 / 4	0 / 4
Percentage of cycles resulting in pregnancies ^b	32.5	47.6	23.8	0 / 1	0 / 1
Percentage of cycles resulting in live births ^{b,c}	32.5	42.9	23.8	0 / 1	0 / 1
(Confidence Interval)	(18.6–49.1)	(21.8–66.0)	(8.2–47.2)		
Percentage of retrievals resulting in live births ^{b,c}	41.9	9 / 19	5 / 12	0 / 1	0 / 1
Percentage of transfers resulting in live births ^{b,c}	44.8	9 / 19	5 / 12	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births ^b	34.5	8 / 19	5 / 12	0 / 1	0 / 1
Percentage of cancellations ^b	22.5	9.5	42.9	0 / 1	0 / 1
Average number of embryos transferred	2.0	2.4	2.8	4.0	4.0
Percentage of pregnancies with twins ^b	2 / 13	1 / 10	0 / 5		
Percentage of pregnancies with triplets or more ^b	1 / 13	0 / 10	0 / 5		
Percentage of live births having multiple infants ^{b,c}	3 / 13	1 / 9	0 / 5		
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	4	2	2	0
Percentage of transfers resulting in live births ^{b,c}	4 / 9	1 / 4	1 / 2	0 / 2	
Average number of embryos transferred	2.4	3.0	2.0	3.5	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	12		5		
Percentage of transfers resulting in live births ^{b,c}	6 / 12		2 / 5		
Average number of embryos transferred	2.3		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University Medical Group, Department of Obstetrics and Gynecology, Reproductive Endocrinology and Infertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHEASTERN FERTILITY CENTER, PA MOUNT PLEASANT, SOUTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	3%	
GIFT	0%	With ICSI	71%	Ovulatory dysfunction	4%	Unknown factor	16%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	15%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	6%	Female factors only	14%
		Used PGD	1%	Uterine factor	<1%	Female & male factors	11%
		With eSET	1%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by Grant W. Patton, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	219	73	64	12	1
Percentage of embryos transferred resulting in implantation ^b	34.8	36.4	27.9	4 / 19	0 / 4
Percentage of cycles resulting in pregnancies ^b	47.0	50.7	39.1	5 / 12	0 / 1
Percentage of cycles resulting in live births ^{b,c}	43.4	42.5	34.4	1 / 12	0 / 1
(Confidence Interval)	(36.7–50.2)	(31.0–54.6)	(22.9–47.3)		
Percentage of retrievals resulting in live births ^{b,c}	45.0	47.7	38.6	1 / 11	0 / 1
Percentage of transfers resulting in live births ^{b,c}	46.6	48.4	40.0	1 / 10	0 / 1
Percentage of transfers resulting in singleton live births ^b	27.0	34.4	29.1	1 / 10	0 / 1
Percentage of cancellations ^b	3.7	11.0	10.9	1 / 12	0 / 1
Average number of embryos transferred	2.0	2.0	2.2	1.9	4.0
Percentage of pregnancies with twins ^b	39.8	24.3	40.0	1 / 5	
Percentage of pregnancies with triplets or more ^b	1.0	5.4	0.0	0 / 5	
Percentage of live births having multiple infants ^{b,c}	42.1	29.0	27.3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	64	22	14	2	1
Percentage of transfers resulting in live births ^{b,c}	51.6	50.0	4 / 14	0 / 2	0 / 1
Average number of embryos transferred	1.9	1.9	1.9	1.5	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	73		30		
Percentage of transfers resulting in live births ^{b,c}	63.0		40.0		
Average number of embryos transferred	1.9		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southeastern Fertility Center, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY & REPRODUCTIVE ENDOCRINOLOGY WEST COLUMBIA, SOUTH CAROLINA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	3%	
GIFT	0%	With ICSI	94%	Ovulatory dysfunction	16%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	18%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	4%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	20%
		With eSET	1%	Male factor	22%		

2008 PREGNANCY SUCCESS RATES

Data verified by Gail F. Whitman-Elia, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	91	44	27	20	4
Percentage of embryos transferred resulting in implantation ^b	43.7	30.0	19.4	8.0	1 / 3
Percentage of cycles resulting in pregnancies ^b	63.7	54.5	33.3	15.0	1 / 4
Percentage of cycles resulting in live births ^{b,c}	57.1	47.7	18.5	5.0	1 / 4
(Confidence Interval)	(46.3–67.5)	(32.5–63.3)	(6.3–38.1)	(0.1–24.9)	
Percentage of retrievals resulting in live births ^{b,c}	57.1	48.8	20.0	5.0	1 / 4
Percentage of transfers resulting in live births ^{b,c}	62.7	51.2	21.7	1 / 17	1 / 1
Percentage of transfers resulting in singleton live births ^b	42.2	39.0	17.4	0 / 17	1 / 1
Percentage of cancellations ^b	0.0	2.3	7.4	0.0	0 / 4
Average number of embryos transferred	2.2	2.7	3.1	2.9	3.0
Percentage of pregnancies with twins ^b	31.0	12.5	2 / 9	1 / 3	0 / 1
Percentage of pregnancies with triplets or more ^b	3.4	12.5	2 / 9	0 / 3	0 / 1
Percentage of live births having multiple infants ^{b,c}	32.7	23.8	1 / 5	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	24	10	3	1	0
Percentage of transfers resulting in live births ^{b,c}	29.2	2 / 10	1 / 3	0 / 1	
Average number of embryos transferred	2.7	2.5	3.0	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	11		1		
Percentage of transfers resulting in live births ^{b,c}	6 / 11		1 / 1		
Average number of embryos transferred	2.0		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Fertility & Reproductive Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANFORD WOMEN'S HEALTH SIOUX FALLS, SOUTH DAKOTA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	4%	
GIFT	0%	With ICSI	53%	Ovulatory dysfunction	10%	Unknown factor	7%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	14%
		Used PGD	0%	Uterine factor	0%	Female & male factors	26%
		With eSET	13%	Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Keith A. Hansen, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	93	29	8	8	1
Percentage of embryos transferred resulting in implantation ^b	35.8	23.8	17.4	7.7	0 / 1
Percentage of cycles resulting in pregnancies ^b	47.3	31.0	3 / 8	2 / 8	0 / 1
Percentage of cycles resulting in live births ^{b,c}	43.0	27.6	2 / 8	2 / 8	0 / 1
(Confidence Interval)	(32.8–53.7)	(12.7–47.2)			
Percentage of retrievals resulting in live births ^{b,c}	44.9	32.0	2 / 8	2 / 8	0 / 1
Percentage of transfers resulting in live births ^{b,c}	48.8	38.1	2 / 8	2 / 8	0 / 1
Percentage of transfers resulting in singleton live births ^b	37.8	33.3	2 / 8	2 / 8	0 / 1
Percentage of cancellations ^b	4.3	13.8	0 / 8	0 / 8	0 / 1
Average number of embryos transferred	2.0	2.0	2.9	3.3	1.0
Percentage of pregnancies with twins ^b	27.3	1 / 9	1 / 3	0 / 2	
Percentage of pregnancies with triplets or more ^b	2.3	0 / 9	0 / 3	0 / 2	
Percentage of live births having multiple infants ^{b,c}	22.5	1 / 8	0 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	29	5	5	0	0
Percentage of transfers resulting in live births ^{b,c}	34.5	3 / 5	0 / 5		
Average number of embryos transferred	2.2	2.6	2.2		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	2		0		
Percentage of transfers resulting in live births ^{b,c}	1 / 2				
Average number of embryos transferred	2.5				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sanford Women's Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER, LLC CHATTANOOGA, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	5%	
GIFT	0%	With ICSI	82%	Ovulatory dysfunction	4%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	18%
		Used PGD	9%	Uterine factor	0%	Female & male factors	24%
		With eSET	6%	Male factor	26%		

2008 PREGNANCY SUCCESS RATES

Data verified by Barry W. Donesky, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	67	32	7	4	2
Percentage of embryos transferred resulting in implantation ^b	37.9	13.2	6 / 12	0 / 4	0 / 2
Percentage of cycles resulting in pregnancies ^b	37.3	12.5	4 / 7	0 / 4	0 / 2
Percentage of cycles resulting in live births ^{b,c}	26.9	9.4	3 / 7	0 / 4	0 / 2
(Confidence Interval)	(16.8–39.1)	(2.0–25.0)			
Percentage of retrievals resulting in live births ^{b,c}	31.6	11.1	3 / 6	0 / 3	0 / 2
Percentage of transfers resulting in live births ^{b,c}	36.0	14.3	3 / 6	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births ^b	20.0	9.5	1 / 6	0 / 2	0 / 1
Percentage of cancellations ^b	14.9	15.6	1 / 7	1 / 4	0 / 2
Average number of embryos transferred	1.9	1.8	2.0	2.0	2.0
Percentage of pregnancies with twins ^b	40.0	1 / 4	2 / 4		
Percentage of pregnancies with triplets or more ^b	4.0	0 / 4	0 / 4		
Percentage of live births having multiple infants ^{b,c}	8 / 18	1 / 3	2 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	28	14	3	0	0
Percentage of transfers resulting in live births ^{b,c}	57.1	5 / 14	1 / 3		
Average number of embryos transferred	2.1	2.1	1.3		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	14		15		
Percentage of transfers resulting in live births ^{b,c}	9 / 14		8 / 15		
Average number of embryos transferred	1.9		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center, LLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ETSU PHYSICIANS ASSOCIATES JOHNSON CITY, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	5%	
GIFT	0%	With ICSI	83%	Ovulatory dysfunction	11%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	32%	Female factors only	0%
		Used PGD	0%	Uterine factor	0%	Female & male factors	11%
		With eSET	0%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by Norman A. Assad, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	9	0	3	0	0
Percentage of embryos transferred resulting in implantation ^b	15.0		1 / 5		
Percentage of cycles resulting in pregnancies ^b	4 / 9		1 / 3		
Percentage of cycles resulting in live births ^{b,c}	3 / 9		1 / 3		
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	3 / 9		1 / 3		
Percentage of transfers resulting in live births ^{b,c}	3 / 9		1 / 3		
Percentage of transfers resulting in singleton live births ^b	3 / 9		1 / 3		
Percentage of cancellations ^b	0 / 9		0 / 3		
Average number of embryos transferred	2.2		1.7		
Percentage of pregnancies with twins ^b	0 / 4		0 / 1		
Percentage of pregnancies with triplets or more ^b	0 / 4		0 / 1		
Percentage of live births having multiple infants ^{b,c}	0 / 3		0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 2	0 / 1			
Average number of embryos transferred	1.5	1.0			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	2		1		
Percentage of transfers resulting in live births ^{b,c}	1 / 2		0 / 1		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: ETSU Physicians Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST TENNESSEE IVF, FERTILITY, AND ANDROLOGY CENTER KNOXVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	19%	Other factor	0%
GIFT	0%	With ICSI	Ovulatory dysfunction	5%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	0%	Female factors only	29%
		Used PGD	Uterine factor	0%	Female & male factors	29%
		With eSET	Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Gayla S. Harris, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	11	7	1	0	0
Percentage of embryos transferred resulting in implantation ^b	38.5	2 / 18	0 / 3		
Percentage of cycles resulting in pregnancies ^b	7 / 11	2 / 7	0 / 1		
Percentage of cycles resulting in live births ^{b,c}	6 / 11	2 / 7	0 / 1		
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	6 / 11	2 / 7	0 / 1		
Percentage of transfers resulting in live births ^{b,c}	6 / 11	2 / 7	0 / 1		
Percentage of transfers resulting in singleton live births ^b	4 / 11	2 / 7	0 / 1		
Percentage of cancellations ^b	0 / 11	0 / 7	0 / 1		
Average number of embryos transferred	2.4	2.6	3.0		
Percentage of pregnancies with twins ^b	3 / 7	0 / 2			
Percentage of pregnancies with triplets or more ^b	0 / 7	0 / 2			
Percentage of live births having multiple infants ^{b,c}	2 / 6	0 / 2			
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 1				
Average number of embryos transferred	2.0				
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		0		
Percentage of transfers resulting in live births ^{b,c}	0 / 1				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: East Tennessee IVF, Fertility, and Andrology Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHEASTERN FERTILITY CENTER KNOXVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	2%	
GIFT	0%	With ICSI	71%	Ovulatory dysfunction	5%	Unknown factor	17%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	10%	Female factors only	6%
		Used PGD	0%	Uterine factor	0%	Female & male factors	11%
		With eSET	4%	Male factor	32%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jeffrey A. Keenan, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	19	14	3	2	0
Percentage of embryos transferred resulting in implantation ^b	46.9	36.0	0 / 10	0 / 4	
Percentage of cycles resulting in pregnancies ^b	10 / 19	6 / 14	0 / 3	0 / 2	
Percentage of cycles resulting in live births ^{b,c}	9 / 19	5 / 14	0 / 3	0 / 2	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	9 / 17	5 / 10	0 / 3	0 / 1	
Percentage of transfers resulting in live births ^{b,c}	9 / 14	5 / 10	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births ^b	4 / 14	2 / 10	0 / 3	0 / 1	
Percentage of cancellations ^b	2 / 19	4 / 14	0 / 3	1 / 2	
Average number of embryos transferred	2.3	2.5	3.3	4.0	
Percentage of pregnancies with twins ^b	5 / 10	3 / 6			
Percentage of pregnancies with triplets or more ^b	0 / 10	0 / 6			
Percentage of live births having multiple infants ^{b,c}	5 / 9	3 / 5			
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	3	0	0	0
Percentage of transfers resulting in live births ^{b,c}	4 / 7	0 / 3			
Average number of embryos transferred	2.3	2.3			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		64		
Percentage of transfers resulting in live births ^{b,c}			53.1		
Average number of embryos transferred			2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southeastern Fertility Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

KUTTEH KE FERTILITY ASSOCIATES OF MEMPHIS, PLLC MEMPHIS, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a				Patient Diagnosis			
IVF	100%	Procedural Factors:		Tubal factor	5%	Other factor	3%
GIFT	0%	With ICSI	56%	Ovulatory dysfunction	7%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	25%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	31%
		With eSET	4%	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Raymond W. Ke, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	132	43	22	10	3
Percentage of embryos transferred resulting in implantation ^b	48.3	37.8	19.6	7.7	2 / 5
Percentage of cycles resulting in pregnancies ^b	55.3	51.2	31.8	1 / 10	1 / 3
Percentage of cycles resulting in live births ^{b,c}	49.2	44.2	31.8	1 / 10	1 / 3
(Confidence Interval)	(40.4–58.1)	(29.1–60.1)	(13.9–54.9)		
Percentage of retrievals resulting in live births ^{b,c}	52.4	48.7	33.3	1 / 9	1 / 3
Percentage of transfers resulting in live births ^{b,c}	56.5	50.0	33.3	1 / 8	1 / 3
Percentage of transfers resulting in singleton live births ^b	29.6	26.3	23.8	0 / 8	0 / 3
Percentage of cancellations ^b	6.1	9.3	4.5	1 / 10	0 / 3
Average number of embryos transferred	2.1	2.4	2.4	3.3	1.7
Percentage of pregnancies with twins ^b	56.2	45.5	3 / 7	1 / 1	1 / 1
Percentage of pregnancies with triplets or more ^b	0.0	4.5	0 / 7	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	47.7	9 / 19	2 / 7	1 / 1	1 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	29	3	0	0	0
Percentage of transfers resulting in live births ^{b,c}	62.1	1 / 3			
Average number of embryos transferred	2.1	2.3			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	24		4		
Percentage of transfers resulting in live births ^{b,c}	66.7		2 / 4		
Average number of embryos transferred	1.9		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Kutteh Ke Fertility Associates of Memphis, PLLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH NASHVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	1%	Other factor	3%	
GIFT	0%	With ICSI	93%	Ovulatory dysfunction	8%	Unknown factor	1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	1%	Female factors only	9%
		Used PGD	0%	Uterine factor	0%	Female & male factors	68%
		With eSET	0%	Male factor	4%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jaime M. Vasquez, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	39	5	10	2	1
Percentage of embryos transferred resulting in implantation ^b	18.3	1 / 16	20.0	0 / 7	0 / 3
Percentage of cycles resulting in pregnancies ^b	48.7	1 / 5	2 / 10	0 / 2	0 / 1
Percentage of cycles resulting in live births ^{b,c}	25.6	1 / 5	1 / 10	0 / 2	0 / 1
(Confidence Interval)	(13.0–42.1)				
Percentage of retrievals resulting in live births ^{b,c}	27.0	1 / 5	1 / 8	0 / 2	0 / 1
Percentage of transfers resulting in live births ^{b,c}	27.0	1 / 5	1 / 8	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births ^b	18.9	1 / 5	0 / 8	0 / 2	0 / 1
Percentage of cancellations ^b	5.1	0 / 5	2 / 10	0 / 2	0 / 1
Average number of embryos transferred	2.9	3.2	3.1	3.5	3.0
Percentage of pregnancies with twins ^b	1 / 19	0 / 1	0 / 2		
Percentage of pregnancies with triplets or more ^b	2 / 19	0 / 1	1 / 2		
Percentage of live births having multiple infants ^{b,c}	3 / 10	0 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	3	2	2	1
Percentage of transfers resulting in live births ^{b,c}	4 / 10	0 / 3	0 / 2	0 / 2	0 / 1
Average number of embryos transferred	3.0	3.7	1.5	2.5	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	10		7		
Percentage of transfers resulting in live births ^{b,c}	1 / 10		1 / 7		
Average number of embryos transferred	2.9		3.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NASHVILLE FERTILITY CENTER NASHVILLE, TENNESSEE

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	3%	Other factor	1%	
GIFT	0%	With ICSI	69%	Ovulatory dysfunction	2%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	30%
		Used PGD	15%	Uterine factor	<1%	Female & male factors	39%
		With eSET	<1%	Male factor	14%		

2008 PREGNANCY SUCCESS RATES

Data verified by George A. Hill, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	166	80	51	37	5
Percentage of embryos transferred resulting in implantation ^b	36.5	29.8	15.8	4.2	1 / 8
Percentage of cycles resulting in pregnancies ^b	50.6	35.0	31.4	10.8	1 / 5
Percentage of cycles resulting in live births ^{b,c}	48.2	30.0	23.5	5.4	1 / 5
(Confidence Interval)	(40.4–56.1)	(20.3–41.3)	(12.8–37.5)	(0.7–18.2)	
Percentage of retrievals resulting in live births ^{b,c}	54.8	39.3	33.3	7.7	1 / 4
Percentage of transfers resulting in live births ^{b,c}	57.1	40.0	35.3	8.3	1 / 4
Percentage of transfers resulting in singleton live births ^b	39.3	20.0	29.4	8.3	1 / 4
Percentage of cancellations ^b	12.0	23.8	29.4	29.7	1 / 5
Average number of embryos transferred	2.3	2.5	3.0	3.0	2.0
Percentage of pregnancies with twins ^b	33.3	21.4	1 / 16	0 / 4	0 / 1
Percentage of pregnancies with triplets or more ^b	3.6	21.4	1 / 16	0 / 4	0 / 1
Percentage of live births having multiple infants ^{b,c}	31.3	50.0	2 / 12	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	38	32	14	2	0
Percentage of transfers resulting in live births ^{b,c}	44.7	37.5	1 / 14	0 / 2	
Average number of embryos transferred	2.2	2.5	1.9	2.5	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	26		31		
Percentage of transfers resulting in live births ^{b,c}	65.4		29.0		
Average number of embryos transferred	2.1		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Nashville Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

TEXAS FERTILITY CENTER
DRS. VAUGHN, SILVERBERG, HANSARD AND BURGER
AUSTIN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	10%	
GIFT	0%	With ICSI	51%	Ovulatory dysfunction	4%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	9%	Female factors only	28%
		Used PGD	4%	Uterine factor	2%	Female & male factors	17%
		With eSET	3%	Male factor	12%		

2008 PREGNANCY SUCCESS RATES

Data verified by Kaylen Silverberg, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	272	157	122	57	12
Percentage of embryos transferred resulting in implantation ^b	44.7	30.8	18.2	11.5	0 / 19
Percentage of cycles resulting in pregnancies ^b	57.4	44.6	30.3	29.8	0 / 12
Percentage of cycles resulting in live births ^{b,c}	52.2	41.4	20.5	15.8	0 / 12
(Confidence Interval)	(46.1–58.3)	(33.6–49.5)	(13.7–28.7)	(7.5–27.9)	
Percentage of retrievals resulting in live births ^{b,c}	56.6	47.1	24.8	19.1	0 / 5
Percentage of transfers resulting in live births ^{b,c}	57.7	48.5	26.3	20.0	0 / 5
Percentage of transfers resulting in singleton live births ^b	35.4	35.1	14.7	20.0	0 / 5
Percentage of cancellations ^b	7.7	12.1	17.2	17.5	7 / 12
Average number of embryos transferred	2.0	2.4	2.8	3.5	3.8
Percentage of pregnancies with twins ^b	42.9	28.6	29.7	2 / 17	
Percentage of pregnancies with triplets or more ^b	1.3	5.7	5.4	0 / 17	
Percentage of live births having multiple infants ^{b,c}	38.7	27.7	44.0	0 / 9	
Frozen Embryos from Nondonor Eggs					
Number of transfers	58	41	17	8	4
Percentage of transfers resulting in live births ^{b,c}	37.9	14.6	3 / 17	3 / 8	1 / 4
Average number of embryos transferred	1.7	1.6	2.2	1.6	1.8
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	84		22		
Percentage of transfers resulting in live births ^{b,c}	72.6		31.8		
Average number of embryos transferred	2.1		1.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Texas Fertility Center, Drs. Vaughn, Silverberg, Hansard and Burger

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

JEFFREY YOUNGKIN, MD
AUSTIN FERTILITY CENTER
AUSTIN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	17%	Other factor	17%
GIFT	0% With ICSI	36% Ovulatory dysfunction	7%	Unknown factor	17%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	14%	Female factors only	7%
	Used PGD	8% Uterine factor	0%	Female & male factors	14%
	With eSET	0% Male factor	7%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jeffrey T. Youngkin, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	13	7	4	1	0
Percentage of embryos transferred resulting in implantation ^b	60.0	4 / 14	1 / 11	3 / 3	
Percentage of cycles resulting in pregnancies ^b	10 / 13	4 / 7	1 / 4	1 / 1	
Percentage of cycles resulting in live births ^{b,c}	7 / 13	4 / 7	1 / 4	1 / 1	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	7 / 12	4 / 6	1 / 4	1 / 1	
Percentage of transfers resulting in live births ^{b,c}	7 / 12	4 / 6	1 / 4	1 / 1	
Percentage of transfers resulting in singleton live births ^b	2 / 12	4 / 6	1 / 4	0 / 1	
Percentage of cancellations ^b	1 / 13	1 / 7	0 / 4	0 / 1	
Average number of embryos transferred	2.1	2.3	2.8	3.0	
Percentage of pregnancies with twins ^b	6 / 10	0 / 4	0 / 1	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 10	0 / 4	0 / 1	1 / 1	
Percentage of live births having multiple infants ^{b,c}	5 / 7	0 / 4	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	3	1	0	0
Percentage of transfers resulting in live births ^{b,c}		0 / 3	1 / 1		
Average number of embryos transferred		2.0	1.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jeffrey Youngkin, MD, Austin Fertility Center

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ASSISTED REPRODUCTION BEDFORD, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	16%	
GIFT	0%	With ICSI	63%	Ovulatory dysfunction	10%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	4%	Female factors only	6%
		Used PGD	0%	Uterine factor	1%	Female & male factors	13%
		With eSET	6%	Male factor	30%		

2008 PREGNANCY SUCCESS RATES

Data verified by Kevin J. Doody, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	211	75	39	12	15
Percentage of embryos transferred resulting in implantation ^b	47.1	30.0	23.1	19.0	1 / 18
Percentage of cycles resulting in pregnancies ^b	55.5	45.3	41.0	3 / 12	1 / 15
Percentage of cycles resulting in live births ^{b,c}	50.7	37.3	28.2	2 / 12	0 / 15
(Confidence Interval)	(43.8–57.6)	(26.4–49.3)	(15.0–44.9)		
Percentage of retrievals resulting in live births ^{b,c}	52.2	38.4	30.6	2 / 12	0 / 11
Percentage of transfers resulting in live births ^{b,c}	54.6	40.0	33.3	2 / 8	0 / 8
Percentage of transfers resulting in singleton live births ^b	28.1	25.7	21.2	2 / 8	0 / 8
Percentage of cancellations ^b	2.8	2.7	7.7	0 / 12	4 / 15
Average number of embryos transferred	1.9	2.0	2.4	2.6	2.3
Percentage of pregnancies with twins ^b	45.3	35.3	3 / 16	1 / 3	0 / 1
Percentage of pregnancies with triplets or more ^b	1.7	0.0	1 / 16	0 / 3	0 / 1
Percentage of live births having multiple infants ^{b,c}	48.6	35.7	4 / 11	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	81	40	18	6	2
Percentage of transfers resulting in live births ^{b,c}	38.3	32.5	1 / 18	0 / 6	0 / 2
Average number of embryos transferred	1.9	2.0	2.2	2.3	1.5
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	29		48		
Percentage of transfers resulting in live births ^{b,c}	37.9		37.5		
Average number of embryos transferred	1.9		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Assisted Reproduction

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

TEXAS FERTILITY CARROLLTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	0%	Other factor	0%
GIFT	0% With ICSI	67% Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	0%	Female factors only	15%
	Used PGD	0% Uterine factor	0%	Female & male factors	81%
	With eSET	0% Male factor	4%		

2008 PREGNANCY SUCCESS RATES

Data verified by Barry R. Jacobs, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	8	8	4	3	1
Percentage of embryos transferred resulting in implantation ^b	6 / 18	3 / 17	0 / 3	0 / 10	0 / 3
Percentage of cycles resulting in pregnancies ^b	4 / 8	3 / 8	0 / 4	0 / 3	0 / 1
Percentage of cycles resulting in live births ^{b,c}	4 / 8	3 / 8	0 / 4	0 / 3	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	4 / 8	3 / 7	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in live births ^{b,c}	4 / 8	3 / 7	0 / 1	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births ^b	2 / 8	3 / 7	0 / 1	0 / 3	0 / 1
Percentage of cancellations ^b	0 / 8	1 / 8	2 / 4	0 / 3	0 / 1
Average number of embryos transferred	2.3	2.4	3.0	3.3	3.0
Percentage of pregnancies with twins ^b	2 / 4	0 / 3			
Percentage of pregnancies with triplets or more ^b	0 / 4	0 / 3			
Percentage of live births having multiple infants ^{b,c}	2 / 4	0 / 3			
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	2		0		
Percentage of transfers resulting in live births ^{b,c}	0 / 2				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Texas Fertility

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

TRINITY INVITRO FERTILIZATION PROGRAM CARROLLTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	0%	Other factor	20%	
GIFT	0%	With ICSI	75%	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	0%
		Used PGD	0%	Uterine factor	0%	Female & male factors	80%
		With eSET	0%	Male factor	0%		

2008 PREGNANCY SUCCESS RATES

Data verified by W. F. Howard, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	1	0	2	1	0
Percentage of embryos transferred resulting in implantation ^b	1 / 2		0 / 2	0 / 2	
Percentage of cycles resulting in pregnancies ^b	1 / 1		0 / 2	0 / 1	
Percentage of cycles resulting in live births ^{b,c}	1 / 1		0 / 2	0 / 1	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	1 / 1		0 / 1	0 / 1	
Percentage of transfers resulting in live births ^{b,c}	1 / 1		0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births ^b	1 / 1		0 / 1	0 / 1	
Percentage of cancellations ^b	0 / 1		1 / 2	0 / 1	
Average number of embryos transferred	2.0		2.0	2.0	
Percentage of pregnancies with twins ^b	0 / 1				
Percentage of pregnancies with triplets or more ^b	0 / 1				
Percentage of live births having multiple infants ^{b,c}	0 / 1				
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		1		
Percentage of transfers resulting in live births ^{b,c}			0 / 1		
Average number of embryos transferred			2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Trinity InVitro Fertilization Program

Donor egg?	No	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

DALLAS-FORT WORTH FERTILITY ASSOCIATES DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	4%	
GIFT	0%	With ICSI	35%	Ovulatory dysfunction	12%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	19%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	4%	Female factors only	18%
		Used PGD	<1%	Uterine factor	2%	Female & male factors	23%
		With eSET	3%	Male factor	9%		

2008 PREGNANCY SUCCESS RATES

Data verified by Samuel J. Chantilis, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	164	91	75	33	14
Percentage of embryos transferred resulting in implantation ^b	44.6	29.4	26.4	7.5	7.7
Percentage of cycles resulting in pregnancies ^b	58.5	46.2	44.0	24.2	2 / 14
Percentage of cycles resulting in live births ^{b,c}	51.8	38.5	32.0	9.1	2 / 14
(Confidence Interval)	(43.9–59.7)	(28.4–49.2)	(21.7–43.8)	(1.9–24.3)	
Percentage of retrievals resulting in live births ^{b,c}	56.7	43.8	36.4	10.7	2 / 11
Percentage of transfers resulting in live births ^{b,c}	60.3	47.9	40.0	12.5	2 / 11
Percentage of transfers resulting in singleton live births ^b	35.5	38.4	26.7	12.5	1 / 11
Percentage of cancellations ^b	8.5	12.1	12.0	15.2	3 / 14
Average number of embryos transferred	2.1	2.3	2.7	3.3	3.5
Percentage of pregnancies with twins ^b	42.7	11.9	33.3	0 / 8	1 / 2
Percentage of pregnancies with triplets or more ^b	2.1	4.8	3.0	0 / 8	0 / 2
Percentage of live births having multiple infants ^{b,c}	41.2	20.0	33.3	0 / 3	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	21	12	9	2	4
Percentage of transfers resulting in live births ^{b,c}	57.1	6 / 12	5 / 9	1 / 2	2 / 4
Average number of embryos transferred	1.6	1.3	1.4	1.5	1.8
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		52		16	
Percentage of transfers resulting in live births ^{b,c}		67.3		6 / 16	
Average number of embryos transferred		1.9		1.6	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dallas-Fort Worth Fertility Associates

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND ADVANCED REPRODUCTIVE MEDICINE DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	0%	
GIFT	0%	With ICSI	63%	Ovulatory dysfunction	12%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	31%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	4%
		Used PGD	0%	Uterine factor	19%	Female & male factors	8%
		With eSET	8%	Male factor	12%		

2008 PREGNANCY SUCCESS RATES

Data verified by Karen Bradshaw, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	10	2	4	2	1
Percentage of embryos transferred resulting in implantation ^b	4 / 11	0 / 4	0 / 12	0 / 3	0 / 2
Percentage of cycles resulting in pregnancies ^b	2 / 10	1 / 2	0 / 4	0 / 2	0 / 1
Percentage of cycles resulting in live births ^{b,c}	2 / 10	0 / 2	0 / 4	0 / 2	0 / 1
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	2 / 9	0 / 2	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births ^{b,c}	2 / 6	0 / 2	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births ^b	0 / 6	0 / 2	0 / 4	0 / 1	0 / 1
Percentage of cancellations ^b	1 / 10	0 / 2	0 / 4	1 / 2	0 / 1
Average number of embryos transferred	1.8	2.0	3.0	3.0	2.0
Percentage of pregnancies with twins ^b	2 / 2	0 / 1			
Percentage of pregnancies with triplets or more ^b	0 / 2	0 / 1			
Percentage of live births having multiple infants ^{b,c}	2 / 2				
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	4	1	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 1	0 / 4	0 / 1		
Average number of embryos transferred	2.0	2.5	1.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		1		
Percentage of transfers resulting in live births ^{b,c}			0 / 1		
Average number of embryos transferred			2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility and Advanced Reproductive Medicine

Donor egg?	No	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS OF DALLAS, PA DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	15%	Other factor	<1%	
GIFT	0%	With ICSI	33%	Ovulatory dysfunction	8%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	1%	Female factors only	19%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	16%
		With eSET	0%	Male factor	17%		

2008 PREGNANCY SUCCESS RATES

Data verified by Jerald S. Goldstein, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	86	17	12	8	6
Percentage of embryos transferred resulting in implantation ^b	37.7	31.4	25.0	2 / 19	0 / 11
Percentage of cycles resulting in pregnancies ^b	51.2	7 / 17	7 / 12	1 / 8	0 / 6
Percentage of cycles resulting in live births ^{b,c}	47.7	6 / 17	6 / 12	1 / 8	0 / 6
(Confidence Interval)	(36.8–58.7)				
Percentage of retrievals resulting in live births ^{b,c}	56.9	6 / 14	6 / 12	1 / 6	0 / 4
Percentage of transfers resulting in live births ^{b,c}	57.7	6 / 14	6 / 12	1 / 6	0 / 4
Percentage of transfers resulting in singleton live births ^b	36.6	3 / 14	4 / 12	1 / 6	0 / 4
Percentage of cancellations ^b	16.3	3 / 17	0 / 12	2 / 8	2 / 6
Average number of embryos transferred	2.3	2.5	3.0	3.2	2.8
Percentage of pregnancies with twins ^b	38.6	2 / 7	2 / 7	1 / 1	
Percentage of pregnancies with triplets or more ^b	0.0	1 / 7	0 / 7	0 / 1	
Percentage of live births having multiple infants ^{b,c}	36.6	3 / 6	2 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	2	2	0	0
Percentage of transfers resulting in live births ^{b,c}	2 / 3	0 / 2	2 / 2		
Average number of embryos transferred	2.0	1.5	1.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	7		1		
Percentage of transfers resulting in live births ^{b,c}	4 / 7		1 / 1		
Average number of embryos transferred	2.3		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Specialists of Dallas, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCED FERTILITY CENTER
ANIL PINTO, MD, PA
DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	18%	Other factor	0%
GIFT	0%	With ICSI	Ovulatory dysfunction	25%	Unknown factor	12%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	20%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	0%	Female factors only	2%
		Used PGD	Uterine factor	0%	Female & male factors	5%
		With eSET	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by Anil B. M. Pinto, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	22	8	2	0	1
Percentage of embryos transferred resulting in implantation ^b	34.0	7 / 18	1 / 4		0 / 2
Percentage of cycles resulting in pregnancies ^b	59.1	5 / 8	1 / 2		0 / 1
Percentage of cycles resulting in live births ^{b,c}	59.1	5 / 8	1 / 2		0 / 1
(Confidence Interval)	(36.4–79.3)				
Percentage of retrievals resulting in live births ^{b,c}	61.9	5 / 8	1 / 2		0 / 1
Percentage of transfers resulting in live births ^{b,c}	65.0	5 / 7	1 / 1		0 / 1
Percentage of transfers resulting in singleton live births ^b	55.0	3 / 7	1 / 1		0 / 1
Percentage of cancellations ^b	4.5	0 / 8	0 / 2		0 / 1
Average number of embryos transferred	2.5	2.6	4.0		2.0
Percentage of pregnancies with twins ^b	4 / 13	2 / 5	0 / 1		
Percentage of pregnancies with triplets or more ^b	0 / 13	0 / 5	0 / 1		
Percentage of live births having multiple infants ^{b,c}	2 / 13	2 / 5	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	14	2	3	1	0
Percentage of transfers resulting in live births ^{b,c}	9 / 14	0 / 2	1 / 3	0 / 1	
Average number of embryos transferred	2.1	3.0	3.3	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		3		
Percentage of transfers resulting in live births ^{b,c}	4 / 4		0 / 3		
Average number of embryos transferred	2.3		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: ReproMed Fertility Center, Anil Pinto, MD, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-DALLAS DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	13%	
GIFT	0%	With ICSI	91%	Ovulatory dysfunction	3%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	20%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	2%	Female factors only	26%
		Used PGD	30%	Uterine factor	<1%	Female & male factors	23%
		With eSET	3%	Male factor	3%		

2008 PREGNANCY SUCCESS RATES

Data verified by Walid Saleh, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	62	33	21	10	3
Percentage of embryos transferred resulting in implantation ^b	45.5	37.7	8.8	1 / 7	
Percentage of cycles resulting in pregnancies ^b	51.6	36.4	19.0	1 / 10	0 / 3
Percentage of cycles resulting in live births ^{b,c}	48.4	36.4	14.3	1 / 10	0 / 3
(Confidence Interval)	(35.5–61.4)	(20.4–54.9)	(3.0–36.3)		
Percentage of retrievals resulting in live births ^{b,c}	49.2	37.5	3 / 17	1 / 10	0 / 2
Percentage of transfers resulting in live births ^{b,c}	61.2	50.0	3 / 15	1 / 4	
Percentage of transfers resulting in singleton live births ^b	40.8	20.8	3 / 15	1 / 4	
Percentage of cancellations ^b	1.6	3.0	19.0	0 / 10	1 / 3
Average number of embryos transferred	2.1	2.2	2.3	1.8	
Percentage of pregnancies with twins ^b	25.0	6 / 12	0 / 4	0 / 1	
Percentage of pregnancies with triplets or more ^b	9.4	1 / 12	0 / 4	0 / 1	
Percentage of live births having multiple infants ^{b,c}	33.3	7 / 12	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	16	1	7	0	2
Percentage of transfers resulting in live births ^{b,c}	3 / 16	0 / 1	2 / 7		0 / 2
Average number of embryos transferred	2.4	3.0	2.7		2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	19		6		
Percentage of transfers resulting in live births ^{b,c}	7 / 19		2 / 6		
Average number of embryos transferred	2.3		2.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Sher Institute for Reproductive Medicine-Dallas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

TEXAS CENTER FOR REPRODUCTIVE HEALTH DALLAS, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	5%	
GIFT	0%	With ICSI	89%	Ovulatory dysfunction	7%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	1%	Female factors only	21%
		Used PGD	4%	Uterine factor	<1%	Female & male factors	30%
		With eSET	3%	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael Putman, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	40	15	10	3	4
Percentage of embryos transferred resulting in implantation ^b	25.0	34.5	25.0	1 / 8	0 / 11
Percentage of cycles resulting in pregnancies ^b	45.0	9 / 15	7 / 10	1 / 3	0 / 4
Percentage of cycles resulting in live births ^{b,c}	35.0	9 / 15	6 / 10	1 / 3	0 / 4
(Confidence Interval)	(20.6–51.7)				
Percentage of retrievals resulting in live births ^{b,c}	35.0	9 / 14	6 / 9	1 / 3	0 / 4
Percentage of transfers resulting in live births ^{b,c}	35.9	9 / 12	6 / 9	1 / 2	0 / 4
Percentage of transfers resulting in singleton live births ^b	25.6	9 / 12	5 / 9	1 / 2	0 / 4
Percentage of cancellations ^b	0.0	1 / 15	1 / 10	0 / 3	0 / 4
Average number of embryos transferred	2.2	2.4	3.1	4.0	2.8
Percentage of pregnancies with twins ^b	5 / 18	1 / 9	1 / 7	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 18	0 / 9	0 / 7	0 / 1	
Percentage of live births having multiple infants ^{b,c}	4 / 14	0 / 9	1 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	29	13	7	3	3
Percentage of transfers resulting in live births ^{b,c}	51.7	5 / 13	4 / 7	1 / 3	1 / 3
Average number of embryos transferred	2.5	3.1	3.4	3.0	5.3
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	10		9		
Percentage of transfers resulting in live births ^{b,c}	6 / 10		4 / 9		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Texas Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE WOMEN'S PLACE DESOTO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	4%
GIFT	0%	With ICSI	Ovulatory dysfunction	33%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	0%	Female factors only	29%
		Used PGD	Uterine factor	0%	Female & male factors	21%
		With eSET	Male factor	4%		

2008 PREGNANCY SUCCESS RATES

Data verified by Lisa A. King, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	10	0	4	0	0
Percentage of embryos transferred resulting in implantation ^b	31.8		0 / 6		
Percentage of cycles resulting in pregnancies ^b	4 / 10		0 / 4		
Percentage of cycles resulting in live births ^{b,c}	3 / 10		0 / 4		
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	3 / 10		0 / 2		
Percentage of transfers resulting in live births ^{b,c}	3 / 10		0 / 2		
Percentage of transfers resulting in singleton live births ^b	2 / 10		0 / 2		
Percentage of cancellations ^b	0 / 10		2 / 4		
Average number of embryos transferred	2.2		3.0		
Percentage of pregnancies with twins ^b	3 / 4				
Percentage of pregnancies with triplets or more ^b	0 / 4				
Percentage of live births having multiple infants ^{b,c}	1 / 3				
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	2	1	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 4	0 / 2	0 / 1		
Average number of embryos transferred	2.0	2.0	1.0		
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		1		1	
Percentage of transfers resulting in live births ^{b,c}		0 / 1		1 / 1	
Average number of embryos transferred		2.0		2.0	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Women's Place

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST CENTER FOR REPRODUCTIVE HEALTH, PA EL PASO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	2%	
GIFT	0%	With ICSI	90%	Ovulatory dysfunction	5%	Unknown factor	1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	39%
		Used PGD	0%	Uterine factor	2%	Female & male factors	20%
		With eSET	4%	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Luis S. Noble, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	41	24	13	10	0
Percentage of embryos transferred resulting in implantation ^b	48.8	40.0	14.7	18.5	
Percentage of cycles resulting in pregnancies ^b	68.3	50.0	6 / 13	3 / 10	
Percentage of cycles resulting in live births ^{b,c}	61.0	45.8	3 / 13	1 / 10	
(Confidence Interval)	(44.5–75.8)	(25.6–67.2)			
Percentage of retrievals resulting in live births ^{b,c}	61.0	45.8	3 / 13	1 / 9	
Percentage of transfers resulting in live births ^{b,c}	65.8	52.4	3 / 13	1 / 9	
Percentage of transfers resulting in singleton live births ^b	44.7	38.1	3 / 13	1 / 9	
Percentage of cancellations ^b	0.0	0.0	0 / 13	1 / 10	
Average number of embryos transferred	2.2	2.1	2.6	3.0	
Percentage of pregnancies with twins ^b	39.3	4 / 12	0 / 6	0 / 3	
Percentage of pregnancies with triplets or more ^b	3.6	1 / 12	0 / 6	1 / 3	
Percentage of live births having multiple infants ^{b,c}	32.0	3 / 11	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	17	13	5	2	3
Percentage of transfers resulting in live births ^{b,c}	11 / 17	4 / 13	2 / 5	1 / 2	0 / 3
Average number of embryos transferred	1.9	1.8	1.8	2.5	1.7
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	17		4		
Percentage of transfers resulting in live births ^{b,c}	11 / 17		2 / 4		
Average number of embryos transferred	1.8		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Southwest Center for Reproductive Health, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FORT WORTH FERTILITY, PA FORT WORTH, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	12%	
GIFT	0%	With ICSI	63%	Ovulatory dysfunction	9%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	8%
		Used PGD	2%	Uterine factor	0%	Female & male factors	13%
		With eSET	4%	Male factor	24%		

2008 PREGNANCY SUCCESS RATES

Data verified by Robert Kaufmann, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	121	39	31	13	11
Percentage of embryos transferred resulting in implantation ^b	43.2	31.2	14.5	9.1	3.6
Percentage of cycles resulting in pregnancies ^b	59.5	48.7	29.0	3 / 13	1 / 11
Percentage of cycles resulting in live births ^{b,c}	53.7	35.9	25.8	2 / 13	0 / 11
(Confidence Interval)	(44.4–62.8)	(21.2–52.8)	(11.9–44.6)		
Percentage of retrievals resulting in live births ^{b,c}	55.6	37.8	29.6	2 / 12	0 / 10
Percentage of transfers resulting in live births ^{b,c}	58.0	40.0	32.0	2 / 10	0 / 8
Percentage of transfers resulting in singleton live births ^b	40.2	25.7	28.0	1 / 10	0 / 8
Percentage of cancellations ^b	3.3	5.1	12.9	1 / 13	1 / 11
Average number of embryos transferred	2.1	2.2	2.5	3.3	3.5
Percentage of pregnancies with twins ^b	31.9	5 / 19	1 / 9	1 / 3	0 / 1
Percentage of pregnancies with triplets or more ^b	4.2	1 / 19	0 / 9	0 / 3	0 / 1
Percentage of live births having multiple infants ^{b,c}	30.8	5 / 14	1 / 8	1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	15	4	2	0	0
Percentage of transfers resulting in live births ^{b,c}	7 / 15	0 / 4	2 / 2		
Average number of embryos transferred	1.9	1.0	3.0		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	15		1		
Percentage of transfers resulting in live births ^{b,c}	8 / 15		1 / 1		
Average number of embryos transferred	2.2		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fort Worth Fertility, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR WOMEN'S MEDICINE HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	13%	
GIFT	0%	With ICSI	95%	Ovulatory dysfunction	10%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	14%
		Used PGD	9%	Uterine factor	<1%	Female & male factors	37%
		With eSET	0%	Male factor	14%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael A. Allon, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	91	24	23	11	2
Percentage of embryos transferred resulting in implantation ^b	32.6	28.0	27.1	13.6	0 / 3
Percentage of cycles resulting in pregnancies ^b	50.5	37.5	39.1	1 / 11	0 / 2
Percentage of cycles resulting in live births ^{b,c}	48.4	33.3	39.1	1 / 11	0 / 2
(Confidence Interval)	(37.7–59.1)	(15.6–55.3)	(19.7–61.5)		
Percentage of retrievals resulting in live births ^{b,c}	48.4	36.4	40.9	1 / 11	0 / 2
Percentage of transfers resulting in live births ^{b,c}	51.8	38.1	40.9	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births ^b	32.9	23.8	22.7	0 / 8	0 / 1
Percentage of cancellations ^b	0.0	8.3	4.3	0 / 11	0 / 2
Average number of embryos transferred	2.3	2.4	2.2	2.8	3.0
Percentage of pregnancies with twins ^b	37.0	3 / 9	4 / 9	0 / 1	
Percentage of pregnancies with triplets or more ^b	0.0	1 / 9	0 / 9	1 / 1	
Percentage of live births having multiple infants ^{b,c}	36.4	3 / 8	4 / 9	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	17	3	3	0	0
Percentage of transfers resulting in live births ^{b,c}	5 / 17	1 / 3	3 / 3		
Average number of embryos transferred	2.3	2.3	2.7		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	17		5		
Percentage of transfers resulting in live births ^{b,c}	12 / 17		2 / 5		
Average number of embryos transferred	2.2		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Women's Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR ADVANCED REPRODUCTIVE MEDICINE HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	2%	Other factor	5%	
GIFT	0%	With ICSI	85%	Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	2%	Female factors only	6%
		Used PGD	8%	Uterine factor	0%	Female & male factors	62%
		With eSET	0%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by C. James Chuong, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	20	15	10	4	2
Percentage of embryos transferred resulting in implantation ^b	21.0	19.6	5.1	5.0	0 / 2
Percentage of cycles resulting in pregnancies ^b	45.0	8 / 15	3 / 10	1 / 4	0 / 2
Percentage of cycles resulting in live births ^{b,c}	35.0	8 / 15	2 / 10	1 / 4	0 / 2
(Confidence Interval)	(15.4–59.2)				
Percentage of retrievals resulting in live births ^{b,c}	7 / 19	8 / 15	2 / 9	1 / 4	0 / 1
Percentage of transfers resulting in live births ^{b,c}	7 / 18	8 / 14	2 / 9	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births ^b	5 / 18	6 / 14	2 / 9	1 / 4	0 / 1
Percentage of cancellations ^b	5.0	0 / 15	1 / 10	0 / 4	1 / 2
Average number of embryos transferred	3.4	4.0	4.3	5.0	2.0
Percentage of pregnancies with twins ^b	2 / 9	1 / 8	0 / 3	0 / 1	
Percentage of pregnancies with triplets or more ^b	1 / 9	1 / 8	0 / 3	0 / 1	
Percentage of live births having multiple infants ^{b,c}	2 / 7	2 / 8	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 2	1 / 1			
Average number of embryos transferred	4.5	4.0			
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	6		4		
Percentage of transfers resulting in live births ^{b,c}	4 / 6		2 / 4		
Average number of embryos transferred	4.7		4.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cooper Institute for Advanced Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Pending
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS OF HOUSTON HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	11%	
GIFT	0%	With ICSI	81%	Ovulatory dysfunction	4%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	5%	Female factors only	15%
		Used PGD	6%	Uterine factor	<1%	Female & male factors	31%
		With eSET	2%	Male factor	16%		

2008 PREGNANCY SUCCESS RATES

Data verified by George M. Grunert, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	317	182	139	43	31
Percentage of embryos transferred resulting in implantation ^b	32.1	20.9	14.3	8.8	4.8
Percentage of cycles resulting in pregnancies ^b	42.3	31.3	23.0	14.0	9.7
Percentage of cycles resulting in live births ^{b,c}	33.8	24.7	15.8	4.7	6.5
(Confidence Interval)	(28.6–39.3)	(18.6–31.7)	(10.2–23.0)	(0.6–15.8)	(0.8–21.4)
Percentage of retrievals resulting in live births ^{b,c}	39.1	30.0	19.8	6.3	8.0
Percentage of transfers resulting in live births ^{b,c}	42.8	32.8	21.6	8.0	8.7
Percentage of transfers resulting in singleton live births ^b	26.8	25.5	11.8	8.0	4.3
Percentage of cancellations ^b	13.6	17.6	20.1	25.6	19.4
Average number of embryos transferred	2.2	2.3	2.6	2.7	2.7
Percentage of pregnancies with twins ^b	32.1	17.5	28.1	1 / 6	1 / 3
Percentage of pregnancies with triplets or more ^b	3.7	5.3	3.1	0 / 6	0 / 3
Percentage of live births having multiple infants ^{b,c}	37.4	22.2	45.5	0 / 2	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	75	40	34	7	5
Percentage of transfers resulting in live births ^{b,c}	33.3	25.0	14.7	0 / 7	2 / 5
Average number of embryos transferred	2.1	2.2	2.1	2.1	2.4
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	98		25		
Percentage of transfers resulting in live births ^{b,c}	54.1		36.0		
Average number of embryos transferred	2.0		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Specialists of Houston

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON INFERTILITY CLINIC
SONJA KRISTIENSEN, MD
HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	11%
GIFT	0%	With ICSI	Ovulatory dysfunction	2%	Unknown factor	11%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	<1%	Female factors only	2%
		Used PGD	Uterine factor	2%	Female & male factors	11%
		With eSET	Male factor	44%		

2008 PREGNANCY SUCCESS RATES

Data verified by Sonja B. Kristiansen, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	49	16	27	3	2
Percentage of embryos transferred resulting in implantation ^b	28.0	32.1	22.9	2 / 8	0 / 2
Percentage of cycles resulting in pregnancies ^b	44.9	6 / 16	29.6	1 / 3	0 / 2
Percentage of cycles resulting in live births ^{b,c}	32.7	6 / 16	14.8	1 / 3	0 / 2
(Confidence Interval)	(19.9–47.5)		(4.2–33.7)		
Percentage of retrievals resulting in live births ^{b,c}	41.0	6 / 12	4 / 19	1 / 3	0 / 1
Percentage of transfers resulting in live births ^{b,c}	47.1	6 / 11	4 / 14	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births ^b	29.4	5 / 11	3 / 14	0 / 3	0 / 1
Percentage of cancellations ^b	20.4	4 / 16	29.6	0 / 3	1 / 2
Average number of embryos transferred	2.9	2.5	2.5	2.7	2.0
Percentage of pregnancies with twins ^b	27.3	1 / 6	1 / 8	1 / 1	
Percentage of pregnancies with triplets or more ^b	0.0	1 / 6	0 / 8	0 / 1	
Percentage of live births having multiple infants ^{b,c}	6 / 16	1 / 6	1 / 4	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	4	1	0	0
Percentage of transfers resulting in live births ^{b,c}	4 / 7	2 / 4	1 / 1		
Average number of embryos transferred	2.9	2.0	1.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	7		0		
Percentage of transfers resulting in live births ^{b,c}	5 / 7				
Average number of embryos transferred	2.4				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Houston Infertility Clinic, Sonja Kristiansen, MD

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON IVF HOUSTON, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	5%	
GIFT	0%	With ICSI	95%	Ovulatory dysfunction	7%	Unknown factor	26%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	21%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	4%	Female factors only	12%
		Used PGD	2%	Uterine factor	2%	Female & male factors	4%
		With eSET	<1%	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Timothy N. Hickman, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	115	91	75	29	17
Percentage of embryos transferred resulting in implantation ^b	43.3	28.7	20.1	9.3	1.7
Percentage of cycles resulting in pregnancies ^b	67.8	48.4	44.0	37.9	2 / 17
Percentage of cycles resulting in live births ^{b,c}	58.3	37.4	37.3	17.2	0 / 17
(Confidence Interval)	(48.7–67.4)	(27.4–48.1)	(26.4–49.3)	(5.8–35.8)	
Percentage of retrievals resulting in live births ^{b,c}	59.8	38.2	39.4	17.9	0 / 14
Percentage of transfers resulting in live births ^{b,c}	60.9	39.1	39.4	19.2	0 / 14
Percentage of transfers resulting in singleton live births ^b	36.4	20.7	28.2	15.4	0 / 14
Percentage of cancellations ^b	2.6	2.2	5.3	3.4	3 / 17
Average number of embryos transferred	2.1	2.5	3.3	4.1	4.2
Percentage of pregnancies with twins ^b	39.7	34.1	30.3	1 / 11	0 / 2
Percentage of pregnancies with triplets or more ^b	0.0	9.1	6.1	0 / 11	0 / 2
Percentage of live births having multiple infants ^{b,c}	40.3	47.1	28.6	1 / 5	
Frozen Embryos from Nondonor Eggs					
Number of transfers	20	13	8	1	0
Percentage of transfers resulting in live births ^{b,c}	50.0	3 / 13	5 / 8	1 / 1	
Average number of embryos transferred	2.2	2.2	2.3	1.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	31		9		
Percentage of transfers resulting in live births ^{b,c}	64.5		4 / 9		
Average number of embryos transferred	2.0		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Houston IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTH HOUSTON CENTER FOR REPRODUCTIVE MEDICINE, PA
(NHCRM)
HOUSTON, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	3%	
GIFT	0%	With ICSI	85%	Ovulatory dysfunction	6%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	5%	Female factors only	16%
		Used PGD	0%	Uterine factor	1%	Female & male factors	44%
		With eSET	4%	Male factor	9%		

2008 PREGNANCY SUCCESS RATES

Data verified by Dorothy J. Roach, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	32	10	8	7	2
Percentage of embryos transferred resulting in implantation ^b	67.2	11 / 19	5 / 17	0 / 11	0 / 4
Percentage of cycles resulting in pregnancies ^b	87.5	8 / 10	4 / 8	0 / 7	0 / 2
Percentage of cycles resulting in live births ^{b,c}	81.3	6 / 10	3 / 8	0 / 7	0 / 2
(Confidence Interval)	(63.6–92.8)				
Percentage of retrievals resulting in live births ^{b,c}	81.3	6 / 10	3 / 7	0 / 7	0 / 2
Percentage of transfers resulting in live births ^{b,c}	81.3	6 / 10	3 / 6	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births ^b	43.8	3 / 10	3 / 6	0 / 6	0 / 2
Percentage of cancellations ^b	0.0	0 / 10	1 / 8	0 / 7	0 / 2
Average number of embryos transferred	2.1	1.9	2.8	1.8	2.0
Percentage of pregnancies with twins ^b	46.4	3 / 8	1 / 4		
Percentage of pregnancies with triplets or more ^b	7.1	0 / 8	0 / 4		
Percentage of live births having multiple infants ^{b,c}	46.2	3 / 6	0 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	4	5	3	1
Percentage of transfers resulting in live births ^{b,c}	4 / 10	2 / 4	2 / 5	1 / 3	1 / 1
Average number of embryos transferred	2.0	2.3	2.2	3.0	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	5		0		
Percentage of transfers resulting in live births ^{b,c}	3 / 5				
Average number of embryos transferred	1.6				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: North Houston Center for Reproductive Medicine, PA, (NHCRM)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CARE CENTER OF IRVING IRVING, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	9%	
GIFT	0%	With ICSI	64%	Ovulatory dysfunction	4%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	24%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	20%
		Used PGD	0%	Uterine factor	<1%	Female & male factors	22%
		With eSET	4%	Male factor	10%		

2008 PREGNANCY SUCCESS RATES

Data verified by Sy Q. Le, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	137	41	46	10	4
Percentage of embryos transferred resulting in implantation ^b	36.8	30.0	18.9	5 / 18	0 / 6
Percentage of cycles resulting in pregnancies ^b	56.9	46.3	37.0	4 / 10	0 / 4
Percentage of cycles resulting in live births ^{b,c}	49.6	36.6	30.4	3 / 10	0 / 4
(Confidence Interval)	(41.0–58.3)	(22.1–53.1)	(17.7–45.8)		
Percentage of retrievals resulting in live births ^{b,c}	50.4	37.5	34.1	3 / 10	0 / 3
Percentage of transfers resulting in live births ^{b,c}	51.9	40.5	35.9	3 / 8	0 / 3
Percentage of transfers resulting in singleton live births ^b	32.1	35.1	28.2	2 / 8	0 / 3
Percentage of cancellations ^b	1.5	2.4	10.9	0 / 10	1 / 4
Average number of embryos transferred	2.0	2.2	2.4	2.3	2.0
Percentage of pregnancies with twins ^b	34.6	5 / 19	2 / 17	1 / 4	
Percentage of pregnancies with triplets or more ^b	0.0	1 / 19	1 / 17	0 / 4	
Percentage of live births having multiple infants ^{b,c}	38.2	2 / 15	3 / 14	1 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	46	24	17	6	1
Percentage of transfers resulting in live births ^{b,c}	26.1	37.5	9 / 17	1 / 6	0 / 1
Average number of embryos transferred	1.9	1.9	2.0	2.5	2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	29		13		
Percentage of transfers resulting in live births ^{b,c}	55.2		3 / 13		
Average number of embryos transferred	2.0		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Advanced Reproductive Care Center of Irving

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WILFORD HALL MEDICAL CENTER LACKLAND AFB, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	26%	Other factor	2%	
GIFT	0%	With ICSI	40%	Ovulatory dysfunction	5%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	1%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	14%
		Used PGD	0%	Uterine factor	4%	Female & male factors	23%
		With eSET	<1%	Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Matthew G. Retzlaff, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	91	41	23	0	0
Percentage of embryos transferred resulting in implantation ^b	40.9	32.1	13.6		
Percentage of cycles resulting in pregnancies ^b	56.0	53.7	26.1		
Percentage of cycles resulting in live births ^{b,c}	52.7	39.0	21.7		
(Confidence Interval)	(42.0–63.3)	(24.2–55.5)	(7.5–43.7)		
Percentage of retrievals resulting in live births ^{b,c}	53.3	41.0	21.7		
Percentage of transfers resulting in live births ^{b,c}	53.3	42.1	22.7		
Percentage of transfers resulting in singleton live births ^b	28.9	28.9	13.6		
Percentage of cancellations ^b	1.1	4.9	0.0		
Average number of embryos transferred	2.1	2.2	2.7		
Percentage of pregnancies with twins ^b	47.1	27.3	2 / 6		
Percentage of pregnancies with triplets or more ^b	3.9	0.0	0 / 6		
Percentage of live births having multiple infants ^{b,c}	45.8	5 / 16	2 / 5		
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		0		0	
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Wilford Hall Medical Center

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR FERTILITY & REPRODUCTIVE SURGERY
TEXAS TECH UNIVERSITY HEALTH SCIENCES CENTER
LUBBOCK, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	22%	Other factor	3%	
GIFT	0%	With ICSI	24%	Ovulatory dysfunction	6%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	9%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	0%
		Used PGD	0%	Uterine factor	0%	Female & male factors	13%
		With eSET	0%	Male factor	28%		

2008 PREGNANCY SUCCESS RATES

Data verified by Sami I. Jabara, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	16	2	2	1	0
Percentage of embryos transferred resulting in implantation ^b	11.4	0 / 6	0 / 3	0 / 4	
Percentage of cycles resulting in pregnancies ^b	4 / 16	0 / 2	0 / 2	0 / 1	
Percentage of cycles resulting in live births ^{b,c}	3 / 16	0 / 2	0 / 2	0 / 1	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	3 / 16	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in live births ^{b,c}	3 / 16	0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births ^b	3 / 16	0 / 2	0 / 1	0 / 1	
Percentage of cancellations ^b	0 / 16	0 / 2	1 / 2	0 / 1	
Average number of embryos transferred	2.8	3.0	3.0	4.0	
Percentage of pregnancies with twins ^b	1 / 4				
Percentage of pregnancies with triplets or more ^b	0 / 4				
Percentage of live births having multiple infants ^{b,c}	0 / 3				
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	3	1	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 4	0 / 3	0 / 1		
Average number of embryos transferred	2.3	3.0	4.0		
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		2		1	
Percentage of transfers resulting in live births ^{b,c}		1 / 2		0 / 1	
Average number of embryos transferred		2.5		3.0	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center for Fertility & Reproductive Surgery, Texas Tech University Health Sciences Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTRE FOR REPRODUCTIVE MEDICINE LUBBOCK, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	6%	
GIFT	0%	With ICSI	18%	Ovulatory dysfunction	0%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	35%
		Used PGD	1%	Uterine factor	2%	Female & male factors	30%
		With eSET	14%	Male factor	10%		

2008 PREGNANCY SUCCESS RATES

Data verified by Janelle O. Dorsett, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	55	18	17	0	1
Percentage of embryos transferred resulting in implantation ^b	52.4	44.8	26.9		0 / 1
Percentage of cycles resulting in pregnancies ^b	54.5	9 / 18	6 / 17		0 / 1
Percentage of cycles resulting in live births ^{b,c}	54.5	8 / 18	5 / 17		0 / 1
(Confidence Interval)	(40.6–68.0)				
Percentage of retrievals resulting in live births ^{b,c}	57.7	8 / 17	5 / 16		0 / 1
Percentage of transfers resulting in live births ^{b,c}	63.8	8 / 17	5 / 14		0 / 1
Percentage of transfers resulting in singleton live births ^b	36.2	5 / 17	5 / 14		0 / 1
Percentage of cancellations ^b	5.5	1 / 18	1 / 17		0 / 1
Average number of embryos transferred	1.8	1.7	1.9		1.0
Percentage of pregnancies with twins ^b	40.0	4 / 9	1 / 6		
Percentage of pregnancies with triplets or more ^b	3.3	0 / 9	0 / 6		
Percentage of live births having multiple infants ^{b,c}	43.3	3 / 8	0 / 5		
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	0	1	0	1
Percentage of transfers resulting in live births ^{b,c}	5 / 9		0 / 1		0 / 1
Average number of embryos transferred	1.4		2.0		1.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	10		2		
Percentage of transfers resulting in live births ^{b,c}	8 / 10		1 / 2		
Average number of embryos transferred	2.0		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Centre for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE INSTITUTE OF SOUTH TEXAS McALLEN, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	1%
GIFT	0%	With ICSI	Ovulatory dysfunction	3%	Unknown factor	2%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	0%	Female factors only	43%
		Used PGD	Uterine factor	0%	Female & male factors	34%
		With eSET	Male factor	7%		

2008 PREGNANCY SUCCESS RATES

Data verified by Esteban O. Brown, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	39	20	11	4	1
Percentage of embryos transferred resulting in implantation ^b	30.1	26.4	15.6	2 / 7	0 / 1
Percentage of cycles resulting in pregnancies ^b	43.6	40.0	4 / 11	1 / 4	0 / 1
Percentage of cycles resulting in live births ^{b,c}	33.3	30.0	3 / 11	1 / 4	0 / 1
(Confidence Interval)	(19.1–50.2)	(11.9–54.3)			
Percentage of retrievals resulting in live births ^{b,c}	34.2	6 / 18	3 / 11	1 / 4	0 / 1
Percentage of transfers resulting in live births ^{b,c}	38.2	6 / 18	3 / 11	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births ^b	14.7	4 / 18	2 / 11	0 / 3	0 / 1
Percentage of cancellations ^b	2.6	10.0	0 / 11	0 / 4	0 / 1
Average number of embryos transferred	2.7	2.9	2.9	2.3	1.0
Percentage of pregnancies with twins ^b	9 / 17	1 / 8	1 / 4	1 / 1	
Percentage of pregnancies with triplets or more ^b	1 / 17	2 / 8	0 / 4	0 / 1	
Percentage of live births having multiple infants ^{b,c}	8 / 13	2 / 6	1 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	11	2	3	0	0
Percentage of transfers resulting in live births ^{b,c}	4 / 11	0 / 2	2 / 3		
Average number of embryos transferred	2.7	1.5	1.7		
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	5		1		
Percentage of transfers resulting in live births ^{b,c}	2 / 5		0 / 1		
Average number of embryos transferred	2.6		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Institute of South Texas

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

DALLAS IVF PLANO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	5%	
GIFT	0%	With ICSI	58%	Ovulatory dysfunction	6%	Unknown factor	13%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	5%	Female factors only	2%
		Used PGD	<1%	Uterine factor	0%	Female & male factors	17%
		With eSET	3%	Male factor	34%		

2008 PREGNANCY SUCCESS RATES

Data verified by Brian D. Barnett, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	136	63	55	11	3
Percentage of embryos transferred resulting in implantation ^b	48.7	34.8	16.7	14.8	0 / 8
Percentage of cycles resulting in pregnancies ^b	60.3	55.6	27.3	5 / 11	0 / 3
Percentage of cycles resulting in live births ^{b,c}	54.4	46.0	21.8	3 / 11	0 / 3
(Confidence Interval)	(45.7–63.0)	(33.4–59.1)	(11.8–35.0)		
Percentage of retrievals resulting in live births ^{b,c}	56.9	48.3	25.5	3 / 10	0 / 2
Percentage of transfers resulting in live births ^{b,c}	58.3	48.3	26.1	3 / 9	0 / 2
Percentage of transfers resulting in singleton live births ^b	26.8	31.7	17.4	2 / 9	0 / 2
Percentage of cancellations ^b	4.4	4.8	14.5	1 / 11	1 / 3
Average number of embryos transferred	2.1	2.2	2.6	3.0	4.0
Percentage of pregnancies with twins ^b	51.2	37.1	4 / 15	1 / 5	
Percentage of pregnancies with triplets or more ^b	4.9	0.0	1 / 15	0 / 5	
Percentage of live births having multiple infants ^{b,c}	54.1	34.5	4 / 12	1 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	25	16	6	3	1
Percentage of transfers resulting in live births ^{b,c}	56.0	5 / 16	4 / 6	1 / 3	0 / 1
Average number of embryos transferred	1.6	1.5	1.7	1.7	2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	9		4		
Percentage of transfers resulting in live births ^{b,c}	6 / 9		0 / 4		
Average number of embryos transferred	1.8		1.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dallas IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PRESBYTERIAN HOSPITAL PLANO ARTS PLANO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	3%	
GIFT	0%	With ICSI	47%	Ovulatory dysfunction	16%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	6%	Female factors only	14%
		Used PGD	<1%	Uterine factor	1%	Female & male factors	24%
		With eSET	2%	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by Alfred J. Rodriguez, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	146	101	81	33	17
Percentage of embryos transferred resulting in implantation ^b	35.8	25.2	24.4	6.1	20.0
Percentage of cycles resulting in pregnancies ^b	53.4	36.6	39.5	18.2	5 / 17
Percentage of cycles resulting in live births ^{b,c}	49.3	32.7	27.2	9.1	3 / 17
(Confidence Interval)	(41.0–57.7)	(23.7–42.7)	(17.9–38.2)	(1.9–24.3)	
Percentage of retrievals resulting in live births ^{b,c}	51.1	37.5	32.4	11.5	3 / 13
Percentage of transfers resulting in live births ^{b,c}	51.1	38.4	32.8	12.0	3 / 12
Percentage of transfers resulting in singleton live births ^b	32.6	25.6	22.4	12.0	2 / 12
Percentage of cancellations ^b	3.4	12.9	16.0	21.2	4 / 17
Average number of embryos transferred	2.1	2.3	2.5	3.3	2.5
Percentage of pregnancies with twins ^b	42.3	27.0	28.1	0 / 6	1 / 5
Percentage of pregnancies with triplets or more ^b	0.0	5.4	6.3	0 / 6	0 / 5
Percentage of live births having multiple infants ^{b,c}	36.1	33.3	31.8	0 / 3	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of transfers	15	13	10	6	2
Percentage of transfers resulting in live births ^{b,c}	7 / 15	7 / 13	6 / 10	3 / 6	1 / 2
Average number of embryos transferred	1.6	1.5	1.8	1.8	2.0
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		21		5	
Percentage of transfers resulting in live births ^{b,c}		66.7		2 / 5	
Average number of embryos transferred		2.0		1.6	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Presbyterian Hospital Plano ARTS

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SAN ANTONIO SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	14%	Other factor	4%	
GIFT	0%	With ICSI	59%	Ovulatory dysfunction	9%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	4%	Female factors only	12%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	19%
		With eSET	<1%	Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Joseph E. Martin, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	147	75	60	29	12
Percentage of embryos transferred resulting in implantation ^b	41.3	37.5	14.5	7.8	4.2
Percentage of cycles resulting in pregnancies ^b	58.5	50.7	26.7	20.7	2 / 12
Percentage of cycles resulting in live births ^{b,c}	52.4	44.0	15.0	3.4	1 / 12
(Confidence Interval)	(44.0–60.7)	(32.5–55.9)	(7.1–26.6)	(0.1–17.8)	
Percentage of retrievals resulting in live births ^{b,c}	57.9	49.3	18.4	4.0	1 / 11
Percentage of transfers resulting in live births ^{b,c}	59.7	50.8	18.4	4.3	1 / 9
Percentage of transfers resulting in singleton live births ^b	45.0	35.4	14.3	4.3	1 / 9
Percentage of cancellations ^b	9.5	10.7	18.3	13.8	1 / 12
Average number of embryos transferred	2.1	2.1	2.7	2.8	2.7
Percentage of pregnancies with twins ^b	29.1	28.9	2 / 16	0 / 6	0 / 2
Percentage of pregnancies with triplets or more ^b	1.2	2.6	1 / 16	0 / 6	0 / 2
Percentage of live births having multiple infants ^{b,c}	24.7	30.3	2 / 9	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	68	26	22	7	3
Percentage of transfers resulting in live births ^{b,c}	41.2	34.6	27.3	2 / 7	0 / 3
Average number of embryos transferred	1.9	1.8	2.0	2.0	1.3
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	24		18		
Percentage of transfers resulting in live births ^{b,c}	66.7		4 / 18		
Average number of embryos transferred	2.1		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Center of San Antonio

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CONCEPTS SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	0%	Other factor	0%	
GIFT	0%	With ICSI	64%	Ovulatory dysfunction	7%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	7%	Female factors only	33%
		Used PGD	0%	Uterine factor	0%	Female & male factors	47%
		With eSET	0%	Male factor	0%		

2008 PREGNANCY SUCCESS RATES

Data verified by Linda R. Ellsworth, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	5	1	3	3	2
Percentage of embryos transferred resulting in implantation ^b	2 / 11	2 / 4	0 / 4	2 / 14	0 / 2
Percentage of cycles resulting in pregnancies ^b	2 / 5	1 / 1	0 / 3	2 / 3	0 / 2
Percentage of cycles resulting in live births ^{b,c} (Confidence Interval)	2 / 5	1 / 1	0 / 3	1 / 3	0 / 2
Percentage of retrievals resulting in live births ^{b,c}	2 / 3	1 / 1	0 / 1	1 / 3	0 / 1
Percentage of transfers resulting in live births ^{b,c}	2 / 3	1 / 1	0 / 1	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births ^b	2 / 3	0 / 1	0 / 1	1 / 3	0 / 1
Percentage of cancellations ^b	2 / 5	0 / 1	2 / 3	0 / 3	1 / 2
Average number of embryos transferred	3.7	4.0	4.0	4.7	2.0
Percentage of pregnancies with twins ^b	0 / 2	1 / 1		0 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 2	0 / 1		0 / 2	
Percentage of live births having multiple infants ^{b,c}	0 / 2	1 / 1		0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	1	0
Percentage of transfers resulting in live births ^{b,c}				0 / 1	
Average number of embryos transferred				6.0	
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		0		0	
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Concepts

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INSTITUTE FOR WOMEN'S HEALTH
ADVANCED FERTILITY CENTER
SAN ANTONIO, TEXAS**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	18%	Other factor	13%
GIFT	0% With ICSI	80% Ovulatory dysfunction	0%	Unknown factor	8%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	3%	Female factors only	16%
	Used PGD	0% Uterine factor	3%	Female & male factors	24%
	With eSET	0% Male factor	13%		

2008 PREGNANCY SUCCESS RATES

Data verified by Joseph R. Garza, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	11	9	2	2	0
Percentage of embryos transferred resulting in implantation ^b	20.6	0 / 19	0 / 8	0 / 5	
Percentage of cycles resulting in pregnancies ^b	7 / 11	1 / 9	0 / 2	0 / 2	
Percentage of cycles resulting in live births ^{b,c}	3 / 11	0 / 9	0 / 2	0 / 2	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	3 / 11	0 / 5	0 / 2	0 / 2	
Percentage of transfers resulting in live births ^{b,c}	3 / 11	0 / 5	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births ^b	0 / 11	0 / 5	0 / 2	0 / 2	
Percentage of cancellations ^b	0 / 11	4 / 9	0 / 2	0 / 2	
Average number of embryos transferred	3.1	3.8	4.0	2.5	
Percentage of pregnancies with twins ^b	3 / 7	0 / 1			
Percentage of pregnancies with triplets or more ^b	0 / 7	0 / 1			
Percentage of live births having multiple infants ^{b,c}	3 / 3				
Frozen Embryos from Nondonor Eggs					
Number of transfers	6	4	1	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 6	0 / 4	0 / 1		
Average number of embryos transferred	3.2	4.3	4.0		
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		1		1	
Percentage of transfers resulting in live births ^{b,c}		0 / 1		0 / 1	
Average number of embryos transferred		5.0		4.0	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Institute for Women's Health, Advanced Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	<i>(See Appendix C for details.)</i>			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PERINATAL AND FERTILITY SPECIALISTS OF SAN ANTONIO, PA SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	14%	Other factor	0%	
GIFT	0%	With ICSI	89%	Ovulatory dysfunction	3%	Unknown factor	3%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	22%	Female factors only	8%
		Used PGD	0%	Uterine factor	0%	Female & male factors	28%
		With eSET	0%	Male factor	14%		

2008 PREGNANCY SUCCESS RATES

Data verified by Gerard M. Honore, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	12	10	3	2	0
Percentage of embryos transferred resulting in implantation ^b	29.3	7.1	0 / 4	0 / 6	
Percentage of cycles resulting in pregnancies ^b	9 / 12	2 / 10	0 / 3	0 / 2	
Percentage of cycles resulting in live births ^{b,c}	8 / 12	2 / 10	0 / 3	0 / 2	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	8 / 12	2 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in live births ^{b,c}	8 / 12	2 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births ^b	5 / 12	2 / 8	0 / 2	0 / 2	
Percentage of cancellations ^b	0 / 12	2 / 10	1 / 3	0 / 2	
Average number of embryos transferred	3.4	3.5	2.0	3.0	
Percentage of pregnancies with twins ^b	3 / 9	0 / 2			
Percentage of pregnancies with triplets or more ^b	0 / 9	0 / 2			
Percentage of live births having multiple infants ^{b,c}	3 / 8	0 / 2			
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	1	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 2	0 / 1			
Average number of embryos transferred	3.0	4.0			
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Donor Eggs					
Number of transfers	5		1		
Percentage of transfers resulting in live births ^{b,c}	3 / 5		1 / 1		
Average number of embryos transferred	2.6		3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Perinatal and Fertility Specialists of San Antonio, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF TEXAS, PA SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	3%	
GIFT	0%	With ICSI	69%	Ovulatory dysfunction	8%	Unknown factor	8%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	8%
		Used PGD	0%	Uterine factor	2%	Female & male factors	33%
		With eSET	2%	Male factor	23%		

2008 PREGNANCY SUCCESS RATES

Data verified by Francisco Arredondo, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	63	29	23	10	2
Percentage of embryos transferred resulting in implantation ^b	39.4	26.2	8.5	4 / 19	0 / 2
Percentage of cycles resulting in pregnancies ^b	55.6	41.4	17.4	2 / 10	0 / 2
Percentage of cycles resulting in live births ^{b,c}	44.4	34.5	4.3	1 / 10	0 / 2
(Confidence Interval)	(31.9–57.5)	(17.9–54.3)	(0.1–21.9)		
Percentage of retrievals resulting in live births ^{b,c}	47.5	41.7	1 / 19	1 / 8	0 / 2
Percentage of transfers resulting in live births ^{b,c}	48.3	45.5	1 / 17	1 / 6	0 / 1
Percentage of transfers resulting in singleton live births ^b	34.5	27.3	1 / 17	0 / 6	0 / 1
Percentage of cancellations ^b	6.3	17.2	17.4	2 / 10	0 / 2
Average number of embryos transferred	2.3	2.8	2.8	3.2	2.0
Percentage of pregnancies with twins ^b	31.4	3 / 12	0 / 4	0 / 2	
Percentage of pregnancies with triplets or more ^b	11.4	1 / 12	0 / 4	1 / 2	
Percentage of live births having multiple infants ^{b,c}	28.6	4 / 10	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	1	1	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 3	1 / 1	0 / 1		
Average number of embryos transferred	1.7	2.0	2.0		
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		5		0	
Percentage of transfers resulting in live births ^{b,c}		4 / 5			
Average number of embryos transferred		2.6			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine Associates of Texas, PA

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH TEXAS FERTILITY CENTER
UNIVERSITY OF TEXAS HEALTH SCIENCE CENTER-SAN ANTONIO
SAN ANTONIO, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	29%	Other factor	2%	
GIFT	0%	With ICSI	21%	Ovulatory dysfunction	3%	Unknown factor	20%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	6%	Female factors only	7%
		Used PGD	0%	Uterine factor	0%	Female & male factors	9%
		With eSET	2%	Male factor	14%		

2008 PREGNANCY SUCCESS RATES

Data verified by Robert G. Brzyski, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	24	22	25	9	0
Percentage of embryos transferred resulting in implantation ^b	26.3	11.1	12.5	0 / 9	
Percentage of cycles resulting in pregnancies ^b	33.3	13.6	16.0	0 / 9	
Percentage of cycles resulting in live births ^{b,c}	29.2	9.1	12.0	0 / 9	
(Confidence Interval)	(12.6–51.1)	(1.1–29.2)	(2.5–31.2)		
Percentage of retrievals resulting in live births ^{b,c}	31.8	2 / 18	3 / 18	0 / 6	
Percentage of transfers resulting in live births ^{b,c}	7 / 16	2 / 16	3 / 16	0 / 4	
Percentage of transfers resulting in singleton live births ^b	6 / 16	1 / 16	2 / 16	0 / 4	
Percentage of cancellations ^b	8.3	18.2	28.0	3 / 9	
Average number of embryos transferred	2.4	2.3	2.0	2.3	
Percentage of pregnancies with twins ^b	2 / 8	1 / 3	1 / 4		
Percentage of pregnancies with triplets or more ^b	0 / 8	0 / 3	0 / 4		
Percentage of live births having multiple infants ^{b,c}	1 / 7	1 / 2	1 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	12	10	6	1	0
Percentage of transfers resulting in live births ^{b,c}	0 / 12	2 / 10	1 / 6	0 / 1	
Average number of embryos transferred	1.9	1.9	1.8	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	5		3		
Percentage of transfers resulting in live births ^{b,c}	2 / 5		0 / 3		
Average number of embryos transferred	2.0		1.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: University of Texas Medicine Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON FERTILITY INSTITUTE TOMBALL, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	11%	Other factor	4%	
GIFT	0%	With ICSI	93%	Ovulatory dysfunction	4%	Unknown factor	20%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	16%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	11%
		Used PGD	4%	Uterine factor	<1%	Female & male factors	11%
		With eSET	2%	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by Inderbir S. Gill, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	235	103	98	31	9
Percentage of embryos transferred resulting in implantation ^b	43.2	39.8	21.6	11.7	8.7
Percentage of cycles resulting in pregnancies ^b	58.3	59.2	39.8	22.6	2 / 9
Percentage of cycles resulting in live births ^{b,c}	49.4	46.6	32.7	16.1	2 / 9
(Confidence Interval)	(42.8–55.9)	(36.7–56.7)	(23.5–42.9)	(5.5–33.7)	
Percentage of retrievals resulting in live births ^{b,c}	51.3	49.0	36.0	17.9	2 / 9
Percentage of transfers resulting in live births ^{b,c}	53.0	52.7	38.1	21.7	2 / 7
Percentage of transfers resulting in singleton live births ^b	25.1	34.1	33.3	21.7	2 / 7
Percentage of cancellations ^b	3.8	4.9	9.2	9.7	0 / 9
Average number of embryos transferred	2.2	2.3	2.5	2.6	3.3
Percentage of pregnancies with twins ^b	48.2	36.1	12.8	1 / 7	0 / 2
Percentage of pregnancies with triplets or more ^b	5.1	4.9	2.6	0 / 7	0 / 2
Percentage of live births having multiple infants ^{b,c}	52.6	35.4	12.5	0 / 5	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	71	29	29	9	2
Percentage of transfers resulting in live births ^{b,c}	54.9	20.7	10.3	1 / 9	0 / 2
Average number of embryos transferred	2.4	2.2	2.2	2.4	3.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	70		23		
Percentage of transfers resulting in live births ^{b,c}	64.3		43.5		
Average number of embryos transferred	2.2		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Houston Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER OF REPRODUCTIVE MEDICINE (CORM) WEBSTER, TEXAS

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	15%	Other factor	2%	
GIFT	0%	With ICSI	12%	Ovulatory dysfunction	24%	Unknown factor	4%
ZIFT	0%	Unstimulated	4%	Diminished ovarian reserve	15%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	13%	Female factors only	0%
		Used PGD	0%	Uterine factor	6%	Female & male factors	0%
		With eSET	2%	Male factor	21%		

2008 PREGNANCY SUCCESS RATES

Data verified by Vicki L. Schnell, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	234	54	38	7	1
Percentage of embryos transferred resulting in implantation ^b	43.2	40.8	23.5	4 / 10	
Percentage of cycles resulting in pregnancies ^b	55.6	57.4	39.5	2 / 7	0 / 1
Percentage of cycles resulting in live births ^{b,c}	50.0	48.1	31.6	1 / 7	0 / 1
(Confidence Interval)	(43.4–56.6)	(34.3–62.2)	(17.5–48.7)		
Percentage of retrievals resulting in live births ^{b,c}	51.5	60.5	37.5	1 / 3	0 / 1
Percentage of transfers resulting in live births ^{b,c}	53.9	60.5	37.5	1 / 3	
Percentage of transfers resulting in singleton live births ^b	30.4	44.2	25.0	1 / 3	
Percentage of cancellations ^b	3.0	20.4	15.8	4 / 7	0 / 1
Average number of embryos transferred	2.0	2.3	2.5	3.3	
Percentage of pregnancies with twins ^b	46.9	35.5	4 / 15	0 / 2	
Percentage of pregnancies with triplets or more ^b	0.8	0.0	1 / 15	1 / 2	
Percentage of live births having multiple infants ^{b,c}	43.6	26.9	4 / 12	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	43	10	1	1	0
Percentage of transfers resulting in live births ^{b,c}	37.2	2 / 10	1 / 1	0 / 1	
Average number of embryos transferred	2.8	2.9	3.0	2.0	
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		22		27	
Percentage of transfers resulting in live births ^{b,c}		54.5		48.1	
Average number of embryos transferred		2.0		2.6	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Center of Reproductive Medicine (CORM)

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

UTAH CENTER FOR REPRODUCTIVE MEDICINE SALT LAKE CITY, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	5%	
GIFT	0%	With ICSI	53%	Ovulatory dysfunction	5%	Unknown factor	11%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	5%	Female factors only	6%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	25%
		With eSET	0%	Male factor	32%		

2008 PREGNANCY SUCCESS RATES

Data verified by Ahmad O. Hammoud, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	250	69	45	26	5
Percentage of embryos transferred resulting in implantation ^b	42.5	27.5	20.0	28.2	0 / 10
Percentage of cycles resulting in pregnancies ^b	51.6	34.8	28.9	23.1	1 / 5
Percentage of cycles resulting in live births ^{b,c}	46.4	31.9	24.4	19.2	0 / 5
(Confidence Interval)	(40.1–52.8)	(21.2–44.2)	(12.9–39.5)	(6.6–39.4)	
Percentage of retrievals resulting in live births ^{b,c}	56.9	44.0	30.6	5 / 16	0 / 4
Percentage of transfers resulting in live births ^{b,c}	59.2	44.0	31.4	5 / 16	0 / 4
Percentage of transfers resulting in singleton live births ^b	40.3	32.0	20.0	3 / 16	0 / 4
Percentage of cancellations ^b	18.4	27.5	20.0	38.5	1 / 5
Average number of embryos transferred	2.1	2.2	2.3	2.4	2.5
Percentage of pregnancies with twins ^b	35.7	33.3	4 / 13	5 / 6	0 / 1
Percentage of pregnancies with triplets or more ^b	2.3	0.0	0 / 13	0 / 6	0 / 1
Percentage of live births having multiple infants ^{b,c}	31.9	27.3	4 / 11	2 / 5	
Frozen Embryos from Nondonor Eggs					
Number of transfers	66	9	14	6	1
Percentage of transfers resulting in live births ^{b,c}	28.8	1 / 9	4 / 14	1 / 6	1 / 1
Average number of embryos transferred	2.3	2.3	2.3	2.2	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	32		7		
Percentage of transfers resulting in live births ^{b,c}	56.3		1 / 7		
Average number of embryos transferred	2.1		2.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Utah Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE CENTER SANDY, UTAH

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	2%	
GIFT	0%	With ICSI	63%	Ovulatory dysfunction	7%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	10%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	1%	Endometriosis	5%	Female factors only	7%
		Used PGD	5%	Uterine factor	2%	Female & male factors	26%
		With eSET	1%	Male factor	30%		

2008 PREGNANCY SUCCESS RATES

Data verified by Keith L. Blauer, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	197	39	21	11	3
Percentage of embryos transferred resulting in implantation ^b	39.1	29.7	14.6	5.0	0 / 9
Percentage of cycles resulting in pregnancies ^b	53.3	38.5	23.8	1 / 11	0 / 3
Percentage of cycles resulting in live births ^{b,c}	47.2	28.2	19.0	1 / 11	0 / 3
(Confidence Interval)	(40.1–54.4)	(15.0–44.9)	(5.4–41.9)		
Percentage of retrievals resulting in live births ^{b,c}	49.2	32.4	4 / 19	1 / 8	0 / 2
Percentage of transfers resulting in live births ^{b,c}	52.5	33.3	4 / 16	1 / 7	0 / 2
Percentage of transfers resulting in singleton live births ^b	36.7	21.2	3 / 16	1 / 7	0 / 2
Percentage of cancellations ^b	4.1	12.8	9.5	3 / 11	1 / 3
Average number of embryos transferred	2.1	2.2	2.6	2.9	4.5
Percentage of pregnancies with twins ^b	34.3	7 / 15	0 / 5	0 / 1	
Percentage of pregnancies with triplets or more ^b	1.9	0 / 15	1 / 5	0 / 1	
Percentage of live births having multiple infants ^{b,c}	30.1	4 / 11	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	60	14	5	4	4
Percentage of transfers resulting in live births ^{b,c}	41.7	6 / 14	1 / 5	2 / 4	2 / 4
Average number of embryos transferred	2.1	2.4	2.2	2.8	1.5
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	26		4		
Percentage of transfers resulting in live births ^{b,c}	57.7		3 / 4		
Average number of embryos transferred	1.9		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Care Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

VERMONT CENTER FOR REPRODUCTIVE MEDICINE BURLINGTON, VERMONT

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	10%	Other factor	2%
GIFT	0% With ICSI	56%	Ovulatory dysfunction	2%	Unknown factor
ZIFT	0% Unstimulated	<1%	Diminished ovarian reserve	11%	<i>Multiple Factors:</i>
Combination	0% Used gestational carrier	0%	Endometriosis	<1%	Female factors only
	Used PGD	<1%	Uterine factor	<1%	Female & male factors
	With eSET	4%	Male factor	34%	19%

2008 PREGNANCY SUCCESS RATES

Data verified by Peter R. Casson, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	40	33	23	10	0
Percentage of embryos transferred resulting in implantation ^b	43.3	31.3	28.9	1 / 19	
Percentage of cycles resulting in pregnancies ^b	55.0	33.3	39.1	1 / 10	
Percentage of cycles resulting in live births ^{b,c}	52.5	27.3	30.4	0 / 10	
(Confidence Interval)	(36.1–68.5)	(13.3–45.5)	(13.2–52.9)		
Percentage of retrievals resulting in live births ^{b,c}	63.6	34.6	7 / 17	0 / 10	
Percentage of transfers resulting in live births ^{b,c}	65.6	40.9	7 / 17	0 / 9	
Percentage of transfers resulting in singleton live births ^b	46.9	22.7	6 / 17	0 / 9	
Percentage of cancellations ^b	17.5	21.2	26.1	0 / 10	
Average number of embryos transferred	2.1	2.2	2.2	2.1	
Percentage of pregnancies with twins ^b	31.8	3 / 11	2 / 9	0 / 1	
Percentage of pregnancies with triplets or more ^b	0.0	1 / 11	0 / 9	0 / 1	
Percentage of live births having multiple infants ^{b,c}	28.6	4 / 9	1 / 7		
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	2	7	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 4	0 / 2	1 / 7		
Average number of embryos transferred	1.8	1.5	2.1		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
	Number of transfers	7	3		
	Percentage of transfers resulting in live births ^{b,c}	4 / 7	1 / 3		
Average number of embryos transferred	1.6	2.3			

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Vermont Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NANCY DURSO, MD, PC
METRO FERTILITY CARE
ALEXANDRIA, VIRGINIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	18%	Other factor	9%
GIFT	0%	With ICSI	Ovulatory dysfunction	12%	Unknown factor	12%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	0%	Female factors only	5%
		Used PGD	Uterine factor	<1%	Female & male factors	26%
		With eSET	Male factor	17%		

2008 PREGNANCY SUCCESS RATES

Data verified by Nancy M. Durso, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	39	17	28	13	1
Percentage of embryos transferred resulting in implantation ^b	37.3	10.0	22.4	0.0	0 / 4
Percentage of cycles resulting in pregnancies ^b	41.0	4 / 17	32.1	0 / 13	1 / 1
Percentage of cycles resulting in live births ^{b,c}	35.9	3 / 17	25.0	0 / 13	0 / 1
(Confidence Interval)	(21.2–52.8)		(10.7–44.9)		
Percentage of retrievals resulting in live births ^{b,c}	40.0	3 / 17	29.2	0 / 12	0 / 1
Percentage of transfers resulting in live births ^{b,c}	43.8	3 / 16	35.0	0 / 11	0 / 1
Percentage of transfers resulting in singleton live births ^b	28.1	3 / 16	25.0	0 / 11	0 / 1
Percentage of cancellations ^b	10.3	0 / 17	14.3	1 / 13	0 / 1
Average number of embryos transferred	2.1	2.5	2.5	2.5	4.0
Percentage of pregnancies with twins ^b	7 / 16	0 / 4	2 / 9		0 / 1
Percentage of pregnancies with triplets or more ^b	1 / 16	0 / 4	1 / 9		0 / 1
Percentage of live births having multiple infants ^{b,c}	5 / 14	0 / 3	2 / 7		
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}	2 / 5				
Average number of embryos transferred	2.8				
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Nancy Durso, MD, PC, Metro Fertility Care

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON FERTILITY CENTER ANNANDALE, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	3%	Other factor	4%
GIFT	0%	With ICSI	Ovulatory dysfunction	2%	Unknown factor	2%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	32%	Multiple Factors:	
Combination	0%	Used gestational carrier	Endometriosis	2%	Female factors only	4%
		Used PGD	Uterine factor	2%	Female & male factors	24%
		With eSET	Male factor	26%		

2008 PREGNANCY SUCCESS RATES

Data verified by Pierre Asmar, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	30	21	22	2	2
Percentage of embryos transferred resulting in implantation ^b	13.3	22.6	3.8	2 / 6	0 / 3
Percentage of cycles resulting in pregnancies ^b	23.3	38.1	13.6	2 / 2	0 / 2
Percentage of cycles resulting in live births ^{b,c}	23.3	33.3	9.1	2 / 2	0 / 2
(Confidence Interval)	(9.9–42.3)	(14.6–57.0)	(1.1–29.2)		
Percentage of retrievals resulting in live births ^{b,c}	25.0	35.0	10.0	2 / 2	0 / 1
Percentage of transfers resulting in live births ^{b,c}	28.0	35.0	2 / 18	2 / 2	0 / 1
Percentage of transfers resulting in singleton live births ^b	24.0	15.0	2 / 18	2 / 2	0 / 1
Percentage of cancellations ^b	6.7	4.8	9.1	0 / 2	1 / 2
Average number of embryos transferred	2.4	2.7	2.9	3.0	3.0
Percentage of pregnancies with twins ^b	1 / 7	4 / 8	0 / 3	0 / 2	
Percentage of pregnancies with triplets or more ^b	0 / 7	0 / 8	0 / 3	0 / 2	
Percentage of live births having multiple infants ^{b,c}	1 / 7	4 / 7	0 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	52		0		
Percentage of transfers resulting in live births ^{b,c}	30.8				
Average number of embryos transferred	2.1				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Washington Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

DOMINION FERTILITY AND ENDOCRINOLOGY ARLINGTON, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	13%	
GIFT	0%	With ICSI	66%	Ovulatory dysfunction	5%	Unknown factor	11%
ZIFT	0%	Unstimulated	28%	Diminished ovarian reserve	18%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	<1%	Female factors only	7%
		Used PGD	<1%	Uterine factor	<1%	Female & male factors	21%
		With eSET	6%	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael DiMattina, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	132	60	34	14	2
Percentage of embryos transferred resulting in implantation ^b	24.0	24.7	12.2	0.0	0 / 1
Percentage of cycles resulting in pregnancies ^b	22.7	31.7	23.5	0 / 14	0 / 2
Percentage of cycles resulting in live births ^{b,c}	21.2	25.0	17.6	0 / 14	0 / 2
(Confidence Interval)	(14.6–29.2)	(14.7–37.9)	(6.8–34.5)		
Percentage of retrievals resulting in live births ^{b,c}	21.9	26.3	19.4	0 / 14	0 / 2
Percentage of transfers resulting in live births ^{b,c}	32.2	35.7	20.7	0 / 12	0 / 1
Percentage of transfers resulting in singleton live births ^b	25.3	35.7	13.8	0 / 12	0 / 1
Percentage of cancellations ^b	3.0	5.0	8.8	0 / 14	0 / 2
Average number of embryos transferred	1.8	1.9	2.6	4.4	1.0
Percentage of pregnancies with twins ^b	23.3	2 / 19	2 / 8		
Percentage of pregnancies with triplets or more ^b	0.0	0 / 19	0 / 8		
Percentage of live births having multiple infants ^{b,c}	21.4	0 / 15	2 / 6		
Frozen Embryos from Nondonor Eggs					
Number of transfers	39	23	11	3	3
Percentage of transfers resulting in live births ^{b,c}	28.2	34.8	2 / 11	1 / 3	1 / 3
Average number of embryos transferred	1.5	1.7	1.8	4.3	3.3
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	32		38		
Percentage of transfers resulting in live births ^{b,c}	40.6		34.2		
Average number of embryos transferred	1.9		1.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Dominion Fertility and Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND SURGERY CENTER OF VIRGINIA, PLC CHARLOTTESVILLE, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	4%	
GIFT	0%	With ICSI	64%	Ovulatory dysfunction	6%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	16%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	9%	Female factors only	12%
		Used PGD	2%	Uterine factor	<1%	Female & male factors	19%
		With eSET	<1%	Male factor	22%		

2008 PREGNANCY SUCCESS RATES

Data verified by Christopher D. Williams, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	91	38	30	8	0
Percentage of embryos transferred resulting in implantation ^b	33.9	23.8	8.4	4.8	
Percentage of cycles resulting in pregnancies ^b	45.1	36.8	16.7	2 / 8	
Percentage of cycles resulting in live births ^{b,c}	40.7	28.9	13.3	1 / 8	
(Confidence Interval)	(30.5–51.5)	(15.4–45.9)	(3.8–30.7)		
Percentage of retrievals resulting in live births ^{b,c}	45.1	35.5	15.4	1 / 7	
Percentage of transfers resulting in live births ^{b,c}	46.8	36.7	16.7	1 / 7	
Percentage of transfers resulting in singleton live births ^b	26.6	26.7	12.5	1 / 7	
Percentage of cancellations ^b	9.9	18.4	13.3	1 / 8	
Average number of embryos transferred	2.2	2.7	3.5	3.0	
Percentage of pregnancies with twins ^b	43.9	3 / 14	2 / 5	0 / 2	
Percentage of pregnancies with triplets or more ^b	2.4	1 / 14	0 / 5	0 / 2	
Percentage of live births having multiple infants ^{b,c}	43.2	3 / 11	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	25	10	2	1	0
Percentage of transfers resulting in live births ^{b,c}	28.0	3 / 10	2 / 2	0 / 1	
Average number of embryos transferred	2.2	2.1	1.5	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	30		9		
Percentage of transfers resulting in live births ^{b,c}	70.0		1 / 9		
Average number of embryos transferred	2.1		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Medicine and Surgery Center of Virginia, PLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENETICS & IVF INSTITUTE FAIRFAX, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	3%	Other factor	18%	
GIFT	0%	With ICSI	78%	Ovulatory dysfunction	1%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	<1%	Female factors only	11%
		Used PGD	29%	Uterine factor	<1%	Female & male factors	32%
		With eSET	4%	Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by Ervin E. Jones, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	157	90	105	32	17
Percentage of embryos transferred resulting in implantation ^b	28.0	21.9	10.5	6.7	7.0
Percentage of cycles resulting in pregnancies ^b	37.6	31.1	20.0	9.4	1 / 17
Percentage of cycles resulting in live births ^{b,c}	31.8	21.1	13.3	6.3	0 / 17
(Confidence Interval)	(24.6–39.7)	(13.2–31.0)	(7.5–21.4)	(0.8–20.8)	
Percentage of retrievals resulting in live births ^{b,c}	33.6	21.6	14.7	7.1	0 / 15
Percentage of transfers resulting in live births ^{b,c}	37.6	28.4	17.3	8.7	0 / 11
Percentage of transfers resulting in singleton live births ^b	26.3	17.9	14.8	8.7	0 / 11
Percentage of cancellations ^b	5.1	2.2	9.5	12.5	2 / 17
Average number of embryos transferred	2.1	2.3	2.7	2.6	3.9
Percentage of pregnancies with twins ^b	25.4	28.6	4.8	1 / 3	0 / 1
Percentage of pregnancies with triplets or more ^b	5.1	0.0	9.5	0 / 3	1 / 1
Percentage of live births having multiple infants ^{b,c}	30.0	7 / 19	2 / 14	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	24	11	13	1	3
Percentage of transfers resulting in live births ^{b,c}	37.5	3 / 11	2 / 13	0 / 1	1 / 3
Average number of embryos transferred	1.9	1.8	1.8	3.0	2.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	137		66		
Percentage of transfers resulting in live births ^{b,c}	59.9		30.3		
Average number of embryos transferred	2.1		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Genetics & IVF Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE MUASHER CENTER FOR FERTILITY AND IVF FAIRFAX, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	2%	
GIFT	0%	With ICSI	66%	Ovulatory dysfunction	8%	Unknown factor	21%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	16%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	6%
		Used PGD	0%	Uterine factor	0%	Female & male factors	14%
		With eSET	0%	Male factor	24%		

2008 PREGNANCY SUCCESS RATES

Data verified by Suheil J. Muasher, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	45	25	28	16	2
Percentage of embryos transferred resulting in implantation ^b	25.5	23.2	10.6	10.5	0 / 3
Percentage of cycles resulting in pregnancies ^b	42.2	40.0	28.6	6 / 16	0 / 2
Percentage of cycles resulting in live births ^{b,c}	40.0	32.0	17.9	3 / 16	0 / 2
(Confidence Interval)	(25.7–55.7)	(14.9–53.5)	(6.1–36.9)		
Percentage of retrievals resulting in live births ^{b,c}	42.9	32.0	19.2	3 / 16	0 / 2
Percentage of transfers resulting in live births ^{b,c}	42.9	32.0	20.8	3 / 15	0 / 1
Percentage of transfers resulting in singleton live births ^b	35.7	20.0	16.7	3 / 15	0 / 1
Percentage of cancellations ^b	6.7	0.0	7.1	0 / 16	0 / 2
Average number of embryos transferred	2.2	2.8	2.8	2.5	3.0
Percentage of pregnancies with twins ^b	5 / 19	4 / 10	1 / 8	0 / 6	
Percentage of pregnancies with triplets or more ^b	0 / 19	2 / 10	0 / 8	0 / 6	
Percentage of live births having multiple infants ^{b,c}	3 / 18	3 / 8	1 / 5	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 3				
Average number of embryos transferred	2.3				
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		3		
Percentage of transfers resulting in live births ^{b,c}	1 / 3		2 / 3		
Average number of embryos transferred	2.3		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Muasher Center for Fertility and IVF

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE FOR REPRODUCTIVE MEDICINE NORFOLK, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	12%	Other factor	6%	
GIFT	0%	With ICSI	76%	Ovulatory dysfunction	7%	Unknown factor	6%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	15%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	4%	Female factors only	19%
		Used PGD	2%	Uterine factor	2%	Female & male factors	18%
		With eSET	<1%	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Laurel A. Stadtmauer, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	142	61	47	23	13
Percentage of embryos transferred resulting in implantation ^b	34.6	21.6	16.5	11.8	1 / 15
Percentage of cycles resulting in pregnancies ^b	45.1	32.8	25.5	17.4	1 / 13
Percentage of cycles resulting in live births ^{b,c}	41.5	23.0	17.0	8.7	1 / 13
(Confidence Interval)	(33.3–50.1)	(13.2–35.5)	(7.6–30.8)	(1.1–28.0)	
Percentage of retrievals resulting in live births ^{b,c}	43.4	24.6	20.0	2 / 18	1 / 9
Percentage of transfers resulting in live births ^{b,c}	45.4	25.5	21.6	2 / 15	1 / 8
Percentage of transfers resulting in singleton live births ^b	29.2	21.8	18.9	2 / 15	1 / 8
Percentage of cancellations ^b	4.2	6.6	14.9	21.7	4 / 13
Average number of embryos transferred	2.0	2.0	2.1	2.3	1.9
Percentage of pregnancies with twins ^b	40.6	20.0	1 / 12	0 / 4	0 / 1
Percentage of pregnancies with triplets or more ^b	0.0	0.0	0 / 12	0 / 4	0 / 1
Percentage of live births having multiple infants ^{b,c}	35.6	2 / 14	1 / 8	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	39	16	22	8	1
Percentage of transfers resulting in live births ^{b,c}	25.6	3 / 16	18.2	2 / 8	0 / 1
Average number of embryos transferred	2.1	2.6	2.2	2.6	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	39		18		
Percentage of transfers resulting in live births ^{b,c}	46.2		6 / 18		
Average number of embryos transferred	2.0		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Jones Institute for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIRGINIA CENTER FOR REPRODUCTIVE MEDICINE RESTON, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	2%	Other factor	10%	
GIFT	0%	With ICSI	98%	Ovulatory dysfunction	2%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	7%	Endometriosis	2%	Female factors only	17%
		Used PGD	0%	Uterine factor	2%	Female & male factors	43%
		With eSET	4%	Male factor	10%		

2008 PREGNANCY SUCCESS RATES

Data verified by Fady I. Sharara, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	43	30	23	10	5
Percentage of embryos transferred resulting in implantation ^b	50.0	38.6	19.4	20.0	3 / 13
Percentage of cycles resulting in pregnancies ^b	76.7	53.3	60.9	4 / 10	2 / 5
Percentage of cycles resulting in live births ^{b,c}	67.4	53.3	34.8	3 / 10	2 / 5
(Confidence Interval)	(51.5–80.9)	(34.3–71.7)	(16.4–57.3)		
Percentage of retrievals resulting in live births ^{b,c}	67.4	55.2	34.8	3 / 9	2 / 5
Percentage of transfers resulting in live births ^{b,c}	67.4	55.2	34.8	3 / 9	2 / 5
Percentage of transfers resulting in singleton live births ^b	34.9	41.4	34.8	3 / 9	2 / 5
Percentage of cancellations ^b	0.0	3.3	0.0	1 / 10	0 / 5
Average number of embryos transferred	2.2	2.4	2.7	2.2	2.6
Percentage of pregnancies with twins ^b	45.5	6 / 16	2 / 14	0 / 4	1 / 2
Percentage of pregnancies with triplets or more ^b	0.0	1 / 16	0 / 14	0 / 4	0 / 2
Percentage of live births having multiple infants ^{b,c}	48.3	4 / 16	0 / 8	0 / 3	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	1	4	0	1
Percentage of transfers resulting in live births ^{b,c}	0 / 4	0 / 1	1 / 4		1 / 1
Average number of embryos transferred	2.0	2.0	2.0		2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	18		6		
Percentage of transfers resulting in live births ^{b,c}	15 / 18		2 / 6		
Average number of embryos transferred	2.0		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Virginia Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF VIRGINIA RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	15%	Other factor	<1%	
GIFT	0%	With ICSI	78%	Ovulatory dysfunction	9%	Unknown factor	14%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	10%	Female factors only	9%
		Used PGD	2%	Uterine factor	1%	Female & male factors	9%
		With eSET	1%	Male factor	25%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael C. Edelstein, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	63	66	32	25	6
Percentage of embryos transferred resulting in implantation ^b	37.3	30.5	21.7	7.1	3 / 15
Percentage of cycles resulting in pregnancies ^b	52.4	51.5	37.5	16.0	2 / 6
Percentage of cycles resulting in live births ^{b,c}	46.0	43.9	31.3	8.0	2 / 6
(Confidence Interval)	(33.4–59.1)	(31.7–56.7)	(16.1–50.0)	(1.0–26.0)	
Percentage of retrievals resulting in live births ^{b,c}	47.5	46.8	35.7	9.5	2 / 5
Percentage of transfers resulting in live births ^{b,c}	53.7	50.0	38.5	10.0	2 / 5
Percentage of transfers resulting in singleton live births ^b	35.2	36.2	19.2	10.0	1 / 5
Percentage of cancellations ^b	3.2	6.1	12.5	16.0	1 / 6
Average number of embryos transferred	2.2	2.6	3.2	3.5	3.0
Percentage of pregnancies with twins ^b	42.4	29.4	4 / 12	0 / 4	1 / 2
Percentage of pregnancies with triplets or more ^b	0.0	5.9	1 / 12	1 / 4	0 / 2
Percentage of live births having multiple infants ^{b,c}	34.5	27.6	5 / 10	0 / 2	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	51	29	18	0	5
Percentage of transfers resulting in live births ^{b,c}	39.2	34.5	7 / 18		1 / 5
Average number of embryos transferred	2.7	2.8	3.3		3.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	9		11		
Percentage of transfers resulting in live births ^{b,c}	8 / 9		7 / 11		
Average number of embryos transferred	2.2		2.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Fertility Institute of Virginia

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIFESOURCE FERTILITY CENTER RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis					
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	7%	
GIFT	0%	With ICSI	80%	Ovulatory dysfunction	4%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	3%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	<1%	Female factors only	13%
		Used PGD	5%	Uterine factor	3%	Female & male factors	28%
		With eSET	2%	Male factor	32%		

2008 PREGNANCY SUCCESS RATES

Data verified by Joseph G. Gianfortoni, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	35	9	12	0	0
Percentage of embryos transferred resulting in implantation ^b	43.6	3 / 18	35.3		
Percentage of cycles resulting in pregnancies ^b	51.4	3 / 9	10 / 12		
Percentage of cycles resulting in live births ^{b,c}	37.1	1 / 9	8 / 12		
(Confidence Interval)	(21.5–55.1)				
Percentage of retrievals resulting in live births ^{b,c}	41.9	1 / 9	8 / 12		
Percentage of transfers resulting in live births ^{b,c}	48.1	1 / 7	8 / 12		
Percentage of transfers resulting in singleton live births ^b	33.3	1 / 7	6 / 12		
Percentage of cancellations ^b	11.4	0 / 9	0 / 12		
Average number of embryos transferred	2.0	2.6	2.8		
Percentage of pregnancies with twins ^b	7 / 18	0 / 3	2 / 10		
Percentage of pregnancies with triplets or more ^b	0 / 18	0 / 3	0 / 10		
Percentage of live births having multiple infants ^{b,c}	4 / 13	0 / 1	2 / 8		
Frozen Embryos from Nondonor Eggs					
Number of transfers	23	11	9	0	0
Percentage of transfers resulting in live births ^{b,c}	39.1	3 / 11	2 / 9		
Average number of embryos transferred	2.0	2.2	2.6		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	2		3		
Percentage of transfers resulting in live births ^{b,c}	1 / 2		1 / 3		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: LifeSource Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE RICHMOND CENTER FOR FERTILITY AND ENDOCRINOLOGY RICHMOND, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	2%	
GIFT	0%	With ICSI	76%	Ovulatory dysfunction	4%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	4%	Female factors only	7%
		Used PGD	3%	Uterine factor	1%	Female & male factors	33%
		With eSET	<1%	Male factor	26%		

2008 PREGNANCY SUCCESS RATES

Data verified by Sanford M. Rosenberg, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	49	36	27	18	2
Percentage of embryos transferred resulting in implantation ^b	37.6	27.2	11.1	15.2	0 / 7
Percentage of cycles resulting in pregnancies ^b	46.9	41.7	25.9	5 / 18	0 / 2
Percentage of cycles resulting in live births ^{b,c}	40.8	36.1	18.5	3 / 18	0 / 2
(Confidence Interval)	(27.0–55.8)	(20.8–53.8)	(6.3–38.1)		
Percentage of retrievals resulting in live births ^{b,c}	41.7	39.4	21.7	3 / 12	0 / 2
Percentage of transfers resulting in live births ^{b,c}	46.5	41.9	22.7	3 / 12	0 / 2
Percentage of transfers resulting in singleton live births ^b	25.6	25.8	22.7	1 / 12	0 / 2
Percentage of cancellations ^b	2.0	8.3	14.8	6 / 18	0 / 2
Average number of embryos transferred	2.2	2.6	2.9	3.8	3.5
Percentage of pregnancies with twins ^b	21.7	3 / 15	0 / 7	1 / 5	
Percentage of pregnancies with triplets or more ^b	17.4	2 / 15	0 / 7	1 / 5	
Percentage of live births having multiple infants ^{b,c}	45.0	5 / 13	0 / 5	2 / 3	
Frozen Embryos from Nondonor Eggs					
Number of transfers	23	11	9	4	3
Percentage of transfers resulting in live births ^{b,c}	52.2	2 / 11	1 / 9	0 / 4	0 / 3
Average number of embryos transferred	2.3	2.7	2.8	3.0	2.3
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	7		9		
Percentage of transfers resulting in live births ^{b,c}	4 / 7		3 / 9		
Average number of embryos transferred	1.9		1.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Richmond Center for Fertility and Endocrinology

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			<i>(See Appendix C for details.)</i>	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEW HOPE CENTER FOR REPRODUCTIVE MEDICINE VIRGINIA BEACH, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	13%	Other factor	9%	
GIFT	0%	With ICSI	65%	Ovulatory dysfunction	5%	Unknown factor	<1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	15%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	5%	Female factors only	21%
		Used PGD	9%	Uterine factor	4%	Female & male factors	17%
		With eSET	2%	Male factor	11%		

2008 PREGNANCY SUCCESS RATES

Data verified by Robin L. Poe-Zeigler, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	91	42	51	12	8
Percentage of embryos transferred resulting in implantation ^b	34.5	21.2	13.5	2 / 16	0 / 16
Percentage of cycles resulting in pregnancies ^b	49.5	35.7	25.5	1 / 12	0 / 8
Percentage of cycles resulting in live births ^{b,c}	38.5	26.2	13.7	0 / 12	0 / 8
(Confidence Interval)	(28.4–49.2)	(13.9–42.0)	(5.7–26.3)		
Percentage of retrievals resulting in live births ^{b,c}	40.7	27.5	17.5	0 / 11	0 / 6
Percentage of transfers resulting in live births ^{b,c}	44.9	30.6	20.6	0 / 7	0 / 5
Percentage of transfers resulting in singleton live births ^b	34.6	22.2	17.6	0 / 7	0 / 5
Percentage of cancellations ^b	5.5	4.8	21.6	1 / 12	2 / 8
Average number of embryos transferred	2.1	2.4	2.8	2.3	3.2
Percentage of pregnancies with twins ^b	31.1	3 / 15	2 / 13	1 / 1	
Percentage of pregnancies with triplets or more ^b	2.2	0 / 15	0 / 13	0 / 1	
Percentage of live births having multiple infants ^{b,c}	22.9	3 / 11	1 / 7		
Frozen Embryos from Nondonor Eggs					
Number of transfers	32	16	3	3	1
Percentage of transfers resulting in live births ^{b,c}	31.3	5 / 16	3 / 3	1 / 3	0 / 1
Average number of embryos transferred	2.2	2.3	2.0	3.3	1.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	30		29		
Percentage of transfers resulting in live births ^{b,c}	36.7		27.6		
Average number of embryos transferred	2.6		2.5		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The New Hope Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

FRANCISCO M. IRIANNI, MD, INFERTILITY CLINIC WINCHESTER, VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	2%	Other factor	0%	
GIFT	0%	With ICSI	50%	Ovulatory dysfunction	2%	Unknown factor	4%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	4%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	29%
		Used PGD	0%	Uterine factor	0%	Female & male factors	56%
		With eSET	0%	Male factor	2%		

2008 PREGNANCY SUCCESS RATES

Data verified by Francisco M. Irianni, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	19	8	7	0	0
Percentage of embryos transferred resulting in implantation ^b	17.1	2 / 18	0 / 11		
Percentage of cycles resulting in pregnancies ^b	5 / 19	2 / 8	0 / 7		
Percentage of cycles resulting in live births ^{b,c}	4 / 19	2 / 8	0 / 7		
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	4 / 17	2 / 8	0 / 4		
Percentage of transfers resulting in live births ^{b,c}	4 / 17	2 / 7	0 / 3		
Percentage of transfers resulting in singleton live births ^b	3 / 17	2 / 7	0 / 3		
Percentage of cancellations ^b	2 / 19	0 / 8	3 / 7		
Average number of embryos transferred	2.1	2.6	3.7		
Percentage of pregnancies with twins ^b	1 / 5	0 / 2			
Percentage of pregnancies with triplets or more ^b	0 / 5	0 / 2			
Percentage of live births having multiple infants ^{b,c}	1 / 4	0 / 2			
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	0	1	1	0
Percentage of transfers resulting in live births ^{b,c}	0 / 3		0 / 1	0 / 1	
Average number of embryos transferred	2.3		4.0	2.0	
All Ages Combined^e					
Donor Eggs		Fresh Embryos		Frozen Embryos	
Number of transfers		5		1	
Percentage of transfers resulting in live births ^{b,c}		2 / 5		0 / 1	
Average number of embryos transferred		2.4		2.0	

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Francisco M. Irianni, MD, Infertility Clinic

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

OVERLAKE REPRODUCTIVE HEALTH INC., PS BELLEVUE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis				
IVF	100% Procedural Factors:	Tubal factor	0%	Other factor	0%	
GIFT	0% With ICSI	36%	Ovulatory dysfunction	4%	Unknown factor	<1%
ZIFT	0% Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	<1%	Endometriosis	<1%	Female factors only	44%
	Used PGD	10%	Uterine factor	0%	Female & male factors	44%
	With eSET	2%	Male factor	2%		

2008 PREGNANCY SUCCESS RATES

Data verified by Kevin M. Johnson, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	43	28	18	3	4
Percentage of embryos transferred resulting in implantation ^b	35.6	22.8	30.0	1 / 8	1 / 17
Percentage of cycles resulting in pregnancies ^b	58.1	42.9	9 / 18	1 / 3	1 / 4
Percentage of cycles resulting in live births ^{b,c}	46.5	28.6	7 / 18	0 / 3	0 / 4
(Confidence Interval)	(31.2–62.3)	(13.2–48.7)			
Percentage of retrievals resulting in live births ^{b,c}	50.0	32.0	7 / 15	0 / 3	0 / 3
Percentage of transfers resulting in live births ^{b,c}	50.0	33.3	7 / 15	0 / 3	0 / 3
Percentage of transfers resulting in singleton live births ^b	35.0	20.8	4 / 15	0 / 3	0 / 3
Percentage of cancellations ^b	7.0	10.7	3 / 18	0 / 3	1 / 4
Average number of embryos transferred	2.3	2.4	2.7	2.7	5.7
Percentage of pregnancies with twins ^b	32.0	3 / 12	4 / 9	0 / 1	0 / 1
Percentage of pregnancies with triplets or more ^b	0.0	0 / 12	0 / 9	0 / 1	0 / 1
Percentage of live births having multiple infants ^{b,c}	30.0	3 / 8	3 / 7		
Frozen Embryos from Nondonor Eggs					
Number of transfers	9	1	5	1	0
Percentage of transfers resulting in live births ^{b,c}	1 / 9	0 / 1	2 / 5	0 / 1	
Average number of embryos transferred	1.7	2.0	1.4	2.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	3		7		
Percentage of transfers resulting in live births ^{b,c}	3 / 3		4 / 7		
Average number of embryos transferred	2.0		2.4		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Overlake Reproductive Health Inc., PS

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON CENTER FOR REPRODUCTIVE MEDICINE BELLEVUE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	42%	
GIFT	0%	With ICSI	83%	Ovulatory dysfunction	3%	Unknown factor	5%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	12%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	2%	Female factors only	5%
		Used PGD	35%	Uterine factor	3%	Female & male factors	5%
		With eSET	6%	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by James I. Kustin, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	45	20	19	7	3
Percentage of embryos transferred resulting in implantation ^b	42.5	39.5	25.0	1 / 12	0 / 5
Percentage of cycles resulting in pregnancies ^b	55.6	45.0	5 / 19	1 / 7	0 / 3
Percentage of cycles resulting in live births ^{b,c}	44.4	40.0	2 / 19	1 / 7	0 / 3
(Confidence Interval)	(29.6–60.0)	(19.1–63.9)			
Percentage of retrievals resulting in live births ^{b,c}	45.5	8 / 18	2 / 17	1 / 7	0 / 3
Percentage of transfers resulting in live births ^{b,c}	50.0	8 / 15	2 / 15	1 / 5	0 / 3
Percentage of transfers resulting in singleton live births ^b	30.0	3 / 15	2 / 15	1 / 5	0 / 3
Percentage of cancellations ^b	2.2	10.0	2 / 19	0 / 7	0 / 3
Average number of embryos transferred	2.2	2.5	2.1	2.4	1.7
Percentage of pregnancies with twins ^b	32.0	4 / 9	0 / 5	0 / 1	
Percentage of pregnancies with triplets or more ^b	8.0	1 / 9	1 / 5	0 / 1	
Percentage of live births having multiple infants ^{b,c}	40.0	5 / 8	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	10	2	0	2
Percentage of transfers resulting in live births ^{b,c}	1 / 10	2 / 10	1 / 2		0 / 2
Average number of embryos transferred	2.3	2.3	3.5		3.5
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	14		9		
Percentage of transfers resulting in live births ^{b,c}	8 / 14		1 / 9		
Average number of embryos transferred	2.7		2.9		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Washington Center for Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

BELLINGHAM IVF & FERTILITY CARE BELLINGHAM, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	3%	Other factor	5%
GIFT	0% With ICSI	84% Ovulatory dysfunction	10%	Unknown factor	0%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	16%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	<1%	Female factors only	21%
	0% Used PGD	0% Uterine factor	0%	Female & male factors	26%
	0% With eSET	0% Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Emmett Branigan, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	24	9	16	1	1
Percentage of embryos transferred resulting in implantation ^b	24.5	14.3	8.5	1 / 3	
Percentage of cycles resulting in pregnancies ^b	62.5	5 / 9	6 / 16	1 / 1	0 / 1
Percentage of cycles resulting in live births ^{b,c}	50.0	3 / 9	2 / 16	1 / 1	0 / 1
(Confidence Interval)	(29.1–70.9)				
Percentage of retrievals resulting in live births ^{b,c}	52.2	3 / 9	2 / 16	1 / 1	0 / 1
Percentage of transfers resulting in live births ^{b,c}	54.5	3 / 9	2 / 15	1 / 1	
Percentage of transfers resulting in singleton live births ^b	54.5	3 / 9	2 / 15	1 / 1	
Percentage of cancellations ^b	4.2	0 / 9	0 / 16	0 / 1	0 / 1
Average number of embryos transferred	2.2	2.3	3.1	3.0	
Percentage of pregnancies with twins ^b	0 / 15	0 / 5	1 / 6	0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 15	0 / 5	0 / 6	0 / 1	
Percentage of live births having multiple infants ^{b,c}	0 / 12	0 / 3	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	5	7	0	1
Percentage of transfers resulting in live births ^{b,c}	2 / 7	0 / 5	2 / 7		0 / 1
Average number of embryos transferred	2.1	2.6	2.9		3.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	22		14		
Percentage of transfers resulting in live births ^{b,c}	68.2		5 / 14		
Average number of embryos transferred	2.0		2.1		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Bellingham IVF & Fertility Care

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWEST CENTER FOR REPRODUCTIVE SCIENCES KIRKLAND, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	5%	Other factor	6%	
GIFT	0%	With ICSI	45%	Ovulatory dysfunction	10%	Unknown factor	12%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	21%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	6%	Female factors only	12%
		Used PGD	6%	Uterine factor	<1%	Female & male factors	13%
		With eSET	7%	Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by Michael S. Opsahl, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	139	69	54	13	8
Percentage of embryos transferred resulting in implantation ^b	48.4	25.0	21.1	5.7	3.7
Percentage of cycles resulting in pregnancies ^b	61.2	37.7	44.4	2 / 13	1 / 8
Percentage of cycles resulting in live births ^{b,c}	56.8	33.3	29.6	2 / 13	1 / 8
(Confidence Interval)	(48.2–65.2)	(22.4–45.7)	(18.0–43.6)		
Percentage of retrievals resulting in live births ^{b,c}	61.2	40.4	34.0	2 / 11	1 / 8
Percentage of transfers resulting in live births ^{b,c}	62.7	40.4	37.2	2 / 11	1 / 7
Percentage of transfers resulting in singleton live births ^b	32.5	24.6	27.9	2 / 11	1 / 7
Percentage of cancellations ^b	7.2	17.4	13.0	2 / 13	0 / 8
Average number of embryos transferred	2.2	2.9	3.4	3.2	3.9
Percentage of pregnancies with twins ^b	38.8	34.6	25.0	0 / 2	0 / 1
Percentage of pregnancies with triplets or more ^b	10.6	7.7	4.2	0 / 2	0 / 1
Percentage of live births having multiple infants ^{b,c}	48.1	39.1	4 / 16	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of transfers	19	9	4	0	1
Percentage of transfers resulting in live births ^{b,c}	9 / 19	3 / 9	1 / 4		0 / 1
Average number of embryos transferred	1.9	1.8	2.0		3.0
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	34		19		
Percentage of transfers resulting in live births ^{b,c}	61.8		12 / 19		
Average number of embryos transferred	2.2		1.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Northwest Center for Reproductive Sciences

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

OLYMPIA WOMEN'S HEALTH OLYMPIA, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	4%	Other factor	13%
GIFT	0% With ICSI	0% Ovulatory dysfunction	27%	Unknown factor	19%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	15%	Female factors only	4%
	0% Used PGD	0% Uterine factor	0%	Female & male factors	4%
	4% With eSET	4% Male factor	8%		

2008 PREGNANCY SUCCESS RATES

Data verified by James F. Moruzzi, MD, PhD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	18	8	7	2	2
Percentage of embryos transferred resulting in implantation ^b	29.2	4 / 13	1 / 13	1 / 5	2 / 5
Percentage of cycles resulting in pregnancies ^b	6 / 18	3 / 8	1 / 7	1 / 2	2 / 2
Percentage of cycles resulting in live births ^{b,c}	6 / 18	3 / 8	1 / 7	1 / 2	2 / 2
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	6 / 15	3 / 7	1 / 6	1 / 2	2 / 2
Percentage of transfers resulting in live births ^{b,c}	6 / 13	3 / 6	1 / 6	1 / 2	2 / 2
Percentage of transfers resulting in singleton live births ^b	5 / 13	2 / 6	1 / 6	1 / 2	2 / 2
Percentage of cancellations ^b	3 / 18	1 / 8	1 / 7	0 / 2	0 / 2
Average number of embryos transferred	1.8	2.2	2.2	2.5	2.5
Percentage of pregnancies with twins ^b	1 / 6	1 / 3	0 / 1	0 / 1	0 / 2
Percentage of pregnancies with triplets or more ^b	0 / 6	0 / 3	0 / 1	0 / 1	0 / 2
Percentage of live births having multiple infants ^{b,c}	1 / 6	1 / 3	0 / 1	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	2	0	0	0
Percentage of transfers resulting in live births ^{b,c}	2 / 5	1 / 2			
Average number of embryos transferred	1.8	2.0			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	2		1		
Percentage of transfers resulting in live births ^{b,c}	2 / 2		1 / 1		
Average number of embryos transferred	2.0		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Olympia Women's Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC NORTHWEST FERTILITY AND IVF SPECIALISTS SEATTLE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	4%	Other factor	12%	
GIFT	0%	With ICSI	78%	Ovulatory dysfunction	5%	Unknown factor	13%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	26%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	3%	Female factors only	4%
		Used PGD	2%	Uterine factor	0%	Female & male factors	10%
		With eSET	7%	Male factor	22%		

2008 PREGNANCY SUCCESS RATES

Data verified by Lorna A. Marshall, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	117	69	83	28	7
Percentage of embryos transferred resulting in implantation ^b	42.8	33.9	17.6	17.7	0 / 16
Percentage of cycles resulting in pregnancies ^b	59.0	43.5	36.1	39.3	0 / 7
Percentage of cycles resulting in live births ^{b,c}	50.4	39.1	24.1	32.1	0 / 7
(Confidence Interval)	(41.0–59.8)	(27.6–51.6)	(15.4–34.7)	(15.9–52.4)	
Percentage of retrievals resulting in live births ^{b,c}	53.2	46.6	32.3	40.9	0 / 4
Percentage of transfers resulting in live births ^{b,c}	54.6	47.4	32.8	40.9	0 / 4
Percentage of transfers resulting in singleton live births ^b	37.0	36.8	27.9	31.8	0 / 4
Percentage of cancellations ^b	5.1	15.9	25.3	21.4	3 / 7
Average number of embryos transferred	2.0	2.0	2.7	3.6	4.0
Percentage of pregnancies with twins ^b	33.3	33.3	20.0	4 / 11	
Percentage of pregnancies with triplets or more ^b	2.9	0.0	0.0	0 / 11	
Percentage of live births having multiple infants ^{b,c}	32.2	22.2	15.0	2 / 9	
Frozen Embryos from Nondonor Eggs					
Number of transfers	41	30	21	10	9
Percentage of transfers resulting in live births ^{b,c}	53.7	56.7	38.1	2 / 10	1 / 9
Average number of embryos transferred	2.0	1.9	2.0	1.9	1.6
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	96		69		
Percentage of transfers resulting in live births ^{b,c}	67.7		37.7		
Average number of embryos transferred	1.5		1.7		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Pacific Northwest Fertility and IVF Specialists

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SEATTLE REPRODUCTIVE MEDICINE
INTEGRATED AMERICA
SEATTLE, WASHINGTON**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	9%	Other factor	6%	
GIFT	0%	With ICSI	61%	Ovulatory dysfunction	6%	Unknown factor	11%
ZIFT	0%	Unstimulated	<1%	Diminished ovarian reserve	21%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	4%	Female factors only	10%
		Used PGD	<1%	Uterine factor	2%	Female & male factors	13%
		With eSET	6%	Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Nancy A. Klein, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	232	136	154	58	21
Percentage of embryos transferred resulting in implantation ^b	41.2	32.9	21.3	15.1	11.1
Percentage of cycles resulting in pregnancies ^b	54.7	49.3	36.4	25.9	14.3
Percentage of cycles resulting in live births ^{b,c}	46.1	40.4	25.3	17.2	9.5
(Confidence Interval)	(39.6–52.8)	(32.1–49.2)	(18.7–33.0)	(8.6–29.4)	(1.2–30.4)
Percentage of retrievals resulting in live births ^{b,c}	48.6	45.8	27.7	21.3	2 / 17
Percentage of transfers resulting in live births ^{b,c}	51.2	47.4	29.5	23.8	2 / 15
Percentage of transfers resulting in singleton live births ^b	35.9	37.1	21.2	16.7	1 / 15
Percentage of cancellations ^b	5.2	11.8	8.4	19.0	19.0
Average number of embryos transferred	1.9	2.0	2.4	3.0	3.0
Percentage of pregnancies with twins ^b	30.7	22.4	25.0	4 / 15	0 / 3
Percentage of pregnancies with triplets or more ^b	0.8	0.0	3.6	1 / 15	1 / 3
Percentage of live births having multiple infants ^{b,c}	29.9	21.8	28.2	3 / 10	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of transfers	59	26	28	11	1
Percentage of transfers resulting in live births ^{b,c}	30.5	30.8	35.7	2 / 11	0 / 1
Average number of embryos transferred	2.0	2.1	2.1	2.5	1.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	162		62		
Percentage of transfers resulting in live births ^{b,c}	62.3		24.2		
Average number of embryos transferred	1.7		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Seattle Reproductive Medicine, Integrated America

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY SPOKANE, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	3%	
GIFT	0%	With ICSI	69%	Ovulatory dysfunction	5%	Unknown factor	7%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	7%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	2%	Endometriosis	3%	Female factors only	6%
		Used PGD	0%	Uterine factor	1%	Female & male factors	28%
		With eSET	2%	Male factor	34%		

2008 PREGNANCY SUCCESS RATES

Data verified by Edwin Robins, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	130	42	19	3	1
Percentage of embryos transferred resulting in implantation ^b	37.6	27.7	21.1	1 / 9	0 / 5
Percentage of cycles resulting in pregnancies ^b	53.1	50.0	9 / 19	1 / 3	0 / 1
Percentage of cycles resulting in live births ^{b,c}	44.6	40.5	9 / 19	1 / 3	0 / 1
(Confidence Interval)	(35.9–53.6)	(25.6–56.7)			
Percentage of retrievals resulting in live births ^{b,c}	47.5	53.1	9 / 17	1 / 2	0 / 1
Percentage of transfers resulting in live births ^{b,c}	51.8	54.8	9 / 17	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births ^b	32.1	38.7	6 / 17	1 / 2	0 / 1
Percentage of cancellations ^b	6.2	23.8	2 / 19	1 / 3	0 / 1
Average number of embryos transferred	2.2	2.7	3.4	4.5	5.0
Percentage of pregnancies with twins ^b	36.2	23.8	3 / 9	0 / 1	
Percentage of pregnancies with triplets or more ^b	2.9	0.0	0 / 9	0 / 1	
Percentage of live births having multiple infants ^{b,c}	37.9	5 / 17	3 / 9	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	19	10	7	2	0
Percentage of transfers resulting in live births ^{b,c}	6 / 19	5 / 10	3 / 7	0 / 2	
Average number of embryos transferred	2.4	2.4	2.4	2.0	
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	24		9		
Percentage of transfers resulting in live births ^{b,c}	66.7		4 / 9		
Average number of embryos transferred	2.0		2.3		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: The Center for Reproductive Health

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

GYFT CLINIC, PLLC TACOMA, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	14%	Other factor	0%
GIFT	0%	With ICSI	Ovulatory dysfunction	4%	Unknown factor	5%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	17%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	1%	Female factors only	18%
		Used PGD	Uterine factor	3%	Female & male factors	28%
		With eSET	Male factor	10%		

2008 PREGNANCY SUCCESS RATES

Data verified by Joseph A. Robinette, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	30	11	10	6	2
Percentage of embryos transferred resulting in implantation ^b	11.7	20.9	5.0	0 / 12	
Percentage of cycles resulting in pregnancies ^b	43.3	5 / 11	1 / 10	0 / 6	0 / 2
Percentage of cycles resulting in live births ^{b,c}	36.7	5 / 11	1 / 10	0 / 6	0 / 2
(Confidence Interval)	(19.9–56.1)				
Percentage of retrievals resulting in live births ^{b,c}	37.9	5 / 10	1 / 7	0 / 6	0 / 2
Percentage of transfers resulting in live births ^{b,c}	37.9	5 / 10	1 / 7	0 / 5	
Percentage of transfers resulting in singleton live births ^b	34.5	3 / 10	1 / 7	0 / 5	
Percentage of cancellations ^b	3.3	1 / 11	3 / 10	0 / 6	0 / 2
Average number of embryos transferred	4.1	4.3	2.9	2.4	
Percentage of pregnancies with twins ^b	1 / 13	1 / 5	0 / 1		
Percentage of pregnancies with triplets or more ^b	0 / 13	1 / 5	0 / 1		
Percentage of live births having multiple infants ^{b,c}	1 / 11	2 / 5	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	7	1	2	0	1
Percentage of transfers resulting in live births ^{b,c}	4 / 7	0 / 1	2 / 2		0 / 1
Average number of embryos transferred	3.1	4.0	4.5		2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	7		0		
Percentage of transfers resulting in live births ^{b,c}	4 / 7				
Average number of embryos transferred	4.4				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: GYFT Clinic, PLLC

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

MADIGAN ARMY MEDICAL CENTER TACOMA, WASHINGTON

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	25%	Other factor	1%	
GIFT	0%	With ICSI	48%	Ovulatory dysfunction	8%	Unknown factor	1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	7%	Female factors only	14%
		Used PGD	0%	Uterine factor	0%	Female & male factors	10%
		With eSET	10%	Male factor	25%		

2008 PREGNANCY SUCCESS RATES

Data verified by Greg E. Chow, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	48	15	10	4	0
Percentage of embryos transferred resulting in implantation ^b	40.5	42.3	4 / 18	0 / 3	
Percentage of cycles resulting in pregnancies ^b	56.3	8 / 15	4 / 10	0 / 4	
Percentage of cycles resulting in live births ^{b,c}	52.1	7 / 15	2 / 10	0 / 4	
(Confidence Interval)	(37.2–66.7)				
Percentage of retrievals resulting in live births ^{b,c}	55.6	7 / 13	2 / 8	0 / 2	
Percentage of transfers resulting in live births ^{b,c}	55.6	7 / 12	2 / 8	0 / 2	
Percentage of transfers resulting in singleton live births ^b	40.0	5 / 12	2 / 8	0 / 2	
Percentage of cancellations ^b	6.3	2 / 15	2 / 10	2 / 4	
Average number of embryos transferred	1.9	2.2	2.3	1.5	
Percentage of pregnancies with twins ^b	29.6	3 / 8	1 / 4		
Percentage of pregnancies with triplets or more ^b	0.0	0 / 8	0 / 4		
Percentage of live births having multiple infants ^{b,c}	28.0	2 / 7	0 / 2		
Frozen Embryos from Nondonor Eggs					
Number of transfers	3	3	0	0	0
Percentage of transfers resulting in live births ^{b,c}	3 / 3	0 / 3			
Average number of embryos transferred	2.7	2.7			
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Madigan Army Medical Center

Donor egg?	Yes	Gestational carriers?	No	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	No	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY FERTILITY CENTER CHARLESTON, WEST VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	67%	Procedural Factors:	Tubal factor	7%	Other factor	0%	
GIFT	33%	With ICSI	8%	Ovulatory dysfunction	7%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	13%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	53%
		Used PGD	0%	Uterine factor	0%	Female & male factors	13%
		With eSET	0%	Male factor	7%		

2008 PREGNANCY SUCCESS RATES

Data verified by Pickens A. Gantt, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	7	3	0	2	0
Percentage of embryos transferred resulting in implantation ^b	13.6	1 / 6		1 / 9	
Percentage of cycles resulting in pregnancies ^b	2 / 7	1 / 3		1 / 2	
Percentage of cycles resulting in live births ^{b,c}	2 / 7	1 / 3		1 / 2	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	2 / 7	1 / 3		1 / 2	
Percentage of transfers resulting in live births ^{b,c}	2 / 7	1 / 3		1 / 2	
Percentage of transfers resulting in singleton live births ^b	1 / 7	1 / 3		1 / 2	
Percentage of cancellations ^b	0 / 7	0 / 3		0 / 2	
Average number of embryos transferred	3.1	2.0		4.5	
Percentage of pregnancies with twins ^b	1 / 2	0 / 1		0 / 1	
Percentage of pregnancies with triplets or more ^b	0 / 2	0 / 1		0 / 1	
Percentage of live births having multiple infants ^{b,c}	1 / 2	0 / 1		0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 1				
Average number of embryos transferred	2.0				
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		2		
Percentage of transfers resulting in live births ^{b,c}			1 / 2		
Average number of embryos transferred			3.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: West Virginia University Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	No
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CABELL HUNTINGTON HOSPITAL
CENTER FOR ADVANCED REPRODUCTIVE MEDICINE
HUNTINGTON, WEST VIRGINIA**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	17%	Other factor	20%
GIFT	0%	With ICSI	Ovulatory dysfunction	9%	Unknown factor	0%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	6%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	Endometriosis	6%	Female factors only	17%
		Used PGD	Uterine factor	0%	Female & male factors	6%
		With eSET	Male factor	20%		

2008 PREGNANCY SUCCESS RATES

Data verified by William N. Burns, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	16	8	4	0	2
Percentage of embryos transferred resulting in implantation ^b	42.4	9 / 19	0 / 9		0 / 4
Percentage of cycles resulting in pregnancies ^b	9 / 16	7 / 8	1 / 4		0 / 2
Percentage of cycles resulting in live births ^{b,c}	7 / 16	6 / 8	0 / 4		0 / 2
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	7 / 14	6 / 8	0 / 4		0 / 2
Percentage of transfers resulting in live births ^{b,c}	7 / 13	6 / 8	0 / 3		0 / 2
Percentage of transfers resulting in singleton live births ^b	3 / 13	3 / 8	0 / 3		0 / 2
Percentage of cancellations ^b	2 / 16	0 / 8	0 / 4		0 / 2
Average number of embryos transferred	2.5	2.4	3.0		2.0
Percentage of pregnancies with twins ^b	3 / 9	3 / 7	0 / 1		
Percentage of pregnancies with triplets or more ^b	1 / 9	0 / 7	0 / 1		
Percentage of live births having multiple infants ^{b,c}	4 / 7	3 / 6			
Frozen Embryos from Nondonor Eggs					
Number of transfers	0	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	2		0		
Percentage of transfers resulting in live births ^{b,c}	1 / 2				
Average number of embryos transferred	2.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Cabell Huntington Hospital, Center for Advanced Reproductive Medicine

Donor egg?	Yes	Gestational carriers?	No	SART member?	No
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE MORGANTOWN, WEST VIRGINIA

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	0%	
GIFT	0%	With ICSI	71%	Ovulatory dysfunction	7%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	4%
		Used PGD	0%	Uterine factor	0%	Female & male factors	65%
		With eSET	0%	Male factor	9%		

2008 PREGNANCY SUCCESS RATES

Data verified by Roger C. Toffle, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	23	12	6	2	1
Percentage of embryos transferred resulting in implantation ^b	33.3	13.8	1 / 12	0 / 6	0 / 3
Percentage of cycles resulting in pregnancies ^b	43.5	3 / 12	1 / 6	0 / 2	0 / 1
Percentage of cycles resulting in live births ^{b,c}	43.5	3 / 12	1 / 6	0 / 2	0 / 1
(Confidence Interval)	(23.2–65.5)				
Percentage of retrievals resulting in live births ^{b,c}	10 / 19	3 / 11	1 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births ^{b,c}	10 / 17	3 / 11	1 / 4	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births ^b	6 / 17	3 / 11	1 / 4	0 / 2	0 / 1
Percentage of cancellations ^b	17.4	1 / 12	2 / 6	0 / 2	0 / 1
Average number of embryos transferred	2.6	2.6	3.0	3.0	3.0
Percentage of pregnancies with twins ^b	3 / 10	1 / 3	0 / 1		
Percentage of pregnancies with triplets or more ^b	1 / 10	0 / 3	0 / 1		
Percentage of live births having multiple infants ^{b,c}	4 / 10	0 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of transfers	5	2	0	1	1
Percentage of transfers resulting in live births ^{b,c}	2 / 5	0 / 2		0 / 1	0 / 1
Average number of embryos transferred	2.6	2.5		1.0	2.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		1		
Percentage of transfers resulting in live births ^{b,c}			0 / 1		
Average number of embryos transferred			1.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: West Virginia University Center for Reproductive Medicine

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA HEALTH CARE-AURORA FERTILITY SERVICES THE WOMEN'S CENTER AT AURORA BAYCARE MEDICAL CENTER GREEN BAY, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis			
IVF	100%	Procedural Factors:	Tubal factor	<1%	Other factor	4%
GIFT	0%	With ICSI	Ovulatory dysfunction	2%	Unknown factor	<1%
ZIFT	0%	Unstimulated	Diminished ovarian reserve	2%	Multiple Factors:	
Combination	0%	Used gestational carrier	Endometriosis	<1%	Female factors only	3%
		Used PGD	Uterine factor	0%	Female & male factors	42%
		With eSET	Male factor	47%		

2008 PREGNANCY SUCCESS RATES

Data verified by Mark F. Severino, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	103	34	31	5	3
Percentage of embryos transferred resulting in implantation ^b	27.9	34.2	13.5	0 / 10	0 / 1
Percentage of cycles resulting in pregnancies ^b	42.7	50.0	22.6	0 / 5	0 / 3
Percentage of cycles resulting in live births ^{b,c}	34.0	44.1	22.6	0 / 5	0 / 3
(Confidence Interval)	(24.9–44.0)	(27.2–62.1)	(9.6–41.1)		
Percentage of retrievals resulting in live births ^{b,c}	34.3	46.9	25.9	0 / 4	0 / 1
Percentage of transfers resulting in live births ^{b,c}	34.7	46.9	26.9	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births ^b	18.8	25.0	26.9	0 / 4	0 / 1
Percentage of cancellations ^b	1.0	5.9	12.9	1 / 5	2 / 3
Average number of embryos transferred	2.2	2.4	2.0	2.5	1.0
Percentage of pregnancies with twins ^b	47.7	6 / 17	0 / 7		
Percentage of pregnancies with triplets or more ^b	0.0	2 / 17	0 / 7		
Percentage of live births having multiple infants ^{b,c}	45.7	7 / 15	0 / 7		
Frozen Embryos from Nondonor Eggs					
Number of transfers	28	11	9	0	1
Percentage of transfers resulting in live births ^{b,c}	17.9	4 / 11	3 / 9		0 / 1
Average number of embryos transferred	2.0	2.1	2.3		1.0
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	8		5		
Percentage of transfers resulting in live births ^{b,c}	4 / 8		2 / 5		
Average number of embryos transferred	2.8		2.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Aurora Health Care-Aurora Fertility Services, The Women's Center at Aurora BayCare Medical Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

GUNDERSEN LUTHERAN FERTILITY CENTER LA CROSSE, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	5%	
GIFT	0%	With ICSI	89%	Ovulatory dysfunction	2%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	0%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	2%	Female factors only	20%
		Used PGD	4%	Uterine factor	0%	Female & male factors	43%
		With eSET	7%	Male factor	18%		

2008 PREGNANCY SUCCESS RATES

Data verified by Kathy Trumbull, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	33	10	9	2	0
Percentage of embryos transferred resulting in implantation ^b	51.7	8 / 14	3 / 13	0 / 2	
Percentage of cycles resulting in pregnancies ^b	63.6	5 / 10	4 / 9	0 / 2	
Percentage of cycles resulting in live births ^{b,c}	57.6	5 / 10	3 / 9	0 / 2	
(Confidence Interval)	(39.2–74.5)				
Percentage of retrievals resulting in live births ^{b,c}	61.3	5 / 9	3 / 7	0 / 2	
Percentage of transfers resulting in live births ^{b,c}	65.5	5 / 8	3 / 5	0 / 1	
Percentage of transfers resulting in singleton live births ^b	37.9	2 / 8	3 / 5	0 / 1	
Percentage of cancellations ^b	6.1	1 / 10	2 / 9	0 / 2	
Average number of embryos transferred	2.0	1.8	2.6	2.0	
Percentage of pregnancies with twins ^b	42.9	3 / 5	0 / 4		
Percentage of pregnancies with triplets or more ^b	0.0	0 / 5	0 / 4		
Percentage of live births having multiple infants ^{b,c}	8 / 19	3 / 5	0 / 3		
Frozen Embryos from Nondonor Eggs					
Number of transfers	2	1	1	0	0
Percentage of transfers resulting in live births ^{b,c}	0 / 2	0 / 1	0 / 1		
Average number of embryos transferred	2.5	3.0	3.0		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	1		0		
Percentage of transfers resulting in live births ^{b,c}	1 / 1				
Average number of embryos transferred	1.0				

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Gundersen Lutheran Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	No
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH AND FERTILITY CENTER MADISON, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	10%	Other factor	3%	
GIFT	0%	With ICSI	100%	Ovulatory dysfunction	8%	Unknown factor	2%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	3%	Endometriosis	0%	Female factors only	26%
		Used PGD	0%	Uterine factor	5%	Female & male factors	26%
		With eSET	0%	Male factor	15%		

2008 PREGNANCY SUCCESS RATES

Data verified by Chiravudh Sawetawan, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	19	4	6	0	0
Percentage of embryos transferred resulting in implantation ^b	35.1	2 / 10	0 / 10		
Percentage of cycles resulting in pregnancies ^b	10 / 19	1 / 4	1 / 6		
Percentage of cycles resulting in live births ^{b,c}	9 / 19	1 / 4	0 / 6		
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	9 / 19	1 / 4	0 / 6		
Percentage of transfers resulting in live births ^{b,c}	9 / 15	1 / 4	0 / 4		
Percentage of transfers resulting in singleton live births ^b	7 / 15	0 / 4	0 / 4		
Percentage of cancellations ^b	0 / 19	0 / 4	0 / 6		
Average number of embryos transferred	2.5	2.5	2.5		
Percentage of pregnancies with twins ^b	3 / 10	1 / 1	0 / 1		
Percentage of pregnancies with triplets or more ^b	0 / 10	0 / 1	0 / 1		
Percentage of live births having multiple infants ^{b,c}	2 / 9	1 / 1			
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	2	5	1	0
Percentage of transfers resulting in live births ^{b,c}	2 / 10	1 / 2	0 / 5	0 / 1	
Average number of embryos transferred	2.7	2.5	2.6	3.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	6		6		
Percentage of transfers resulting in live births ^{b,c}	4 / 6		0 / 6		
Average number of embryos transferred	2.7		3.2		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Health and Fertility Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF WISCONSIN-MADISON
REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY PROGRAM
MADISON, WISCONSIN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a		Patient Diagnosis			
IVF	100% Procedural Factors:	Tubal factor	5%	Other factor	0%
GIFT	0% With ICSI	44% Ovulatory dysfunction	0%	Unknown factor	0%
ZIFT	0% Unstimulated	0% Diminished ovarian reserve	25%	<i>Multiple Factors:</i>	
Combination	0% Used gestational carrier	0% Endometriosis	5%	Female factors only	0%
	0% Used PGD	0% Uterine factor	0%	Female & male factors	35%
	0% With eSET	0% Male factor	30%		

2008 PREGNANCY SUCCESS RATES

Data verified by Dan I. Lebovic, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	5	2	2	0	0
Percentage of embryos transferred resulting in implantation ^b	3 / 6	2 / 4			
Percentage of cycles resulting in pregnancies ^b	3 / 5	2 / 2	0 / 2		
Percentage of cycles resulting in live births ^{b,c}	0 / 5	2 / 2	0 / 2		
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	0 / 3	2 / 2			
Percentage of transfers resulting in live births ^{b,c}	0 / 3	2 / 2			
Percentage of transfers resulting in singleton live births ^b	0 / 3	2 / 2			
Percentage of cancellations ^b	2 / 5	0 / 2	2 / 2		
Average number of embryos transferred	2.0	2.0			
Percentage of pregnancies with twins ^b	0 / 3	0 / 2			
Percentage of pregnancies with triplets or more ^b	1 / 3	0 / 2			
Percentage of live births having multiple infants ^{b,c}		0 / 2			
Frozen Embryos from Nondonor Eggs					
Number of transfers	1	0	0	0	0
Percentage of transfers resulting in live births ^{b,c}	1 / 1				
Average number of embryos transferred	2.0				
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	4		5		
Percentage of transfers resulting in live births ^{b,c}	0 / 4		1 / 5		
Average number of embryos transferred	2.3		2.8		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: This clinic has closed or reorganized since 2008. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for current information about this clinic.

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.
^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.
^c A multiple-infant birth is counted as one live birth.
^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).
^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WISCONSIN FERTILITY INSTITUTE MIDDLETON, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	10%	
GIFT	0%	With ICSI	90%	Ovulatory dysfunction	6%	Unknown factor	20%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	<1%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	1%	Female factors only	5%
		Used PGD	1%	Uterine factor	5%	Female & male factors	21%
		With eSET	0%	Male factor	27%		

2008 PREGNANCY SUCCESS RATES

Data verified by David L. Olive, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	99	31	17	3	1
Percentage of embryos transferred resulting in implantation ^b	19.7	12.5	1.7	1 / 18	0 / 5
Percentage of cycles resulting in pregnancies ^b	40.4	29.0	2 / 17	1 / 3	0 / 1
Percentage of cycles resulting in live births ^{b,c}	32.3	16.1	0 / 17	0 / 3	0 / 1
(Confidence Interval)	(23.3–42.5)	(5.5–33.7)			
Percentage of retrievals resulting in live births ^{b,c}	33.7	17.2	0 / 15	0 / 3	0 / 1
Percentage of transfers resulting in live births ^{b,c}	34.4	17.2	0 / 15	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births ^b	26.9	13.8	0 / 15	0 / 3	0 / 1
Percentage of cancellations ^b	4.0	6.5	2 / 17	0 / 3	0 / 1
Average number of embryos transferred	2.9	3.3	4.0	6.0	5.0
Percentage of pregnancies with twins ^b	25.0	2 / 9	0 / 2	0 / 1	
Percentage of pregnancies with triplets or more ^b	2.5	1 / 9	0 / 2	0 / 1	
Percentage of live births having multiple infants ^{b,c}	21.9	1 / 5			
Frozen Embryos from Nondonor Eggs					
Number of transfers	32	8	0	2	0
Percentage of transfers resulting in live births ^{b,c}	15.6	2 / 8		0 / 2	
Average number of embryos transferred	2.8	2.3		1.5	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	18		5		
Percentage of transfers resulting in live births ^{b,c}	9 / 18		0 / 5		
Average number of embryos transferred	2.3		1.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Wisconsin Fertility Institute

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FROEDTERT & MEDICAL COLLEGE OF WISCONSIN
REPRODUCTIVE MEDICINE CLINIC
MILWAUKEE, WISCONSIN**

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	7%	Other factor	4%	
GIFT	0%	With ICSI	88%	Ovulatory dysfunction	12%	Unknown factor	10%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	14%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	<1%	Endometriosis	2%	Female factors only	5%
		Used PGD	6%	Uterine factor	1%	Female & male factors	17%
		With eSET	7%	Male factor	27%		

2008 PREGNANCY SUCCESS RATES

Data verified by Estil Strawn, Jr., MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	103	42	37	10	0
Percentage of embryos transferred resulting in implantation ^b	28.6	22.5	12.1	0 / 16	
Percentage of cycles resulting in pregnancies ^b	35.9	31.0	18.9	0 / 10	
Percentage of cycles resulting in live births ^{b,c}	35.0	26.2	13.5	0 / 10	
(Confidence Interval)	(25.8–45.0)	(13.9–42.0)	(4.5–28.8)		
Percentage of retrievals resulting in live births ^{b,c}	38.7	29.7	14.7	0 / 8	
Percentage of transfers resulting in live births ^{b,c}	42.4	32.4	15.6	0 / 7	
Percentage of transfers resulting in singleton live births ^b	31.8	26.5	12.5	0 / 7	
Percentage of cancellations ^b	9.7	11.9	8.1	2 / 10	
Average number of embryos transferred	1.9	2.1	2.1	2.3	
Percentage of pregnancies with twins ^b	24.3	3 / 13	1 / 7		
Percentage of pregnancies with triplets or more ^b	0.0	0 / 13	0 / 7		
Percentage of live births having multiple infants ^{b,c}	25.0	2 / 11	1 / 5		
Frozen Embryos from Nondonor Eggs					
Number of transfers	39	13	12	2	0
Percentage of transfers resulting in live births ^{b,c}	30.8	4 / 13	2 / 12	1 / 2	
Average number of embryos transferred	1.8	2.1	1.9	1.5	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	19		17		
Percentage of transfers resulting in live births ^{b,c}	11 / 19		6 / 17		
Average number of embryos transferred	2.0		1.6		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Froedtert & Medical College of Wisconsin, Reproductive Medicine Center

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALTY CENTER IVF COLUMBIA MILWAUKEE, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	14%	Other factor	2%	
GIFT	0%	With ICSI	58%	Ovulatory dysfunction	3%	Unknown factor	0%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	5%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	13%	Female factors only	7%
		Used PGD	0%	Uterine factor	0%	Female & male factors	23%
		With eSET	3%	Male factor	33%		

2008 PREGNANCY SUCCESS RATES

Data verified by Grace M. Janik, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	41	14	11	3	4
Percentage of embryos transferred resulting in implantation ^b	31.8	31.0	17.6	2 / 7	0 / 7
Percentage of cycles resulting in pregnancies ^b	41.5	7 / 14	6 / 11	2 / 3	0 / 4
Percentage of cycles resulting in live births ^{b,c}	41.5	7 / 14	6 / 11	2 / 3	0 / 4
(Confidence Interval)	(26.3–57.9)				
Percentage of retrievals resulting in live births ^{b,c}	42.5	7 / 14	6 / 11	2 / 3	0 / 3
Percentage of transfers resulting in live births ^{b,c}	42.5	7 / 13	6 / 11	2 / 2	0 / 3
Percentage of transfers resulting in singleton live births ^b	22.5	7 / 13	6 / 11	2 / 2	0 / 3
Percentage of cancellations ^b	2.4	0 / 14	0 / 11	0 / 3	1 / 4
Average number of embryos transferred	2.1	2.2	3.1	3.5	2.3
Percentage of pregnancies with twins ^b	8 / 17	2 / 7	0 / 6	0 / 2	
Percentage of pregnancies with triplets or more ^b	1 / 17	0 / 7	0 / 6	0 / 2	
Percentage of live births having multiple infants ^{b,c}	8 / 17	0 / 7	0 / 6	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of transfers	10	5	3	0	0
Percentage of transfers resulting in live births ^{b,c}	2 / 10	1 / 5	0 / 3		
Average number of embryos transferred	2.4	2.4	2.3		
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		0		
Percentage of transfers resulting in live births ^{b,c}					
Average number of embryos transferred					

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Reproductive Specialty Center, IVF Columbia

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S HEALTH CARE, SC WAUKESHA, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	8%	Other factor	0%	
GIFT	0%	With ICSI	36%	Ovulatory dysfunction	19%	Unknown factor	19%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	8%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	3%	Female factors only	8%
		Used PGD	0%	Uterine factor	0%	Female & male factors	27%
		With eSET	0%	Male factor	8%		

2008 PREGNANCY SUCCESS RATES

Data verified by Matthew A. Meyer, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	11	2	6	3	0
Percentage of embryos transferred resulting in implantation ^b	8.3	1 / 4	0 / 14	0 / 2	
Percentage of cycles resulting in pregnancies ^b	2 / 11	1 / 2	0 / 6	0 / 3	
Percentage of cycles resulting in live births ^{b,c}	2 / 11	1 / 2	0 / 6	0 / 3	
(Confidence Interval)					
Percentage of retrievals resulting in live births ^{b,c}	2 / 10	1 / 2	0 / 6	0 / 2	
Percentage of transfers resulting in live births ^{b,c}	2 / 10	1 / 2	0 / 6	0 / 1	
Percentage of transfers resulting in singleton live births ^b	2 / 10	1 / 2	0 / 6	0 / 1	
Percentage of cancellations ^b	1 / 11	0 / 2	0 / 6	1 / 3	
Average number of embryos transferred	2.4	2.0	2.3	2.0	
Percentage of pregnancies with twins ^b	0 / 2	0 / 1			
Percentage of pregnancies with triplets or more ^b	0 / 2	0 / 1			
Percentage of live births having multiple infants ^{b,c}	0 / 2	0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of transfers	8	2	3	1	0
Percentage of transfers resulting in live births ^{b,c}	0 / 8	0 / 2	0 / 3	0 / 1	
Average number of embryos transferred	2.3	1.5	1.7	1.0	
All Ages Combined^e					
Donor Eggs	Fresh Embryos		Frozen Embryos		
Number of transfers	0		1		
Percentage of transfers resulting in live births ^{b,c}			0 / 1		
Average number of embryos transferred			1.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Women's Health Care, SC

Donor egg?	No	Gestational carriers?	No	SART member?	Yes
Donor embryo?	No	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes	(See Appendix C for details.)			

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA HEALTH CARE-AURORA FERTILITY SERVICES, WEST ALLIS WEST ALLIS, WISCONSIN

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. For more details about this, along with information on how to interpret the statistics in this table, see pages 81–90.

2008 ART CYCLE PROFILE

Type of ART ^a			Patient Diagnosis				
IVF	100%	Procedural Factors:	Tubal factor	6%	Other factor	<1%	
GIFT	0%	With ICSI	91%	Ovulatory dysfunction	2%	Unknown factor	<1%
ZIFT	0%	Unstimulated	0%	Diminished ovarian reserve	2%	<i>Multiple Factors:</i>	
Combination	0%	Used gestational carrier	0%	Endometriosis	0%	Female factors only	5%
		Used PGD	1%	Uterine factor	0%	Female & male factors	65%
		With eSET	0%	Male factor	19%		

2008 PREGNANCY SUCCESS RATES

Data verified by Mark F. Severino, MD

Type of Cycle	Age of Woman				
	<35	35–37	38–40	41–42	43–44 ^d
Fresh Embryos from Nondonor Eggs					
Number of cycles	57	22	9	7	1
Percentage of embryos transferred resulting in implantation ^b	37.4	28.9	5 / 18	4 / 18	
Percentage of cycles resulting in pregnancies ^b	47.4	40.9	3 / 9	4 / 7	0 / 1
Percentage of cycles resulting in live births ^{b,c}	36.8	31.8	3 / 9	1 / 7	0 / 1
(Confidence Interval)	(24.4–50.7)	(13.9–54.9)			
Percentage of retrievals resulting in live births ^{b,c}	41.2	33.3	3 / 8	1 / 7	
Percentage of transfers resulting in live births ^{b,c}	43.8	35.0	3 / 7	1 / 7	
Percentage of transfers resulting in singleton live births ^b	20.8	15.0	2 / 7	1 / 7	
Percentage of cancellations ^b	10.5	4.5	1 / 9	0 / 7	1 / 1
Average number of embryos transferred	2.1	1.9	2.6	2.6	
Percentage of pregnancies with twins ^b	37.0	4 / 9	0 / 3	1 / 4	
Percentage of pregnancies with triplets or more ^b	3.7	0 / 9	1 / 3	0 / 4	
Percentage of live births having multiple infants ^{b,c}	52.4	4 / 7	1 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of transfers	4	2	0	0	0
Percentage of transfers resulting in live births ^{b,c}	4 / 4	1 / 2			
Average number of embryos transferred	2.3	2.0			
All Ages Combined^e					
	Fresh Embryos		Frozen Embryos		
Number of transfers	5		2		
Percentage of transfers resulting in live births ^{b,c}	4 / 5		1 / 2		
Average number of embryos transferred	1.8		2.0		

CURRENT CLINIC SERVICES AND PROFILE

Current Name: Aurora Health Care-Aurora Fertility Services, West Allis

Donor egg?	Yes	Gestational carriers?	Yes	SART member?	Yes
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes
Single women?	Yes			(See Appendix C for details.)	

^a Reflects patient and treatment characteristics of ART cycles performed in 2008 using fresh nondonor eggs or embryos.

^b When fewer than 20 cycles are reported in an age category, rates are shown as a fraction and confidence intervals are not given. Calculating percentages from fractions may be misleading and is not encouraged.

^c A multiple-infant birth is counted as one live birth.

^d Clinic-specific outcome rates for women older than 44 undergoing ART cycles using fresh or frozen embryos with nondonor eggs are not included because of small numbers. Readers are urged to review national outcomes for women of this age group (see pages 30, 48 & 57).

^e All ages (including ages >44) are reported together because previous data show that patient age does not materially affect success with donor eggs.

2008

Appendix A

Technical Notes



APPENDIX A: TECHNICAL NOTES

How to Interpret a Confidence Interval

What is a confidence interval?

Simply speaking, confidence intervals are a useful way to consider margin of error, a statistic often used in voter polls to indicate the range within which a value is likely to be correct (e.g., 30% of the voters favor a particular candidate with a margin of error of plus or minus 3.5%). Similarly, in this report, confidence intervals are used to provide a range that we can be quite confident contains the success rate for a particular clinic during a particular time.

Why do we need to consider confidence intervals if we already know the exact success rates for each clinic in 2008?

No success rate or statistic is absolute. Suppose a clinic performed 100 cycles among women younger than 35 in 2008 and had a success rate of 20% with a confidence interval of 12%–28%. The 20% success rate tells us that the average chance of success for women younger than 35 treated at this clinic in 2008 was 20%. How likely is it that the clinic could repeat this performance? For example, if the same clinic performed another 100 cycles under similar clinical conditions on women with similar characteristics, would the success rate again be 20%? The confidence interval tells us that the success rate would likely fall between 12% and 28%.

Why does the size of the confidence interval vary for different clinics?

The size of the confidence interval gives us a realistic sense of how secure we feel about the success rate. If the clinic had performed only 20 cycles instead of 100 among women younger than 35 and still had a 20% success rate (4 successes out of 20 cycles), the confidence interval would be much larger (between 3% and 37%) because the success or failure of each individual cycle would be more significant. For example, if just one more cycle had resulted in a live birth, the success rate would have been substantially higher—25%, or 5 successes out of 20 cycles. Likewise, if just one more cycle had not been successful, the success rate would have been substantially lower—15%, or 3 out of 20 cycles. Compare this scenario to the original example of the clinic that performed 100 cycles and had a 20% success rate. If just one more cycle had resulted in a live birth, the success rate would have changed only slightly, from 20% to 21%, and if one more cycle had not been successful, the success rate would have fallen to only 19%. Thus, our confidence in a 20% success rate depends on how many cycles were performed.

Why should confidence intervals be considered when success rates from different clinics are being compared?

Confidence intervals should be considered because success rates can be misleading. For example, if Clinic A performs 20 cycles in a year and 8 cycles result in a live birth, its live birth rate would be 40%. If Clinic B performs 600 cycles and 180 result in a live birth, the percentage of cycles that resulted in a live birth would be 30%. We might be tempted to say that Clinic A has a better success rate than Clinic B. However, because Clinic A performed few cycles, its success rate would have a wide 95% confidence interval of 18.5%–61.5%. On the other hand, because Clinic B performed a large number of cycles, its success rate would have a relatively narrow

confidence interval of 26.2%–33.8%. Thus, Clinic A could have a rate as low as 18.5% and Clinic B could have a rate as high as 33.8% if each clinic repeated its treatment with similar patients under similar clinical conditions. Moreover, Clinic B's rate is much more likely to be reliable because the size of its confidence interval is much smaller than Clinic A's.

Even though one clinic's success rate may appear higher than another's based on the confidence intervals, **these confidence intervals are only one indication that the success rate may be better. Other factors also must be considered** when comparing rates from two clinics. For example, some clinics see more than the average number of patients with difficult infertility problems, whereas others discourage patients with a low probability of success. For further information on important factors to consider when using the tables to assess a clinic, refer to pages 81–83.

Findings from Validation Visits for 2008 ART Data

Site visits for validation of 2008 ART data were conducted April through June 2010 for 35 randomly selected clinics. During each visit, data reported by the clinic were compared with information documented in medical records. In total, 1,660 cycles were randomly selected for full validation. These included 662 cycles that resulted in a pregnancy of which 537 resulted in a live-birth delivery. For reporting year 2008, validation was planned for a total of 1,609 cycles that resulted in a multiple-fetus pregnancy. Of these, 72 (4%) were inadvertently omitted from the validation. Statistical analysis of the missing information indicates that omitting a small number of records from the process did not materially effect the estimates of the discrepancy rates. In addition, the validation team also reviewed the documentation for 332 embryo banking cycles.

Discrepancy rates are listed on the next page for key data items that were validated for each of the selected cycles. In all, validation indicated that data discrepancy rates were low (<5%; except for the data field for “Diagnosis of infertility” —see Comments for explanation). These discrepancies in a limited number of individual clinic summary tables had a minimal (e.g., by one or two decimal points) affect on statistics other than percentages of live births.

Discrepancy Rates by Data Fields Selected for Validation

Data Field Name	Discrepancy Rate* (Confidence Interval†)	Comments
Patient date of birth	2.0% (1.3–2.6)	Slightly less than one-third of the discrepancies resulted in changes to the clinic table age group categorization (Age of Woman), which mostly differed by one or two age categories.
Diagnosis of infertility	12.4% (6.0–18.8)	For approximately half the discrepancies a single wrong diagnosis is reported, mainly ‘other’ or ‘unexplained’ instead of a specific cause. For nearly 40% of the discrepancies, multiple causes of infertility were found in the medical record, but only a single cause was reported by the clinic.
Type of ART (i.e., fresh vs. frozen, donor vs. nondonor)	<1%	
Use of ICSI	<1%	
Number of embryos/oocytes transferred	<1%	
Outcome of ART treatment (i.e., pregnant vs. not pregnant)	<1%	
Number of fetal hearts on ultrasound	1.6% (0.7–2.5)	Of the discrepancies, six cases resulted in a change in categorization of single fetus pregnancy to multiple-fetus pregnancy.
Pregnancy outcome (i.e., miscarriage, stillbirth, and live birth)	1.1% (0.5–1.7)	For slightly more than half of the discrepancies, there was no information on pregnancy outcome in the medical record.
Number of infants born	<1%	
Cycle cancellation	<1%	

Notes: ART = assisted reproductive technology; ICSI = intracytoplasmic sperm injection.

*Discrepancy rates estimate the proportion of all treatment cycles with differences for a particular data item. The discrepancy-rate calculations weight the data from validated cycles to reflect the overall number of cycles performed at each clinic. Thus, findings from larger clinical practices were weighted more heavily than those from smaller practices.

†This table shows a range, called the 95% confidence interval, that conveys the reliability of the discrepancy rate. For a more general explanation of confidence intervals, see pages 531–532.

2008

Appendix B

Glossary of Terms

APPENDIX B: GLOSSARY OF TERMS

Adverse outcome. A pregnancy that does not result in a live birth. The adverse outcomes reported for ART procedures are miscarriages, induced abortions, and stillbirths.

American Society for Reproductive Medicine (ASRM). Professional society whose affiliate organization, the Society for Assisted Reproductive Technology (SART), is composed of clinics and programs that provide ART.

ART (assisted reproductive technology). All treatments or procedures that involve surgically removing eggs from a woman's ovaries and combining the eggs with sperm to help a woman become pregnant. The types of ART are in vitro fertilization (IVF), gamete intrafallopian transfer (GIFT), and zygote intrafallopian transfer (ZIFT).

ART cycle. A process in which (1) an ART procedure is performed, (2) a woman has undergone ovarian stimulation or monitoring with the intent of having an ART procedure, or (3) frozen embryos have been thawed with the intent of transferring them to a woman. A cycle begins when a woman begins taking fertility drugs or having her ovaries monitored for follicle production.

Canceled cycle. An ART cycle in which ovarian stimulation was performed but was stopped before eggs were retrieved or, in the case of frozen embryo cycles, before embryos were transferred. Cycles are canceled for many reasons: eggs may not develop, the patient may become ill, or the patient may choose to stop treatment.

Combination cycle. A cycle that uses more than one ART procedure. Combination cycles usually involve IVF plus either GIFT or ZIFT.

Cryopreservation. The practice of freezing extra embryos from a couple's ART cycle for potential future use.

Diminished ovarian reserve. This diagnosis means that the ability of the ovary to produce eggs is reduced. Reasons include congenital, medical, or surgical causes or advanced age.

Donor egg cycle. An embryo is formed from the egg of one woman (the donor) and then transferred to another woman who is unable to use her own eggs (the recipient). The donor relinquishes all parental rights to any resulting offspring.

Donor embryo. An embryo that is donated by a couple who previously underwent ART treatment and had extra embryos available.

Ectopic pregnancy. A pregnancy in which the fertilized egg implants in a location outside of the uterus—usually in the fallopian tube, the ovary, or the abdominal cavity. Ectopic pregnancy is a dangerous condition that must receive prompt medical treatment.

Egg. A female reproductive cell, also called an oocyte or ovum.

Egg retrieval (also called oocyte retrieval). A procedure to collect the eggs contained in the ovarian follicles.

Egg transfer (also called oocyte transfer). The transfer of retrieved eggs into a woman's fallopian tubes through laparoscopy. This procedure is used only in GIFT.

Embryo. An egg that has been fertilized by a sperm and has undergone one or more divisions.

Embryo transfer. Placement of embryos into a woman's uterus through the cervix after IVF: in ZIFT, the embryos are placed in a woman's fallopian tube.

Endometriosis. A medical condition that involves the presence of tissue similar to the uterine lining in abnormal locations. This condition can affect both fertilization of the egg and embryo implantation.

eSET (elective single-embryo transfer). Elective single-embryo transfer is a procedure in which one embryo, selected from a larger number of available embryos, is placed in the uterus or fallopian tube. The embryo selected for eSET might be from a previous IVF cycle (i.e., cryopreserved embryos [frozen]) or from the current fresh IVF cycle that yielded more than one embryo. The remaining embryos may be set aside for future use or cryopreservation.

Fertility Clinic Success Rate and Certification Act of 1992 (FCSRCA). Law passed by the United States Congress in 1992 requiring all clinics performing ART in the United States to annually report their success rate data to CDC.

Fertilization. The penetration of the egg by the sperm and the resulting combining of genetic material that develops into an embryo.

Fetus. The unborn offspring from the eighth week after conception to the moment of birth.

Follicle. A structure in the ovaries that contains a developing egg.

Fresh eggs, sperm, or embryos. Eggs, sperm, or embryos that have not been frozen. Fresh embryos, however, may have been conceived using either fresh or frozen sperm.

Frozen embryo cycle. An ART cycle in which frozen (cryopreserved) embryos are thawed and transferred to the woman.

Gamete. A reproductive cell, either a sperm or an egg.

GIFT (gamete intrafallopian transfer). An ART procedure that involves removing eggs from the woman's ovary, combining them with sperm, and using a laparoscope to place the unfertilized eggs and sperm into the woman's fallopian tube through small incisions in her abdomen.

Gestation. The period of time from conception to birth.

Gestational carrier (also called a gestational surrogate). A woman who gestates, or carries, an embryo that was formed from the egg of another woman. The gestational carrier usually has a contractual obligation to return the infant to its intended parents.

Gestational sac. A fluid-filled structure that develops within the uterus early in pregnancy. In a normal pregnancy, a gestational sac contains a developing fetus.

ICSI (intracytoplasmic sperm injection). A procedure in which a single sperm is injected directly into an egg; this procedure is most commonly used to overcome male infertility problems.

Implantation rate. A measurement of ART success when the ART cycle results in an intrauterine clinical pregnancy, defined as the larger of either the number of maximum fetal hearts by ultrasound or maximum infants born, including live births and stillbirths, out of the total number of embryos transferred.

Induced or therapeutic abortion. A surgical or other medical procedure used to end a pregnancy.

IUI (intrauterine insemination). A medical procedure that involves placing sperm into a woman's uterus to facilitate fertilization. IUI is not considered an ART procedure because it does not involve the manipulation of eggs.

IVF (in vitro fertilization). An ART procedure that involves removing eggs from a woman's ovaries and fertilizing them outside her body. The resulting embryos are then transferred into the woman's uterus through the cervix.

Laparoscopy. A surgical procedure in which a fiber-optic instrument (a laparoscope) is inserted through a small incision in the abdomen to view the inside of the pelvis.

Live birth. The delivery of one or more infants with any signs of life.

Male factor. Any cause of infertility due to low sperm count or problems with sperm function that makes it difficult for a sperm to fertilize an egg under normal conditions.

Miscarriage (also called spontaneous abortion). A pregnancy ending in the spontaneous loss of the embryo or fetus before 20 weeks of gestation, or before 18 weeks from the date of transfer if the pregnancy was achieved using ART.

Multifetal pregnancy reduction. A procedure used to decrease the number of fetuses a woman carries and improve the chances that the remaining fetuses will develop into healthy infants. Multifetal reductions that occur naturally are referred to as spontaneous reductions.

Multiple factors, female only. A diagnostic category used when more than one female cause of infertility is diagnosed.

Multiple factors, female and male. A diagnostic category used when one or more female causes and male factor infertility are diagnosed.

Multiple-fetus pregnancy. A pregnancy with two or more fetuses, determined by the number of fetal hearts observed on an ultrasound performed early in pregnancy (usually in the first trimester).

Multiple-infant birth. A pregnancy that results in the birth of more than one infant.

NASS (National ART Surveillance System). Web-based data collection system used by all ART clinics to report data for each ART procedure to CDC.

Oocyte. The female reproductive cell, also called an egg.

Other causes of infertility. These include immunological problems, chromosomal abnormalities, cancer chemotherapy, and serious illnesses.

Ovarian monitoring. The use of ultrasound and/or blood or urine tests to monitor follicle development and hormone production.

Ovarian stimulation. The use of drugs (oral or injected) to stimulate the ovaries to develop follicles and eggs.

Ovulatory dysfunction. A diagnostic category used when a woman's ovaries are not producing eggs normally. It includes polycystic ovary syndrome and multiple ovarian cysts.

PGD (preimplantation genetic diagnosis).

A technique combining the recent significant advances in molecular genetics and assisted reproductive technology. PGD allows physicians to identify various genetic diseases in the embryo (fertilized egg with several divisions) prior to implantation, that is, before the pregnancy is established. It is of special value for those who are at risk of having children with serious genetic problems.

Pregnancy (clinical). A pregnancy documented by ultrasound that shows a gestational sac in the uterus. For ART data collection purposes, pregnancy is defined as a clinical pregnancy rather than a chemical pregnancy (i.e., a positive pregnancy test).

Singleton. A single live-born infant.

Society for Assisted Reproductive Technology (SART). An affiliate of the American Society for Reproductive Medicine composed of clinics and programs that provide ART.

Sperm. The male reproductive cell.

Spontaneous abortion. See Miscarriage.

Stillbirth. The birth of an infant that shows no sign of life after 20 or more weeks of gestation, or 18 or more weeks from the date of transfer if the pregnancy was achieved using ART.

Stimulated cycle. An ART cycle in which a woman receives oral or injected fertility drugs to stimulate her ovaries to produce more follicles.

Thawed embryo cycle. Same as frozen embryo cycle.

Tubal factor. A diagnostic category used when the woman's fallopian tubes are blocked or damaged, making it difficult for the egg to be fertilized or for an embryo to travel to the uterus.

Ultrasound. A technique used in ART for visualizing the follicles in the ovaries, the gestational sac, or the fetus.

Unexplained cause of infertility. A diagnostic category used when no cause of infertility is found in either the woman or the man.

Unstimulated cycle. An ART cycle in which the woman does not receive drugs to stimulate her ovaries to produce more follicles. Instead, follicles develop naturally.

Uterine factor. A structural or functional disorder of the uterus that results in reduced fertility.

ZIFT (zygote intrafallopian transfer). An ART procedure in which eggs are collected from a woman's ovary and fertilized outside her body. A laparoscope is then used to place the resulting zygote (fertilized egg) into the woman's fallopian tube through a small incision in her abdomen.

2008

Appendix C

ART Clinics



APPENDIX C: ART CLINICS

Reporting ART Clinics for 2008, by State

If the clinic name has changed since 2008, the current name is listed in italics directly under the 2008 name. If the clinic location has changed since 2008, the clinic is listed alphabetically by the current city and state.

Clinic names preceded by the § symbol have reorganized or closed since 2008. Reorganization is defined as a change in ownership or affiliation or a change in at least two of the three key staff positions (practice director, medical director, or laboratory director). Contact the NASS Help Desk for current clinic information at 1-888-650-0822 or nass@westat.com.

Explanation of abbreviations for accrediting agencies used throughout this list:

CAP/ASRM = College of American Pathologists/American Society for Reproductive Medicine, Reproductive Laboratory Accreditation Program

The Joint Commission = Formerly the Joint Commission on Accreditation of Healthcare Organizations (JCAHO)

NYSTB = New York State Tissue Bank Program

PLEASE NOTE that CDC does not oversee any of these accreditation programs. For further information on how to contact accrediting organizations directly, see page 90.

ALABAMA

Alabama Fertility Specialists
2700 Hwy 280, Suite 370
Birmingham AL 35223
Telephone: (205) 874-0000; Fax: (205) 874-7021
Lab Name: Alabama Fertility Specialists Laboratory
Accreditation: CAP/ASRM

ART Fertility Program of Alabama
2006 Brookwood Medical Center Dr, Suite 508
Birmingham AL 35209
Telephone: (205) 870-9784; Fax: (205) 870-0698
Lab Name: ART Fertility Program of Alabama IVF/
Andrology Laboratory
Accreditation: CAP/ASRM

University of Alabama at Birmingham
Kirklin Clinic-OB/GYN, 2000 6th Ave South
Birmingham AL 35233
Telephone: (205) 801-8212; Fax: (205) 326-9440
Lab Name: University of Alabama at Birmingham
Gamete Biology Laboratory
Accreditation: CAP/ASRM

Huntsville Reproductive Medicine, PC
185 Chateau Dr, Suite 301
Huntsville AL 35801
Telephone: (256) 213-2229; Fax: (256) 213-9978
Lab Name: Huntsville Reproductive Medicine, PC
Accreditation: None

Center for Reproductive Medicine
3 Mobile Infirmary Cir, Suite 213
Mobile AL 36607
Telephone: (251) 438-4200; Fax: (251) 438-4211
Lab Name: Center for Reproductive Medicine
Accreditation: CAP/ASRM

University of South Alabama IVF and ART Program
Reproductive Endocrinology and Infertility Division
251 Cox St, Suite 100
Mobile AL 36604
Telephone: (251) 415-1491; Fax: (251) 415-1552
Lab Name: University of South Alabama In Vitro
Fertilization & Andrology Laboratory
Accreditation: CAP/ASRM

ALASKA

Peninsula Medical Center
John Nels Anderson, MD
265 N. Binkley St
Soldotna AK 99669
Telephone: (907) 262-4161; Fax: (907) 262-1545
Lab Name: Peninsula Medical Center,
John Nels Anderson, MD
Accreditation: None

ARIZONA

West Valley Fertility Center
17612 N. 59th Ave, Suite 100
Glendale AZ 85308
Telephone: (602) 993-8636; Fax: (602) 993-2528
Lab Name: West Valley Fertility Center
ART Laboratory
Accreditation: CAP/ASRM

Arizona Reproductive Medicine Specialists
1701 E. Thomas Rd, Bldg 1, Suite 101
Phoenix AZ 85016
Telephone: (602) 343-2767; Fax: (602) 343-2766
Lab Name: Arizona Reproductive Medicine
Specialists Laboratory
Accreditation: CAP/ASRM

Southwest Fertility Center
3125 N. 32nd St, Suite 200
Phoenix AZ 85018
Telephone: (602) 956-7481; Fax: (602) 956-7591
Lab Name: Southwest Fertility Center Laboratory
Accreditation: CAP/ASRM

Advanced Fertility Care
9819 N. 95th St, Suite 105
Scottsdale AZ 85258
Telephone: (480) 874-2229; Fax: (480) 874-2231
Lab Name: Arizona Advanced
Reproductive Laboratory
Accreditation: CAP/ASRM

Arizona Associates for Reproductive Health
8573 E. Princess Dr, Suite 101
Scottsdale AZ 85255
Telephone: (480) 946-9900; Fax: (480) 946-9914
Lab Name: Arizona Associates for Reproductive
Health ART Laboratories
Accreditation: CAP/ASRM

Arizona Center for Fertility Studies
8997 E. Desert Cove Ave, 2nd Floor
Scottsdale AZ 85260
Telephone: (480) 860-4792; Fax: (480) 860-6819
Lab Name: Scottsdale Healthcare Institute for
Reproductive Studies Fertility Laboratory
Accreditation: CAP/ASRM

IVF Phoenix
9817 N. 95th St, Bldg I, Suite 105
Scottsdale AZ 85258
Telephone: (602) 765-2229; Fax: (602) 493-6641
Lab Name: IVF Phoenix Laboratory
Accreditation: CAP/ASRM

Fertility Treatment Center
2155 E. Conference Dr, Suite 115
Tempe AZ 85284
Telephone: (480) 831-2445; Fax: (480) 897-1283
Lab Name: Fertility Treatment Center
ART Laboratory
Accreditation: CAP/ASRM

Arizona Center for Reproductive Endocrinology
and Infertility
5190 E. Farness Dr, Suite 114
Tucson AZ 85712
Telephone: (520) 326-0001; Fax: (520) 326-7451
Lab Name: Arizona Center for Reproductive
Endocrinology and Infertility
Accreditation: CAP/ASRM

Reproductive Health Center
4518 E. Camp Lowell Dr
Tucson AZ 85712
Telephone: (520) 733-0083; Fax: (520) 733-0771
Lab Name: Reproductive Health Center
Accreditation: The Joint Commission

ARKANSAS

Arkansas Fertility Center
9101 Kanis Rd, Suite 300
Little Rock AR 72205
Telephone: (501) 801-1200; Fax: (501) 801-1207
Lab Name: Arkansas Fertility and Gynecology,
Arkansas Fertility Center
Accreditation: CAP/ASRM

CALIFORNIA

LifeStart Fertility Center
29525 Canwood St, Suite 220
Agoura Hills CA 91301
Telephone: (818) 889-4532; Fax: (818) 889-4536
Lab Name: ART Reproductive Center
Accreditation: CAP/ASRM

Garfield Fertility Center
320 S. Garfield Ave, Suite 226
Alhambra CA 91801
Telephone: (626) 943-9536; Fax: (626) 943-9529
Lab Name: ART Reproductive Center
Accreditation: CAP/ASRM
Lab Name: Huntington Reproductive Center
Gamete Laboratory
Accreditation: CAP/ASRM

Alta Bates In Vitro Fertilization Program
2999 Regent St, Suite 101A
Berkeley CA 94705
Telephone: (510) 649-0440; Fax: (510) 649-8700
Lab Name: Alta Bates Summit Medical Center, Alta
Bates IVF Program Laboratory
Accreditation: CAP/ASRM

Center for Reproductive Health & Gynecology
(CRH&G)
99 N. La Cienega Blvd, Suite 109
Beverly Hills CA 90211
Telephone: (310) 360-7584; Fax: (310) 360-9827
Lab Name: Center for Reproductive Health
& Gynecology
Accreditation: CAP/ASRM

Southern California Reproductive Center
450 N. Roxbury Dr, Suite 500
Beverly Hills CA 90210
Telephone: (310) 277-2393; Fax: (310) 274-5112
Lab Name: ART Reproductive Center
Accreditation: CAP/ASRM

West Coast IVF Clinic, Inc.
9730 Wilshire Blvd, Suite 211
Beverly Hills CA 90212
Telephone: (310) 285-2049; Fax: (310) 285-0334
Lab Name: LA IVF Lab, LLC
Accreditation: The Joint Commission

Fertility Care of Orange County
203 N. Brea Blvd, Suite 100
Brea CA 92821
Telephone: (714) 256-0777; Fax: (714) 256-0105
Lab Name: Southern California Institute for
Reproductive Sciences
Accreditation: CAP/ASRM
Lab Name: Huntington Reproductive Center
Accreditation: CAP/ASRM

Central California IVF Program
Women's Specialty and Fertility Center
722 Medical Center Dr East, Suite 105
Clovis CA 93611
Telephone: (559) 299-7700; Fax: (559) 297-9679
Lab Name: Community Medical Center-Clovis
Accreditation: CAP/ASRM

For current information for Zouves Fertility Center,
see Foster City, CA

California IVF: Davis Fertility Center, Inc.
1550 Drew Ave, Suite 100
Davis CA 95616
Telephone: (530) 771-0177; Fax: (530) 771-0135
Lab Name: California IVF: Davis Fertility Center, Inc.
Accreditation: None

The Fertility Institutes
The Fertility Institutes-California, New York
16030 Ventura Blvd, Suite 404
Encino CA 91436
Telephone: (818) 728-4600; Fax: (818) 728-4616
Lab Name: The Fertility Institutes-
California, Nevada
Accreditation: CAP/ASRM

Zouves Fertility Center
1241 E. Hillside Blvd, Suite 100
Foster City CA 94404
Telephone: (650) 378-1000; Fax: (650) 577-1128
Lab Name: Zouves Fertility Center
Accreditation: CAP/ASRM

West Coast Fertility Centers
11160 Warner Ave, Suite 411
Fountain Valley CA 92708
Telephone: (714) 513-1399; Fax: (714) 513-1393
Lab Name: West Coast Fertility Centers Laboratory
Accreditation: CAP/ASRM, NYSTB (Pend)

Xpert Fertility Care of California
Minh N. Ho, MD, FACOG
11180 Warner Ave, Suite 465
Fountain Valley CA 92708
Telephone: (714) 429-5848; Fax: (714) 429-5878
Lab Name: University Fertility Center
Accreditation: CAP/ASRM (Pend)

§Kaiser Permanente Center for Reproductive Health
39141 Civic Center Dr, Suite 350
Fremont CA 94538
Telephone: (510) 248-6900; Fax: (510) 248-6981
Contact the NASS Help Desk for current clinic
information.

Kathleen L. Kornafel, MD, PhD
1560 E. Chevy Chase Dr, Suite 200
Glendale CA 91206
Telephone: (818) 242-9933; Fax: (818) 242-9937
Lab Name: ART Reproductive Center
Accreditation: CAP/ASRM

Sher Institute for Reproductive Medicine-
Los Angeles
1520 E. Chevy Chase Dr, Suite 101
Glendale CA 91206
Telephone: (818) 291-1985; Fax: (818) 291-1986
Lab Name: Sher Institute for Reproductive
Medicine-Los Angeles Laboratory
Accreditation: CAP/ASRM, The Joint Commission

Coastal Fertility Medical Center, Inc.
4900 Barranca Pkwy, Suite 103
Irvine CA 92604
Telephone: (949) 726-0600; Fax: (949) 726-0601
Lab Name: Coastal Fertility Medical Center, Inc.,
Reproductive Specialty Laboratories, Inc.
Accreditation: CAP/ASRM

Fertility Center of Southern California
2192 Martin St, Suite 110
Irvine CA 92612
Telephone: (949) 955-0072; Fax: (949) 955-0077
Lab Name: Southern California Institute for
Reproductive Sciences
Accreditation: CAP/ASRM

Reproductive Fertility Center
Reproductive Fertility Center-OC
16300 Sand Canyon Ave, Suite 901
Irvine CA 92618
Telephone: (949) 453-8600; Fax: (949) 453-8601
Lab Name: Reproductive Fertility Center
Embryology Laboratory
Accreditation: CAP/ASRM

Reproductive Partners-UCSD Regional
Fertility Center
9850 Genesee Ave, Suite 800
La Jolla CA 92037
Telephone: (858) 552-9177; Fax: (858) 552-9188
Lab Name: Reproductive Partners Medical
Group, Inc. Laboratory-La Jolla
Accreditation: CAP/ASRM

Reproductive Sciences Center
4150 Regents Park Row, Suite 280
La Jolla CA 92037
Telephone: (858) 625-0125; Fax: (858) 625-0131
Lab Name: Reproductive Science Center
IVF Laboratory
Accreditation: CAP/ASRM

Scripps Clinic Fertility Center
10666 N. Torrey Pines Rd
La Jolla CA 92037
Telephone: (858) 554-8630; Fax: (858) 554-9092
Lab Name: Scripps Clinic Torrey Pines Fertility
Center Laboratory
Accreditation: CAP/ASRM

Loma Linda University Center for Fertility and IVF
Department of Gynecology and Obstetrics
11370 Anderson St, Suite 3950
Loma Linda CA 92354
Telephone: (909) 558-2851; Fax: (909) 558-2450
Lab Name: Loma Linda University Health Care
Fertility Science Laboratory
Accreditation: CAP/ASRM

California Fertility Partners
11818 Wilshire Blvd, Suite 300
Los Angeles CA 90025
Telephone: (310) 828-4008; Fax: (310) 828-3310
Lab Name: California Fertility Partners Reproductive
Technology Laboratory
Accreditation: CAP/ASRM

Cedars Sinai Medical Center
Center for Fertility and Reproductive Medicine
444 S. San Vicente Blvd, Suite 1002
Los Angeles CA 90048
Telephone: (310) 423-9964; Fax: (310) 423-9777
Lab Name: ART Reproductive Center
Accreditation: CAP/ASRM

CHA Fertility Center
5455 Wilshire Blvd, Suite 1904
Los Angeles CA 90036
Telephone: (323) 525-3377; Fax: (323) 525-3376
Lab Name: CHA Fertility Center
Accreditation: CAP/ASRM

Pacific Fertility Center-Los Angeles
10921 Wilshire Blvd, Suite 700
Los Angeles CA 90024
Telephone: (310) 209-7700; Fax: (310) 209-7799
Lab Name: Pacific Fertility Center-Los Angeles
Accreditation: CAP/ASRM

UCLA Fertility Center
Department of Obstetrics and Gynecology
200 Medical Plaza, Suite 430
Los Angeles CA 90095
Telephone: (310) 825-9500; Fax: (310) 206-9731
Lab Name: ART Reproductive Center
Accreditation: CAP/ASRM

USC Reproductive Endocrinology and Infertility
1127 Wilshire Blvd, Suite 1400
Los Angeles CA 90017
Telephone: (213) 975-9990; Fax: (213) 975-9997
Lab Name: USC Fertility ART Laboratory
Accreditation: CAP/ASRM

The Fertility and Gynecology Center
Monterey Bay IVF Program
9833 Blue Larkspur Ln
Monterey CA 93940
Telephone: (831) 649-4483; Fax: (831) 649-9010
Lab Name: Fertility and Gynecology Center
Accreditation: CAP/ASRM

Newport Fertility Center
20072 S.W. Birch St, Suite 230
Newport Beach CA 92660
Telephone: (949) 222-1290; Fax: (949) 222-1289
Lab Name: Southern California Institute for
Reproductive Sciences
Accreditation: CAP/ASRM

Reproductive Specialty Medical Center
1441 Avocado Ave, Suite 203
Newport Beach CA 92660
Telephone: (949) 640-7200; Fax: (949) 720-0203
Lab Name: Reproductive Specialty Medical Center
Accreditation: The Joint Commission

Southern California Center for
Reproductive Medicine
361 Hospital Rd, Suite 333
Newport Beach CA 92663
Telephone: (949) 642-8727; Fax: (949) 642-5413
Lab Name: Southern California Institute for
Reproductive Sciences
Accreditation: CAP/ASRM

IVF-Orange Surgery Center
431 S. Batavia St, Suite 102
Orange CA 92868
Telephone: (714) 771-7800; Fax: (714) 289-9900
Lab Name: IVF-Orange Surgery Center
Accreditation: None

Nova In Vitro Fertilization
1681 El Camino Real
Palo Alto CA 94306
Telephone: (650) 322-0500; Fax: (650) 322-5404
Lab Name: Nova In Vitro Fertilization
Main Laboratory
Accreditation: CAP/ASRM

Stanford University IVF/ART Program
Department of Gynecology and Obstetrics
Stanford Fertility and Reproductive Medicine Center
Stanford University Department of Gynecology
and Obstetrics
900 Welch Rd, Suite 350
Palo Alto CA 94304
Telephone: (650) 736-4036; Fax: (650) 725-4463
Lab Name: Stanford University Hospitals and Clinics
IVF/REI Laboratory
Accreditation: CAP/ASRM, The Joint Commission

Huntington Reproductive Center
333 S. Arroyo Pkwy, 3rd Floor
Pasadena CA 91105
Telephone: (626) 440-9161; Fax: (626) 440-0138
Lab Name: Huntington Reproductive Center
Gamete Laboratory
Accreditation: CAP/ASRM

Palo Alto Medical Foundation
Reproductive Endocrinology & Fertility
3220 Alpine Rd
Portola Valley CA 94028
Telephone: (650) 853-2200; Fax: (650) 853-2237
Lab Name: Fertility & Reproductive Health Institute
IVF Laboratory
Accreditation: CAP/ASRM
Lab Name: Reproductive Science Center of the
San Francisco Bay Area
Accreditation: CAP/ASRM

Reproductive Partners-Redondo Beach
510 N. Prospect Ave, Suite 202
Redondo Beach CA 90277
Telephone: (310) 318-3010; Fax: (310) 798-7304
Lab Name: Reproductive Partners Medical
Group, Inc.-Redondo Beach
Accreditation: CAP/ASRM

Northern California Fertility Medical Center
1130 Conroy Ln, Suite 100
Roseville CA 95661
Telephone: (916) 773-2229; Fax: (916) 773-8391
Lab Name: Northern California Fertility
Medical Center
Accreditation: CAP/ASRM

Kaiser Permanente Center for Reproductive
Health-Sacramento
1650 Response Rd, Suite 1A
Sacramento CA 95815
Telephone: (916) 614-5145; Fax: (916) 614-5045
Lab Name: Kaiser Permanente Center for
Reproductive Health-Sacramento
Accreditation: CAP/ASRM

The University of California-Davis
Assisted Reproductive Technology Program
2521 Stockton Blvd, Suite 4200
Sacramento CA 95817
Telephone: (916) 734-6106; Fax: (916) 734-6150
Lab Name: UC Davis Medical Center Assisted
Reproductive Technology Program
Accreditation: CAP/ASRM

For current information for The Fertility and
Gynecology Center, Monterey Bay IVF Program,
see Monterey, CA

Fertility Specialists Medical Group
8010 Frost St, Plaza Level
San Diego CA 92123
Telephone: (858) 505-5500; Fax: (858) 505-5555
Lab Name: San Diego Center for
Reproductive Surgery
Accreditation: CAP/ASRM

NTC Infertility Clinic
2051 Cushing Rd, Bldg 624
San Diego CA 92106
Telephone: (619) 524-0050; Fax: (619) 524-6241
Lab Name: Reproductive Partners Medical Group,
Inc. Laboratory-La Jolla
Accreditation: CAP/ASRM

San Diego Fertility Center
(SDFC)
11515 El Camino Real, Suite 100
San Diego CA 92130
Telephone: (858) 794-6363; Fax: (858) 794-6360
Lab Name: SDFC IVF & Andrology Laboratories
Accreditation: CAP/ASRM

Laurel Fertility Care
1700 California St, Suite 570
San Francisco CA 94109
Telephone: (415) 673-9199; Fax: (415) 673-8796
Lab Name: Laurel Fertility Care Laboratory
Accreditation: CAP/ASRM

Pacific Fertility Center
55 Francisco St, Suite 500
San Francisco CA 94133
Telephone: (415) 834-3000; Fax: (415) 834-3080
Lab Name: Pacific Fertility Center IVF Laboratory
Accreditation: CAP/ASRM

§UCSF Center for Reproductive Health
2356 Sutter St, 7th Floor
San Francisco CA 94115
Telephone: (415) 353-3040; Fax: (415) 353-7744
Contact the NASS Help Desk for current
clinic information.

Fertility Physicians of Northern California
2581 Samaritan Dr, Suite 302
San Jose CA 95124
Telephone: (408) 356-5000; Fax: (408) 355-1665
Lab Name: Fertility & Reproductive Health Institute
IVF Laboratory
Accreditation: CAP/ASRM

Reproductive Science Center of the San Francisco Bay Area
3160 Crow Canyon Rd, Suite 150
San Ramon CA 94583
Telephone: (925) 867-1800; Fax: (925) 275-3862
Lab Name: Reproductive Science Center of the San Francisco Bay Area
Accreditation: CAP/ASRM

Parker-Rosenman-Rodi Gynecology and Infertility Medical Group
1450 Tenth St, Suite 404
Santa Monica CA 90401
Telephone: (310) 451-8144; Fax: (310) 451-3414
Lab Name: Pacific Fertility Center-Los Angeles
Accreditation: CAP/ASRM

Advanced Fertility Associates Medical Group, Inc.
1111 Sonoma Ave, Suite 214
Santa Rosa CA 95405
Telephone: (707) 575-5831; Fax: (707) 575-4379
Lab Name: Advanced Fertility Associates Medical Group, Inc.
Accreditation: CAP/ASRM

Valley Center for Reproductive Health
Tina Koopersmith, MD
13320 Riverside Dr, Suite 220
Sherman Oaks CA 91423
Telephone: (818) 986-1648; Fax: (818) 986-1653
Lab Name: ART Reproductive Center
Accreditation: CAP/ASRM

The Center for Fertility and Gynecology
Vermesh Center for Fertility
18370 Burbank Blvd, Suite 301
Tarzana CA 91356
Telephone: (818) 881-9800; Fax: (818) 881-1857
Lab Name: A.R.T. Medical Group, Inc. Laboratory
Accreditation: CAP/ASRM

Tree of Life Center
Snunit Ben-Ozer, MD
18370 Burbank Blvd, Suite 514
Tarzana CA 91356
Telephone: (818) 344-8522; Fax: (818) 344-8521
Lab Name: ART Reproductive Center
Accreditation: CAP/ASRM

Pacific Reproductive Center
3720 Lomita Blvd, Suite 200
Torrance CA 90505
Telephone: (310) 376-7000; Fax: (310) 373-0319
Lab Name: Pacific Reproductive Center-Torrance
Accreditation: CAP/ASRM

University Fertility Center
23550 Hawthorne Blvd, Suite 210
Torrance CA 90505
Telephone: (310) 378-7445; Fax: (310) 378-7427
Lab Name: University Fertility Center
Accreditation: CAP/ASRM (Pend)

§Contra Costa OB/GYN & Infertility
240 La Casa Via, Suite 100
Walnut Creek CA 94598
Telephone: (925) 932-2565; Fax: (925) 930-8568
Contact the NASS Help Desk for current clinic information.

Reproductive Partners-Westminster
13950 Milton Ave, Suite 100
Westminster CA 92683
Telephone: (714) 702-3000; Fax: (714) 702-3039
Lab Name: Reproductive Partners Medical Group-Westminster, IVF & Andrology Laboratory
Accreditation: CAP/ASRM
Lab Name: Reproductive Partners Medical Group, Inc.-Redondo Beach
Accreditation: CAP/ASRM

COLORADO

Advanced Reproductive Medicine
University of Colorado Health Sciences Center
Anschutz Outpatient Pavilion
1635 Aurora Ct, Suite 3400
Aurora CO 80045
Telephone: (720) 848-1690; Fax: (720) 848-1678
Lab Name: University of Colorado Hospital IVF Clinical Laboratory
Accreditation: CAP/ASRM

Reproductive Medicine and Fertility Center
265 Parkside Dr, Suite 200
Colorado Springs CO 80910
Telephone: (719) 475-2229; Fax: (719) 475-2227
Lab Name: Reproductive Medicine and Fertility Center
Accreditation: CAP/ASRM

Eric H. Silverstein, MD, Professional LLC dba
The Fertility Center of Colorado
6160 Tutt Blvd, Suite 210
Colorado Springs CO 80923
Telephone: (719) 636-0080; Fax: (719) 636-3030
Lab Name: The Fertility Center of
Colorado Laboratory
Accreditation: CAP/ASRM

Colorado Reproductive Endocrinology
4600 E. Hale Pkwy, Suite 350
Denver CO 80220
Telephone: (303) 321-7115; Fax: (303) 321-9519
Lab Name: Colorado Reproductive Endocrinology
Accreditation: CAP/ASRM

For current information for Colorado Center for
Reproductive Medicine, see Lone Tree, CO

Rocky Mountain Center for Reproductive Medicine
1080 E. Elizabeth St
Fort Collins CO 80524
Telephone: (970) 493-6353; Fax: (970) 493-6366
Lab Name: Rocky Mountain Center for
Reproductive Medicine IVF/Embryology
Laboratory
Accreditation: CAP/ASRM

§Conceptions Reproductive Associates of Colorado
271 W. County Line Rd
Littleton CO 80129
Telephone: (303) 794-0045; Fax: (303) 794-2054
Contact the NASS Help Desk for current
clinic information.

Colorado Center for Reproductive Medicine
10290 RidgeGate Cir
Lone Tree CO 80124
Telephone: (303) 788-8300; Fax: (303) 788-8310
Lab Name: Fertility Laboratories of Colorado
Accreditation: CAP/ASRM

CONNECTICUT

Connecticut Fertility Associates
4920 Main St, Suite 301
Bridgeport CT 06606
Telephone: (203) 373-1200; Fax: (203) 365-6516
Lab Name: Connecticut Fertility
Associates Laboratory
Accreditation: CAP/ASRM

The Center for Advanced Reproductive Services at
the University of Connecticut Health Center
Dowling South Bldg, 263 Farmington Ave
Farmington CT 06030
Telephone: (860) 679-4580; Fax: (860) 679-1499
Lab Name: University of Connecticut Health Center,
Laboratory at the Center for Advanced
Reproductive Services
Accreditation: CAP/ASRM

Yale Fertility Center
150 Sargent Dr, 2nd Floor
New Haven CT 06511
Telephone: (203) 785-4708; Fax: (203) 764-5669
Lab Name: Yale New Haven Hospital In Vitro
Fertilization Laboratory
Accreditation: CAP/ASRM

Reproductive Medicine Associates of Connecticut
10 Glover Ave
Norwalk CT 06850
Telephone: (203) 750-7400; Fax: (203) 846-9579
Lab Name: Reproductive Medicine Associates of
Connecticut Embryology Laboratory
Accreditation: CAP/ASRM

New England Fertility Institute
1275 Summer St, Suite 201
Stamford CT 06905
Telephone: (203) 325-3200; Fax: (203) 323-3130
Lab Name: New England Fertility Institute
ART-IVF Laboratory
Accreditation: CAP/ASRM

The Stamford Hospital
30 Shelburne Rd
Stamford CT 06904
Telephone: (203) 276-7559; Fax: (203) 276-7259
Lab Name: New England Fertility Institute
ART-IVF Laboratory
Accreditation: CAP/ASRM

Park Avenue Fertility and Reproductive Medicine
5520 Park Ave
Trumbull CT 06611
Telephone: (203) 372-6700; Fax: (203) 372-6706
Lab Name: Park Avenue Fertility and
Reproductive Medicine
Accreditation: None

DELAWARE

The Delaware Institute for Reproductive Medicine
Medical Arts Pavilion 1
4745 Ogletown-Stanton Rd, Suite 111
Newark DE 19713
Telephone: (302) 738-4600; Fax: (302) 738-3508
Lab Name: Delaware Institute for
Reproductive Medicine
Accreditation: CAP/ASRM

Reproductive Associates of Delaware
Medical Arts Pavilion 2
4735 Ogletown-Stanton Rd, Suite 3217
Newark DE 19713
Telephone: (302) 623-4242; Fax: (302) 623-4241
Lab Name: Reproductive Associates of
Delaware Laboratory
Accreditation: CAP/ASRM

DISTRICT OF COLUMBIA

The A.R.T. Institute of Washington, Inc.
Walter Reed Army Medical Center
6900 Georgia Ave N.W.
Ward 43, Bldg 2, Rm 4304
Washington DC 20307
Telephone: (202) 782-5429; Fax: (202) 782-4833
Lab Name: The A.R.T. Institute of Washington, Inc.
Accreditation: CAP/ASRM

Columbia Fertility Associates
2440 M St N.W., Suite 401
Washington DC 20037
Telephone: (202) 293-6567; Fax: (202) 778-6190
Lab Name: Columbia Fertility Associates
IVF Center Laboratory
Accreditation: The Joint Commission

The George Washington University Medical
Faculty Associates
2150 Pennsylvania Ave N.W., Suite 6-300
Washington DC 20037
Telephone: (202) 741-2520; Fax: (202) 741-2518
Lab Name: Medical Faculty Associates, Inc.
Accreditation: CAP/ASRM

James A. Simon, MD, PC
1850 M St N.W., Suite 450
Washington DC 20036
Telephone: (202) 293-1000; Fax: (202) 463-6150
Lab Name: Columbia Fertility Associates
IVF Center Laboratory
Accreditation: The Joint Commission

FLORIDA

BocaFertility
875 Meadows Rd, Suite 334
Boca Raton FL 33486
Telephone: (561) 368-5500; Fax: (561) 368-4793
Lab Name: BocaFertility IVF Laboratory
Accreditation: CAP/ASRM

Palm Beach Fertility Center
9291 Glades Rd, Suite 202
Boca Raton FL 33434
Telephone: (561) 477-7728; Fax: (561) 477-7035
Lab Name: Palm Beach Fertility Center Laboratory
Accreditation: The Joint Commission

Advanced Reproductive Care Center, PA
10301 Hagen Ranch Rd, Suite 6
Boynton Beach FL 33437
Telephone: (561) 736-6006; Fax: (561) 736-5788
Lab Name: Advanced Reproductive Care Center, PA
Accreditation: The Joint Commission

Florida Fertility Institute
2454 McMullen Booth Rd, Suite 601
Clearwater FL 33759
Telephone: (727) 796-7705; Fax: (727) 726-6062
Lab Name: Florida Fertility Institute
Accreditation: The Joint Commission

Infertility and Reproductive Medicine of
South Broward
Kenneth M. Gelman, MD
9900 Stirling Rd, Suite 300
Cooper City FL 33024
Telephone: (954) 432-2228; Fax: (954) 432-7277
Lab Name: Infertility and Reproductive Medicine of
South Broward
Accreditation: None

Southwest Florida Fertility Center, PA
15730 New Hampshire Court, Unit 101
Fort Myers FL 33908
Telephone: (239) 561-3430; Fax: (239) 561-6980
Lab Name: Southwest Florida Fertility Center, PA
Accreditation: CAP/ASRM

Specialists in Reproductive Medicine & Surgery, PA
Craig R. Sweet, MD
12611 World Plaza Ln, Bldg 53
Fort Myers FL 33907
Telephone: (239) 275-8118; Fax: (239) 275-5419
Lab Name: Specialists in Reproductive Medicine
and Surgery, PA
Accreditation: The Joint Commission

University of Florida Women's Health at
Magnolia Parke
Women's Health at Magnolia Parke
3951 N.W. 48th Terrace, Suite 101
Gainesville FL 32606
Telephone: (352) 265-6200; Fax: (352) 265-9103
Lab Name: Shands at the University of Florida IVF
and Andrology Laboratory
Accreditation: CAP/ASRM

Assisted Fertility Program of North Florida
3627 University Blvd South, Suite 450
Jacksonville FL 32216
Telephone: (904) 398-1407; Fax: (904) 399-3436
Lab Name: Assisted Fertility Program
Accreditation: CAP/ASRM (Pend)

Florida Institute for Reproductive Medicine
Baptist Medical Center Pavilion
836 Prudential Dr, Suite 902
Jacksonville FL 32207
Telephone: (904) 399-5620; Fax: (904) 399-5645
Lab Name: Florida Institute for Reproductive
Medicine IVF Laboratory
Accreditation: CAP/ASRM

Jacksonville Center for Reproductive Medicine
7051 Southpoint Pkwy, Suite 200
Jacksonville FL 32216
Telephone: (904) 493-2229; Fax: (904) 396-4546
Lab Name: North Florida Reproductive
Biology Laboratory
Accreditation: CAP/ASRM (Pend)

§Gene F. Manko, MD, Inc.
600 Heritage Dr, Suite 200
Jupiter FL 33458
Telephone: (561) 354-1525; Fax: (561) 354-1526
Contact the NASS Help Desk for current
clinic information.

Center for Reproductive Medicine
Stephen W. Welden, MD
18944 N. Dale Mabry Hwy
Lutz FL 33548
Telephone: (813) 386-0618; Fax: (813) 386-0622
Lab Name: Bill Clark
Accreditation: None

IVF Florida
2960 N. State Rd 7, Suite 300
Margate FL 33063
Telephone: (954) 247-6200; Fax: (954) 247-6296
Lab Name: IVF Florida Reproductive Associates
Accreditation: CAP/ASRM

Fertility & Reproductive Medicine Center
for Women
Viera Fertility Center
Fertility & Reproductive Medicine Center
for Women
3160 Alzante Circle
Melbourne FL 32940
Telephone: (321) 751-4673; Fax: (321) 751-4567
Lab Name: Fertility & Reproductive Medicine
Center for Women, Viera Fertility Center
Accreditation: The Joint Commission

Fertility & IVF Center of Miami, Inc.
8950 N. Kendall Dr, Suite 103
Miami FL 33176
Telephone: (305) 596-4013; Fax: (305) 596-4557
Lab Name: Fertility & IVF Center of Miami Assisted
Reproduction Laboratory
Accreditation: CAP/ASRM

Palmetto Fertility Center of South Florida
7100 W. 20th Ave, Suite 205
Miami FL 33016
Telephone: (305) 558-0808; Fax: (305) 558-0806
Lab Name: Palmetto Fertility Center of South
Florida, Inc. ART Laboratory
Accreditation: CAP/ASRM

University of Miami Infertility Center
1400 N.W. 12th Ave, Suite 5
Miami FL 33136
Telephone: (305) 243-8642; Fax: (305) 324-0363
Lab Name: University of Miami Infertility Center
Accreditation: CAP/ASRM

Center for Reproductive Medicine, PA
3435 Pinehurst Ave
Orlando FL 32804
Telephone: (407) 740-0909; Fax: (407) 740-7262
Lab Name: Center for Reproductive Medicine
IVF Laboratory
Accreditation: CAP/ASRM

Frank C. Riggall, MD, PA
2501 N. Orange Ave, Suite 209S
Orlando FL 32804
Telephone: (407) 898-0254; Fax: (407) 898-6224
Lab Name: Center for Reproductive Medicine
IVF Laboratory
Accreditation: CAP/ASRM

New Leaders in Infertility & Endocrinology, LLC
4400 Bayou Blvd, Suite 36
Pensacola FL 32503
Telephone: (850) 857-3733; Fax: (850) 857-0670
Lab Name: New LIFE Laboratory
Accreditation: CAP/ASRM (Pend)

Fertility & Genetics
201 N. Pine Island Rd, 2nd Floor
Plantation FL 33324
Telephone: (954) 584-2273; Fax: (954) 587-9630
Lab Name: Lab for Implantation, Fertilization &
Embryology (LIFE), LC
Accreditation: CAP/ASRM

Fertility Center and Applied Genetics of Florida, Inc.
5664 Bee Ridge Rd, Suites 103 & 202
Sarasota FL 34233
Telephone: (941) 342-1568; Fax: (941) 342-8296
Lab Name: Fertility Center & Applied Genetics of
Florida, Inc.
Accreditation: None

South Florida Institute for Reproductive Medicine
7300 S.W. 62nd Pl, 4th Floor
South Miami FL 33143
Telephone: (305) 662-7901; Fax: (305) 662-7910
Lab Name: South Florida Institute for Reproductive
Medicine-Miami
Accreditation: CAP/ASRM

Reproductive Health Associates, PA
2919 Swann Ave, Suite 307
Tampa FL 33609
Telephone: (813) 872-0018; Fax: (813) 876-1149
Lab Name: Bill Clark
Accreditation: None

The Reproductive Medicine Group
5245 E. Fletcher Ave
Tampa FL 33617
Telephone: (813) 676-8844; Fax: (813) 676-8815
Lab Name: Reproductive Medicine Group
ART Laboratories, Inc.
Accreditation: CAP/ASRM

University of South Florida IVF
2 Tampa General Cir, 6th Floor
Tampa FL 33606
Telephone: (813) 259-0962; Fax: (813) 259-0882
Lab Name: University of South Florida IVF
Accreditation: None

F.I.R.S.T.
Florida Institute for Reproductive Sciences
and Technologies
2300 N. Commerce Pkwy, Suite 313
Weston FL 33326
Telephone: (954) 217-3456; Fax: (954) 217-3462
Lab Name: Florida Institute for Reproductive
Sciences & Technologies
Accreditation: The Joint Commission

Fertility Center of Assisted Reproduction
& Endocrinology
5931 Brick Ct
Winter Park FL 32792
Telephone: (407) 672-1106; Fax: (407) 678-2790
Lab Name: Fertility C.A.R.E. Laboratory
Accreditation: CAP/ASRM

GEORGIA

Atlanta Center for Reproductive Medicine
5909 Peachtree Dunwoody Rd, Suite 720
Atlanta GA 30328
Telephone: (770) 928-2276; Fax: (770) 592-2092
Lab Name: Atlanta Center for
Reproductive Medicine
Accreditation: CAP/ASRM

Emory Reproductive Center
550 Peachtree St, Suite 1800
Atlanta GA 30308
Telephone: (404) 686-1583; Fax: (404) 686-4956
Lab Name: Emory University, Emory
Reproductive Center
Accreditation: CAP/ASRM

Georgia Reproductive Specialists, LLC
5445 Meridian Mark Rd, Suite 270
Atlanta GA 30342
Telephone: (404) 843-2229; Fax: (404) 843-0812
Lab Name: Georgia Reproductive Specialists
Accreditation: The Joint Commission

Reproductive Biology Associates
1150 Lake Hearn Dr, Suite 600
Atlanta GA 30342
Telephone: (404) 843-3064; Fax: (404) 256-1528
Lab Name: Reproductive Biology Associates
IVF Laboratory
Accreditation: CAP/ASRM

Reproductive Medicine and Infertility Associates
810 Chafee St
Augusta GA 30904
Telephone: (706) 722-4434; Fax: (706) 722-9647
Lab Name: MCGH/PPG Reproductive
Laboratories, LLC
Accreditation: CAP/ASRM

Servy Institute for Reproductive Endocrinology
812 Chafee Ave
Augusta GA 30904
Telephone: (706) 724-0228; Fax: (706) 722-2387
Lab Name: MCGH/PPG Reproductive
Laboratories, LLC
Accreditation: CAP/ASRM

Columbus Center for Reproductive Endocrinology &
Infertility, LLC
2323 Whittlesey Rd
Columbus GA 31909
Telephone: (706) 653-6344; Fax: (706) 653-8933
Lab Name: Columbus Center for Reproductive
Endocrinology & Infertility Laboratory
Accreditation: CAP/ASRM

Central Georgia Fertility Institute
4075 Elnora Dr
Macon GA 31210
Telephone: (478) 757-7888; Fax: (478) 757-7887
Lab Name: Central Georgia Fertility Institute
Accreditation: The Joint Commission

Georgia Center for Reproductive Medicine
5354 Reynolds St, Suite 510
Savannah GA 31405
Telephone: (912) 352-8588; Fax: (912) 352-8893
Lab Name: The Georgia Center for
Reproductive Medicine
Accreditation: None

HAWAII

Advanced Reproductive Center of Hawaii
1319 Punahou St, Suite 520
Honolulu HI 96826
Telephone: (808) 949-6611; Fax: (808) 949-6610
Lab Name: Pacific IVF Institute
Accreditation: CAP/ASRM

Hawaii Reproductive Center
1132 Bishop St, Suite 1110
Honolulu HI 96813
Telephone: (808) 537-1164; Fax: (808) 537-1174
Lab Name: Hawaii Reproductive Center
Accreditation: The Joint Commission

IVF Hawaii
1329 Lusitana St, Suite 607
Honolulu HI 96813
Telephone: (808) 538-6655; Fax: (808) 537-5500
Lab Name: IVF Hawaii
Accreditation: CAP/ASRM

Pacific In Vitro Fertilization Institute
Kapi`olani Medical Center for Women and Children
1319 Punahou St, Suite 980
Honolulu HI 96826
Telephone: (808) 946-2226; Fax: (808) 943-1563
Lab Name: Pacific IVF Institute
Accreditation: CAP/ASRM

STripler Army Medical Center IVF Institute
Department of OB/GYN
1 Jarrett White Rd
Tripler AMC HI 96859
Telephone: (808) 433-5946; Fax: (808) 433-1552
Contact the NASS Help Desk for current
clinic information.

IDAHO

Idaho Center for Reproductive Medicine
111 Main St, Suite 100
Boise ID 83702
Telephone: (208) 342-5900; Fax: (208) 342-2088
Lab Name: Idaho Reproductive Labs, Inc.
Accreditation: The Joint Commission

ILLINOIS

Rush-Copley Center for Reproductive Health
Rush-Copley Medical Center
2020 Ogden Ave, Suite 250
Aurora IL 60504
Telephone: (630) 978-6254; Fax: (630) 499-2487
Lab Name: Rush-Copley Medical Center
Accreditation: The Joint Commission

Martin S. Balin, MD, PhD
2825 N. Halsted St
Chicago IL 60657
Telephone: (772) 472-4949; Fax: (847) 676-3665
Lab Name: Reproductive Genetics Institute IVF
Accreditation: CAP/ASRM

Center for Reproductive Medicine & Fertility
The University of Chicago
333 S. Desplaines St, Suite 201
Chicago IL 60661
Telephone: (773) 702-6642; Fax: (773) 702-5848
Lab Name: Center for Reproductive Medicine
& Fertility
Accreditation: CAP/ASRM

Institute for Human Reproduction (IHR)
2825 N. Halsted St
Chicago IL 60657
Telephone: (773) 472-4949; Fax: (773) 935-3691
Lab Name: Reproductive Genetics Institute IVF
Accreditation: CAP/ASRM

Northwestern University
675 N. St. Clair St, Suite 14-219
Chicago IL 60611
Telephone: (312) 695-1364; Fax: (312) 695-4924
Lab Name: Northwestern Medical Faculty
Foundation, Inc., IVF & Andrology Laboratories
Accreditation: CAP/ASRM

River North IVF-Fertility Centers of Illinois
900 N. Kingsbury, Suite RW6
Chicago IL 60610
Telephone: (312) 222-8200; Fax: (773) 385-8740
Lab Name: Fertility Centers of Illinois, River North
IVF Center
Accreditation: CAP/ASRM

University of Illinois at Chicago IVF Program
1801 W. Taylor St, Suite 4A
Chicago IL 60612
Telephone: (312) 996-9820; Fax: (312) 355-3161
Lab Name: University of Illinois at Chicago
IVF Program
Accreditation: CAP/ASRM

Women's Health Consultants
1725 W. Harrison St, Suite 408E
Chicago IL 60612
Telephone: (312) 997-2229; Fax: (312) 997-2354
Lab Name: Rush Center for Advanced Reproductive
Care Andrology Laboratory
Accreditation: The Joint Commission
Lab Name: Reproductive Genetics Institute IVF
Accreditation: CAP/ASRM

Center for Reproductive Health/Joliet IVF
2246 Weber Rd
Crest Hill IL 60403
Telephone: (815) 725-4161; Fax: (815) 725-4341
Lab Name: Center for Reproductive Health/Joliet
IVF, LLC
Accreditation: CAP/ASRM

Midwest Fertility Center
4333 Main St
Downers Grove IL 60515
Telephone: (630) 810-0212; Fax: (630) 810-1027
Lab Name: Midwest Fertility Center ART Laboratory
Accreditation: CAP/ASRM

The Rinehart Center for Reproductive Medicine
2500 Ridge Ave, Suite 200
Evanston IL 60201
Telephone: (847) 869-7777; Fax: (847) 869-7782
Lab Name: The Rinehart Center for
Reproductive Medicine
Accreditation: CAP/ASRM

The Rinehart-Coulam Center
2500 Ridge Ave, Suite 200
Evanston IL 60611
Telephone: (847) 869-7777; Fax: (847) 869-7782
Lab Name: The Rinehart Center for
Reproductive Medicine
Accreditation: CAP/ASRM

Advanced Fertility Center of Chicago
30 Tower Ct, Suite F
Gurnee IL 60031
Telephone: (847) 662-1818; Fax: (847) 662-3001
Lab Name: Advanced Fertility Center of Chicago
Accreditation: CAP/ASRM

Chicago Infertility Associates
Alexian Brother's Hospital Pavilion
1515 W. Lake St, Suite 208
Hanover Park IL 60133
Telephone: (630) 540-9317; Fax: (630) 540-2262
Lab Name: Reproductive Genetics Institute IVF
Accreditation: CAP/ASRM

Highland Park IVF Center
767 Park Ave West, B400
Highland Park IL 60035
Telephone: (847) 266-3535; Fax: (847) 266-8838
Lab Name: Gamete Resources
Accreditation: None

Hinsdale Center for Reproduction
121 N. Elm St
Hinsdale IL 60521
Telephone: (630) 856-3535; Fax: (630) 856-3545
Lab Name: Hinsdale Center for Reproduction
Accreditation: CAP/ASRM

Reena Jabamoni, MD, SC
1585 N. Barrington Rd, Suite 401
Hoffman Estates IL 60169
Telephone: (847) 843-7090; Fax: (847) 843-0584
Lab Name: Fertility Centers of Illinois, River North
IVF Center
Accreditation: CAP/ASRM

Karande and Associates, SC
*Karande and Associates, SC
dba InVia Fertility*
1585 N. Barrington Rd, Suite 406
Hoffman Estates IL 60194
Telephone: (847) 884-8884; Fax: (847) 884-8093
Lab Name: InVia Fertility Specialists
Accreditation: CAP/ASRM

Reproductive Health Specialists, Ltd.
1515 Essington Rd
Joliet IL 60435
Telephone: (815) 730-1100; Fax: (815) 730-1066
Lab Name: Reproductive Health Specialists, Ltd.,
IVF/Andrology Laboratory
Accreditation: CAP/ASRM

§The Fertility Institute at Edward
Charles E. Miller, MD & Associates
120 Osler Dr
Naperville IL 60540
Telephone: (630) 428-2229; Fax: (630) 428-0336
Contact the NASS Help Desk for current
clinic information.

IVF1
636 Raymond Dr, Suite 303
Naperville IL 60563
Telephone: (630) 357-6540; Fax: (630) 357-6435
Lab Name: Reproductive Genetics Institute IVF
Accreditation: CAP/ASRM

Oak Brook Fertility Center
2425 W. 22nd St, Suite 102
Oak Brook IL 60523
Telephone: (630) 954-0054; Fax: (630) 954-0064
Lab Name: Chicago Fertility Laboratories, Inc.
Accreditation: The Joint Commission

Sher Institute for Reproductive Medicine-
Central Illinois
5401 N. Knoxville Ave, Suite 110
Peoria IL 61614
Telephone: (309) 689-0411; Fax: (309) 689-0784
Lab Name: Sher Institute for Reproductive
Medicine-Central Illinois
Accreditation: CAP/ASRM

Reproductive Health and Fertility Center
973 Featherstone Rd, Suite 100
Rockford IL 61107
Telephone: (815) 986-3737; Fax: (815) 986-3734
Lab Name: Reproductive Health and Fertility
Center Laboratory
Accreditation: CAP/ASRM

North Shore Fertility, SC
4250 Dempster St
Skokie IL 60076
Telephone: (847) 763-8850; Fax: (847) 763-8851
Lab Name: North Shore Fertility, SC IVF Laboratory
Accreditation: CAP/ASRM

Reproductive Endocrinology Associates, SC
340 W. Miller St
Springfield IL 62702
Telephone: (217) 523-4700; Fax: (217) 523-9025
Lab Name: Reproductive Endocrinology Associates
Accreditation: CAP/ASRM

Seth Levrant, MD, PC
Partners in Reproductive Health
16345 S. Harlem Ave, Suite 1W
Tinley Park IL 60477
Telephone: (708) 532-7017; Fax: (708) 845-5287
Lab Name: Seth Levrant, MD, PC, In-Vitro Lab
Accreditation: CAP/ASRM

INDIANA

Bonaventura Reproductive Medicine
11725 Illinois St, Suite 345
Carmel IN 46032
Telephone: (317) 814-4570; Fax: (317) 814-4571
Lab Name: Heartland Laboratories
Accreditation: CAP/ASRM

Jarrett Fertility Group
11725 Illinois St, Suite 515
Carmel IN 46032
Telephone: (317) 814-4110; Fax: (317) 814-4114
Lab Name: Heartland Laboratories
Accreditation: CAP/ASRM

Midwest Fertility Specialists
12188-A N. Meridian St, Suite 250
Carmel IN 46032
Telephone: (317) 571-1637; Fax: (317) 571-9483
Lab Name: Midwest Fertility Specialists
Accreditation: The Joint Commission

Advanced Reproduction Institute, LLC
Advanced Fertility Group
1222 Professional Blvd
Evansville IN 47714
Telephone: (812) 469-4920; Fax: (812) 469-4930
Lab Name: Advanced Reproduction Institute, LLC
Accreditation: The Joint Commission

Advanced Fertility Group
201 N. Pennsylvania Pkwy, Suite 205
Indianapolis IN 46280
Telephone: (317) 817-1300; Fax: (317) 817-1306
Lab Name: Center for Reproductive Biology
of Indiana, LLC
Accreditation: The Joint Commission

Family Beginnings, PC
8435 Clearvista Pl, Suite 104
Indianapolis IN 46256
Telephone: (317) 595-3665; Fax: (317) 595-3666
Lab Name: Family Beginnings, PC
Accreditation: CAP/ASRM

Indiana University Hospital
550 N. University Blvd, Room 2440
Indianapolis IN 46202
Telephone: (317) 274-4057; Fax: (317) 278-3787
Lab Name: Center for Reproductive Biology
of Indiana, LLC
Accreditation: The Joint Commission

Reproductive Care of Indiana
201 Pennsylvania Pkwy, Suite 205
Indianapolis IN 46280
Telephone: (317) 817-1800; Fax: (317) 817-1810
Lab Name: Center for Reproductive Biology of
Indiana, LLC
Accreditation: The Joint Commission

Women's Specialty Health Centers, PC
9660 E. 146th St, Suite 300
Noblesville IN 46060
Telephone: (317) 774-1200; Fax: (317) 774-1222
Lab Name: Follas Center for Reproductive
Medicine Laboratory
Accreditation: CAP/ASRM

IOWA

Mid-Iowa Fertility, PC
1371 N.W. 121st St
Clive IA 50325
Telephone: (515) 222-3060; Fax: (515) 222-9563
Lab Name: Mid-Iowa Fertility, PC Main Laboratory
Accreditation: CAP/ASRM

University of Iowa Hospitals and Clinics
Center for Advanced Reproductive Care
Department of Obstetrics and Gynecology
Pomerantz Family Pavilion, 200 Hawkins Dr
Iowa City IA 52242
Telephone: (319) 356-8483; Fax: (319) 353-6659
Lab Name: University of Iowa Hospital and Clinics
IVF & Reproductive Testing
Accreditation: CAP/ASRM

KANSAS

Midwest Reproductive Center, PA
20375 W. 151st St, Bldg 1, Suite 403
Olathe KS 66061
Telephone: (913) 780-4300; Fax: (913) 780-4250
Lab Name: Midwest Reproductive Center
Accreditation: CAP/ASRM

Center for Advanced Reproductive Medicine
University of Kansas Medical Center
10777 Nall Ave, Suite 200
Overland Park KS 66211
Telephone: (913) 588-6272; Fax: (913) 588-6258
Lab Name: University of Kansas Medical Center
Embryology Laboratory
Accreditation: CAP/ASRM

Reproductive Resource Center of Greater
Kansas City
12200 W. 106th St, Suite 120
Overland Park KS 66215
Telephone: (913) 894-2323; Fax: (913) 894-0841
Lab Name: Reproductive Resource Center
IVF Laboratory
Accreditation: CAP/ASRM

Reproductive Medicine & Infertility
Shawnee Mission Medical Center
8800 W. 75th St, Suite 101
Shawnee Mission KS 66204
Telephone: (913) 432-7161; Fax: (913) 432-6158
Lab Name: Shawnee Mission Medical Center,
Reproductive Medicine & Infertility
Accreditation: CAP/ASRM

The Center for Reproductive Medicine
9300 E. 29th St North, Suite 102
Wichita KS 67226
Telephone: (316) 687-2112; Fax: (316) 687-1260
Lab Name: The Center for Reproductive Medicine,
CRM Laboratories
Accreditation: CAP/ASRM

KENTUCKY

Bluegrass Fertility Center
1760 Nicholasville Rd, Suite 501
Lexington KY 40503
Telephone: (859) 260-1515; Fax: (859) 260-1425
Lab Name: Bluegrass Fertility Center Laboratory
Accreditation: CAP/ASRM

Fertility and Endocrine Associates
Louisville Reproductive Center
4121 Dutchman's Ln, Suites 414 and 416
Louisville KY 40207
Telephone: (502) 897-2144; Fax: (502) 897-1773
Lab Name: Louisville Reproductive Center
Accreditation: None

University OB/GYN Associates Fertility Center
401 East Chestnut St, Suite 410
Louisville KY 40202
Telephone: (502) 271-5999; Fax: (502) 271-5984
Lab Name: University OB/GYN Associates, PSC
Accreditation: CAP/ASRM

LOUISIANA

A Woman's Center for Reproductive Medicine
9000 Airline Hwy, Suite 670
Baton Rouge LA 70815
Telephone: (225) 926-6886; Fax: (225) 922-3730
Lab Name: A Woman's Center for
Reproductive Medicine
Accreditation: CAP/ASRM

SOchsner Foundation Fertility Clinic
1221 S. Clearview Pkwy, Bldg A, 1st Floor
Jefferson LA 70121
Telephone: (504) 842-6468; Fax: (504) 842-4156
Contact the NASS Help Desk for current
clinic information.

Fertility and Women's Health Center of Louisiana
206 East Farrel Rd
Lafayette LA 70508
Telephone: (337) 989-8795; Fax: (337) 989-9728
Lab Name: Fertility and Women's Health Center
of Louisiana
Accreditation: The Joint Commission

The Fertility Institute of New Orleans
4770 S. I-10 Service Road West, Suite 103
Metairie LA 70001
Telephone: (985) 892-7621; Fax: (985) 892-9245
Lab Name: Fertility Institute of
New Orleans Laboratory
Accreditation: CAP/ASRM

Center for Fertility and Reproductive Health
2401 Greenwood Rd
Shreveport LA 71103
Telephone: (318) 212-8270; Fax: (318) 212-8230
Lab Name: Willis-Knighton Health Center, Fertility
& Reproductive Health Laboratory
Accreditation: CAP/ASRM

MARYLAND

Center for ART at Union Memorial Hospital
33rd St Professional Bldg
201 E. University Pkwy, Suite 464
Baltimore MD 21218
Telephone: (410) 554-2308; Fax: (410) 554-2091
Lab Name: Union Memorial Hospital Center for ART
Accreditation: CAP/ASRM

Shady Grove Fertility RSC at GBMC
6569 N. Charles St, Suite 406
Baltimore MD 21204
Telephone: (410) 510-8312; Fax: (410) 512-8390
Lab Name: Shady Grove Fertility Reproductive
Science Center Andrology Center
Accreditation: CAP/ASRM

SUMMS-Center for Advanced Reproductive
Technologies
11 S. Paca St, 3rd Floor
Baltimore MD 21201
Telephone: (410) 328-2304; Fax: (410) 328-8389
Contact the NASS Help Desk for current
clinic information.

Johns Hopkins Fertility Center
10753 Falls Rd, Suite 335
Lutherville MD 21093
Telephone: (410) 847-3650; Fax: (410) 583-2792
Lab Name: The Johns Hopkins at
Greenspring Station
Accreditation: CAP/ASRM

Shady Grove Fertility Reproductive Science Center
15001 Shady Grove Rd, Suite 400
Rockville MD 20850
Telephone: (301) 340-1188; Fax: (301) 340-1612
Lab Name: Shady Grove Fertility Reproductive
Science Center
Accreditation: The Joint Commission

Fertility Center of Maryland
110 West Rd, Suite 102
Towson MD 21204
Telephone: (410) 296-6400; Fax: (410) 296-6405
Lab Name: Fertility Center of Maryland, Inc.
Accreditation: The Joint Commission

MASSACHUSETTS

Brigham and Women's Hospital ART Center
Brigham and Women's Hospital
75 Francis St
Boston MA 02115
Telephone: (617) 732-5570; Fax: (617) 975-0825
Lab Name: Brigham and Women's Hospital, Center
for Assisted Reproduction
Accreditation: CAP/ASRM

Massachusetts General Hospital Fertility Center
55 Fruit St, Yawkey 10A
Boston MA 02114
Telephone: (617) 726-6942; Fax: (617) 724-8882
Lab Name: Massachusetts General Hospital,
Vincent IVF Unit
Accreditation: CAP/ASRM, The Joint Commission

REI Division at Tufts Medical Center
North Building, Mezzanine Level
800 Washington St
Boston MA 02111
Telephone: (617) 636-2333; Fax: (617) 636-5906
Lab Name: REI Division at
Tufts Medical Center Laboratory
Accreditation: CAP/ASRM (Pend)

Reproductive Science Center
1 Forbes Rd
Lexington MA 02421
Telephone: (781) 674-1200; Fax: (781) 674-2442
Lab Name: The Reproductive Science Center
Accreditation: CAP/ASRM

Fertility Centers of New England, Inc.
New England Clinics of Reproductive Medicine, Inc.
20 Pond Meadow Dr, Suite 207
Reading MA 01867
Telephone: (781) 942-7000; Fax: (781) 942-7200
Lab Name: New England Clinic of Reproductive
Medicine, Inc.
Accreditation: CAP/ASRM

Baystate Reproductive Medicine
Chestnut Surgical Center
759 Chestnut St
Springfield MA 01199
Telephone: (413) 794-1950; Fax: (413) 794-1857
Lab Name: Baystate Medical Center, Reproductive
Biology Laboratory
Accreditation: CAP/ASRM

Cardone Reproductive Medicine and Infertility
2 Main St, Suite 150
Stoneham MA 02180
Telephone: (781) 438-9600; Fax: (781) 438-9601
Lab Name: Boston IVF, Inc.
Accreditation: CAP/ASRM

Boston IVF
130 Second Ave
Waltham MA 02451
Telephone: (781) 434-6400; Fax: (781) 434-6464
Lab Name: Boston IVF, Inc.
Accreditation: CAP/ASRM

MICHIGAN

Center for Reproductive Medicine
University of Michigan Reproductive Endocrinology
and Infertility
475 Market Pl, Suite B
Ann Arbor MI 48108
Telephone: (734) 763-4323; Fax: (734) 763-7682
Lab Name: University of Michigan ART Laboratories
Accreditation: CAP/ASRM

Center for Reproductive Medicine and Surgery, PC
300 Park St, Suite 460
Birmingham MI 48009
Telephone: (248) 593-6990; Fax: (248) 593-5925
Lab Name: SMART Labs, LLC
Accreditation: CAP/ASRM

Advanced Reproductive Medicine and Surgery
4190 Telegraph Rd, Suite 1500
Bloomfield Hills MI 48302
Telephone: (248) 203-0900; Fax: (248) 203-0902
Lab Name: Michigan Center for Fertility and
Women's Health
Accreditation: None
Lab Name: Reproductive Medicine Associates of
Michigan Laboratory
Accreditation: CAP/ASRM

Michigan Comprehensive Fertility Center
18181 Oakwood Blvd, Suite 109
Dearborn MI 48124
Telephone: (313) 299-6650; Fax: (313) 299-6658
Lab Name: Michigan Comprehensive Fertility
Center Laboratory
Accreditation: The Joint Commission

Grand Rapids Fertility & IVF, PC
555 Midtowne St N.E., Suite 300
Grand Rapids MI 49503
Telephone: (616) 774-2030; Fax: (616) 774-2053
Lab Name: Grand Rapids Fertility & IVF, PC
Accreditation: CAP/ASRM

Michigan Reproductive & IVF Center, PC
3230 Eagle Park Dr N.E., Suite 100
Grand Rapids MI 49525
Telephone: (616) 988-2229; Fax: (616) 988-2009
Lab Name: Michigan Reproductive & IVF Center, PC
Accreditation: The Joint Commission

Infertility and Gynecology Center of Lansing, PC
1200 E. Michigan Ave, Suite 305
Lansing MI 48912
Telephone: (517) 484-4900; Fax: (517) 484-4508
Lab Name: Sparrow Hospital, Sparrow Fertility
Center Labs
Accreditation: CAP/ASRM

Michigan State University
Center for Assisted Reproductive Technology
1200 E. Michigan Ave, Suite 700
Lansing MI 48912
Telephone: (517) 364-5888; Fax: (517) 364-5889
Lab Name: Sparrow Hospital, Sparrow Fertility
Center Labs
Accreditation: CAP/ASRM

IVF Michigan
3950 S. Rochester Rd, Suite 2300
Rochester Hills MI 48307
Telephone: (248) 844-8845; Fax: (248) 844-9039
Lab Name: IVF Michigan IVF/Andrology Laboratory
Accreditation: CAP/ASRM

University Women's Care/Wayne State University
University Women's Care
26400 W. 12 Mile Rd, Suite 140
Southfield MI 48034
Telephone: (248) 352-8200; Fax: (248) 356-8255
Lab Name: University Physician Group
Reproductive Laboratory
Accreditation: CAP/ASRM

SHenry Ford Reproductive Medicine
1500 W. Big Beaver Rd, Suite 105
Troy MI 48084
Telephone: (248) 637-4050; Fax: (248) 637-0115
Contact the NASS Help Desk for current
clinic information.

Brenda L. Moskovitz, MD, PC
415 E. Maple Rd, Suite 101
Troy MI 48083
Telephone: (248) 524-1001; Fax: (248) 851-6522
Lab Name: SMART Labs, LLC
Accreditation: CAP/ASRM

Reproductive Medicine Associates of Michigan
130 Town Center Dr, Suite 106
Troy MI 48084
Telephone: (248) 619-3100; Fax: (248) 619-9031
Lab Name: Reproductive Medicine Associates of
Michigan Laboratory
Accreditation: CAP/ASRM

Michigan Center for Fertility and
Women's Health, PLC
4700 Thirteen Mile Rd
Warren MI 48092
Telephone: (586) 576-0431; Fax: (586) 576-0924
Lab Name: Michigan Center for Fertility and
Women's Health
Accreditation: None

MINNESOTA

The Midwest Center for Reproductive Health, PA
Arbor Lakes Medical Bldg
12000 Elm Creek Blvd North, Suite 350
Maple Grove MN 55369
Telephone: (763) 494-7700; Fax: (763) 494-7706
Lab Name: Midwest Center for Reproductive Health
Assisted Reproductive Technology
Accreditation: CAP/ASRM

Center for Reproductive Medicine
Advanced Reproductive Technologies
2828 Chicago Ave South, Suite 400
Minneapolis MN 55407
Telephone: (612) 863-5390; Fax: (612) 863-2697
Lab Name: Center for Reproductive Medicine
Embryology Laboratory
Accreditation: CAP/ASRM

Reproductive Medicine Center
606 24th Ave South, Suite 500
Minneapolis MN 55454
Telephone: (612) 372-7037; Fax: (612) 372-7022
Lab Name: University of Minnesota Physicians,
Reproductive Medicine Center
Accreditation: CAP/ASRM

Mayo Clinic Assisted Reproductive Technologies
Charlton Bldg, 200 First St S.W., Desk 3A
Rochester MN 55905
Telephone: (507) 266-3995; Fax: (507) 284-1774
Lab Name: Mayo Clinic Fertility Testing and IVF
Laboratories
Accreditation: CAP/ASRM

Reproductive Medicine & Infertility Associates
Woodbury Medical Arts Bldg
2101 Woodwinds Dr, Suite 100
Woodbury MN 55125
Telephone: (651) 222-6050; Fax: (651) 222-5975
Lab Name: Reproductive Medicine & Infertility
Associates-Woodbury
Accreditation: CAP/ASRM
Lab Name: Reproductive Medicine & Infertility
Associates-Edina
Accreditation: CAP/ASRM (Pend)

MISSISSIPPI

Mississippi Fertility Institute
501 Marshall St, Suite 600
Jackson MS 39202
Telephone: (601) 948-3874; Fax: (601) 326-1501
Lab Name: Mississippi Fertility Institute
Accreditation: The Joint Commission

University of Mississippi Medical Center
Department of Ob/Gyn, Division of Reproductive
Endocrinology and Fertility
2500 N. State St
Jackson MS 39216
Telephone: (601) 984-5330; Fax: (601) 984-5965
Lab Name: University of Mississippi Medical Center,
OB/GYN Department IVF &
Andrology Laboratory
Accreditation: CAP/ASRM

MISSOURI

Mid-Missouri Reproductive Medicine
and Surgery, Inc.
1502 E. Broadway, Suite 106
Columbia MO 65201
Telephone: (573) 443-4511; Fax: (573) 443-7860
Lab Name: Mid-Missouri Reproductive Medicine
and Surgery, Inc., Laboratory
Accreditation: CAP/ASRM

Missouri Center for Reproductive Medicine
and Fertility
University of Missouri
Department of Obstetrics, Gynecology and
Women's Health
500 N. Keene St, Suite 203
Columbia MO 65201
Telephone: (573) 499-6071; Fax: (573) 499-6065
Lab Name: University of Missouri, Missouri Center
for Reproductive Medicine and Fertility-ART Lab
Accreditation: CAP/ASRM

Midwest Women's Healthcare
6400 Prospect, Suite 598
Kansas City MO 64132
Telephone: (816) 444-6888; Fax: (816) 444-8430
Lab Name: Research Medical Center IVF Laboratory
Accreditation: CAP/ASRM

The Fertility Center at Missouri Baptist
Medical Center
3009 N. Ballas Rd, Suite 258C
St. Louis MO 63131
Telephone: (314) 996-7900; Fax: (314) 996-7910
Lab Name: The Fertility Center at Missouri Baptist
Medical Center
Accreditation: CAP/ASRM

Infertility & IVF Center
3009 N. Ballas Rd, Suite 359C
St. Louis MO 63131
Telephone: (314) 872-9200; Fax: (314) 872-9040
Lab Name: Infertility & Gynecologic Medicine, Inc.
Accreditation: CAP/ASRM

The Infertility and Reproductive Medicine Center at
Washington University School of Medicine and
Barnes-Jewish Hospital
Barnes-Jewish Hospital, North Campus
4444 Forest Park Ave, Suite 3100
St. Louis MO 63108
Telephone: (314) 286-2400; Fax: (314) 286-2455
Lab Name: Barnes-Jewish Hospital, Infertility &
Reproductive Medicine
Accreditation: CAP/ASRM, The Joint Commission

Infertility Center of St. Louis
St. Luke's Hospital
224 S. Woods Mill Rd, Suite 730
St. Louis MO 63017
Telephone: (314) 576-1400; Fax: (314) 576-1442
Lab Name: St. Luke's Hospital Assisted
Reproductive Technology Laboratory
Accreditation: CAP/ASRM

Sher Institute for Reproductive Medicine-St. Louis
456 N. New Ballas Rd, Suite 101
St. Louis MO 63141
Telephone: (314) 983-9000; Fax: (314) 983-9023
Lab Name: Sher Institute for Reproductive
Medicine-St. Louis
Accreditation: CAP/ASRM

NEBRASKA

Heartland Center for Reproductive Medicine, PC
7308 S. 142nd St
Omaha NE 68138
Telephone: (402) 717-4200; Fax: (402) 717-4230
Lab Name: Heartland Center for Reproductive
Medicine, PC
Accreditation: CAP/ASRM

Nebraska Methodist Hospital REI
8111 Dodge St, Suite 237
Omaha NE 68114
Telephone: (402) 354-5210; Fax: (402) 354-5221
Lab Name: Nebraska Methodist Hospital
Andrology/Embryology Laboratory
Accreditation: CAP/ASRM

NEVADA

Fertility Center of Las Vegas
8851 W. Sahara Ave, Suite 100
Las Vegas NV 89117
Telephone: (702) 254-1777; Fax: (702) 254-1213
Lab Name: Fertility Center of Las Vegas Laboratory
Accreditation: CAP/ASRM

Nevada Fertility C.A.R.E.S.
653 Town Center Dr, Suite 206
Las Vegas NV 89144
Telephone: (702) 341-6616; Fax: (702) 341-6617
Lab Name: Nevada Fertility C.A.R.E.S.
Accreditation: CAP/ASRM

Sher Institute for Reproductive Medicine-Las Vegas
5320 S. Rainbow Blvd, Suite 300
Las Vegas NV 89118
Telephone: (702) 892-9696; Fax: (702) 892-9666
Lab Name: Sher Institute for Reproductive
Medicine-Las Vegas
Accreditation: CAP/ASRM, NYSTB

The Nevada Center for Reproductive Medicine
645 Sierra Rose Dr, Suite 205
Reno NV 89511
Telephone: (775) 828-1200; Fax: (775) 828-1785
Lab Name: The Nevada Center for
Reproductive Medicine
Accreditation: The Joint Commission

NEW HAMPSHIRE

Dartmouth-Hitchcock Medical Center
1 Medical Center Dr
Lebanon NH 03756
Telephone: (603) 653-9240; Fax: (603) 650-0905
Lab Name: Dartmouth-Hitchcock Medical Center,
Mary Hitchcock Reproductive
Sciences Laboratory
Accreditation: CAP/ASRM

NEW JERSEY

Center for Advanced Reproductive Medicine
& Fertility
Four Ethel Rd, Suite 405A
Edison NJ 08817
Telephone: (732) 339-9300; Fax: (732) 339-9400
Lab Name: Center for Advanced Reproductive
Medicine & Fertility
Accreditation: The Joint Commission

Women's Fertility Center
106 Grand Ave, Suite 400
Englewood NJ 07631
Telephone: (201) 569-6979; Fax: (201) 569-0269
Lab Name: University Reproductive
Associates, PC, Laboratories
Accreditation: CAP/ASRM

North Hudson I.V.F.
Center for Fertility and Gynecology
385 Sylvan Ave
Englewood Cliffs NJ 07632
Telephone: (201) 871-1999; Fax: (201) 871-1031
Lab Name: North Hudson IVF Center
Accreditation: CAP/ASRM

Douglas S. Rabin, MD
33-00 Broadway, Suite 303
Fair Lawn NJ 07410
Telephone: (201) 703-9555; Fax: (201) 475-5678
Lab Name: Gramercy Fertility Services
Accreditation: NYSTB (Pend)

University Reproductive Associates, PC
214 Terrace Ave
Hasbrouck Heights NJ 07604
Telephone: (201) 288-6330; Fax: (201) 288-6331
Lab Name: University Reproductive
Associates, PC, Laboratories
Accreditation: CAP/ASRM

Shore Institute for Reproductive Medicine
475 Route 70, Suite 201
Lakewood NJ 08701
Telephone: (732) 363-4777; Fax: (732) 363-2004
Lab Name: Shore Area IVF Laboratories, PC
Accreditation: CAP/ASRM

Delaware Valley OBGYN and Infertility Group
Princeton IVF
2 Princess Rd, Suite C
Lawrenceville NJ 08648
Telephone: (609) 896-0777; Fax: (609) 896-3266
Lab Name: Delaware Valley OBGYN and Infertility
Group, Princeton IVF
Accreditation: CAP/ASRM

Princeton Center for Infertility &
Reproductive Medicine
3131 Princeton Pike, Bldg 4, Suite 204
Lawrenceville NJ 08648
Telephone: (609) 895-1114; Fax: (609) 895-1196
Lab Name: Cooper Institute for Reproductive
Hormonal Disorders
Accreditation: CAP/ASRM

East Coast Infertility and IVF
200 White Rd, Suite 214
Little Silver NJ 07739
Telephone: (732) 758-6511; Fax: (732) 758-1048
Lab Name: East Coast Infertility and IVF
Accreditation: CAP/ASRM

Institute for Reproductive Medicine and Science
Saint Barnabas Medical Center
94 Old Short Hills Rd, East Wing, Suite 403
Livingston NJ 07039
Telephone: (973) 322-8286; Fax: (973) 322-8890
Lab Name: Institute for Reproductive Medicine and
Science at Saint Barnabas Medical Center
Accreditation: CAP/ASRM

Cooper Institute for Reproductive
Hormonal Disorders
8002E Greentree Commons
Marlton NJ 08053
Telephone: (856) 751-5575; Fax: (856) 751-7289
Lab Name: Cooper Institute for Reproductive
Hormonal Disorders
Accreditation: CAP/ASRM

Delaware Valley Institute of Fertility and Genetics
6000 Sagemore Dr, Suite 6102
Marlton NJ 08053
Telephone: (856) 988-0072; Fax: (856) 988-0056
Lab Name: Delaware Valley Institute of Fertility and
Genetics Reproductive Laboratories
Accreditation: CAP/ASRM

South Jersey Fertility Center
400 Lippincott Dr, Suite 130
Marlton NJ 08053
Telephone: (856) 596-2233; Fax: (856) 596-2411
Lab Name: South Jersey Fertility Center
Accreditation: The Joint Commission

Diamond Institute for Infertility
89 Millburn Ave
Millburn NJ 07041
Telephone: (973) 761-5600; Fax: (973) 761-5100
Lab Name: Diamond Institute for Infertility
IVF Laboratory
Accreditation: CAP/ASRM

Reproductive Medicine Associates of New Jersey
111 Madison Ave, Suite 100
Morristown NJ 07962
Telephone: (973) 971-4600; Fax: (973) 290-8370
Lab Name: Reproductive Medicine Associates of
New Jersey Embryology Laboratory
Accreditation: CAP/ASRM

Valley Hospital Fertility Center
1 Valley Health Plaza
Paramus NJ 07652
Telephone: (201) 634-5400; Fax: (201) 634-5506
Lab Name: Valley Hospital Fertility Center
Accreditation: CAP/ASRM

IVF New Jersey
81 Veronica Ave
Somerset NJ 08873
Telephone: (732) 220-9060; Fax: (732) 545-1164
Lab Name: IVF New Jersey Embryology Laboratory
Accreditation: CAP/ASRM

Reproductive Science Center of New Jersey
4000 Route 66, Suite 125
Tinton Falls NJ 07753
Telephone: (732) 918-2500; Fax: (732) 918-2504
Lab Name: Reproductive Science Center of
New Jersey
Accreditation: CAP/ASRM

Dr. Louis R. Manara
The Center for Reproductive Medicine and Fertility
Dr. Louis R. Manara
The Center for Reproductive Medicine & Fertility
200A Route 73
Voorhees NJ 08043
Telephone: (856) 767-0009; Fax: (856) 767-0990
Lab Name: Center for Reproductive Medicine and
Fertility Embryology Laboratory
Accreditation: CAP/ASRM

North Jersey Fertility Associates, LLC
57 Willowbrooks Blvd, Suite 301
Wayne NJ 07470
Telephone: (973) 754-4055; Fax: (973) 754-4058
Lab Name: North Jersey Fertility Associates,
LLC, Laboratory
Accreditation: CAP/ASRM

Fertility Institute of New Jersey and New York
400 Old Hook Rd, Suite 2-3
Westwood NJ 07675
Telephone: (201) 666-4200; Fax: (201) 666-2262
Lab Name: Fertility Institute of New Jersey and New
York IVF Laboratory
Accreditation: CAP/ASRM

NEW MEXICO

Center for Reproductive Medicine of New Mexico
Presbyterian Professional Bldg
201 Cedar St S.E., Suite S1-20
Albuquerque NM 87106
Telephone: (505) 247-3333; Fax: (505) 224-7476
Lab Name: Center for Reproductive Medicine of
New Mexico, In Vitro Fertilization and Andrology
Accreditation: CAP/ASRM

NEW YORK

Albany IVF Fertility
349 Northern Blvd
Albany NY 12204
Telephone: (518) 434-9759; Fax: (518) 436-9822
Lab Name: Albany IVF
Accreditation: NYSTB

The Fertility Institute at New York
Methodist Hospital
506 Sixth St, KP4
Brooklyn NY 11215
Telephone: (718) 780-5065; Fax: (718) 780-5085
Lab Name: NYMHB Fertility Services, PC
Accreditation: NYSTB

Genesis Fertility & Reproductive Medicine
1355 84th St
Brooklyn NY 11228
Telephone: (718) 283-8600; Fax: (718) 283-6580
Lab Name: Genesis Fertility &
Reproductive Medicine
Accreditation: NYSTB

Infertility & IVF Medical Associates of
Western New York
4510 Main St
Buffalo NY 14226
Telephone: (716) 839-3057; Fax: (716) 839-1477
Lab Name: Infertility & IVF Medical Associates of
Western New York
Accreditation: NYSTB

§Division of Reproductive Endocrinology
SUNY Stony Brook
University Physicians at Stony Brook
6 Technology Dr
East Setauket NY 11733
Telephone: (631) 444-5174; Fax: (631) 444-5175
Contact the NASS Help Desk for current
clinic information.

The New York Fertility Center
42-31 Colden St, Suite 202/208
Flushing NY 11355
Telephone: (718) 261-9068; Fax: (718) 261-9067
Lab Name: Fertility Laboratories
Accreditation: NYSTB
Lab Name: New Hope Fertility Center
Accreditation: NYSTB

Montefiore's Institute for Reproductive Medicine
and Health
141 S. Central Ave, Suite 201
Hartsdale NY 10530
Telephone: (914) 997-1060; Fax: (914) 997-1099
Lab Name: Institute for Reproductive Medicine and
Health of Montefiore Medical Center
Accreditation: CAP/ASRM, NYSTB

North Shore University Hospital
Center for Human Reproduction
300 Community Dr
Manhasset NY 11030
Telephone: (516) 562-2229; Fax: (516) 562-1710
Lab Name: North Shore University Hospital, Center
for Human Reproduction
Accreditation: CAP/ASRM, NYSTB

Long Island IVF
8 Corporate Center Dr, Suite 101
Melville NY 11747
Telephone: (631) 752-0606; Fax: (631) 752-0654
Lab Name: Long Island IVF Laboratory
Accreditation: CAP/ASRM, NYSTB

Reproductive Specialists of New York
200 Old Country Rd, Suite 330
Mineola NY 11501
Telephone: (516) 739-2100; Fax: (516) 739-2179
Lab Name: Reproductive Specialists of New York
Accreditation: NYSTB

Westchester Reproductive Medicine
344 E. Main St, Suite 403
Mt. Kisco NY 10549
Telephone: (914) 218-8955; Fax: (914) 218-8956
Lab Name: American Fertility Services, PC
Accreditation: NYSTB

Advanced Fertility Services
1625 Third Ave
New York NY 10128
Telephone: (212) 369-8700; Fax: (212) 722-5587
Lab Name: Advanced Fertility Services, PC
Accreditation: NYSTB

American Fertility Services, PC
115 E. 57th St, Suite 500
New York NY 10022
Telephone: (212) 750-3330; Fax: (212) 750-3334
Lab Name: American Fertility Services, PC
Accreditation: NYSTB

Beth Israel Center for Infertility &
Reproductive Health
10 Union Square East, Suite 2E
New York NY 10003
Telephone: (212) 844-8587; Fax: (212) 844-6184
Lab Name: Gramercy Fertility Services
Accreditation: NYSTB (Pend)

Brooklyn/Westside Fertility Center
Brooklyn Fertility Center
55 Central Park West, Suite 1C
New York NY 10023
Telephone: (212) 721-4545; Fax: (212) 721-4598
Lab Name: Brooklyn Westside Fertility Center
Accreditation: NYSTB

Columbia University Center for Women's
Reproductive Care
1790 Broadway, 2nd Floor
New York NY 10019
Telephone: (646) 756-3874; Fax: (646) 756-8283
Lab Name: Center for Women's Reproductive Care
Accreditation: NYSTB

IVF New York
230 Central Park South, Suite 1F
New York NY 10019
Telephone: (212) 582-4094; Fax: (212) 246-3430
Lab Name: IVF New York
Accreditation: NYSTB (Pend)

Manhattan Reproductive Medicine
159 E. 74th St, Suite 1C
New York NY 10021
Telephone: (212) 794-0080; Fax: (212) 794-0066
Lab Name: Manhattan Reproductive Medicine
Accreditation: NYSTB

Medical Offices for Human Reproduction
Center for Human Reproduction (CHR)
21 E. 69th St
New York NY 10021
Telephone: (212) 994-4400; Fax: (212) 994-4499
Lab Name: Medical Offices for Human
Reproduction-New York
Accreditation: NYSTB (Pend)

New Hope Fertility Center
784 Park Ave
New York NY 10021
Telephone: (212) 517-7676; Fax: (212) 396-0600
Lab Name: New Hope Fertility Center
Accreditation: NYSTB

New York Fertility Institute
1016 5th Ave
New York NY 10028
Telephone: (212) 734-5555; Fax: (212) 734-6059
Lab Name: New York Fertility Institute
Reproductive Laboratory
Accreditation: CAP/ASRM, NYSTB

NYU Fertility Center
New York University School of Medicine
660 First Ave, 5th Floor
New York NY 10016
Telephone: (212) 263-8990; Fax: (212) 263-7853
Lab Name: NYU Fertility Center Andrology &
Endocrinology Laboratory
Accreditation: NYSTB

Offices for Fertility and Reproductive Medicine
51 E. 67th St
New York NY 10021
Telephone: (212) 535-5350; Fax: (212) 535-5080
Lab Name: Offices for Fertility and
Reproductive Medicine, PC
Accreditation: NYSTB

Reproductive Endocrinology Associates of St.
Luke's Roosevelt Hospital Center
425 W. 59th St, Suite 5A
New York NY 10019
Telephone: (212) 523-7751; Fax: (212) 523-8348
Lab Name: Continuum Reproductive Center
Accreditation: NYSTB

Reproductive Medicine Associates of
New York, LLP
635 Madison Ave, 10th Floor
New York NY 10022
Telephone: (212) 756-5777; Fax: (212) 756-5770
Lab Name: Reproductive Medicine Associates of
New York, LLP
Accreditation: NYSTB

Geoffrey Sher, MD, PC
425 5th Ave, 3rd Floor
New York NY 10016
Telephone: (646) 792-7476; Fax: (646) 274-0600
Lab Name: Sher Institute for Reproductive
Medicine-NYC
Accreditation: CAP/ASRM, The Joint
Commission, NYSTB

Weill Medical College of Cornell University
The Center for Reproductive Medicine and Infertility
1305 York Ave, 6th Floor
New York NY 10021
Telephone: (646) 962-2764; Fax: (646) 962-0359
Lab Name: Weill Medical College of Cornell
University Infertility Laboratory
Accreditation: NYSTB

East Coast Fertility
1074 Old Country Rd
Plainview NY 11803
Telephone: (516) 939-2229; Fax: (516) 939-2252
Lab Name: East Coast Fertility
Accreditation: NYSTB

For current information for Long Island IVF, see
Melville, NY

Rochester Fertility Care, PC
1561 Long Pond Rd, Suite 410
Rochester NY 14626
Telephone: (585) 453-7760; Fax: (585) 453-7771
Lab Name: University of Rochester-Strong
Memorial Hospital Andrology Laboratory
Accreditation: NYSTB

Strong Fertility Center
500 Red Creek Dr, Suite 220
Rochester NY 14623
Telephone: (585) 487-3378; Fax: (585) 334-8998
Lab Name: University of Rochester-Strong
Memorial Hospital Andrology Laboratory
Accreditation: NYSTB

Island Reproductive Services
1110 South Ave, Suite 305
Staten Island NY 10314
Telephone: (718) 761-6000; Fax: (718) 761-6066
Lab Name: Reproductive Center of
Central New Jersey
Accreditation: The Joint Commission
Lab Name: North Shore University Hospital, Center
for Human Reproduction
Accreditation: CAP/ASRM, NYSTB

Gold Coast IVF
Reproductive Medicine and Surgery Center
243 Jericho Turnpike
Syosset NY 11791
Telephone: (516) 682-8900; Fax: (516) 682-8901
Lab Name: North Shore University Hospital, Center
for Human Reproduction
Accreditation: CAP/ASRM, NYSTB
Lab Name: Connecticut Fertility
Associates Laboratory
Accreditation: CAP/ASRM

CNY Fertility Center
195 Intrepid Ln
Syracuse NY 13205
Telephone: (315) 469-8700; Fax: (315) 469-6789
Lab Name: CNY Fertility Center-Syracuse
Accreditation: NYSTB (Pend)
Lab Name: CNY Fertility Center-Latham
Accreditation: NYSTB

University IVF OB/GYN Associates
SUNY Upstate Medical University
725 Irving Ave, Suite 600
Syracuse NY 13210
Telephone: (315) 464-3928; Fax: (315) 464-4615
Lab Name: University IVF, SUNY Upstate
Medical University
Accreditation: NYSTB

Westchester Fertility and
Reproductive Endocrinology
136 S. Broadway, Suite 100
White Plains NY 10605
Telephone: (914) 949-6677; Fax: (914) 949-5758
Lab Name: Westchester IVF
Accreditation: NYSTB

For current information for Westchester
Reproductive Medicine, see Mt. Kisco, NY

NORTH CAROLINA

North Carolina Center for Reproductive Medicine
The Talbert Fertility Institute
400 Ashville Ave, Suite 200
Cary NC 27511
Telephone: (919) 233-1680; Fax: (919) 233-1685
Lab Name: North Carolina Center for Reproductive
Medicine, North Carolina
Reproductive Laboratories
Accreditation: CAP/ASRM

University of North Carolina A.R.T. Clinic
UNC School of Medicine, Department of OB/GYN
CB#7570
Chapel Hill NC 27599
Telephone: (919) 966-1150; Fax: (919) 966-1259
Lab Name: UNC Hospitals, Reproductive
Endocrinology & Fertility
Accreditation: CAP/ASRM

Institute for Assisted Reproduction
1524 E. Morehead St
Charlotte NC 28207
Telephone: (704) 343-3400; Fax: (704) 343-3428
Lab Name: Reproductive Endocrinology Associates
of Charlotte, Institute for Assisted Reproduction
Accreditation: CAP/ASRM

Program for Assisted Reproduction, Carolinas
Medical Center
Carolinas Medical Center Women's Institute
1025 Morehead Medical Dr, Suite 500
Charlotte NC 28204
Telephone: (704) 355-3153; Fax: (704) 355-1941
Lab Name: Carolinas Medical Center Andrology
and ART Laboratories
Accreditation: CAP/ASRM

Duke Fertility Center
Duke University Medical Center
5704 Fayetteville Rd
Durham NC 27713
Telephone: (919) 572-4673; Fax: (919) 484-0461
Lab Name: Duke Fertility Center ART Laboratory
Accreditation: CAP/ASRM, The Joint Commission

East Carolina University
ECU Women's Physicians
2160 Herbert Ct
Greenville NC 27834
Telephone: (252) 744-3849; Fax: (252) 744-2016
Lab Name: ECU Women's Physicians ART/
Andrology Laboratory
Accreditation: CAP/ASRM

Premier Fertility Center
High Point Regional Health System
2783 NC Hwy 68, Suite 104
High Point NC 27265
Telephone: (336) 841-7070; Fax: (336) 841-7077
Lab Name: Premier Fertility Center Laboratory
Accreditation: CAP/ASRM (Pend)

Affordable IVF
Advanced Reproductive Concepts
9800 W. Kinsey Ave, Suite 160
Huntersville NC 28078
Telephone: (704) 947-9000; Fax: (704) 992-1900
Lab Name: Advanced Reproductive Concepts,
PLLC Laboratory
Accreditation: CAP/ASRM

Carolina Conceptions
2601 Lake Dr, Suite 301
Raleigh NC 27607
Telephone: (919) 782-5911; Fax: (919) 861-6400
Lab Name: Carolina Conceptions Laboratory
Accreditation: CAP/ASRM

Wake Forest University Center for
Reproductive Medicine
CompRehab Plaza, 131 Miller St, 2nd Floor
Winston-Salem NC 27103
Telephone: (336) 716-6476; Fax: (336) 716-0194
Lab Name: Wake Forest University, Reproduction
Medicine Laboratory
Accreditation: CAP/ASRM

NORTH DAKOTA

MeritCare Reproductive Medicine
1111 Harwood Dr South, Suite 743
Fargo ND 58122
Telephone: (701) 234-2700; Fax: (701) 234-2783
Lab Name: MeritCare Medical Group, Reproductive
Medicine Laboratory
Accreditation: CAP/ASRM

OHIO

Fertility Unlimited, Inc.
Northeastern Ohio Fertility Center
468 E. Market St
Akron OH 44304
Telephone: (330) 376-2300; Fax: (330) 376-4809
Lab Name: Fertility Unlimited, Inc.
Accreditation: CAP/ASRM

Reproductive Gynecology
95 Arch St, Suite 250
Akron OH 44304
Telephone: (330) 375-7722; Fax: (330) 375-3986
Lab Name: Reproductive Gynecology
Laboratories, LLC
Accreditation: The Joint Commission

Cleveland Clinic Fertility Center
26900 Cedar Rd, Suite 220 South
Beachwood OH 44122
Telephone: (216) 839-3150; Fax: (216) 839-3195
Lab Name: Cleveland Clinic Foundation
Fertility Center
Accreditation: CAP/ASRM, The Joint Commission

Bethesda Center for Reproductive Health & Fertility
Bethesda Hospital
10506 Montgomery Rd, Suite 303
Cincinnati OH 45242
Telephone: (513) 865-1675; Fax: (513) 865-1676
Lab Name: Reproductive Studies Laboratory
Accreditation: The Joint Commission

Center for Reproductive Health
2123 Auburn Ave, Suite A44
Cincinnati OH 45219
Telephone: (513) 585-2355; Fax: (513) 585-0808
Lab Name: The Christ Hospital, Center for
Reproductive Studies
Accreditation: The Joint Commission

Institute for Reproductive Health
3805 Edwards Rd, Suite 450
Cincinnati OH 45209
Telephone: (513) 924-5550; Fax: (513) 924-5549
Lab Name: Institute for Reproductive Health
ART Laboratory
Accreditation: CAP/ASRM
Lab Name: The Christ Hospital, Center for
Reproductive Studies
Accreditation: The Joint Commission

For current information for Cleveland Clinic Fertility
Center, see Beachwood, OH.

MacDonald Fertility and IVF Program
MacDonald Fertility and IVF Center
Case Medical Center/MacDonald Women's Hospital
11100 Euclid Ave, Suite 1200
Cleveland OH 44106
Telephone: (216) 844-1514; Fax: (216) 844-7098
Lab Name: MacDonald Fertility and IVF Program
Accreditation: CAP/ASRM

SMetroHealth Medical Center
MetroHealth Fertility Center
Department of Obstetrics & Gynecology
2500 MetroHealth Dr
Cleveland OH 44109
Telephone: (216) 778-5990; Fax: (216) 778-8642
Contact the NASS Help Desk for current
clinic information.

Ohio Reproductive Medicine
4830 E. Knightsbridge Blvd
Columbus OH 43214
Telephone: (614) 451-2280; Fax: (614) 451-4352
Lab Name: Reproductive Diagnostics, Inc.
Accreditation: CAP/ASRM

Wright State Physicians Women's Health Care
One Wyoming St, Suite 4130
Dayton OH 45409
Telephone: (937) 208-6810; Fax: (937) 208-4157
Lab Name: Kettering Medical Center Reproductive
Medicine Laboratory
Accreditation: CAP/ASRM

Kettering Reproductive Medicine
3533 Southern Blvd, Suite 4100
Kettering OH 45429
Telephone: (937) 395-8444; Fax: (937) 395-8450
Lab Name: Kettering Medical Center Reproductive
Medicine Laboratory
Accreditation: CAP/ASRM

Fertility Center of Northwestern Ohio
2142 N. Cove Blvd
Toledo OH 43606
Telephone: (419) 291-8835; Fax: (419) 479-6005
Lab Name: The Toledo Hospital, The Fertility Center
of Northwestern Ohio
Accreditation: CAP/ASRM

OKLAHOMA

Henry G. Bennett, Jr., Fertility Institute
3433 N.W. 56th St, Suite 200
Oklahoma City OK 73112
Telephone: (405) 949-6060; Fax: (405) 949-6872
Lab Name: Integris Baptist Medical Center, Bennett
Fertility Institute Reproductive Services
Accreditation: CAP/ASRM, The Joint Commission

OU Physicians OB/GYN ART Laboratory
Center for Reproductive Health, PC
1000 N. Lincoln Blvd, Suite 300
Oklahoma City OK 73104
Telephone: (405) 271-1616; Fax: (405) 271-9222
Lab Name: OU Physicians, Department of OB/GYN
ART Laboratory
Accreditation: CAP/ASRM

Tulsa Fertility Center
115 E. 15th St
Tulsa OK 74119
Telephone: (918) 584-2870; Fax: (918) 587-3602
Lab Name: Tulsa Fertility Center Laboratory
Accreditation: CAP/ASRM

OREGON

The Fertility Center of Oregon
590 Country Club Pkwy, Suite A
Eugene OR 97401
Telephone: (541) 683-1559; Fax: (541) 683-1709
Lab Name: The Fertility Center of Oregon
Embryology Laboratory
Accreditation: None

Northwest Fertility Center
Eugene M. Stoelk, MD
1750 S.W. Harbor Way, Suite 200
Portland OR 97201
Telephone: (503) 227-7799; Fax: (503) 227-5452
Lab Name: Northwest Fertility Center, Northwest
Reproductive Technologies
Accreditation: CAP/ASRM

Oregon Reproductive Medicine
2222 N.W. Lovejoy St, Suite 304
Portland OR 97210
Telephone: (503) 274-4994; Fax: (503) 274-4946
Lab Name: The Reproductive Medicine Laboratory
Accreditation: The Joint Commission

University Fertility Consultants
Oregon Health & Science University
OHSU Center for Health & Healing
3303 S.W. Bond Ave, 10th Floor
Portland OR 97239
Telephone: (503) 418-3700; Fax: (503) 418-3708
Lab Name: Oregon Health & Science University,
Andrology/Embryology
Accreditation: CAP/ASRM

PENNSYLVANIA

Abington Reproductive Medicine, Abington IVF and Genetics
Toll Center for Reproductive Sciences
Arches Bldg, 1200 Old York Rd, 2nd Floor
Abington PA 19001
Telephone: (215) 887-2010; Fax: (215) 481-7550
Lab Name: Abington Reproductive Medicine, Abington IVF & Genetics
Accreditation: CAP/ASRM

Infertility Solutions, PC
1275 S. Cedar Crest Blvd, Suite 3
Allentown PA 18103
Telephone: (610) 776-1217; Fax: (610) 776-4149
Lab Name: Infertility Solutions, PC
Accreditation: The Joint Commission

Reproductive Medicine Associates of Pennsylvania
401 N. 17th St, Suite 303
Allentown PA 18104
Telephone: (610) 820-6888; Fax: (610) 820-6818
Lab Name: Reproductive Medicine Associates of New Jersey Embryology Laboratory
Accreditation: CAP/ASRM

Family Fertility Center
95 Highland Ave, Suite 100
Bethlehem PA 18017
Telephone: (610) 868-8600; Fax: (610) 868-8700
Lab Name: Family Fertility Center
Accreditation: CAP/ASRM

Main Line Fertility and Reproductive Medicine
130 S. Bryn Mawr Ave
Suite 1000, D Wing, Ground Floor
Bryn Mawr PA 19010
Telephone: (610) 527-0800; Fax: (610) 527-9868
Lab Name: Main Line Fertility Center Laboratory
Accreditation: CAP/ASRM

Geisinger Medical Center Fertility Program
100 N. Academy Ave
Danville PA 17822
Telephone: (570) 271-5620; Fax: (570) 271-5629
Lab Name: Geisinger Medical Center ART/Andrology Laboratory
Accreditation: CAP/ASRM

Advanced Center for Infertility and Reproductive Medicine, RPC
2708 Commerce Dr, Suite 100
Harrisburg PA 17110
Telephone: (717) 545-9300; Fax: (717) 540-3700
Lab Name: Central Penn Reproductive Laboratory, LLC
Accreditation: None

Penn State Milton S. Hershey Medical Center
500 University Dr, H103
Hershey PA 17033
Telephone: (717) 531-8478; Fax: (717) 531-6286
Lab Name: Penn State Milton S. Hershey Medical Center
Accreditation: The Joint Commission

For current information for Northern Fertility and Reproductive Associates, PC, see Willow Grove, PA

Fertility and Gynecology Associates
Pine Bldg East, 800 Spruce St
Philadelphia PA 19107
Telephone: (215) 706-4090; Fax: (215) 706-4072
Lab Name: Abington Reproductive Medicine, Abington IVF & Genetics
Accreditation: CAP/ASRM

Jefferson IVF
834 Chestnut St, Suite 300
Philadelphia PA 19107
Telephone: (215) 955-5000; Fax: (215) 955-7258
Lab Name: Main Line Fertility Center Laboratory
Accreditation: CAP/ASRM

University of Pennsylvania
Penn Fertility Care
3701 Market St, Suite 730
Philadelphia PA 19104
Telephone: (215) 662-6560; Fax: (215) 349-5512
Lab Name: Penn Fertility Care at Pennsylvania Hospital
Accreditation: CAP/ASRM

Jones Institute at West Penn Allegheny
Health System
4815 Liberty Ave, Suite 330
Pittsburgh PA 15224
Telephone: (412) 578-5588; Fax: (412) 605-6544
Lab Name: Jones Institute at West Penn Allegheny
Health System, AGH Outpatient Surgery Center
Accreditation: CAP/ASRM

Reproductive Health Specialists, Inc.
Rodi Plaza, 665 Rodi Rd, Bldg 2, 2nd Floor
Pittsburgh PA 15235
Telephone: (412) 731-8000; Fax: (412) 731-8399
Lab Name: Reproductive Health Specialists, Inc.
Accreditation: CAP/ASRM

University of Pittsburgh Physicians
Center for Fertility and Reproductive Endocrinology
Magee Womens Hospital
300 Halket St, Suite 5150
Pittsburgh PA 15213
Telephone: (412) 641-1600; Fax: (412) 641-7453
Lab Name: Center for Fertility and Reproductive
Endocrinology IVF Laboratory
Accreditation: CAP/ASRM

Reproductive Endocrinology and Fertility Center
Crozer-Chester Medical Center
Ambulatory Care Pavilion
1 Medical Center Blvd, Suite 531
Upland PA 19013
Telephone: (610) 447-2727; Fax: (610) 447-6549
Lab Name: Health Access Network,
Andrology/IVF Laboratory
Accreditation: CAP/ASRM

Reproductive Science Institute of
Suburban Philadelphia
945 Chesterbrook Blvd
Wayne PA 19087
Telephone: (610) 964-9663; Fax: (610) 964-0536
Lab Name: Reproductive Science Institute of
Suburban Philadelphia
Accreditation: CAP/ASRM, The Joint Commission

Women's Clinic, Ltd.
301 S. 7th Ave, Suite 245
West Reading PA 19611
Telephone: (610) 374-2214; Fax: (610) 685-5264
Lab Name: Fertility Medical Labs, Ltd.
Accreditation: CAP/ASRM

Northern Fertility and Reproductive Associates, PC
Reproductive Medicine Associates of Philadelphia
735 Fitzwatertown Rd, Suite 2
Willow Grove PA 19090
Telephone: (215) 938-1515; Fax: (215) 938-8756
Lab Name: Reproductive Science Institute of
Suburban Philadelphia
Accreditation: CAP/ASRM, The Joint Commission

The Fertility Center, LLC
130 Leader Heights Rd
York PA 17403
Telephone: (717) 747-3099; Fax: (717) 747-3214
Lab Name: The Fertility Center, LLC, Laboratory
Accreditation: None

PUERTO RICO

Pedro J. Beauchamp, MD
Dr. Arturo Cadilla Bldg
100 Paseo San Pablo, Suite 503
Bayamon PR 00959
Telephone: (787) 798-0100; Fax: (787) 740-7250
Lab Name: Dr. Pedro J. Beauchamp Fertility
Center Laboratory
Accreditation: The Joint Commission

GREFI
Gynecology, Reproductive Endocrinology &
Fertility Institute
First Bank Bldg
1519 Ponce de Leon Ave, Suite 705
Santurce PR 00910
Telephone: (787) 721-3544; Fax: (787) 848-0979
Lab Name: GREFI Laboratory-Ponce
Accreditation: CAP/ASRM

RHODE ISLAND

Women and Infants' Division of Reproductive
Medicine and Infertility
One Blackstone Place
Providence RI 02905
Telephone: (401) 453-7500; Fax: (401) 453-7598
Lab Name: Women and Infants Hospital,
IVF Laboratory
Accreditation: CAP/ASRM

SOUTH CAROLINA

Piedmont Reproductive Endocrinology Group, PA
17 Caledon Ct, Suite C
Greenville SC 29615
Telephone: (864) 232-7734; Fax: (864) 232-7099
Lab Name: Piedmont Reproductive Endocrinology
Group, PA, Embryology Laboratory
Accreditation: CAP/ASRM

University Medical Group, Department of
Obstetrics and Gynecology
Reproductive Endocrinology and Infertility
890 W. Faris Rd, Suite 470
Greenville SC 29605
Telephone: (864) 455-1675; Fax: (864) 455-3095
Lab Name: Greenville Hospital System,
Reproductive Endocrinology & Infertility
Accreditation: CAP/ASRM, The Joint Commission

Southeastern Fertility Center, PA
1375 Hospital Dr
Mount Pleasant SC 29464
Telephone: (843) 881-3900; Fax: (843) 881-4729
Lab Name: Southeastern Fertility Center
Embryology Laboratory
Accreditation: CAP/ASRM

Advanced Fertility & Reproductive Endocrinology
2728 Sunset Blvd, Suite 305
West Columbia SC 29169
Telephone: (803) 939-1515; Fax: (803) 939-0977
Lab Name: Advanced Fertility & Reproductive
Endocrinology Institute Laboratory
Accreditation: CAP/ASRM

SOUTH DAKOTA

Sanford Women's Health
1500 W. 22nd St, MB3, Suite 102B
Sioux Falls SD 57105
Telephone: (605) 328-8800; Fax: (605) 328-8831
Lab Name: Sanford Women's Health, Advanced
Reproductive Laboratory
Accreditation: CAP/ASRM

TENNESSEE

Fertility Center, LLC
1624 Gunbarrel Rd
Chattanooga TN 37421
Telephone: (423) 899-0500; Fax: (423) 899-2411
Lab Name: Fertility Center, LLC
Accreditation: The Joint Commission

ETSU Physicians Associates
325 N. State of Franklin Rd, 1st Floor
Johnson City TN 37604
Telephone: (423) 439-7272; Fax: (423) 439-7235
Lab Name: ETSU Embryology Laboratory
Accreditation: CAP/ASRM

East Tennessee IVF, Fertility, and Andrology Center
9301 Park West Blvd, Bldg A, Suite 301
Knoxville TN 37923
Telephone: (865) 249-7031; Fax: (865) 240-7021
Lab Name: East Tennessee IVF, Fertility and
Andrology Center
Accreditation: None

Southeastern Fertility Center
116 Concord Rd, Suite 400
Knoxville TN 37934
Telephone: (865) 777-0088; Fax: (865) 777-2015
Lab Name: Southeastern Fertility Center
Accreditation: None

Kutteh Ke Fertility Associates of Memphis, PLLC
80 Humphreys Center, Suite 307
Memphis TN 38120
Telephone: (901) 747-2229; Fax: (901) 747-4446
Lab Name: Memphis Fertility Laboratory, Inc.
Accreditation: CAP/ASRM

The Center for Reproductive Health
2410 Patterson St, Suite 401
Nashville TN 37203
Telephone: (615) 321-8899; Fax: (615) 321-8877
Lab Name: Fertility Laboratories of Nashville, Inc.
Accreditation: CAP/ASRM

Nashville Fertility Center
345 23rd Ave North, Suite 401
Nashville TN 37203
Telephone: (615) 321-4740; Fax: (615) 320-0240
Lab Name: Reproductive Specialty Laboratory of
Middle Tennessee, LLC
Accreditation: CAP/ASRM

TEXAS

Texas Fertility Center
Drs. Vaughn, Silverberg, Hansard and Burger
6500 N. Mopac Expressway, Bldg 1, Suite 1200
Austin TX 78731
Telephone: (512) 451-0149; Fax: (512) 451-0977
Lab Name: Texas Fertility Center, Austin IVF, LP
Accreditation: CAP/ASRM

Jeffrey Youngkin, MD
Austin Fertility Center
805 E. 32nd St, Suite 201
Austin TX 78705
Telephone: (512) 478-3188; Fax: (512) 478-5092
Lab Name: Texas Fertility Center, Austin IVF, LP
Accreditation: CAP/ASRM

Center for Assisted Reproduction
1701 Park Place Ave
Bedford TX 76022
Telephone: (817) 540-1157; Fax: (817) 267-0522
Lab Name: Center for Assisted Reproduction
IVF Laboratory
Accreditation: CAP/ASRM

Texas Fertility
4323 N. Josey Ln, Plaza I, Suite 201
Carrollton TX 75010
Telephone: (972) 394-9590; Fax: (972) 394-9579
Lab Name: Baylor Medical Center at Carrollton
IVF Laboratory
Accreditation: CAP/ASRM

Trinity InVitro Fertilization Program
Trinity Medical Center Plaza III
4325 N. Josey Ln, Suite 111
Carrollton TX 75010
Telephone: (972) 394-3699; Fax: (972) 394-6517
Lab Name: Baylor Medical Center at Carrollton
IVF Laboratory
Accreditation: CAP/ASRM

Dallas-Fort Worth Fertility Associates
8160 Walnut Hill Ln, Suite 328
Dallas TX 75231
Telephone: (214) 363-5965; Fax: (214) 363-0639
Lab Name: Presbyterian Hospital of Dallas,
ARTS Program
Accreditation: CAP/ASRM

Fertility and Advanced Reproductive Medicine
1801 Inwood Rd, 6th Floor, Room 824
Dallas TX 75390
Telephone: (214) 645-7932; Fax: (214) 645-7930
Lab Name: Fertility and Advanced Reproductive
Medicine Laboratory
Accreditation: CAP/ASRM

Fertility Specialists of Dallas, PA
8230 Walnut Hill Ln, Suite 300
Dallas TX 75231
Telephone: (214) 750-5500; Fax: (214) 750-5540
Lab Name: Presbyterian Hospital of Dallas,
ARTS Program
Accreditation: CAP/ASRM

ReproMed Fertility Center
Anil Pinto, MD, PA
3800 San Jacinto Ave
Dallas TX 75204
Telephone: (214) 827-8777; Fax: (214) 827-8622
Lab Name: Baylor Medical Center at Carrollton
IVF Laboratory
Accreditation: CAP/ASRM

Sher Institute for Reproductive Medicine-Dallas
7777 Forest Ln, Suite C638
Dallas TX 75230
Telephone: (972) 566-6686; Fax: (972) 566-6670
Lab Name: Sher Institute for Reproductive
Medicine-Dallas
Accreditation: CAP/ASRM

Texas Center for Reproductive Health
Barnett Tower, 3600 Gaston Ave, Suite 504
Dallas TX 75246
Telephone: (214) 821-2274; Fax: (214) 821-2373
Lab Name: Texas Center for Reproductive Health
Accreditation: CAP/ASRM

The Women's Place
950 Scotland Dr
DeSoto TX 75115
Telephone: (972) 709-9777; Fax: (972) 709-8300
Lab Name: The Fertility Center at Methodist
Charlton Medical Center
Accreditation: CAP/ASRM

Southwest Center for Reproductive Health, PA
700 S. Mesa Hills
El Paso TX 79912
Telephone: (915) 842-9998; Fax: (915) 842-9972
Lab Name: Southwest Center for
Reproductive Health, PA
Accreditation: None

Fort Worth Fertility, PA
1800 Mistletoe Blvd
Fort Worth TX 76104
Telephone: (817) 348-8145; Fax: (817) 348-8264
Lab Name: Texas Reproductive Center
Accreditation: CAP/ASRM (Pend)

Dallas IVF
2840 Legacy Dr, Suite 100
Frisco TX 75034
Telephone: (214) 297-0027; Fax: (214) 297-0035
Lab Name: Dallas IVF
Accreditation: CAP/ASRM (Pend)
Lab Name: Presbyterian Hospital of Plano Assisted
Reproduction Technologies Laboratory
Accreditation: CAP/ASRM

Center for Women's Medicine
10901 Katy Freeway
Houston TX 77494
Telephone: (713) 467-4488; Fax: (713) 467-9499
Lab Name: Center for Women's Medicine In Vitro
Fertilization Laboratory
Accreditation: CAP/ASRM

Cooper Institute for Advanced
Reproductive Medicine
7500 Beechnut St, Suite 308
Houston TX 77074
Telephone: (713) 771-9771; Fax: (713) 771-9773
Lab Name: Cooper Institute for Advanced
Reproductive Medicine Laboratory
Accreditation: CAP/ASRM (Pend)

Fertility Specialists of Houston
7900 Fannin St, Suite 3100
Houston TX 77054
Telephone: (713) 512-7914; Fax: (713) 512-7853
Lab Name: Obstetrical and Gynecological
Associates Reproductive Laboratories
Accreditation: CAP/ASRM

Houston Fertility Institute
13215 Dotson Rd, Suite 100
Houston TX 77070
Telephone: (832) 237-1434; Fax: (832) 237-1436
Lab Name: Houston Fertility Institute Laboratory
Accreditation: CAP/ASRM
Lab Name: Tomball Regional Hospital In Vitro
Fertilization Laboratory
Accreditation: CAP/ASRM

Houston Infertility Clinic
Sonja Kristiansen, MD
9055 Katy Freeway, Suite 450
Houston TX 77024
Telephone: (713) 862-6181; Fax: (713) 464-2810
Lab Name: Houston Infertility Clinic Laboratory
Accreditation: CAP/ASRM

Houston IVF
929 Gessner Rd, Suite 2300
Houston TX 77024
Telephone: (713) 465-1211; Fax: (713) 550-1475
Lab Name: Houston IVF Laboratory
Accreditation: CAP/ASRM

North Houston Center for
Reproductive Medicine, PA
(NHCRM)
530 Wells Fargo Dr, Suite 116
Houston TX 77090
Telephone: (281) 444-4784; Fax: (281) 444-0429
Lab Name: North Houston Fertility Laboratory, Inc.
Accreditation: CAP/ASRM

Advanced Reproductive Care Center of Irving
7501 Las Colinas Blvd, Suite 200A
Irving TX 75063
Telephone: (972) 506-9986; Fax: (972) 506-0044
Lab Name: Advanced Reproductive Care Center of
Irving, Advanced Reproductive Laboratory, LP
Accreditation: CAP/ASRM

Wilford Hall Medical Center
Department of Obstetrics & Gynecology
2200 Bergquist Dr, Suite 1
Lackland AFB TX 78236
Telephone: (210) 292-4016; Fax: (210) 292-6084
Lab Name: Wilford Hall Medical Center IVF/
Embryology Infertility Clinic
Accreditation: CAP/ASRM

Center for Fertility & Reproductive Surgery
Texas Tech University Health Sciences Center
3502 9th St, Suite G10
Lubbock TX 79415
Telephone: (806) 743-4256; Fax: (806) 743-4462
Lab Name: Texas Tech University Health Sciences
Center IVF Laboratory
Accreditation: CAP/ASRM

The Centre for Reproductive Medicine
3405 22nd St, Suite 300
Lubbock TX 79410
Telephone: (806) 788-1212; Fax: (806) 788-1253
Lab Name: The Centre for Reproductive Medicine
Accreditation: CAP/ASRM

Reproductive Institute of South Texas
110 E. Savannah, Bldg B, Suite 103
McAllen TX 78503
Telephone: (956) 687-2693; Fax: (956) 687-2829
Lab Name: Reproductive Institute of
South Texas Laboratory
Accreditation: CAP/ASRM

For current information for Dallas IVF, see Frisco, TX

Presbyterian Hospital Plano ARTS
6300 W. Parker Rd, MOB-2, Suite G26
Plano TX 75093
Telephone: (972) 981-3325; Fax: (972) 981-3336
Lab Name: Presbyterian Hospital of Plano Assisted
Reproduction Technologies Laboratory
Accreditation: CAP/ASRM

Fertility Center of San Antonio
4499 Medical Dr, Suite 200
San Antonio TX 78229
Telephone: (210) 692-0577; Fax: (210) 692-1210
Lab Name: Fertility Center of San Antonio, Inc.
Accreditation: CAP/ASRM

Fertility Concepts
4499 Medical Dr, Suite 380
San Antonio TX 78229
Telephone: (210) 614-3303; Fax: (210) 615-1052
Lab Name: Stone Oak Fertility, LLC Laboratory
Accreditation: CAP/ASRM

Institute for Women's Health
Advanced Fertility Center
502 Madison Oak Dr, Suite 230
San Antonio TX 78258
Telephone: (210) 616-0680; Fax: (210) 616-0684
Lab Name: Stone Oak Fertility, LLC Laboratory
Accreditation: CAP/ASRM

Perinatal and Fertility Specialists of San Antonio, PA
502 Madison Oak Dr, Suite 210
San Antonio TX 78258
Telephone: (210) 481-3000; Fax: (210) 481-3222
Lab Name: Stone Oak Fertility, LLC Laboratory
Accreditation: CAP/ASRM

Reproductive Medicine Associates of Texas, PA
19296 Stone Oak Pkwy
San Antonio TX 78258
Telephone: (210) 337-8453; Fax: (210) 337-8452
Lab Name: Reproductive Medicine Associates
of Texas, PA
Accreditation: CAP/ASRM

South Texas Fertility Center
University of Texas Health Science
Center-San Antonio
University of Texas Medicine Fertility Center
8300 Floyd Curl Dr, 5th Floor
San Antonio TX 78229
Telephone: (210) 450-9500; Fax: (210) 450-6028
Lab Name: University of Texas Health Science
Center-San Antonio, South Texas Women's
Health Center
Accreditation: CAP/ASRM

For current information for Houston Fertility
Institute, see Houston, TX

Center of Reproductive Medicine (CORM)
1015 Medical Center Blvd, Suite 2100
Webster TX 77598
Telephone: (281) 557-3092; Fax: (281) 557-5837
Lab Name: Center of Reproductive Medicine
Accreditation: CAP/ASRM

UTAH

Utah Center for Reproductive Medicine
675 Arapeen Dr, Suite 205
Salt Lake City UT 84108
Telephone: (801) 581-4838; Fax: (801) 585-2231
Lab Name: University of Utah School of Medicine
Andrology/Embryology Laboratory
Accreditation: CAP/ASRM

Reproductive Care Center
10150 Petunia Way
Sandy UT 84092
Telephone: (801) 878-8888; Fax: (801) 878-8890
Lab Name: Reproductive Care Center Andrology
and Embryology Laboratory
Accreditation: CAP/ASRM

VERMONT

Vermont Center for Reproductive Medicine
FAHC-Reproductive Endocrinology & Infertility
111 Colchester Ave, ACC MP-4
Burlington VT 05401
Telephone: (802) 847-0986; Fax: (802) 847-0111
Lab Name: Fletcher Allen Health Care, Vermont
Center for Reproductive Medicine
Accreditation: CAP/ASRM

VIRGINIA

Nancy Durso, MD, PC
Metro Fertility Care
6355 Walker Ln, Suite 500
Alexandria VA 22310
Telephone: (703) 313-6997; Fax: (703) 719-7632
Lab Name: The Muasher Center for Fertility and IVF
Accreditation: CAP/ASRM

Washington Fertility Center
4316 Evergreen Ln
Annandale VA 22003
Telephone: (703) 658-3100; Fax: (703) 658-3103
Lab Name: Washington Fertility Center
Reproductive Laboratories
Accreditation: CAP/ASRM

Dominion Fertility and Endocrinology
46 S. Glebe Rd, Suite 301
Arlington VA 22204
Telephone: (703) 920-3890; Fax: (703) 892-6037
Lab Name: Dominion Fertility and Endocrinology
Main Laboratory
Accreditation: CAP/ASRM

Reproductive Medicine and Surgery Center
of Virginia, PLC
595 Peter Jefferson Pkwy, Suite 390
Charlottesville VA 22911
Telephone: (434) 654-8520; Fax: (434) 654-8521
Lab Name: Martha Jefferson Reproductive
Technology Laboratory
Accreditation: The Joint Commission

Genetics & IVF Institute
3015 Williams Dr
Fairfax VA 22031
Telephone: (703) 698-7355; Fax: (703) 207-9183
Lab Name: Genetics & IVF Institute
Embryology Laboratory
Accreditation: CAP/ASRM

The Muasher Center for Fertility and IVF
8501 Arlington Blvd, Suite 500
Fairfax VA 22031
Telephone: (703) 876-6311; Fax: (703) 876-6317
Lab Name: The Muasher Center for Fertility and IVF
Accreditation: CAP/ASRM

Jones Institute for Reproductive Medicine
601 Colley Ave, Suite 251
Norfolk VA 23507
Telephone: (757) 446-7116; Fax: (757) 446-8998
Lab Name: Jones Institute for Reproductive
Medicine Embryology Laboratory
Accreditation: CAP/ASRM

Virginia Center for Reproductive Medicine
11150 Sunset Hills Rd, Suite 100
Reston VA 20190
Telephone: (703) 437-7722; Fax: (703) 437-0066
Lab Name: Virginia Center for
Reproductive Medicine
Accreditation: CAP/ASRM

Fertility Institute of Virginia
10710 Midlothian Turnpike, Suite 331
Richmond VA 23235
Telephone: (804) 379-9000; Fax: (804) 379-9031
Lab Name: Virginia IVF and Andrology Center
Accreditation: CAP/ASRM

LifeSource Fertility Center
7603 Forest Ave, Suite 204
Richmond VA 23229
Telephone: (804) 673-2273; Fax: (804) 285-3109
Lab Name: Virginia IVF and Andrology Center
Accreditation: CAP/ASRM

The Richmond Center for Fertility and Endocrinology
Courtyard Office Bldg, 7603 Forest Ave, Suite 301
Richmond VA 23229
Telephone: (804) 285-9700; Fax: (804) 285-9745
Lab Name: Virginia IVF and Andrology Center
Accreditation: CAP/ASRM

The New Hope Center for Reproductive Medicine
1181 First Colonial Rd, Suite 100
Virginia Beach VA 23454
Telephone: (757) 496-5370; Fax: (757) 481-3354
Lab Name: The New Hope Center for Reproductive
Medicine Laboratory
Accreditation: CAP/ASRM

Francisco M. Irianni, MD, Infertility Clinic
1820 W. Plaza Dr
Winchester VA 22601
Telephone: (540) 662-6092; Fax: (540) 667-2476
Lab Name: Medical Faculty Associates, Inc.
Accreditation: CAP/ASRM

WASHINGTON

Overlake Reproductive Health Inc., PS
1135 116th Ave N.E., Suite 640
Bellevue WA 98004
Telephone: (425) 646-4700; Fax: (425) 646-1076
Lab Name: Overlake Reproductive Health
Laboratory, LLC
Accreditation: The Joint Commission

Washington Center for Reproductive Medicine
1370 116th Ave N.E., Suite 100
Bellevue WA 98004
Telephone: (425) 462-6100; Fax: (425) 635-0742
Lab Name: Eastside Fertility Laboratory
Accreditation: CAP/ASRM

Bellingham IVF & Fertility Care
2980 Squalicum Pkwy, Suite 103
Bellingham WA 98225
Telephone: (360) 715-8124; Fax: (360) 715-8126
Lab Name: Bellingham IVF
Accreditation: None

Northwest Center for Reproductive Sciences
12333 N.E. 130th Ln, Suite 220
Kirkland WA 98034
Telephone: (425) 284-4400; Fax: (425) 899-9803
Lab Name: Northwest Center for
Reproductive Sciences
Accreditation: The Joint Commission

Olympia Women's Health
403 E. Black Hills Ln N.W.
Olympia WA 98502
Telephone: (360) 786-1515; Fax: (360) 754-7476
Lab Name: Olympia Women's Health
Accreditation: CAP/ASRM

Pacific Northwest Fertility and IVF Specialists
1101 Madison Ave, Suite 1050
Seattle WA 98104
Telephone: (206) 515-0000; Fax: (206) 515-0001
Lab Name: Pacific Northwest Fertility and IVF
Specialists Laboratory
Accreditation: CAP/ASRM

Seattle Reproductive Medicine
Integramed America
1505 Westlake Ave North, Suite 400
Seattle WA 98109
Telephone: (206) 301-5000; Fax: (206) 285-1119
Lab Name: Seattle Reproductive Medicine,
SRM Laboratory
Accreditation: CAP/ASRM

The Center for Reproductive Endocrinology
and Fertility
The Center for Reproductive Health
508 W. 6th Ave, Suite 500
Spokane WA 99204
Telephone: (509) 462-7070; Fax: (509) 444-3894
Lab Name: Center for Reproductive Endocrinology
and Fertility
Accreditation: The Joint Commission

GYFT Clinic, PLLC
502 S. M St, Suite 200
Tacoma WA 98405
Telephone: (206) 475-5433; Fax: (206) 473-6715
Lab Name: GYFT Clinic Reproductive
Assays Laboratory
Accreditation: CAP/ASRM

Madigan Army Medical Center
9040A Fitzsimmons Ave
Tacoma WA 98431
Telephone: (253) 968-3783; Fax: (253) 968-5295
Lab Name: Seattle Reproductive Medicine,
SRM Laboratory
Accreditation: CAP/ASRM

WEST VIRGINIA

West Virginia University Fertility Center
830 Pennsylvania Ave, Suite 205
Charleston WV 25302
Telephone: (304) 388-2863; Fax: (304) 388-2866
Lab Name: West Virginia University Fertility Center
Accreditation: None

Cabell Huntington Hospital
Center for Advanced Reproductive Medicine
1340 Hal Greer Blvd
Huntington WV 25701
Telephone: (304) 526-2652; Fax: (304) 526-2292
Lab Name: Cabell Huntington Hospital
Accreditation: The Joint Commission

West Virginia University Center for
Reproductive Medicine
1322 Pineview Dr, Suite 2
Morgantown WV 26505
Telephone: (304) 598-3100; Fax: (304) 598-8301
Lab Name: West Virginia University, Department of
OB GYN, Center for Reproductive Medicine
Accreditation: CAP/ASRM

WISCONSIN

Aurora Health Care-Aurora Fertility Services
The Women's Center at Aurora BayCare
Medical Center
2845 Greenbrier Rd, Suite 350
Green Bay WI 54308
Telephone: (920) 288-8500; Fax: (920) 288-8570
Lab Name: Aurora Health Care-Aurora Fertility
Services, Green Bay
Accreditation: CAP/ASRM

Gundersen Lutheran Fertility Center
1900 South Ave, 3rd Floor Clinic
La Crosse WI 54601
Telephone: (800) 362-9567; Fax: (608) 775-2993
Lab Name: Gundersen Lutheran Fertility Center
Accreditation: CAP/ASRM

Reproductive Health and Fertility Center
226 Corporate Dr
Madison WI 53714
Telephone: (877) 373-7552; Fax: (815) 986-3748
Lab Name: Reproductive Health and Fertility
Center Laboratory
Accreditation: CAP/ASRM

§University of Wisconsin-Madison
Reproductive Endocrinology and Infertility Program
600 Highland Ave, H4/656
Madison WI 53792
Telephone: (608) 265-0237; Fax: (608) 262-9862
Contact the NASS Help Desk for current
clinic information.

Wisconsin Fertility Institute
3146 Deming Way
Middleton WI 53562
Telephone: (608) 824-0075; Fax: (608) 829-0748
Lab Name: Wisconsin Fertility Institute Laboratory
Accreditation: CAP/ASRM

Froedtert & Medical College of Wisconsin
Reproductive Medicine Clinic
*Froedtert & Medical College of Wisconsin
Reproductive Medicine Center*
9200 W. Wisconsin Ave, Floor 5P
Milwaukee WI 53226
Telephone: (414) 805-7370; Fax: (414) 805-7240
Lab Name: Froedtert Hospital Reproductive
Medicine Center Laboratory
Accreditation: CAP/ASRM

Reproductive Specialty Center
IVF Columbia
2015 E. Newport Ave, Suite 707
Milwaukee WI 53211
Telephone: (414) 289-9668; Fax: (414) 289-0974
Lab Name: Reproductive Specialty Center,
IVF Columbia
Accreditation: CAP/ASRM

Women's Health Care, SC
721 American Ave, Suite 304
Waukesha WI 53188
Telephone: (262) 549-2229; Fax: (262) 549-1657
Lab Name: Advanced Institute of Fertility
Accreditation: CAP/ASRM

Aurora Health Care-Aurora Fertility Services, West Allis
West Allis Memorial Hospital
8901 W. Lincoln Ave, 2nd Floor
West Allis WI 53227
Telephone: (414) 329-4300; Fax: (414) 329-4399
Lab Name: Aurora Fertility Services
Accreditation: CAP/ASRM

Nonreporting ART Clinics for 2008, by State

The clinics listed below provided ART services throughout 2008 and accordingly were required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act passed by the U.S. Congress. These clinics either failed to submit data or did not provide verification by the clinic medical director that the tabulated success rates were correct, as required for publication.

Consumers who are aware of a clinic that was in operation in 2008 but is not included in this report's lists of either reporting or nonreporting clinics are encouraged to contact us with the complete name, mailing address, and telephone number of the clinic, by e-mail at cdcinfo@cdc.gov (Subject: ART) or by regular mail at CDC, ATTN: ARTE team; 4770 Buford Highway, N.E.; Mail Stop K-34; Atlanta GA 30341-3717. Providing this information will help ensure that clinics that should be in the report will be included in upcoming years.

Clinic names preceded by the † symbol have closed since 2008.

Reproductive Fertility Center
9301 Wilshire Blvd, Suite 208
Beverly Hills CA 90210
Telephone: (310) 247-9040; Fax: (310) 278-7599

Hope IVF and Fertility Center
2500 Alton Pkwy, Suite 201
Irvine CA 92606
Telephone: (949) 387-3888; Fax: (949) 387-3907

La Jolla IVF
9850 Genesee Ave, Suite 610
La Jolla CA 92037
Telephone: (858) 558-2221; Fax: (858) 558-2263

† Sher Institute for Reproductive
Medicine-Orange County
27882 Forbes Rd, Suite 200
Laguna Niguel CA 92677
Telephone: (949) 249-9200; Fax: (949) 249-9203

Northridge Center for Reproductive Medicine
18546 Roscoe Blvd, Suite 240
Northridge CA 91324
Telephone: (818) 886-0600; Fax: (818) 701-8100

Sher Institute for Reproductive
Medicine-Sacramento
2288 Auburn Blvd, Suite 204
Sacramento CA 95821
Telephone: (916) 568-2125; Fax: (916) 567-1360

Williams OB/GYN Associates
1334 W. Covina Blvd, Suite 102
San Dimas CA 91773
Telephone: (909) 599-8677; Fax: (909) 592-0999

Alex Steinleitner, MD
21 Santa Rosa St, Suite 200
San Luis Obispo CA 93405
Telephone: (805) 543-2228; Fax: (805) 269-0226

Fertility and Surgical Associates of California
325 Rolling Oaks Dr, Suite 110
Thousand Oaks CA 91361
Telephone: (805) 778-1122; Fax: (805) 778-0855

Life-Women's Health Center
Daniel A. Rostein, MD
6425 W. Cermak Rd, Suite 202
Berwyn IL 60402
Telephone: (708) 484-0500; Fax: (708) 484-4259

Advanced Reproductive Health Centers, Ltd.
Chicago IVF
10811 W. 143rd St, Suite 120
Orland Park IL 60467
Telephone: (708) 403-4210; Fax: (708) 403-5272

† Associated Fertility & Gynecology, PC
7910 W. Jefferson Blvd, Suite 301
Fort Wayne IN 46804
Telephone: (260) 432-6250; Fax: (260) 436-7220

† Advanced Fertility Group, Assisted
Fertility Services
201 N. Pennsylvania Pkwy, Suite 205
Indianapolis IN 46280
Telephone: (317) 621-2497; Fax: (317) 621-7285

† Reproductive Endocrinology Associates
2020 W. 86th St, Suite 310
Indianapolis IN 46260
Telephone: (317) 872-1515; Fax: (317) 879-2784

† Kentucky Center for Reproductive Medicine
310 S. Limestone
Lexington KY 40508
Telephone: (859) 226-7254; Fax: (859) 226-0026

† Kentucky Fertility, Gynecology & Obstetrics
141 N. Eagle Creek Dr, Suite 203
Lexington KY 40509
Telephone: (859) 263-9600; Fax: (859) 276-2236

† Maine Center for Reproductive Health
778 Main St, Suite 2
South Portland ME 04106
Telephone: (207) 775-1255; Fax: (207) 775-1299

Siu Ng-Wagner, MD
9333 Sprinklewood Ln
Potomac MD 20854
Telephone: (301) 838-9711; Fax: (301) 838-9712

Center for Reproductive Medicine
9711 Medical Center Dr, Suite 214
Rockville MD 20850
Telephone: (301) 424-1904; Fax: (301) 424-1902

Luana J. Kyselka, MD, PC
2877 Crooks Rd, Suite D
Troy MI 48084
Telephone: (248) 643-6634; Fax: (248) 643-7165

Sher Institute for Reproductive
Medicine-New Jersey
One Robertson Dr
Bedminster NJ 07921
Telephone: (908) 781-0666; Fax: (908) 781-6377

† Tower Fertility Center
1035 Route 46 East
Clifton NJ 07013
Telephone: (973) 470-0303; Fax: (973) 916-0488

Thomas Annos, MD
40 Farley Pl
Short Hills NJ 07078
Telephone: (973) 467-0099; Fax: (973) 761-5100

The Brandeis Fertility Center
330 W. 58th St, Suite 401
New York NY 10019
Telephone: (212) 362-4848; Fax: (718) 963-6363

† Reproductive Care of NY
330 W. 58th St, Suite 613
New York NY 10019
Telephone: (212) 247-3111; Fax: (212) 247-3255

Womack Army Medical Center
Department of REI and ART
WAMC Mailstop A, 2817 Reilly Rd, MCXC-OB
Fort Bragg NC 28310
Telephone: (910) 907-0753; Fax: (910) 907-7825

Junaelo Institute of Reproductive Medicine
4256 Fulton Dr N.W., Suite B
Canton OH 44718
Telephone: (330) 497-9400; Fax: (330) 497-9406

†The Reproductive Center
900 Sahara Tr
Youngstown OH 44514
Telephone: (330) 965-8390; Fax: (330) 965-8391

Lehigh Valley Physicians Group
Reproductive Endocrinology and
Infertility Specialists
401 N. 17th St, Suite 303
Allentown PA 18104
Telephone: (610) 969-4522; Fax: (610) 969-3049

†Lehigh Valley Women's Medical Specialties, PC
440 S. 15th St
Allentown PA 18102
Telephone: (610) 437-7000; Fax: (610) 437-6381

Clinica de Fertilidad HIMA-San Pablo Caguas
Ave Muñoz Rivera, A-1, Suite 303
Caguas PR 00726
Telephone: (787) 704-3434; Fax: (787) 653-3758

†Centro de Fertilidad del Caribe
Torre San Francisco, Ave de Diego 369, Suite 606
San Juan PR 00923
Telephone: (787) 763-2773; Fax: (787) 763-2773

Center for Applied Reproductive Science
Johnson City Medical Center Office Bldg
408 N. State of Franklin Rd
Johnson City TN 37604
Telephone: (423) 461-8880; Fax: (423) 461-8887

UTMB Women's Healthcare Group
1804 FM 646 West, Suite N
Dickinson TX 77539
Telephone: (800) 509-2229; Fax: (281) 534-2770

Office of Frank DeLeon, MD
1325 Pennsylvania Ave, Suite 690
Fort Worth TX 76104
Telephone: (817) 878-5270; Fax: (817) 878-5294

The Women's Specialists of Houston
6624 Fannin St, Suite 1800
Houston TX 77030
Telephone: (713) 425-3783; Fax: (713) 425-3077

Scott & White
IVF Clinic
2401 S. 31st St
Temple TX 76508
Telephone: (254) 724-2111; Fax: (254) 724-1046

Beach Center for Fertility, Endocrinology and IVF
844 First Colonial Rd, Suite 202
Virginia Beach VA 23451
Telephone: (757) 428-0002; Fax: (757) 428-4555

Advanced Institute of Fertility
St. Luke's Physician Office Bldg
2801 W. Kinnickinnic River Pkwy, Suite 535
Milwaukee WI 53215
Telephone: (414) 645-5437; Fax: (414) 645-5401

2008

Appendix D

National Consumer Organizations

APPENDIX D: NATIONAL CONSUMER ORGANIZATIONS

The following national consumer organizations offer support to people experiencing infertility:

The American Fertility Association
305 Madison Ave, Suite 449
New York NY 10165
Telephone: (888) 917-3777
info@theafa.org
www.theafa.org

RESOLVE: The National Infertility Association
1760 Old Meadow Rd, Suite 500
McLean VA 22102
Telephone: (703) 556-7172; Fax: (703) 506-3266
info@resolve.org
www.resolve.org

National Women's Health Information Center
(NWHIC)
U.S. Department of Health and Human Services
Office of Women's Health
Telephone: (800) 994-9662; TDD: (888) 220-5446
4_woman@federal.dell.com
www.womenshealth.gov

